Length of Stay by Diagnosis, Northeastern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day tha this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151753	3.7	14	1	1	3	4	6	8	16
20-34	117851	4.4	27	1	1	3	4	8	12	28
35-49	47706	6.2	43	1	1	4	7	13	17	33
50-64	42120	7.0	46	1	2	5	9	14	19	34
65+	42776	8.3	67	1	2	6	10	16	22	45
B. *Operated*										
0-19 YRS	83465	3.1	14	<1	<1	2	3	6	8	17
20-34	159443	3.6	12	<1	1	3	4	7	9	16
35-49	80202	4.6	23	<1	1	3	6	9	13	24
50-64	74905	5.9	37	1	1	4	8	12	17	29
65+	71627	7.5	71	1	2	4	10	17	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106399	5.0	38	1	1	4	6	8	13	34
20-34	83737	6.1	49	1	1	4	7	13	18	37
35-49	79946	7.7	55	1	2	6	9	15	21	38
50-64	146132	8.9	68	2	2	7	11	17	23	45
65+	302496	11.6	116	2	3	9	14	23	33	75
B. *Operated*										
0-19 YRS	49056	5.5	77	<1	1	3	6	11	20	55
20-34	132212	5.7	45	1	1	4	7	10	15	38
35-49	95200	7.5	74	1	2	5	9	16	23	48
50-64	126031	10.7	129	2	2	7	14	24	33	68
65+	190159	15.1	213	2	2	11	20	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402206	5.0	33	1	1	3	6	10	14	30
B. *Operated*	469642	4.6	30	<1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	718710	9.0	86	1	2	6	11	18	26	56
B. *Operated*	592658	10.1	139	1	2	6	13	24	34	75
1. SINGLE DX	871848	4.8	31	<1	1	3	6	10	14	28
2. MULTIPLE DX	1311368	9.5	111	1	2	6	12	21	30	66
A. NOT OPERATED	1120916	7.6	71	1	2	5	9	16	22	48
B. OPERATED	1062300	7.7	98	1	1	4	9	18	26	58
TOTAL 0-19 YRS	390673	4.2	29	<1	1	3	5	7	10	28
20-34	493243	4.8	32	<1	1	3	6	9	13	29
35-49	303054	6.6	52	1	1	5	8	13	19	37
50-64	389188	8.7	83	1	2	6	11	18	25	51
65+	607058	12.0	144	2	2	9	15	26	37	82
GRAND TOTAL	**2183216**	**7.6**	**84**	**1**	**1**	**5**	**9**	**17**	**24**	**53**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83793	3.9	23	1	1	3	4	7	10	23
20-34	117851	4.4	27	1	1	3	4	8	12	28
35-49	47706	6.2	43	1	1	4	7	13	17	33
50-64	42120	7.0	46	1	2	5	9	14	19	34
65+	42776	8.3	67	1	2	6	10	16	22	45
B. *Operated*										
0-19 YRS	83425	3.1	14	<1	<1	2	3	6	8	17
20-34	159443	3.6	12	<1	1	3	4	7	9	16
35-49	80202	4.6	23	<1	1	3	6	9	13	24
50-64	74905	5.9	37	1	1	4	8	12	17	29
65+	71627	7.5	71	1	2	4	10	17	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73098	4.8	41	1	1	3	5	9	13	36
20-34	83737	6.1	49	1	1	4	7	13	18	37
35-49	79946	7.7	55	1	2	6	9	15	21	38
50-64	146132	8.9	68	2	2	7	11	17	23	45
65+	302496	11.6	116	2	3	9	14	23	33	75
B. *Operated*										
0-19 YRS	48038	5.2	63	<1	1	3	6	11	18	47
20-34	132212	5.7	45	1	1	4	7	10	15	38
35-49	95200	7.5	74	1	2	5	9	16	23	48
50-64	126031	10.7	129	2	2	7	14	24	33	68
65+	190159	15.1	213	2	2	11	20	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334246	5.3	38	1	1	4	6	11	15	32
B. *Operated*	469602	4.6	30	<1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	685409	9.1	88	1	2	7	11	19	26	57
B. *Operated*	591640	10.0	138	1	2	6	13	23	34	74
1. SINGLE DX	803848	4.9	33	<1	1	3	6	10	15	29
2. MULTIPLE DX	1277049	9.6	112	1	2	6	12	21	30	66
A. NOT OPERATED	1019655	7.9	75	1	2	5	10	16	23	50
B. OPERATED	1061242	7.6	97	1	1	4	9	18	26	58
TOTAL 0-19 YRS	288354	4.1	32	<1	1	3	5	8	11	30
20-34	493243	4.8	32	<1	1	3	6	9	13	29
35-49	303054	6.6	52	1	1	5	8	13	19	37
50-64	389188	8.7	83	1	2	6	11	18	25	51
65+	607058	12.0	144	2	2	9	15	26	37	82
GRAND TOTAL	**2080897**	**7.8**	**87**	**1**	**1**	**5**	**9**	**17**	**25**	**54**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2213	3.5	6	1	1	3	4	6	8	13
20-34	758	3.7	7	1	1	3	5	7	9	14
35-49	311	4.4	11	1	1	4	6	8	11	16
50-64	214	4.2	8	1	1	4	5	7	9	15
65+	169	5.2	13	1	2	4	7	10	12	17
B. *Operated*										
0-19 YRS	26	7.0	17	2	3	6	9	12	15	21
20-34	56	5.7	8	1	2	6	7	9	10	15
35-49	28	5.9	21	2	2	5	7	10	12	26
50-64	13	6.2	11	<1	2	6	7	11	13	14
65+	8	11.8	60	1	2	12	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1838	4.3	11	1	2	4	5	8	10	18
20-34	686	4.6	14	1	2	4	6	8	11	22
35-49	396	5.2	16	1	2	4	7	9	12	21
50-64	508	5.5	14	1	2	5	7	10	12	18
65+	908	8.1	57	2	3	6	9	16	21	40
B. *Operated*										
0-19 YRS	33	14.0	487	2	3	6	11	64	94	99+
20-34	58	7.9	23	3	3	7	10	13	19	26
35-49	49	10.1	55	3	4	9	11	19	23	46
50-64	55	12.8	67	5	5	11	17	22	25	47
65+	87	15.9	154	3	6	13	21	30	33	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3665	3.7	7	1	1	3	5	7	9	14
B. *Operated*	131	6.4	17	1	2	6	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	4336	5.4	24	1	2	4	6	10	13	24
B. *Operated*	282	12.4	139	3	4	9	15	24	31	90
1. SINGLE DX	3796	3.8	8	1	1	3	5	7	9	15
2. MULTIPLE DX	4618	5.8	34	1	2	4	7	11	15	28
A. NOT OPERATED	8001	4.6	17	1	2	4	6	9	11	20
B. OPERATED	413	10.5	108	3	3	8	12	21	26	68
TOTAL 0-19 YRS	4110	4.0	13	1	1	3	5	7	9	16
20-34	1558	4.3	11	1	1	3	5	8	10	18
35-49	784	5.2	18	1	2	4	7	10	12	21
50-64	790	5.7	20	1	2	5	7	11	14	22
65+	1172	8.3	63	2	2	6	10	16	22	39
GRAND TOTAL	**8414**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	37	1	2	6	9	18	20	22
20-34	53	15.1	135	2	4	14	21	36	43	98
35-49	43	15.3	126	4	5	12	19	30	39	60
50-64	27	13.1	86	3	4	10	18	23	31	45
65+	26	11.8	82	1	1	9	17	24	32	34
B. *Operated*										
0-19 YRS	4	9.5	92	1	1	7	17	22	22	22
20-34	39	12.2	52	1	2	13	16	21	23	31
35-49	19	13.0	98	2	3	10	19	29	35	36
50-64	38	14.1	47	4	6	13	19	23	26	34
65+	21	16.7	109	2	2	18	23	27	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.3	208	2	3	10	17	26	50	60
20-34	42	20.6	197	6	8	19	28	32	43	84
35-49	83	23.0	346	5	6	19	29	57	94	99+
50-64	92	20.0	272	3	7	15	24	44	60	83
65+	127	17.5	182	4	5	15	24	37	42	93
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	26	21.7	290	3	7	16	28	42	64	74
35-49	56	23.9	266	6	8	19	30	54	62	68
50-64	63	19.3	213	5	6	16	27	45	74	99+
65+	119	24.4	330	3	6	22	31	43	70	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	13.4	110	2	3	11	18	26	36	60
B. *Operated*	121	13.6	69	2	3	12	19	23	28	37
2. MULTIPLE DX										
A. *Not Operated*	360	19.6	249	4	5	16	25	41	56	99+
B. *Operated*	266	22.6	286	4	6	19	30	44	64	99+
1. SINGLE DX	289	13.5	92	2	3	11	19	24	33	53
2. MULTIPLE DX	626	20.9	267	4	6	17	27	43	61	99+
A. NOT OPERATED	528	17.6	213	3	5	14	22	38	48	99+
B. OPERATED	387	19.8	236	3	5	17	25	38	56	98
TOTAL 0-19 YRS	41	9.7	111	1	2	6	14	20	24	60
20-34	160	16.9	167	2	4	14	21	31	42	83
35-49	201	20.6	267	4	6	16	25	45	63	99+
50-64	220	18.0	199	4	6	14	22	40	54	99+
65+	293	19.7	244	3	5	18	26	38	46	94
GRAND TOTAL	**915**	**18.6**	**223**	**3**	**5**	**15**	**24**	**38**	**52**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	12.4	129	1	1	9	19	31	32	32
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	1	32.0		32	32	32	32	32	32	32
65+	3	15.0	469	2	2	3	31	40	40	40
B. *Operated*										
0-19 YRS	10	10.3	84	1	2	7	16	24	30	30
20-34	13	13.7	114	3	5	11	15	29	40	43
35-49	15	11.7	156	2	2	6	17	35	37	38
50-64	10	15.8	126	1	3	17	28	59	97	99+
65+	12	12.4	128	2	2	11	15	32	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	18.0	366	2	2	11	25	51	51	51
35-49	13	14.4	257	2	3	10	15	33	57	63
50-64	9	18.2	284	3	3	10	29	46	48	48
65+	28	14.2	103	2	3	13	18	28	34	46
B. *Operated*										
0-19 YRS	4	22.3	576	<1	<1	19	42	49	49	49
20-34	21	16.7	147	3	4	15	26	37	37	37
35-49	18	24.6	512	2	3	17	35	58	78	87
50-64	29	21.7	323	3	4	17	37	64	98	99+
65+	25	30.4	646	4	7	22	43	60	92	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	12.1	166	1	1	7	19	32	37	40
B. *Operated*	60	12.7	119	2	2	10	18	31	37	94
2. MULTIPLE DX										
A. *Not Operated*	56	15.0	180	2	3	11	18	33	47	62
B. *Operated*	97	23.4	419	3	4	17	36	56	80	99+
1. SINGLE DX	77	12.6	128	1	2	10	17	32	38	84
2. MULTIPLE DX	153	20.4	346	2	3	15	30	48	62	99+
A. NOT OPERATED	73	14.3	176	2	2	10	18	32	46	60
B. OPERATED	157	19.3	330	2	3	14	30	43	63	99+
TOTAL 0-19 YRS	24	12.8	175	1	1	8	17	32	40	49
20-34	40	15.5	154	2	3	12	21	37	40	51
35-49	49	16.7	333	2	2	10	25	38	63	87
50-64	49	20.1	268	3	4	17	33	52	97	99+
65+	68	19.9	374	2	3	15	29	45	60	94
GRAND TOTAL	**230**	**17.8**	**286**	**2**	**3**	**12**	**27**	**41**	**58**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.0	2	1	1	3	4	5	5	7
20-34	71	3.4	4	1	2	3	4	5	6	12
35-49	11	4.0	1	2	2	4	5	6	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	33	1.8		1	1	2	2	2	3	4
20-34	12	2.3		1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	3.4	4	1	1	3	4	6	7	10
20-34	111	4.1	5	2	2	4	5	7	8	12
35-49	31	4.5	7	1	2	4	6	7	12	13
50-64	21	5.0	4	2	2	5	6	7	9	10
65+	14	8.9	57	2	3	7	11	17	28	31
B. *Operated*										
0-19 YRS	31	2.9	8	1	1	2	2	6	9	15
20-34	5	7.2	89	2	2	4	9	24	24	24
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.1	2	1	1	3	4	5	6	7
B. *Operated*	45	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	564	3.8	6	1	2	3	5	7	8	12
B. *Operated*	39	3.9	20	1	2	2	4	9	13	24
1. SINGLE DX	385	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX	603	3.8	7	1	2	3	5	7	8	14
A. NOT OPERATED	904	3.5	5	1	2	3	4	6	7	11
B. OPERATED	84	2.9	10	1	1	2	2	4	9	21
TOTAL 0-19 YRS	704	3.2	3	1	1	3	4	5	6	9
20-34	199	3.8	6	1	2	3	4	6	8	14
35-49	43	4.5	6	1	2	4	6	7	9	13
50-64	25	5.0	4	2	3	5	6	7	9	10
65+	17	8.6	47	2	3	7	10	15	26	31
GRAND TOTAL	**988**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	6.3	20	2	2	5	8	12	14	27
20-34	29	9.9	99	2	3	6	10	26	33	43
35-49	14	14.1	285	2	3	7	18	28	58	67
50-64	34	9.9	37	3	4	9	13	18	20	31
65+	73	12.0	41	4	5	11	14	21	25	34
B. *Operated*										
0-19 YRS	9	10.8	28	5	5	10	12	19	23	23
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	3	19.3	329	6	6	12	33	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	7.6	59	2	2	6	10	13	16	33
20-34	96	14.1	108	3	4	11	18	29	32	55
35-49	137	11.7	91	4	5	9	13	23	39	99+
50-64	312	13.5	93	4	5	11	17	26	33	66
65+	1406	16.2	149	5	6	13	19	31	44	93
B. *Operated*										
0-19 YRS	29	15.9	145	4	5	14	20	30	44	55
20-34	36	21.7	267	3	4	18	32	55	61	99+
35-49	45	21.8	273	5	7	16	25	48	57	66
50-64	125	22.7	252	7	8	18	30	44	58	99+
65+	369	27.4	369	9	11	22	36	60	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	8.0	44	2	2	6	10	15	20	31
B. *Operated*	15	11.7	84	3	5	10	12	23	36	40
2. MULTIPLE DX										
A. *Not Operated*	2269	14.3	132	3	5	11	17	28	38	80
B. *Operated*	604	25.1	329	7	9	20	32	56	77	99+
1. SINGLE DX	448	8.1	46	2	2	6	10	15	20	33
2. MULTIPLE DX	2873	16.5	193	4	5	13	20	34	49	99+
A. NOT OPERATED	2702	13.3	123	3	4	11	16	25	36	74
B. OPERATED	619	24.8	327	7	9	20	32	55	73	99+
TOTAL 0-19 YRS	639	7.4	49	2	2	6	9	13	17	30
20-34	162	15.0	154	3	4	11	20	32	43	65
35-49	196	14.2	162	4	5	9	17	33	47	84
50-64	473	15.6	149	4	5	12	19	32	41	97
65+	1851	18.3	210	5	7	14	21	37	55	99+
GRAND TOTAL	**3321**	**15.4**	**181**	**3**	**4**	**12**	**19**	**32**	**46**	**96**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.6	20	2	2	7	11	14	15	18
20-34	56	7.8	23	2	2	7	11	15	17	21
35-49	47	8.5	43	3	3	6	11	17	24	31
50-64	30	8.3	161	3	3	5	7	14	20	72
65+	28	8.6	43	2	3	7	11	18	21	32
B. *Operated*										
0-19 YRS	11	11.3	8	7	7	12	13	15	15	15
20-34	8	10.8	172	<1	<1	5	18	33	35	35
35-49	6	15.7	429	2	2	8	14	53	57	57
50-64	6	16.0	209	6	6	10	19	41	44	44
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	8.2	48	2	2	7	11	15	18	35
20-34	56	8.8	43	2	3	7	11	16	21	34
35-49	70	8.8	29	3	4	7	11	16	19	28
50-64	111	10.2	76	3	4	8	12	18	23	56
65+	180	11.9	82	4	5	9	14	22	28	48
B. *Operated*										
0-19 YRS	16	15.6	177	4	5	12	17	23	50	61
20-34	12	14.6	118	2	3	11	25	31	32	32
35-49	25	21.9	335	4	5	17	30	44	62	76
50-64	35	23.0	457	3	7	14	37	66	78	99+
65+	47	21.7	247	4	7	18	28	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	7.9	34	2	3	7	11	14	16	25
B. *Operated*	32	13.9	182	1	2	10	14	38	45	57
2. MULTIPLE DX										
A. *Not Operated*	596	9.8	63	3	3	8	12	17	23	43
B. *Operated*	135	20.7	299	4	5	15	28	44	66	99+
1. SINGLE DX	437	8.3	47	2	3	7	11	14	18	36
2. MULTIPLE DX	731	11.8	124	3	4	9	14	23	34	67
A. NOT OPERATED	1001	9.0	52	2	3	7	12	16	20	35
B. OPERATED	167	19.4	282	2	5	14	26	44	61	97
TOTAL 0-19 YRS	450	8.2	38	2	2	7	12	14	16	23
20-34	132	9.0	50	2	2	7	12	18	26	34
35-49	148	11.2	122	3	3	8	13	23	32	58
50-64	182	12.5	192	3	4	8	14	24	47	79
65+	256	13.5	127	4	5	10	16	27	37	72
GRAND TOTAL	**1168**	**10.5**	**98**	**2**	**3**	**8**	**12**	**19**	**28**	**61**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	4.2	7	1	2	4	5	8	10	14
20-34	287	5.3	10	2	2	5	7	10	12	14
35-49	70	6.5	13	2	2	6	9	12	14	16
50-64	20	5.5	18	1	2	4	8	10	14	18
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	5	8.0	20	2	2	10	11	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.9	12	1	2	4	6	9	12	16
20-34	102	5.5	10	2	2	5	7	9	11	17
35-49	54	6.9	30	2	2	6	8	12	21	28
50-64	19	7.8	23	3	3	6	10	14	18	22
65+	13	18.8	238	5	8	15	18	44	59	62
B. *Operated*										
0-19 YRS	4	6.3	19	2	2	5	9	12	12	12
20-34	4	18.3	267	7	7	12	29	42	42	42
35-49	6	22.3	927	6	6	10	17	77	84	84
50-64	6	16.7	122	6	6	12	29	32	32	32
65+	1	33.0		33	33	66	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	4.8	9	1	2	4	6	9	11	15
B. *Operated*	12	6.3	13	1	2	6	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	403	5.9	27	2	2	5	7	11	13	26
B. *Operated*	21	17.4	350	3	5	11	29	55	90	99+
1. SINGLE DX	970	4.8	9	1	2	4	6	9	11	15
2. MULTIPLE DX	424	6.5	49	2	2	5	8	12	15	40
A. NOT OPERATED	1361	5.1	15	1	2	4	6	10	12	17
B. OPERATED	33	13.3	253	2	3	8	13	34	76	99+
TOTAL 0-19 YRS	803	4.4	9	1	2	4	6	8	10	14
20-34	398	5.5	14	2	2	5	7	10	12	16
35-49	131	7.4	66	2	2	6	9	12	16	39
50-64	47	7.8	43	2	2	6	10	14	23	32
65+	15	19.3	222	5	9	15	27	60	89	99+
GRAND TOTAL	**1394**	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	3.4	5	1	1	3	4	6	7	13
20-34	83	5.1	10	2	2	4	7	9	11	17
35-49	34	6.7	20	2	2	5	9	13	15	21
50-64	63	7.3	65	2	3	5	8	12	24	49
65+	131	8.3	57	2	3	6	11	15	20	47
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	8	3.4	6	2	2	3	4	7	9	9
35-49	3	7.3	4	5	5	9	99+	99+	99+	99+
50-64	5	8.6	50	4	4	5	11	21	21	21
65+	7	7.9	60	3	3	4	8	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	4.1	9	1	2	4	5	7	10	16
20-34	88	6.3	42	2	2	5	7	10	12	44
35-49	47	7.1	27	2	3	5	9	14	20	22
50-64	147	8.6	40	2	3	7	11	16	20	33
65+	614	12.3	146	2	4	9	14	24	38	82
B. *Operated*										
0-19 YRS	16	10.6	80	3	3	7	15	21	32	36
20-34	6	13.5	34	7	7	14	15	22	23	23
35-49	12	18.8	201	4	4	13	27	44	46	46
50-64	18	14.3	198	4	5	9	18	50	82	99+
65+	61	21.1	270	3	5	18	30	45	67	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	5.0	26	1	2	3	6	10	13	29
B. *Operated*	25	6.2	31	2	2	4	8	24	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1382	8.5	89	2	2	6	10	16	24	56
B. *Operated*	113	17.9	223	3	4	13	26	43	56	99+
1. SINGLE DX	718	5.1	26	1	2	4	6	10	14	31
2. MULTIPLE DX	1495	9.2	105	2	2	6	11	19	29	64
A. NOT OPERATED	2075	7.3	70	2	2	5	9	14	20	50
B. OPERATED	138	15.8	208	3	3	11	23	40	62	99+
TOTAL 0-19 YRS	886	3.9	9	1	2	3	4	7	9	16
20-34	185	5.9	28	2	2	5	7	10	13	22
35-49	96	8.4	59	2	3	6	10	20	28	99+
50-64	233	8.7	61	2	3	6	11	18	25	53
65+	813	12.2	148	2	3	9	14	25	38	78
GRAND TOTAL	**2213**	**7.8**	**83**	**2**	**2**	**5**	**9**	**16**	**24**	**54**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	6.2	12	2	2	6	8	11	13	17
20-34	463	8.3	32	2	3	7	10	14	19	32
35-49	151	9.6	34	2	4	8	12	18	21	32
50-64	88	10.6	53	3	4	9	12	21	25	37
65+	39	11.5	81	3	4	9	14	23	31	46
B. *Operated*										
0-19 YRS	3	17.7	65	13	13	13	24	27	27	27
20-34	24	8.0	57	1	1	6	12	16	24	32
35-49	12	8.9	49	1	2	6	15	20	21	21
50-64	8	8.9	70	1	1	7	13	22	25	25
65+	4	11.0	45	1	1	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	7.7	22	2	3	7	10	14	15	26
20-34	251	8.5	31	3	3	8	10	14	17	29
35-49	95	10.5	55	3	4	9	12	19	24	44
50-64	115	11.7	84	3	4	9	14	20	28	53
65+	138	14.8	155	5	6	11	18	30	41	70
B. *Operated*										
0-19 YRS	8	9.3	39	2	2	8	14	19	19	19
20-34	34	13.1	70	2	3	11	16	30	32	34
35-49	15	14.3	86	5	7	13	15	21	37	43
50-64	27	14.8	145	1	2	12	20	32	41	49
65+	25	19.5	135	7	8	17	27	36	41	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	8.6	35	2	3	7	10	15	20	33
B. *Operated*	51	9.1	57	1	1	9	14	19	25	32
2. MULTIPLE DX										
A. *Not Operated*	658	10.6	75	3	4	9	12	19	26	50
B. *Operated*	109	14.9	108	2	4	12	18	31	36	50
1. SINGLE DX	939	8.6	36	2	3	7	11	15	20	32
2. MULTIPLE DX	767	11.2	82	3	4	9	13	20	29	50
A. NOT OPERATED	1546	9.4	53	3	3	8	11	17	22	40
B. OPERATED	160	13.0	99	1	2	11	16	29	33	48
TOTAL 0-19 YRS	217	6.9	18	2	2	6	9	12	15	23
20-34	772	8.6	35	2	3	7	10	15	19	32
35-49	273	10.1	46	3	4	9	13	19	21	33
50-64	238	11.6	80	3	4	9	14	22	29	47
65+	206	14.7	140	4	5	11	17	31	38	68
GRAND TOTAL	**1706**	**9.8**	**58**	**2**	**3**	**8**	**12**	**18**	**24**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	4.4	6	1	2	4	6	7	9	13
20-34	187	5.4	10	2	2	5	7	10	12	15
35-49	40	6.8	20	2	2	6	8	14	17	19
50-64	6	4.8	5	1	1	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	6.6	31	1	1	8	11	14	16	16
20-34	4	7.8	18	2	2	8	10	12	12	12
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	4.8	10	2	2	4	6	8	10	16
20-34	232	6.0	14	2	2	5	8	11	12	19
35-49	38	7.6	14	3	4	7	9	13	15	19
50-64	10	10.2	18	3	5	9	12	16	18	18
65+	2	17.0	128	9	9	17	25	25	25	25
B. *Operated*										
0-19 YRS	7	8.0	59	2	3	6	7	21	25	25
20-34	13	13.6	121	4	4	10	17	36	36	36
35-49	4	9.5	62	3	3	7	14	21	21	21
50-64	4	18.0	29	15	15	16	21	26	26	26
65+	3	12.0	7	10	10	11	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	849	4.7	8	1	2	4	6	8	10	15
B. *Operated*	15	6.8	22	1	1	8	10	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	896	5.4	12	2	2	4	7	9	11	17
B. *Operated*	31	12.2	80	3	4	10	16	25	35	36
1. SINGLE DX	864	4.8	8	1	2	4	6	9	10	15
2. MULTIPLE DX	927	5.6	16	2	2	5	7	10	12	22
A. NOT OPERATED	1745	5.0	10	2	2	4	6	9	11	16
B. OPERATED	46	10.5	67	1	2	8	15	21	28	36
TOTAL 0-19 YRS	1246	4.6	9	1	2	4	6	8	10	15
20-34	436	6.0	17	2	2	5	8	11	13	22
35-49	84	7.3	18	2	3	7	9	14	17	20
50-64	20	10.2	36	2	3	9	15	17	22	26
65+	5	14.0	43	9	9	11	17	25	25	25
GRAND TOTAL	**1791**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	258	1.8	1	<1	<1	1	2	3	4	6
20-34	820	2.0	2	<1	<1	2	2	4	4	7
35-49	176	2.5	3	<1	<1	2	3	4	5	10
50-64	52	2.3	1	<1	<1	2	3	4	5	5
65+	7	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	5	<1	<1	1	4	6	6	6
20-34	9	1.9	2	<1	<1	1	2	4	5	5
35-49	9	6.2	80	<1	<1	2	7	21	29	29
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	47	2.7	9	<1	<1	2	3	5	6	20
20-34	169	3.0	5	<1	1	2	4	6	7	14
35-49	93	4.7	86	1	1	3	4	7	14	61
50-64	33	5.1	63	<1	2	2	4	11	22	42
65+	16	5.5	51	<1	<1	3	6	10	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	4	<1	<1	2	3	5	7	7
B. *Operated*	1313	2.1	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	4.1	32	<1	<1	2	6	8	13	29
B. *Operated*	358	3.7	35	<1	1	2	4	6	9	30
1. SINGLE DX	1322	2.1	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	384	3.7	34	<1	1	2	4	6	9	30
A. NOT OPERATED	35	3.7	25	<1	<1	2	5	8	9	29
B. OPERATED	1671	2.4	9	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	314	2.0	3	<1	<1	2	2	4	5	7
20-34	1001	2.2	3	<1	<1	2	3	4	5	8
35-49	280	3.4	34	<1	<1	2	3	5	7	28
50-64	88	3.5	26	<1	<1	2	4	5	9	35
65+	23	4.5	37	<1	<1	3	5	9	17	30
GRAND TOTAL	**1706**	**2.4**	**10**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1996	3.1	4	1	1	3	4	5	6	9
20-34	428	3.7	6	1	1	3	5	7	8	14
35-49	196	4.4	9	1	1	4	5	8	11	15
50-64	108	5.3	19	1	2	4	7	10	13	23
65+	89	5.3	31	2	2	4	6	10	15	35
B. *Operated*										
0-19 YRS	54	3.1	4	<1	1	3	4	6	7	8
20-34	27	5.1	20	<1	1	3	9	12	26	99+
35-49	10	11.9	129	<1	1	9	14	29	40	40
50-64	8	4.8	18	<1	<1	3	9	11	11	11
65+	2	14.5	221	4	4	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1818	3.4	4	1	2	3	4	5	7	12
20-34	514	5.0	18	1	2	4	6	9	12	23
35-49	321	4.9	9	2	2	4	6	9	11	16
50-64	378	6.2	27	2	2	5	7	11	15	27
65+	679	7.3	46	2	3	6	8	12	16	37
B. *Operated*										
0-19 YRS	47	6.6	118	1	2	4	7	11	15	75
20-34	44	9.4	43	2	3	7	12	21	23	28
35-49	37	11.4	90	2	3	9	14	22	28	51
50-64	34	12.2	118	2	3	9	15	23	27	59
65+	43	15.7	92	5	5	14	21	30	34	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2817	3.5	6	1	1	3	4	6	7	12
B. *Operated*	101	4.9	30	<1	1	3	6	11	16	69
2. MULTIPLE DX										
A. *Not Operated*	3710	4.8	19	1	2	4	6	9	11	21
B. *Operated*	205	10.9	99	2	3	8	14	22	28	55
1. SINGLE DX	2918	3.5	7	1	1	3	4	6	7	13
2. MULTIPLE DX	3915	5.1	25	1	2	4	6	9	13	25
A. NOT OPERATED	6527	4.2	14	1	2	3	5	7	10	18
B. OPERATED	306	8.9	84	1	2	6	12	20	26	54
TOTAL 0-19 YRS	3915	3.3	6	1	1	3	4	5	7	10
20-34	1013	4.6	16	1	2	4	5	9	11	22
35-49	564	5.3	20	1	2	4	6	10	13	21
50-64	528	6.4	33	2	2	5	8	11	16	28
65+	813	7.5	51	2	3	6	9	14	20	39
GRAND TOTAL	**6833**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.6	11	2	2	5	6	11	13	15
20-34	36	5.0	11	1	2	4	7	8	12	17
35-49	18	5.7	34	<1	1	4	7	17	20	21
50-64	5	5.8	5	3	3	6	8	8	8	8
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	21	2	2	6	11	14	15	15
20-34	17	7.0	16	3	3	6	8	13	17	18
35-49	15	5.9	22	<1	1	5	8	11	17	19
50-64	10	6.6	22	3	3	5	7	14	19	19
65+	11	10.1	27	3	4	10	14	17	19	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	15.0	242	4	4	15	26	26	26	26
35-49										
50-64	2	11.5	13	9	9	11	14	14	14	14
65+	2	11.5	41	7	7	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.4	14	1	2	4	7	9	14	20
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	61	7.3	22	2	3	6	9	15	18	19
B. *Operated*	7	11.7	58	4	4	9	15	24	26	26
1. SINGLE DX	95	5.4	14	1	2	4	7	9	14	20
2. MULTIPLE DX	68	7.7	27	2	3	6	10	16	19	25
A. NOT OPERATED	155	6.1	18	1	2	5	7	12	16	19
B. OPERATED	8	10.5	62	2	3	8	15	23	26	26
TOTAL 0-19 YRS	42	5.9	13	2	2	5	7	12	14	15
20-34	55	6.0	20	2	3	5	7	9	16	26
35-49	33	5.8	27	<1	1	4	7	13	19	21
50-64	18	6.7	18	2	3	6	8	13	17	19
65+	15	9.7	26	3	4	8	14	16	18	19
GRAND TOTAL	**163**	**6.3**	**21**	**1**	**2**	**5**	**8**	**13**	**17**	**21**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	6.1	11	2	2	5	8	11	12	16
20-34	109	5.7	10	2	2	5	7	10	12	16
35-49	30	4.5	10	1	1	5	6	9	10	12
50-64	15	5.1	39	<1	<1	2	6	18	19	20
65+	12	5.2	54	1	1	2	6	14	25	27
B. *Operated*										
0-19 YRS	16	2.6	4	<1	<1	2	3	5	7	8
20-34	71	2.4	9	<1	<1	1	3	5	6	19
35-49	18	3.1	8	<1	1	2	3	8	9	10
50-64	5	4.2	19	2	2	2	5	12	12	12
65+	5	4.6	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	9.3	44	3	3	7	12	19	21	31
20-34	78	5.8	8	2	3	5	8	10	10	16
35-49	35	7.5	31	1	2	7	9	15	19	25
50-64	29	7.6	51	1	1	5	11	19	25	25
65+	22	8.1	26	1	2	8	12	15	18	19
B. *Operated*										
0-19 YRS	16	6.8	22	<1	2	7	10	14	15	16
20-34	34	6.9	77	<1	1	4	8	14	19	49
35-49	23	8.9	62	1	2	6	13	23	26	27
50-64	13	11.6	272	1	2	5	13	24	56	64
65+	11	13.6	78	2	3	11	22	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.6	14	1	2	5	7	10	12	18
B. *Operated*	115	2.7	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	220	7.4	30	1	2	6	9	15	19	27
B. *Operated*	97	8.7	92	1	2	6	12	19	26	57
1. SINGLE DX	370	4.7	14	<1	1	4	6	9	11	18
2. MULTIPLE DX	317	7.8	49	1	2	6	10	15	20	31
A. NOT OPERATED	475	6.5	22	1	2	5	8	12	16	25
B. OPERATED	212	5.5	55	<1	<1	3	7	13	19	35
TOTAL 0-19 YRS	177	6.8	25	1	2	6	9	13	16	28
20-34	292	5.1	19	<1	1	4	6	9	11	19
35-49	106	6.2	32	1	1	5	8	14	20	26
50-64	62	7.5	93	<1	1	4	11	17	22	59
65+	50	8.3	50	1	1	7	11	18	26	27
GRAND TOTAL	**687**	**6.2**	**32**	**1**	**1**	**5**	**8**	**12**	**16**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.1	24	1	2	4	8	12	16	23
20-34	9	3.3	3	1	1	4	4	6	6	6
35-49	8	7.1	20	2	2	6	9	14	16	16
50-64	7	5.6	18	2	2	4	9	12	12	12
65+	4	10.5	6	7	7	11	12	12	12	12
B. *Operated*										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	12	5.9	32	<1	1	4	9	15	18	19
35-49	5	6.2	34	2	2	2	12	14	14	14
50-64	12	5.6	24	<1	<1	3	9	13	14	14
65+	9	4.2	9	2	2	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	21	1	2	5	9	12	14	22
20-34	32	9.6	261	2	2	5	7	17	57	76
35-49	17	7.9	25	2	3	7	10	15	19	20
50-64	26	8.3	40	2	2	6	11	21	33	99+
65+	62	12.4	97	3	4	9	16	25	27	57
B. *Operated*										
0-19 YRS	10	13.5	153	<1	<1	11	18	33	34	34
20-34	13	10.0	168	1	2	9	33	99+	99+	99+
35-49	21	24.7	553	2	3	19	32	72	78	80
50-64	26	19.6	489	1	2	13	29	63	69	99+
65+	24	25.2	803	1	5	11	44	80	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.1	20	2	2	5	8	12	13	23
B. *Operated*	43	5.0	22	<1	1	3	8	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	191	9.1	94	2	2	6	11	20	25	70
B. *Operated*	94	20.2	516	1	2	13	33	74	98	99+
1. SINGLE DX	94	5.6	21	1	1	4	8	12	14	21
2. MULTIPLE DX	285	12.8	259	2	2	7	15	33	64	99+
A. NOT OPERATED	242	8.5	79	2	2	6	11	19	23	62
B. OPERATED	137	15.4	410	<1	1	8	19	63	80	99+
TOTAL 0-19 YRS	92	6.6	40	1	1	4	9	13	21	34
20-34	66	8.2	167	1	2	5	8	23	77	99+
35-49	51	14.5	309	2	2	8	17	32	68	80
50-64	71	11.7	232	1	2	8	14	37	63	99+
65+	99	14.7	291	2	3	9	16	35	62	97
GRAND TOTAL	**379**	**11.0**	**209**	**1**	**2**	**7**	**13**	**25**	**59**	**99+**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	11	1	1	4	6	10	12	12
20-34	8	5.5	13	1	2	4	8	11	12	12
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	12.5	85	6	6	12	19	19	19	19
65+										
B. *Operated*										
0-19 YRS	10	4.2	3	3	3	4	5	7	7	7
20-34	8	7.9	35	2	3	6	9	18	21	21
35-49	5	7.0	47	<1	<1	4	12	17	17	17
50-64										
65+	3	8.0	75	3	3	3	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	27	1	1	2	4	16	17	17
20-34	6	7.0	4	5	5	7	8	10	10	10
35-49	7	9.6	28	3	3	10	14	16	16	16
50-64	7	11.1	58	5	5	7	16	24	25	25
65+	4	15.3	77	6	6	15	22	25	25	25
B. *Operated*										
0-19 YRS	6	4.0	8	<1	<1	3	5	9	9	9
20-34	14	15.9	474	<1	<1	8	20	38	74	84
35-49	8	13.8	123	2	4	9	18	32	37	37
50-64	4	20.8	75	13	13	18	26	33	33	33
65+	2	15.5	5	14	14	15	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.9	20	1	2	5	8	12	15	19
B. *Operated*	26	6.3	27	1	2	4	7	16	19	21
2. MULTIPLE DX										
A. *Not Operated*	38	8.2	43	1	2	6	11	18	23	25
B. *Operated*	34	13.8	246	<1	2	9	18	33	36	84
1. SINGLE DX	48	6.1	24	1	2	5	8	12	18	21
2. MULTIPLE DX	72	10.9	145	1	2	7	15	22	32	74
A. NOT OPERATED	60	7.4	35	1	2	5	10	17	19	25
B. OPERATED	60	10.6	163	<1	2	6	14	21	33	79
TOTAL 0-19 YRS	40	4.4	13	1	1	3	5	8	14	17
20-34	36	10.3	207	<1	2	6	10	21	30	84
35-49	22	10.2	68	1	2	9	15	18	28	37
50-64	13	14.3	75	5	5	13	19	27	32	33
65+	9	12.9	62	3	3	14	18	23	25	25
GRAND TOTAL	**120**	**9.0**	**101**	**1**	**2**	**6**	**11**	**19**	**23**	**51**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.2	13	1	1	4	6	8	13	18
20-34	36	5.4	24	1	1	5	6	10	11	29
35-49	34	5.7	16	1	1	4	9	13	13	13
50-64	12	7.5	94	2	2	4	7	19	34	37
65+	3	9.0	1	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	8	7.5	190	<1	<1	2	6	31	41	41
20-34	186	5.5	30	1	2	4	7	12	15	28
35-49	102	5.3	34	<1	1	3	7	12	13	36
50-64	47	6.0	25	1	2	5	8	11	14	30
65+	11	3.8	11	2	2	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.4	21	1	2	3	6	12	17	18
20-34	75	7.4	44	2	2	5	9	14	18	39
35-49	81	11.1	83	2	3	8	14	23	31	46
50-64	60	10.4	101	3	4	7	10	19	34	54
65+	50	11.7	94	2	4	10	14	25	29	56
B. *Operated*										
0-19 YRS	6	14.7	203	3	3	11	12	40	43	43
20-34	157	12.9	171	2	2	8	17	29	45	61
35-49	99	13.7	166	2	2	10	19	27	39	68
50-64	63	10.6	47	2	3	10	16	20	25	90
65+	22	18.5	156	4	7	15	24	41	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	5.8	25	1	1	5	7	11	13	32
B. *Operated*	354	5.5	33	<1	1	4	7	12	14	32
2. MULTIPLE DX										
A. *Not Operated*	297	9.5	76	2	3	7	11	20	27	50
B. *Operated*	347	13.1	148	2	2	10	17	27	40	63
1. SINGLE DX	464	5.6	31	1	1	4	7	11	14	32
2. MULTIPLE DX	644	11.5	118	2	2	8	15	24	34	56
A. NOT OPERATED	407	8.5	65	2	2	6	10	17	25	45
B. OPERATED	701	9.3	104	1	2	6	12	20	30	55
TOTAL 0-19 YRS	70	6.3	55	<1	1	4	7	12	18	43
20-34	454	8.4	92	1	2	5	10	18	26	53
35-49	316	9.5	99	1	2	6	12	22	28	52
50-64	182	9.1	65	2	2	7	11	18	25	53
65+	86	12.3	114	2	2	10	14	27	36	51
GRAND TOTAL	**1108**	**9.0**	**90**	**1**	**2**	**6**	**11**	**20**	**27**	**53**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	7.5	6	4	4	7	10	10	10	10
50-64	5	10.2	25	5	5	10	13	18	18	18
65+	10	14.4	200	3	5	8	11	40	46	46
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	6	11.8	260	2	2	6	10	41	44	44
50-64	8	14.4	570	2	3	6	10	55	73	73
65+	2	9.0	98	2	2	9	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	22	11.1	103	3	4	8	10	23	39	46
B. *Operated*	18	11.9	327	2	2	6	10	36	61	73
1. SINGLE DX	6	4.2	6	1	1	4	5	8	8	8
2. MULTIPLE DX	40	11.5	198	2	3	8	10	26	45	73
A. NOT OPERATED	25	10.4	95	3	4	8	10	18	38	46
B. OPERATED	21	10.7	288	1	2	5	9	27	57	73
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	12	9.7	126	2	3	7	10	20	41	44
50-64	14	12.2	323	2	4	7	11	23	62	73
65+	14	12.4	158	2	3	8	11	36	44	46
GRAND TOTAL	**46**	**10.5**	**179**	**2**	**2**	**7**	**10**	**18**	**44**	**73**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	9.0	22	5	5	9	13	14	14	14
35-49	9	8.2	56	<1	1	6	10	21	25	25
50-64	59	6.3	18	1	2	6	8	11	13	25
65+	57	8.1	92	1	2	6	8	17	21	65
B. *Operated*										
0-19 YRS	13	6.6	17	2	3	6	9	12	15	16
20-34	25	7.3	29	2	3	6	8	15	20	26
35-49	87	7.5	64	1	2	4	10	16	23	82
50-64	299	9.2	143	1	2	5	12	21	32	77
65+	302	8.5	135	2	2	5	10	17	27	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.0	36	<1	<1	9	10	18	19	19
20-34	9	11.6	169	1	2	6	16	34	38	38
35-49	39	10.9	138	<1	1	7	14	26	39	51
50-64	157	9.3	105	1	1	7	12	21	31	47
65+	183	11.1	160	1	2	7	13	24	41	60
B. *Operated*										
0-19 YRS	4	13.0	332	2	2	5	24	40	40	40
20-34	10	26.9	656	1	1	20	55	65	72	72
35-49	98	18.4	318	2	2	13	25	51	60	89
50-64	423	18.1	357	2	2	12	25	44	65	96
65+	478	15.5	251	2	2	11	20	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.3	53	1	2	6	8	14	19	34
B. *Operated*	726	8.6	124	1	2	5	10	18	29	73
2. MULTIPLE DX										
A. *Not Operated*	394	10.3	134	1	1	7	13	23	35	57
B. *Operated*	1013	17.0	307	2	2	11	23	44	60	99+
1. SINGLE DX	856	8.4	113	1	2	5	10	17	27	68
2. MULTIPLE DX	1407	15.1	267	2	2	10	19	37	53	95
A. NOT OPERATED	524	9.6	115	1	1	7	11	20	31	55
B. OPERATED	1739	13.5	248	2	2	8	17	33	51	94
TOTAL 0-19 YRS	24	8.3	66	1	2	7	10	16	25	40
20-34	48	12.3	230	1	2	7	13	28	55	72
35-49	233	12.7	207	1	2	7	16	33	51	81
50-64	938	13.0	246	1	2	8	16	31	47	91
65+	1020	12.3	201	2	2	7	15	30	46	86
GRAND TOTAL	**2263**	**12.6**	**220**	**1**	**2**	**8**	**15**	**31**	**47**	**87**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	26	7.4	28	<1	1	6	11	16	18	19
65+	40	11.3	203	1	2	6	13	30	51	61
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	9	12.1	78	1	2	9	18	26	26	26
50-64	57	16.5	238	1	2	13	22	34	41	85
65+	84	13.4	260	1	2	8	19	32	43	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	14.3	137	1	1	13	28	28	28	28
50-64	79	8.4	57	1	2	6	12	20	23	37
65+	147	13.1	209	2	3	8	17	29	43	85
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	26	28.3	430	2	3	24	42	58	69	78
50-64	144	21.4	265	2	4	17	32	48	61	99+
65+	247	23.7	406	4	5	20	32	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	9.6	131	1	1	6	11	18	33	60
B. *Operated*	151	14.5	240	1	2	9	20	33	42	87
2. MULTIPLE DX										
A. *Not Operated*	234	11.5	158	2	2	7	14	26	38	66
B. *Operated*	419	23.2	359	3	4	19	32	56	69	99+
1. SINGLE DX	220	12.9	210	1	2	8	16	31	39	74
2. MULTIPLE DX	653	19.0	318	2	3	13	26	46	61	99+
A. NOT OPERATED	303	11.1	152	1	2	7	13	25	36	61
B. OPERATED	570	20.9	342	2	3	16	29	48	65	99+
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	5.8	1	5	5	6	6	7	7	7
35-49	44	21.5	352	2	2	16	27	51	61	78
50-64	306	16.0	220	1	2	12	21	41	49	92
65+	518	18.1	339	2	3	11	25	46	61	99
GRAND TOTAL	**873**	**17.5**	**298**	**2**	**3**	**11**	**24**	**43**	**58**	**98**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	14.3	558	1	2	5	10	51	79	79
50-64	22	6.7	118	1	1	3	8	12	30	52
65+	46	12.5	149	2	2	8	15	33	44	48
B. *Operated*										
0-19 YRS										
20-34	3	14.3	132	3	3	14	23	26	26	26
35-49	24	20.2	240	2	6	20	25	37	82	99+
50-64	79	18.6	141	5	7	16	23	31	45	59
65+	166	18.9	169	2	4	16	24	32	43	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	8.8	35	2	2	7	15	17	17	17
35-49	29	9.6	89	1	1	5	14	27	29	30
50-64	114	10.1	102	2	2	6	12	25	31	45
65+	307	12.4	181	2	2	8	16	28	41	87
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	10	15.1	49	6	7	15	18	26	28	28
35-49	59	22.0	231	7	11	18	26	40	51	90
50-64	282	22.4	226	5	8	19	28	40	57	75
65+	764	23.7	239	7	9	20	30	44	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	11.0	191	1	1	6	12	29	45	71
B. *Operated*	272	18.9	165	3	6	16	24	32	45	75
2. MULTIPLE DX										
A. *Not Operated*	456	11.6	155	1	2	7	15	28	39	73
B. *Operated*	1116	23.2	234	6	9	20	29	42	56	92
1. SINGLE DX	351	17.1	181	2	3	15	23	32	45	76
2. MULTIPLE DX	1572	19.8	239	3	4	16	26	39	51	91
A. NOT OPERATED	535	11.5	160	1	2	7	15	28	40	74
B. OPERATED	1388	22.4	223	5	8	19	28	41	54	91
TOTAL 0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	20	12.4	61	1	2	14	16	25	27	28
35-49	122	18.0	246	1	3	14	24	36	49	95
50-64	497	18.3	210	2	3	15	24	37	46	70
65+	1283	20.0	236	3	5	16	26	40	52	92
GRAND TOTAL	**1923**	**19.3**	**229**	**2**	**4**	**16**	**25**	**39**	**49**	**85**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.3	10	4	4	5	9	10	10	10
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	8.7	4	7	7	8	10	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	11	14.3	71	5	6	11	20	28	29	29
65+	10	23.8	82	11	13	22	30	37	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	6	9.2	125	<1	<1	5	10	29	31	31
50-64	14	12.9	102	3	4	7	15	30	30	30
65+	23	11.4	201	3	4	7	12	19	45	70
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	2	13.5	13	11	11	13	16	16	16	16
35-49	21	20.0	144	8	11	16	24	35	47	59
50-64	48	21.1	187	8	9	18	25	49	66	99+
65+	89	27.5	328	9	11	23	34	51	70	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	11	2	2	4	8	10	10	10
B. *Operated*	25	17.2	95	6	7	14	23	30	36	40
2. MULTIPLE DX										
A. *Not Operated*	44	11.7	150	2	3	7	15	30	31	70
B. *Operated*	161	24.4	266	9	10	19	30	49	61	99
1. SINGLE DX	31	14.9	101	2	4	11	22	29	35	40
2. MULTIPLE DX	205	21.7	268	4	7	17	28	47	57	96
A. NOT OPERATED	50	10.9	138	2	3	7	13	30	31	70
B. OPERATED	186	23.5	248	8	9	19	29	48	57	98
TOTAL 0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	6	11.7	17	7	7	11	16	17	17	17
35-49	29	16.8	156	2	3	14	20	33	38	59
50-64	76	18.0	164	4	6	15	25	39	54	99+
65+	124	23.8	321	5	7	19	30	49	60	88
GRAND TOTAL	**236**	**20.8**	**251**	**4**	**6**	**16**	**28**	**41**	**55**	**95**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	9	9.3	167	1	2	5	8	30	43	43
50-64	33	5.7	25	<1	1	4	7	15	16	18
65+	85	7.0	47	1	2	5	9	14	21	39
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	7	7.3	24	2	2	7	10	15	16	16
35-49	79	14.0	40	5	8	13	17	20	27	36
50-64	415	13.4	44	2	7	12	16	22	24	36
65+	862	15.2	76	2	6	14	19	24	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.7	10	9	9	14	15	15	15	15
20-34	6	14.2	136	<1	1	11	20	33	34	34
35-49	69	11.9	124	2	3	9	14	27	30	63
50-64	291	10.0	101	1	2	7	12	23	31	47
65+	808	11.6	116	2	3	8	15	24	33	58
B. *Operated*										
0-19 YRS	6	22.0	306	10	10	13	48	91	99+	99+
20-34	46	18.1	117	6	8	14	22	32	44	51
35-49	205	17.9	88	8	10	16	22	30	38	57
50-64	1303	18.1	119	7	9	16	22	30	38	65
65+	4182	23.0	203	9	11	19	28	41	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.8	49	1	1	5	9	14	20	44
B. *Operated*	1364	14.6	65	2	7	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	1177	11.3	113	2	3	8	14	24	32	56
B. *Operated*	5742	21.7	184	8	10	18	26	38	51	89
1. SINGLE DX	1494	13.9	68	2	3	13	17	23	28	44
2. MULTIPLE DX	6919	19.9	187	4	7	17	25	37	49	84
A. NOT OPERATED	1307	10.8	108	2	2	8	14	23	30	55
B. OPERATED	7106	20.3	169	7	10	17	24	36	48	82
TOTAL 0-19 YRS	10	20.5	218	9	10	14	34	72	98	99+
20-34	62	16.0	117	3	4	13	20	31	42	50
35-49	362	15.7	93	3	5	14	19	28	36	54
50-64	2042	15.8	111	2	5	14	19	27	34	59
65+	5937	20.1	192	4	7	17	25	37	50	86
GRAND TOTAL	**8413**	**18.8**	**171**	**3**	**6**	**16**	**23**	**35**	**46**	**80**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	7	2	2	6	7	7	7	7
35-49	10	6.0	13	1	1	6	7	11	14	14
50-64	44	6.7	51	1	1	4	7	18	22	34
65+	80	8.6	120	1	1	6	11	17	22	71
B. *Operated*										
0-19 YRS										
20-34	8	15.4	55	4	4	18	21	22	23	23
35-49	72	14.1	55	3	6	13	19	24	26	39
50-64	366	15.4	89	3	4	14	19	25	32	51
65+	644	16.2	124	2	3	15	21	28	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	9	7.6	18	4	4	6	10	14	17	17
35-49	28	9.9	76	1	2	7	15	20	28	37
50-64	161	9.7	83	2	2	7	12	20	27	48
65+	413	12.8	175	2	3	9	16	27	39	83
B. *Operated*										
0-19 YRS										
20-34	18	16.8	127	2	3	16	24	35	38	39
35-49	111	19.8	147	6	10	17	24	30	48	71
50-64	882	19.2	137	4	7	17	23	35	43	68
65+	2001	22.8	197	5	9	20	29	41	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	7.7	88	1	1	5	9	17	21	44
B. *Operated*	1090	15.8	107	3	4	15	20	27	33	58
2. MULTIPLE DX										
A. *Not Operated*	613	11.8	146	2	3	8	14	25	36	64
B. *Operated*	3012	21.6	180	4	8	19	27	39	50	82
1. SINGLE DX	1227	14.9	111	2	3	14	20	27	32	58
2. MULTIPLE DX	3625	19.9	187	3	5	17	26	37	48	81
A. NOT OPERATED	750	11.0	138	2	2	7	14	23	33	62
B. OPERATED	4102	20.0	167	3	6	18	25	36	47	75
TOTAL 0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	38	13.4	94	2	3	11	20	25	35	39
35-49	221	16.0	118	3	5	14	20	27	31	59
50-64	1453	16.8	129	3	4	15	21	31	40	59
65+	3138	19.8	195	3	5	17	26	37	49	82
GRAND TOTAL	**4852**	**18.6**	**173**	**3**	**4**	**16**	**24**	**35**	**45**	**74**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	22	7.8	50	1	2	5	10	18	24	29
65+	40	8.1	39	1	2	6	13	16	18	29
B. *Operated*										
0-19 YRS	6	7.7	37	2	2	6	11	17	18	18
20-34	4	11.8	103	2	2	9	18	26	26	26
35-49	19	12.7	27	3	5	13	16	19	21	22
50-64	54	13.6	117	2	4	11	17	21	34	63
65+	85	17.1	206	2	2	13	26	43	47	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	6	6.2	3	5	5	6	7	9	9	9
35-49	22	9.0	41	2	3	8	10	17	22	29
50-64	84	9.8	64	<1	1	8	14	19	26	37
65+	194	11.6	112	2	3	9	14	22	32	55
B. *Operated*										
0-19 YRS	8	24.9	879	5	6	16	24	75	96	96
20-34	6	22.3	240	2	3	24	37	38	38	38
35-49	52	22.3	233	6	7	17	26	51	56	63
50-64	198	23.3	221	6	8	19	29	42	58	78
65+	442	22.2	193	5	9	19	28	42	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.7	40	1	2	6	12	16	19	29
B. *Operated*	168	15.0	152	2	3	12	20	30	45	64
2. MULTIPLE DX										
A. *Not Operated*	310	10.7	92	1	2	8	14	22	28	46
B. *Operated*	706	22.5	210	6	8	19	28	43	55	80
1. SINGLE DX	235	13.0	131	2	2	10	17	28	40	63
2. MULTIPLE DX	1016	18.9	204	3	4	16	25	39	48	76
A. NOT OPERATED	377	10.2	84	1	2	8	14	21	28	45
B. OPERATED	874	21.1	208	4	6	18	27	42	52	78
TOTAL 0-19 YRS	18	14.1	477	1	1	7	18	25	68	96
20-34	18	12.7	146	2	2	8	17	35	38	38
35-49	96	16.8	178	3	4	13	20	33	51	61
50-64	358	17.7	198	2	3	14	23	37	45	65
65+	761	18.2	191	2	4	15	25	37	47	76
GRAND TOTAL	**1251**	**17.8**	**196**	**2**	**4**	**15**	**24**	**37**	**47**	**76**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	9.3	114	2	3	5	9	27	37	37
50-64	25	8.1	33	1	1	7	11	17	21	22
65+	43	11.5	136	2	3	8	14	21	44	54
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	13.8	169	1	2	8	22	31	42	44
50-64	63	18.5	142	5	8	16	22	34	39	65
65+	96	17.7	140	3	4	17	23	34	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	20.0	32	16	16	20	24	24	24	24
35-49	22	10.7	98	1	2	6	15	27	36	37
50-64	174	10.2	94	1	2	8	13	21	33	49
65+	292	12.1	119	2	3	10	15	24	34	58
B. *Operated*										
0-19 YRS										
20-34	4	30.8	268	10	10	31	41	50	50	50
35-49	47	18.2	98	6	7	17	24	34	40	42
50-64	347	23.2	247	5	9	20	28	43	56	80
65+	599	25.1	224	8	10	22	32	46	57	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.1	100	1	2	7	12	19	33	52
B. *Operated*	171	17.7	142	3	4	16	22	34	40	62
2. MULTIPLE DX										
A. *Not Operated*	490	11.4	109	1	2	9	14	23	34	52
B. *Operated*	997	24.2	229	7	9	21	30	44	56	83
1. SINGLE DX	248	15.4	141	2	4	13	20	30	38	61
2. MULTIPLE DX	1487	20.0	225	3	4	17	26	39	51	76
A. NOT OPERATED	567	11.2	108	1	2	8	14	23	34	52
B. OPERATED	1168	23.2	221	5	8	20	29	43	55	80
TOTAL 0-19 YRS										
20-34	6	27.2	198	10	11	27	32	48	50	50
35-49	90	14.9	118	2	4	12	20	33	37	43
50-64	609	18.4	220	2	4	15	24	36	49	76
65+	1030	20.2	219	3	4	17	27	39	52	75
GRAND TOTAL	**1735**	**19.3**	**216**	**3**	**4**	**16**	**25**	**38**	**49**	**76**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	70	7.3	172	1	1	3	8	13	29	84
50-64	278	7.7	79	1	1	4	9	18	26	46
65+	328	9.2	101	1	1	6	12	22	33	42
B. *Operated*										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	14	11.0	84	<1	2	8	17	26	30	31
35-49	176	12.2	55	2	3	11	18	23	26	30
50-64	691	12.2	92	2	3	11	16	23	29	49
65+	870	12.7	121	2	2	10	17	25	33	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	11	5.7	17	1	1	5	9	12	14	14
35-49	311	8.1	70	1	1	5	10	18	24	46
50-64	1516	10.4	111	1	2	7	14	23	30	53
65+	2123	11.8	121	1	2	9	15	26	35	59
B. *Operated*										
0-19 YRS	3	12.0	3	10	10	13	13	13	13	13
20-34	22	15.7	151	2	3	15	20	35	42	48
35-49	409	15.9	124	3	5	14	21	31	37	81
50-64	2263	17.3	159	3	5	14	22	32	42	72
65+	3140	18.6	196	3	5	15	24	37	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	8.4	99	1	1	5	11	20	30	47
B. *Operated*	1753	12.4	102	2	2	10	17	24	30	51
2. MULTIPLE DX										
A. *Not Operated*	3963	10.9	114	1	2	8	15	24	33	55
B. *Operated*	5837	17.9	177	3	5	15	23	34	45	84
1. SINGLE DX	2432	11.3	105	1	2	9	15	23	30	50
2. MULTIPLE DX	9800	15.1	163	2	3	12	20	31	40	72
A. NOT OPERATED	4642	10.6	113	1	2	7	14	24	32	54
B. OPERATED	7590	16.6	165	3	4	14	22	32	42	77
TOTAL 0-19 YRS	8	10.8	22	3	4	12	14	16	17	17
20-34	49	11.6	111	1	2	8	17	26	34	48
35-49	966	12.1	110	1	2	10	17	25	31	53
50-64	4748	13.8	141	2	2	11	19	28	35	63
65+	6461	15.1	169	2	3	12	20	32	41	76
GRAND TOTAL	**12232**	**14.3**	**154**	**2**	**2**	**11**	**19**	**29**	**38**	**68**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	9	10.1	331	1	1	3	8	38	58	58
50-64	39	5.5	32	<1	1	4	6	13	19	27
65+	39	8.0	164	1	1	3	7	20	42	59
B. *Operated*										
0-19 YRS	7	16.6	107	6	6	13	25	32	33	33
20-34	18	10.1	209	1	1	5	11	18	46	64
35-49	71	8.4	77	1	1	4	12	19	25	45
50-64	311	8.4	92	1	2	3	14	20	24	40
65+	283	8.6	118	1	2	3	14	21	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	153	1	1	3	15	31	35	35
20-34	10	4.9	3	2	2	5	5	7	9	9
35-49	29	8.1	77	1	1	5	11	18	29	38
50-64	97	8.0	74	1	2	5	11	16	20	44
65+	107	13.4	252	1	2	7	17	39	57	99+
B. *Operated*										
0-19 YRS	3	16.3	186	7	7	10	26	32	32	32
20-34	9	14.7	82	8	8	12	19	30	30	30
35-49	41	16.8	156	2	2	15	22	30	36	68
50-64	344	15.7	225	2	2	13	21	36	52	79
65+	393	18.8	339	2	2	15	25	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	7.1	116	1	1	3	6	17	27	59
B. *Operated*	690	8.6	105	1	2	3	14	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	250	10.3	156	1	2	6	12	23	40	78
B. *Operated*	790	17.3	278	2	2	14	24	39	59	99
1. SINGLE DX	780	8.4	106	1	2	3	13	20	27	51
2. MULTIPLE DX	1040	15.6	257	2	2	12	21	37	56	98
A. NOT OPERATED	340	9.4	147	1	2	5	11	22	39	68
B. OPERATED	1480	13.2	216	1	2	10	18	31	45	80
TOTAL 0-19 YRS	18	13.3	128	1	2	9	17	33	34	35
20-34	39	9.5	125	1	2	6	11	18	30	64
35-49	150	10.7	124	1	2	8	15	25	30	58
50-64	791	11.4	159	1	2	8	16	26	37	64
65+	822	14.1	265	1	2	9	20	36	55	98
GRAND TOTAL	**1820**	**12.5**	**205**	**1**	**2**	**8**	**17**	**30**	**44**	**79**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.7	8	<1	1	2	3	5	6	19
20-34	11	11.5	237	<1	<1	4	18	39	43	43
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	13	10.5	196	1	1	6	10	30	48	52
65+	17	8.9	78	<1	<1	6	21	25	70	99+
B. *Operated*										
0-19 YRS	63	8.4	68	1	2	7	10	14	18	51
20-34	53	8.3	52	1	2	5	11	18	24	32
35-49	40	9.5	124	1	2	6	10	24	39	49
50-64	86	11.0	135	1	2	8	15	26	29	67
65+	107	10.4	93	1	2	8	15	22	30	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.4	11	<1	<1	2	4	7	13	15
20-34	19	9.6	145	<1	1	5	11	19	39	54
35-49	14	6.9	53	1	2	5	7	21	25	26
50-64	42	10.4	131	1	2	6	13	25	35	58
65+	88	12.7	247	2	2	8	18	36	64	99+
B. *Operated*										
0-19 YRS	37	9.4	56	1	2	7	12	22	25	32
20-34	25	15.6	250	2	4	11	18	51	78	99+
35-49	32	14.3	335	1	2	9	17	33	37	98
50-64	123	20.3	374	2	3	14	25	52	69	98
65+	178	18.7	267	2	3	15	26	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	77	<1	<1	2	5	20	25	75
B. *Operated*	349	9.8	96	1	2	7	13	21	29	49
2. MULTIPLE DX										
A. *Not Operated*	215	9.3	157	1	1	5	11	22	43	99+
B. *Operated*	395	17.8	293	2	2	13	23	42	59	99+
1. SINGLE DX	451	8.8	95	1	1	6	11	21	28	52
2. MULTIPLE DX	610	14.8	261	1	2	9	21	38	55	99+
A. NOT OPERATED	317	8.2	134	<1	1	4	9	21	35	99+
B. OPERATED	744	14.0	216	1	2	9	18	32	47	91
TOTAL 0-19 YRS	208	5.8	43	<1	1	4	7	13	18	36
20-34	108	10.6	137	1	2	7	14	22	37	83
35-49	91	10.4	187	1	2	6	10	26	37	78
50-64	264	15.2	269	1	2	10	21	37	54	81
65+	390	14.6	220	1	2	10	21	37	54	99+
GRAND TOTAL	**1061**	**12.3**	**199**	**1**	**2**	**8**	**16**	**29**	**46**	**96**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	8.9	87	1	1	6	12	24	31	31
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	11	5.3	16	<1	1	4	8	12	13	13
65+	7	8.9	69	3	3	6	9	24	27	27
B. *Operated*										
0-19 YRS	4	4.0	5	<1	<1	4	5	6	6	6
20-34	95	5.1	12	1	2	4	7	10	11	17
35-49	142	5.5	23	2	2	4	7	9	11	30
50-64	245	6.6	22	1	2	6	9	13	16	22
65+	144	7.4	47	1	2	5	10	15	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	6.8	30	<1	<1	5	11	15	16	16
35-49	27	5.0	17	1	2	4	6	8	16	20
50-64	42	7.9	112	1	2	4	8	17	34	50
65+	43	11.5	119	1	2	7	13	27	35	51
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	29	8.3	37	2	2	8	10	18	19	26
35-49	75	8.3	31	<1	2	8	12	16	19	27
50-64	150	9.7	85	2	2	7	11	19	29	46
65+	210	12.5	119	2	3	10	16	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.5	46	1	1	4	7	13	25	31
B. *Operated*	630	6.3	27	1	2	5	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	121	8.5	92	1	2	5	10	18	27	50
B. *Operated*	467	10.6	91	2	2	8	14	21	29	52
1. SINGLE DX	663	6.3	28	1	2	5	8	12	15	27
2. MULTIPLE DX	588	10.2	92	2	2	8	13	21	29	51
A. NOT OPERATED	154	8.0	82	1	2	5	10	17	27	50
B. OPERATED	1097	8.2	59	1	2	6	10	16	22	44
TOTAL 0-19 YRS	9	4.8	7	<1	1	5	6	9	9	9
20-34	141	6.1	24	1	2	5	8	12	16	26
35-49	249	6.2	26	1	2	5	8	12	15	29
50-64	448	7.8	53	1	2	6	10	15	19	45
65+	404	10.5	98	2	2	8	14	23	29	52
GRAND TOTAL	**1251**	**8.1**	**62**	**1**	**2**	**6**	**10**	**16**	**22**	**45**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	11	5.1	16	<1	1	3	8	11	13	13
B. *Operated*										
0-19 YRS	9	5.4	60	1	1	2	5	19	24	24
20-34	42	4.4	36	<1	<1	2	5	9	19	28
35-49	158	3.7	27	<1	<1	2	4	8	11	33
50-64	425	2.8	8	<1	<1	2	3	6	9	15
65+	770	4.1	39	<1	<1	2	4	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	7.4	28	2	2	7	11	15	15	15
35-49	9	7.7	61	<1	1	5	13	20	24	24
50-64	16	6.9	47	1	1	6	8	20	24	25
65+	52	12.9	393	1	1	6	11	29	62	94
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	36	11.2	181	<1	1	5	16	25	46	57
35-49	107	6.6	130	<1	<1	2	7	16	21	68
50-64	332	5.8	69	<1	1	3	6	15	19	30
65+	879	7.6	100	1	1	4	9	18	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	14	<1	1	3	6	10	12	13
B. *Operated*	1404	3.7	28	<1	<1	2	4	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	84	10.6	267	1	1	5	11	24	38	92
B. *Operated*	1356	7.2	97	<1	1	3	9	18	25	54
1. SINGLE DX	1418	3.7	28	<1	<1	2	4	8	12	24
2. MULTIPLE DX	1440	7.4	108	<1	1	3	9	18	26	58
A. NOT OPERATED	98	9.7	235	1	1	5	10	23	30	91
B. OPERATED	2760	5.4	65	<1	1	2	5	13	19	45
TOTAL 0-19 YRS	13	4.2	44	<1	1	2	3	14	22	24
20-34	83	7.5	107	<1	1	3	10	19	26	56
35-49	276	4.9	69	<1	<1	2	5	11	19	43
50-64	774	4.2	37	<1	<1	2	4	9	15	26
65+	1712	6.2	85	<1	1	3	7	15	22	53
GRAND TOTAL	**2858**	**5.5**	**72**	**<1**	**1**	**3**	**6**	**13**	**19**	**46**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	10.9	132	1	2	6	15	31	34	34
35-49	23	4.3	8	1	1	4	6	9	10	10
50-64	62	6.9	99	1	1	4	8	15	18	67
65+	63	8.0	106	<1	1	5	9	19	32	95
B. *Operated*										
0-19 YRS	4	6.0	47	1	1	3	10	16	16	16
20-34	163	6.4	12	1	1	6	9	11	13	16
35-49	840	7.1	15	2	2	7	9	12	14	19
50-64	1489	7.6	18	2	3	7	9	12	15	23
65+	1497	8.2	19	2	3	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	10.4	115	<1	1	8	11	25	36	43
35-49	165	9.7	156	1	1	6	11	24	35	88
50-64	471	12.1	152	1	2	8	15	29	39	63
65+	659	13.9	171	2	3	10	19	32	48	99+
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	115	10.0	141	2	3	8	11	15	19	79
35-49	846	9.4	40	2	4	8	11	15	20	33
50-64	1827	11.0	75	3	5	9	12	18	24	49
65+	2793	12.6	96	3	5	10	15	23	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	7.2	90	1	1	5	8	16	23	72
B. *Operated*	3993	7.7	18	2	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1315	12.7	163	1	2	9	17	30	42	85
B. *Operated*	5583	11.5	83	3	5	9	13	20	27	54
1. SINGLE DX	4148	7.6	20	2	2	7	9	12	15	23
2. MULTIPLE DX	6898	11.7	98	2	4	9	14	22	30	62
A. NOT OPERATED	1470	12.1	158	1	2	8	16	28	41	81
B. OPERATED	9576	9.9	59	2	4	8	11	16	22	44
TOTAL 0-19 YRS	7	7.0	26	1	1	7	9	15	16	16
20-34	304	8.1	73	1	2	7	10	13	16	48
35-49	1874	8.3	40	2	2	8	10	14	17	32
50-64	3849	9.8	66	2	3	8	11	16	23	46
65+	5012	11.4	88	3	4	9	13	21	29	62
GRAND TOTAL	**11046**	**10.2**	**73**	**2**	**3**	**8**	**12**	**18**	**25**	**52**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	4	1	1	4	5	6	6	6
35-49	34	4.0	3	1	2	4	5	6	7	10
50-64	60	4.2	11	1	1	4	4	7	9	23
65+	39	6.8	55	2	3	4	5	15	21	41
B. *Operated*										
0-19 YRS										
20-34	91	6.0	38	1	1	4	7	15	18	33
35-49	160	6.3	34	2	2	4	8	13	16	30
50-64	138	6.6	54	2	2	4	8	13	21	33
65+	106	8.4	165	2	2	5	10	14	20	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.1	93	1	1	4	18	22	22	22
35-49	59	7.3	65	1	1	4	10	17	23	45
50-64	69	9.9	200	1	2	5	10	20	29	90
65+	91	9.7	142	1	2	6	11	19	33	71
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	70	9.9	135	2	2	7	12	18	29	98
35-49	138	11.5	167	2	2	8	12	27	36	67
50-64	180	12.1	154	2	3	8	15	25	34	71
65+	177	13.3	211	2	2	9	17	32	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.8	22	1	2	4	5	8	11	26
B. *Operated*	495	6.8	69	2	2	4	8	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	226	9.1	138	1	2	5	10	19	28	62
B. *Operated*	566	12.1	173	2	2	8	15	27	37	77
1. SINGLE DX	635	6.4	59	2	2	4	8	12	17	39
2. MULTIPLE DX	792	11.2	165	2	2	7	14	24	36	73
A. NOT OPERATED	366	7.5	97	1	2	4	8	17	22	46
B. OPERATED	1061	9.6	131	2	2	6	11	20	30	64
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	175	7.5	81	1	2	5	9	17	22	76
35-49	391	8.1	89	1	2	5	10	17	26	49
50-64	447	9.0	120	2	2	5	11	19	27	53
65+	413	10.6	174	2	2	6	12	21	36	72
GRAND TOTAL	**1427**	**9.1**	**123**	**2**	**2**	**5**	**11**	**19**	**29**	**60**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	7	2.7	1	2	2	3	3	4	4	4
50-64	55	3.4	2	<1	1	3	5	5	5	6
65+	57	6.3	99	<1	2	4	5	10	27	52
B. *Operated*										
0-19 YRS										
20-34	13	8.5	15	<1	2	10	11	13	14	14
35-49	87	5.1	14	<1	1	6	8	9	11	18
50-64	422	6.2	15	1	1	7	9	11	13	16
65+	417	7.7	36	1	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	25	5.7	58	1	2	4	4	8	21	40
50-64	82	8.0	117	1	2	5	8	16	32	59
65+	153	9.4	113	1	2	6	12	28	36	99+
B. *Operated*										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	13	7.2	12	<1	2	7	9	12	13	13
35-49	179	7.6	29	1	2	8	9	13	17	27
50-64	788	9.6	78	1	2	8	11	16	24	54
65+	937	12.0	128	2	2	9	15	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.7	49	<1	1	3	5	6	10	52
B. *Operated*	939	6.8	25	1	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	261	8.6	109	1	2	5	10	22	35	96
B. *Operated*	1919	10.6	99	2	2	9	13	20	27	62
1. SINGLE DX	1060	6.6	28	1	2	6	9	12	15	23
2. MULTIPLE DX	2180	10.4	101	1	2	8	13	20	28	66
A. NOT OPERATED	382	7.4	93	1	2	4	8	16	30	72
B. OPERATED	2858	9.4	78	1	2	8	11	17	23	54
TOTAL 0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	29	7.5	14	<1	1	8	10	12	13	14
35-49	298	6.6	28	1	1	6	9	12	15	26
50-64	1347	8.2	60	1	2	7	10	14	19	40
65+	1564	10.4	105	2	2	8	13	21	29	71
GRAND TOTAL	**3240**	**9.1**	**80**	**1**	**2**	**8**	**11**	**17**	**24**	**55**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	10	<1	1	5	8	10	10	10
20-34	2	1.0		1	1	1	1	1	1	1
35-49	49	3.0	8	<1	<1	2	4	8	9	13
50-64	173	3.6	49	1	1	2	3	6	10	49
65+	92	3.4	28	1	1	2	3	6	11	31
B. *Operated*										
0-19 YRS	8	7.3	3	5	5	7	8	9	10	10
20-34	28	11.1	279	2	4	8	9	14	23	95
35-49	50	11.2	41	5	6	9	13	21	25	34
50-64	107	11.7	55	5	6	9	12	23	29	38
65+	71	14.2	70	5	7	11	17	28	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	1	4	4	5	6	7	7	7
20-34	10	4.2	8	<1	<1	4	7	8	8	8
35-49	113	3.9	14	1	1	2	5	8	13	18
50-64	525	4.0	31	1	1	2	4	9	16	34
65+	470	7.6	87	1	1	4	9	19	26	51
B. *Operated*										
0-19 YRS	4	8.0	1	7	7	8	9	9	9	9
20-34	27	10.0	37	5	6	8	11	18	24	32
35-49	137	12.0	50	6	6	10	14	20	24	38
50-64	416	16.4	100	7	8	14	20	29	35	56
65+	432	22.4	212	8	9	19	27	44	52	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	3.5	35	1	1	2	3	6	10	33
B. *Operated*	264	12.1	80	4	6	10	13	23	29	41
2. MULTIPLE DX										
A. *Not Operated*	1125	5.5	55	1	1	2	6	14	20	43
B. *Operated*	1016	18.2	155	7	8	14	23	34	44	69
1. SINGLE DX	587	7.4	74	1	1	5	10	16	24	39
2. MULTIPLE DX	2141	11.5	143	1	2	8	16	26	36	57
A. NOT OPERATED	1448	5.0	52	1	1	2	5	12	19	42
B. OPERATED	1280	16.9	146	6	7	13	21	32	42	65
TOTAL 0-19 YRS	26	6.3	5	2	4	6	8	9	10	10
20-34	67	9.3	138	1	2	7	9	14	19	84
35-49	349	8.0	48	1	1	7	11	16	21	34
50-64	1221	8.9	94	1	1	5	12	22	28	44
65+	1065	13.7	188	1	2	10	19	31	44	66
GRAND TOTAL	**2728**	**10.6**	**131**	**1**	**1**	**8**	**14**	**25**	**34**	**56**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	9	5.1	17	1	1	5	6	12	14	14
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	12	6.3	51	<1	<1	4	9	18	23	24
65+	25	5.6	136	<1	1	3	5	7	25	60
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	7	5.9	28	<1	<1	4	10	14	15	15
35-49	9	5.2	17	2	2	3	9	12	12	12
50-64	32	7.7	45	2	2	5	10	20	23	26
65+	71	9.5	100	2	2	6	15	21	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	9	5.0	25	2	2	4	4	13	18	18
35-49	6	7.2	97	2	2	3	6	25	27	27
50-64	22	9.4	85	1	2	6	14	23	29	37
65+	33	11.3	121	1	1	9	16	21	36	52
B. *Operated*										
0-19 YRS										
20-34	6	9.5	54	2	2	8	17	18	18	18
35-49	13	13.3	64	<1	2	14	19	23	26	27
50-64	54	16.5	191	2	3	13	22	33	55	98
65+	129	16.5	193	2	3	13	25	34	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.6	80	1	1	3	6	13	15	59
B. *Operated*	121	8.5	75	2	2	5	12	20	25	41
2. MULTIPLE DX										
A. *Not Operated*	72	9.5	95	1	2	5	14	21	27	49
B. *Operated*	202	16.1	180	2	3	13	24	33	41	94
1. SINGLE DX	173	7.6	78	1	1	4	10	19	24	52
2. MULTIPLE DX	274	14.3	166	2	2	11	20	32	38	84
A. NOT OPERATED	124	7.8	92	1	1	4	10	18	24	54
B. OPERATED	323	13.2	154	2	2	10	19	29	35	72
TOTAL 0-19 YRS	8	5.0	29	1	1	2	9	14	14	14
20-34	31	6.1	29	1	1	4	8	16	18	18
35-49	30	9.5	62	2	2	7	14	21	27	27
50-64	120	11.8	135	1	2	8	17	29	35	76
65+	258	12.9	166	1	2	8	19	29	37	60
GRAND TOTAL	**447**	**11.7**	**142**	**1**	**2**	**7**	**17**	**29**	**34**	**60**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	19	9.3	194	1	1	4	12	20	43	61
65+	92	7.7	47	1	2	6	9	16	22	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	4.8	15	1	1	3	7	11	12	12
50-64	391	7.6	36	2	2	6	10	16	20	28
65+	1383	8.3	39	2	2	7	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34										
35-49	6	12.7	95	<1	<1	11	22	26	26	26
50-64	211	9.1	70	1	2	6	14	19	25	48
65+	971	12.5	145	2	2	9	16	27	37	61
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	13.1	87	2	2	12	23	25	26	26
50-64	598	12.0	93	2	3	9	15	24	30	46
65+	3574	13.6	120	3	4	11	17	27	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.0	71	1	1	6	10	16	22	49
B. *Operated*	1786	8.1	38	2	2	7	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	1189	11.9	133	2	2	8	15	25	34	61
B. *Operated*	4185	13.3	117	3	4	10	17	26	34	62
1. SINGLE DX	1897	8.1	40	2	2	7	10	16	20	31
2. MULTIPLE DX	5374	13.0	121	2	3	10	16	26	34	62
A. NOT OPERATED	1300	11.6	129	1	2	8	15	25	33	60
B. OPERATED	5971	11.8	99	2	3	9	15	23	31	54
TOTAL 0-19 YRS	4	14.3	168	2	2	11	23	32	32	32
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	26	9.8	72	1	2	7	14	25	26	26
50-64	1219	10.1	76	2	2	8	13	21	27	42
65+	6020	12.1	109	2	3	9	15	24	32	57
GRAND TOTAL	**7271**	**11.7**	**104**	**2**	**3**	**9**	**15**	**24**	**31**	**56**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	44	1	1	3	13	16	16	16
20-34	7	5.0	11	1	1	5	8	9	9	9
35-49	8	3.4	3	1	1	3	5	6	6	6
50-64	3	4.3	8	1	1	6	6	6	6	6
65+	5	7.6	109	1	1	3	11	26	26	26
B. *Operated*										
0-19 YRS	16	5.6	18	<1	2	4	8	13	15	15
20-34	127	6.5	29	2	2	4	8	13	17	26
35-49	64	5.6	15	2	3	5	7	8	11	27
50-64	26	6.3	13	3	3	6	7	12	15	17
65+	32	12.3	260	1	2	7	13	29	37	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.4	33	5	5	7	10	19	23	23
20-34	39	7.0	44	1	2	5	9	11	20	38
35-49	17	6.5	34	2	3	5	6	12	22	27
50-64	4	5.3	3	3	3	5	6	7	7	7
65+	8	12.9	98	3	3	9	23	26	27	27
B. *Operated*										
0-19 YRS	6	17.2	203	8	8	12	14	43	46	46
20-34	54	9.7	46	2	3	8	14	20	22	30
35-49	37	10.8	93	2	3	8	13	20	36	46
50-64	24	11.8	204	3	3	7	12	23	56	56
65+	29	10.9	109	2	2	8	12	26	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	29	1	1	4	6	11	17	26
B. *Operated*	265	6.9	54	2	2	5	8	13	19	37
2. MULTIPLE DX										
A. *Not Operated*	76	7.7	46	2	2	6	8	17	24	35
B. *Operated*	150	10.8	100	2	3	8	13	20	30	56
1. SINGLE DX	293	6.7	52	2	2	5	8	13	18	34
2. MULTIPLE DX	226	9.8	84	2	3	7	11	20	27	56
A. NOT OPERATED	104	7.0	42	1	2	5	8	13	23	32
B. OPERATED	415	8.3	74	2	2	6	10	16	22	54
TOTAL 0-19 YRS	35	8.7	67	1	2	7	12	15	21	46
20-34	227	7.3	37	2	2	5	9	16	20	32
35-49	126	7.1	45	2	2	5	8	13	19	44
50-64	57	8.4	98	3	3	6	9	15	18	56
65+	74	11.5	169	1	2	7	13	27	36	96
GRAND TOTAL	**519**	**8.1**	**68**	**2**	**2**	**6**	**9**	**16**	**22**	**48**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	28	2.7	16	<1	1	2	2	4	8	22
65+	73	7.0	110	1	1	4	9	14	25	95
B. *Operated*										
0-19 YRS	8	5.3	17	1	1	4	8	12	12	12
20-34	34	3.7	6	<1	1	3	5	8	9	10
35-49	197	4.7	21	1	1	3	5	10	14	26
50-64	1044	5.0	24	1	2	4	6	9	14	26
65+	2137	5.8	29	2	2	4	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	17.4	793	1	1	3	27	67	75	75
50-64	95	5.9	37	1	1	3	8	15	20	28
65+	319	11.3	136	1	2	7	14	28	37	68
B. *Operated*										
0-19 YRS	5	16.4	232	5	5	15	42	94	99+	99+
20-34	18	8.2	92	1	1	5	11	25	33	35
35-49	86	8.9	109	2	2	5	10	21	31	57
50-64	976	9.1	104	2	2	5	11	21	29	52
65+	3422	10.9	126	2	2	7	14	23	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.7	65	1	1	3	6	14	23	89
B. *Operated*	3420	5.4	27	1	2	4	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	422	10.2	128	1	2	6	13	24	35	68
B. *Operated*	4507	10.5	122	2	2	7	13	23	32	60
1. SINGLE DX	3524	5.4	29	1	2	4	6	11	15	27
2. MULTIPLE DX	4929	10.4	122	2	2	7	13	23	33	60
A. NOT OPERATED	526	9.3	123	1	1	6	12	22	35	75
B. OPERATED	7927	8.3	87	2	2	5	10	18	26	51
TOTAL 0-19 YRS	13	9.5	119	1	2	5	13	48	88	99+
20-34	54	5.2	38	1	2	3	5	10	14	35
35-49	292	6.2	69	1	1	4	7	13	21	36
50-64	2143	6.9	65	1	2	4	8	15	23	40
65+	5951	9.0	98	2	2	6	11	20	28	56
GRAND TOTAL	**8453**	**8.4**	**89**	**2**	**2**	**5**	**10**	**18**	**26**	**52**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	20	4.2	14	1	1	3	6	7	12	17
65+	28	8.8	198	<1	1	4	10	21	29	73
B. *Operated*										
0-19 YRS	14	10.8	11	6	7	10	12	15	17	17
20-34	8	12.5	15	9	9	12	14	18	20	20
35-49	56	12.9	33	2	8	11	16	21	23	31
50-64	163	12.9	30	4	7	12	17	21	23	27
65+	173	13.8	61	2	4	13	18	23	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	9	<1	<1	2	3	7	11	11
20-34	8	7.6	44	2	2	6	8	19	23	23
35-49	20	8.4	56	1	1	6	13	21	24	24
50-64	122	10.0	98	1	2	6	12	25	31	47
65+	189	12.5	134	2	3	9	18	27	35	71
B. *Operated*										
0-19 YRS	13	13.5	39	7	8	13	16	20	29	31
20-34	11	15.3	65	6	7	13	21	28	30	30
35-49	73	16.5	86	6	8	15	21	29	38	89
50-64	338	17.0	123	3	6	15	21	30	38	59
65+	523	19.2	156	4	7	17	24	34	42	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.9	98	<1	<1	3	6	14	18	66
B. *Operated*	414	13.2	43	3	6	12	17	21	25	35
2. MULTIPLE DX										
A. *Not Operated*	349	11.0	115	1	2	8	15	25	32	55
B. *Operated*	958	18.1	138	4	7	16	23	32	41	68
1. SINGLE DX	479	12.2	56	2	3	11	16	21	24	35
2. MULTIPLE DX	1307	16.2	141	3	4	14	21	31	39	64
A. NOT OPERATED	414	10.2	116	1	2	7	14	24	31	58
B. OPERATED	1372	16.6	114	4	6	14	20	29	37	59
TOTAL 0-19 YRS	50	7.5	41	<1	<1	8	12	15	17	31
20-34	28	12.3	50	3	4	10	15	23	27	30
35-49	152	13.9	69	2	5	12	17	24	30	55
50-64	643	14.2	102	2	3	12	18	26	33	53
65+	913	16.5	145	2	4	14	21	31	39	70
GRAND TOTAL	**1786**	**15.1**	**122**	**2**	**4**	**13**	**19**	**28**	**35**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	18.0	288	6	6	18	30	30	30	30
B. *Operated*										
0-19 YRS	10	3.9	8	2	2	2	5	9	9	9
20-34										
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	18	4.1	6	1	2	3	5	8	10	10
65+	20	6.3	20	1	2	5	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	1	2	2	3	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	3	6.0	7	3	3	7	8	8	8	8
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	8	4.5	9	1	1	4	6	9	10	10
65+	18	9.8	239	<1	1	4	7	39	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.0	63	1	1	2	7	15	27	30
B. *Operated*	50	5.0	13	1	2	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	4	1	1	3	5	7	8	8
B. *Operated*	28	7.8	160	1	1	4	6	11	51	52
1. SINGLE DX	63	5.2	22	1	2	4	7	10	12	28
2. MULTIPLE DX	42	6.4	111	1	1	4	6	10	27	52
A. NOT OPERATED	27	4.7	33	1	1	3	6	9	14	30
B. OPERATED	78	6.0	66	1	2	4	6	11	13	52
TOTAL 0-19 YRS	25	3.0	4	1	2	2	3	5	9	9
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	4	6.3	17	1	1	6	9	11	11	11
50-64	31	4.3	7	1	2	3	6	9	10	10
65+	43	8.3	121	1	2	5	9	14	37	52
GRAND TOTAL	**105**	**5.7**	**57**	**1**	**2**	**4**	**6**	**10**	**12**	**51**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.0	94	1	1	4	7	16	36	37
20-34	15	10.6	90	2	3	8	13	18	34	40
35-49	26	7.8	31	1	2	7	13	18	31	99+
50-64	63	11.9	175	2	3	9	15	27	30	85
65+	50	17.3	355	3	4	10	18	39	69	84
B. *Operated*										
0-19 YRS	49	13.6	151	2	4	11	17	22	25	86
20-34	59	13.0	49	3	5	12	16	22	26	36
35-49	66	17.5	159	4	6	14	21	37	44	60
50-64	99	22.2	276	7	9	17	27	41	55	92
65+	72	21.3	200	5	9	17	25	45	55	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.5	109	1	1	3	9	15	45	99+
20-34	18	8.6	21	3	4	7	11	16	18	18
35-49	40	14.2	251	2	3	8	17	32	40	88
50-64	100	17.0	331	2	3	11	25	55	98	99+
65+	104	19.9	321	4	5	13	26	50	73	99+
B. *Operated*										
0-19 YRS	71	19.5	314	3	5	14	28	48	67	99+
20-34	33	21.2	266	5	8	18	24	67	93	99+
35-49	54	21.7	249	5	8	18	27	46	69	99
50-64	113	31.6	460	9	10	23	49	68	76	99+
65+	86	33.9	439	9	12	29	53	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	12.0	197	1	2	8	14	28	38	90
B. *Operated*	345	18.3	194	4	7	14	22	36	47	73
2. MULTIPLE DX										
A. *Not Operated*	299	15.8	289	2	3	10	21	44	71	99+
B. *Operated*	357	27.3	409	5	8	20	42	66	84	99+
1. SINGLE DX	523	16.2	204	2	3	13	20	33	43	84
2. MULTIPLE DX	656	22.1	386	3	4	16	31	62	82	99+
A. NOT OPERATED	477	14.4	257	2	3	9	18	38	62	99+
B. OPERATED	702	22.9	323	5	7	17	29	56	68	99+
TOTAL 0-19 YRS	181	13.6	226	1	2	9	17	32	52	99+
20-34	125	14.2	125	3	4	12	18	24	40	99+
35-49	186	16.6	204	2	4	14	21	37	52	95
50-64	375	21.9	378	3	4	16	29	57	73	99+
65+	312	23.7	369	4	6	18	33	58	80	99+
GRAND TOTAL	**1179**	**19.4**	**313**	**2**	**4**	**14**	**25**	**49**	**67**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	1	25.0		25	25	25	25	25	25	25
65+	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	5	15.2	68	3	3	18	20	25	25	25
20-34	5	16.4	101	1	1	16	23	28	28	28
35-49	6	17.2	450	2	2	7	25	54	57	57
50-64	2	23.0	162	14	14	23	32	32	32	32
65+	5	33.4	980	7	7	15	66	70	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	14	<1	<1	2	3	10	11	11
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	5	10.2	105	1	1	8	17	26	26	26
50-64	6	9.5	20	3	3	9	10	16	17	17
65+	13	15.8	254	3	4	12	18	39	57	61
B. *Operated*										
0-19 YRS	21	26.2	184	6	9	25	33	47	50	52
20-34	9	23.6	169	5	8	23	39	73	99+	99+
35-49	10	29.9	256	9	13	26	39	55	62	62
50-64	8	18.0	58	8	8	20	24	26	26	26
65+	9	33.1	375	15	17	28	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	8.6	62	1	1	6	11	22	25	25
B. *Operated*	23	20.6	370	2	3	15	25	59	67	70
2. MULTIPLE DX										
A. *Not Operated*	32	10.9	141	1	2	9	13	22	33	61
B. *Operated*	57	26.4	213	8	10	25	38	50	88	99+
1. SINGLE DX	31	17.5	314	1	2	14	24	42	65	70
2. MULTIPLE DX	89	20.8	241	2	3	19	29	47	62	99+
A. NOT OPERATED	40	10.5	124	1	1	8	13	22	30	61
B. OPERATED	80	24.7	261	4	8	23	32	53	72	99+
TOTAL 0-19 YRS	34	19.2	216	1	2	18	30	41	48	52
20-34	16	19.3	153	2	3	19	28	45	81	99+
35-49	23	20.3	310	1	2	17	27	51	59	62
50-64	17	16.0	71	5	8	14	24	26	30	32
65+	30	23.2	443	3	4	16	37	72	97	99+
GRAND TOTAL	**120**	**20.0**	**259**	**2**	**3**	**17**	**28**	**47**	**63**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.0	15	<1	1	2	5	11	13	13
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	6	3.5	3	1	1	4	4	6	6	6
50-64	10	5.2	34	1	1	3	4	14	21	21
65+	12	4.8	24	<1	<1	3	6	12	17	18
B. *Operated*										
0-19 YRS	20	7.0	15	3	3	6	8	13	15	17
20-34	64	5.1	7	2	3	4	6	8	12	16
35-49	63	6.1	18	3	3	5	7	10	14	27
50-64	55	6.3	25	2	3	5	7	11	19	28
65+	30	11.2	166	3	4	6	13	20	26	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.5	15	<1	1	3	6	10	13	15
20-34	11	3.9	7	1	1	4	6	8	8	8
35-49	12	8.2	57	1	2	5	14	21	22	22
50-64	27	9.7	64	2	3	6	14	25	27	30
65+	48	10.6	176	2	2	7	12	19	38	81
B. *Operated*										
0-19 YRS	23	14.3	367	1	3	8	13	42	67	79
20-34	64	7.7	28	3	3	6	10	14	19	27
35-49	99	7.9	44	2	3	5	9	17	22	35
50-64	103	11.8	129	3	4	7	16	33	38	78
65+	70	12.7	125	3	4	10	15	22	31	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.3	18	<1	1	3	4	9	14	21
B. *Operated*	232	6.6	38	3	3	5	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	119	8.5	100	1	2	5	10	18	24	54
B. *Operated*	359	10.4	106	3	3	7	13	21	32	60
1. SINGLE DX	278	6.2	35	2	2	5	7	12	16	27
2. MULTIPLE DX	478	9.9	105	2	3	6	12	20	31	60
A. NOT OPERATED	165	7.3	80	1	1	4	9	16	22	41
B. OPERATED	591	8.9	82	3	3	6	10	18	26	55
TOTAL 0-19 YRS	77	8.0	135	1	1	5	8	13	17	74
20-34	144	6.1	18	2	3	5	7	13	14	24
35-49	180	7.2	35	2	3	5	9	14	20	31
50-64	195	9.6	92	2	3	6	12	22	33	54
65+	160	11.2	142	2	3	8	14	20	29	80
GRAND TOTAL	**756**	**8.5**	**82**	**2**	**3**	**5**	**10**	**17**	**24**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	27	2	2	6	8	16	17	17
20-34	19	8.3	37	2	2	5	12	18	20	22
35-49	50	8.1	72	1	1	5	8	17	33	35
50-64	156	8.0	46	1	2	6	10	17	21	29
65+	281	11.1	141	1	2	8	13	22	32	71
B. *Operated*										
0-19 YRS	15	6.5	17	2	2	5	8	14	15	16
20-34	29	8.2	72	1	1	5	11	21	24	37
35-49	100	8.2	59	1	2	6	11	18	27	37
50-64	307	10.2	90	1	2	8	14	23	30	39
65+	399	10.6	119	1	2	7	15	23	33	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	229	<1	<1	3	8	14	39	73
20-34	127	9.0	57	2	2	7	12	19	23	40
35-49	645	10.8	124	1	2	7	14	26	33	54
50-64	2344	11.6	117	2	2	8	15	25	33	58
65+	3847	13.7	156	2	3	10	18	30	40	66
B. *Operated*										
0-19 YRS	37	12.3	168	2	3	9	12	27	34	73
20-34	144	13.5	189	2	2	10	16	27	41	92
35-49	620	14.2	173	2	2	10	19	30	42	71
50-64	2206	16.0	193	2	3	12	21	34	46	88
65+	3166	17.8	222	2	4	14	23	38	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	9.7	102	1	2	7	12	20	29	57
B. *Operated*	850	10.0	99	1	2	7	14	22	31	47
2. MULTIPLE DX										
A. *Not Operated*	6985	12.6	140	2	3	9	16	28	36	63
B. *Operated*	6173	16.7	208	2	3	13	22	36	48	87
1. SINGLE DX	1362	9.9	100	1	2	7	13	21	29	48
2. MULTIPLE DX	13158	14.5	176	2	3	11	19	32	42	75
A. NOT OPERATED	7497	12.4	138	2	2	9	16	27	36	63
B. OPERATED	7023	15.9	199	2	3	12	21	34	46	84
TOTAL 0-19 YRS	80	9.7	148	1	2	6	11	17	27	73
20-34	319	10.9	122	1	2	8	14	22	28	68
35-49	1415	12.0	143	2	2	8	16	27	35	69
50-64	5013	13.3	153	2	3	10	18	29	39	71
65+	7693	15.1	186	2	3	11	20	33	44	78
GRAND TOTAL	**14520**	**14.1**	**170**	**2**	**3**	**10**	**18**	**31**	**41**	**73**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	4	<1	<1	1	2	4	7	8
20-34	79	4.3	19	1	1	3	4	11	13	24
35-49	37	4.4	26	<1	1	2	6	11	14	25
50-64	25	7.7	172	1	1	2	7	30	41	53
65+	18	6.7	40	<1	1	4	10	18	20	21
B. *Operated*										
0-19 YRS	72	6.6	21	1	1	6	9	13	16	22
20-34	235	8.4	56	1	2	7	11	17	21	32
35-49	89	9.1	52	1	2	8	12	22	24	31
50-64	65	11.2	161	2	2	8	16	22	28	79
65+	50	12.2	179	2	2	7	18	28	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	5	<1	<1	2	4	7	7	7
20-34	97	6.3	67	1	1	3	8	15	20	46
35-49	49	7.3	79	1	1	4	7	20	32	36
50-64	64	10.0	127	1	1	6	12	29	34	46
65+	57	10.9	106	1	1	8	14	23	31	55
B. *Operated*										
0-19 YRS	16	13.5	86	4	4	10	18	28	32	34
20-34	112	14.3	188	2	3	11	16	30	36	78
35-49	54	15.5	223	3	3	12	20	28	42	89
50-64	64	17.0	197	3	5	12	24	35	41	76
65+	74	19.9	230	3	4	18	27	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.9	45	<1	1	3	5	12	15	35
B. *Operated*	511	9.0	78	1	2	7	12	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	280	8.1	92	1	1	5	10	20	30	45
B. *Operated*	320	16.3	203	3	4	12	22	34	42	93
1. SINGLE DX	683	8.0	72	1	1	6	10	17	23	41
2. MULTIPLE DX	600	12.5	168	1	1	9	17	29	38	72
A. NOT OPERATED	452	6.9	76	1	1	4	8	17	26	42
B. OPERATED	831	11.8	138	1	2	9	15	25	34	71
TOTAL 0-19 YRS	114	6.7	36	<1	1	5	9	13	17	30
20-34	523	8.7	91	1	1	6	12	17	24	46
35-49	229	9.5	107	1	1	7	13	23	27	46
50-64	218	12.1	171	1	1	8	17	29	38	65
65+	199	14.2	184	1	2	10	20	32	42	91
GRAND TOTAL	**1283**	**10.1**	**122**	**1**	**1**	**7**	**13**	**23**	**30**	**57**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.0	34	<1	<1	1	4	12	16	29
20-34	5	27.0	277	3	3	27	42	43	43	43
35-49	8	10.5	63	2	2	9	16	22	23	23
50-64	20	4.1	15	<1	<1	3	5	7	12	18
65+	57	9.4	122	1	1	8	12	15	20	73
B. *Operated*										
0-19 YRS	59	7.6	184	<1	<1	2	8	22	28	81
20-34	8	24.3	280	3	4	26	37	47	48	48
35-49	5	9.4	26	2	2	10	13	15	15	15
50-64	18	11.1	111	3	3	7	11	30	37	40
65+	28	9.9	80	2	4	7	11	19	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	6.7	52	<1	<1	5	9	14	26	33
20-34	7	9.6	140	1	1	5	11	31	35	35
35-49	13	6.5	35	1	2	4	9	15	21	22
50-64	78	8.8	94	1	1	6	10	19	28	55
65+	275	12.1	151	2	3	9	15	23	35	94
B. *Operated*										
0-19 YRS	51	25.2	338	2	5	21	29	57	65	74
20-34	15	39.7	561	2	3	41	53	72	80	83
35-49	12	20.0	254	2	3	17	31	44	48	49
50-64	74	16.0	202	3	4	10	25	32	46	69
65+	171	18.0	257	3	5	13	23	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.5	82	<1	<1	3	10	15	21	43
B. *Operated*	118	9.9	160	<1	1	6	11	24	37	59
2. MULTIPLE DX										
A. *Not Operated*	456	10.4	124	1	2	7	13	22	32	72
B. *Operated*	323	19.7	295	3	4	14	26	48	64	92
1. SINGLE DX	309	7.8	114	<1	<1	4	10	19	29	47
2. MULTIPLE DX	779	14.2	216	2	2	9	18	32	49	82
A. NOT OPERATED	647	9.2	115	<1	1	6	12	20	30	63
B. OPERATED	441	17.1	278	1	2	11	24	42	56	84
TOTAL 0-19 YRS	294	9.1	176	<1	<1	4	12	24	32	66
20-34	35	28.3	479	2	3	27	43	54	71	83
35-49	38	12.0	135	2	2	9	15	25	40	49
50-64	190	11.3	144	1	2	7	14	27	37	62
65+	531	13.6	187	2	3	10	16	30	46	99
GRAND TOTAL	**1088**	**12.4**	**196**	**1**	**1**	**8**	**16**	**30**	**43**	**78**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	23	<1	<1	3	5	10	16	22
20-34	15	8.4	115	<1	<1	5	10	17	36	43
35-49	36	7.4	119	<1	<1	4	8	18	30	57
50-64	50	7.4	82	1	1	5	9	17	22	57
65+	97	6.6	90	1	1	3	8	17	25	54
B. *Operated*										
0-19 YRS	15	13.1	604	<1	<1	5	8	40	81	95
20-34	20	12.0	154	<1	1	5	20	29	36	44
35-49	27	16.5	434	1	2	9	25	37	60	95
50-64	38	17.7	369	1	2	8	29	45	52	85
65+	61	14.7	259	2	3	8	18	39	47	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.6	68	<1	1	3	8	23	25	30
20-34	30	11.1	249	1	2	6	12	21	49	79
35-49	61	10.7	200	<1	1	7	12	24	42	78
50-64	106	7.5	57	<1	1	5	11	18	22	35
65+	374	9.3	111	1	1	6	12	21	31	59
B. *Operated*										
0-19 YRS	30	27.8	375	1	4	27	39	59	62	77
20-34	38	30.0	213	6	7	30	38	49	53	64
35-49	53	25.0	264	2	4	26	37	48	56	99
50-64	102	22.8	361	2	3	16	37	49	59	95
65+	201	22.2	386	4	5	14	30	55	64	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	6.7	85	<1	1	4	7	16	24	57
B. *Operated*	161	15.2	328	1	2	8	21	40	49	94
2. MULTIPLE DX										
A. *Not Operated*	600	9.1	116	1	1	5	12	21	31	58
B. *Operated*	424	23.8	352	3	5	18	36	51	62	96
1. SINGLE DX	390	10.2	202	1	1	5	11	27	40	75
2. MULTIPLE DX	1024	15.2	266	1	1	9	21	40	51	80
A. NOT OPERATED	829	8.4	108	1	1	5	11	20	29	57
B. OPERATED	585	21.4	359	2	3	15	32	49	60	95
TOTAL 0-19 YRS	105	12.9	309	<1	<1	5	18	36	49	85
20-34	103	17.8	281	1	2	12	30	43	49	71
35-49	177	15.2	283	1	1	8	24	41	49	91
50-64	296	14.0	255	1	1	7	18	39	48	80
65+	733	12.9	231	1	1	8	16	35	49	75
GRAND TOTAL	**1414**	**13.8**	**253**	**1**	**1**	**8**	**18**	**38**	**49**	**80**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.2	12	<1	<1	2	4	8	11	16
20-34	51	4.7	21	1	1	4	5	8	14	28
35-49	54	5.6	28	1	1	4	7	12	18	26
50-64	177	6.9	60	<1	1	4	9	16	20	51
65+	238	9.6	115	1	2	6	12	22	30	58
B. *Operated*										
0-19 YRS	28	6.9	61	1	1	4	8	23	25	29
20-34	68	10.1	106	1	2	7	14	26	34	42
35-49	132	9.6	95	1	2	6	12	22	34	43
50-64	330	10.8	97	2	2	8	15	26	33	44
65+	375	11.9	126	2	2	9	16	25	35	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.2	36	1	1	4	8	13	20	28
20-34	53	8.7	69	1	1	6	8	21	31	35
35-49	130	9.2	111	1	1	6	11	20	29	53
50-64	512	10.2	121	1	1	7	13	22	30	63
65+	1020	12.8	177	1	2	8	16	30	43	70
B. *Operated*										
0-19 YRS	23	16.5	226	2	4	12	18	38	54	60
20-34	43	16.2	281	2	3	9	23	44	53	76
35-49	144	17.7	248	3	4	12	25	39	46	78
50-64	543	17.6	221	2	4	13	24	39	53	99+
65+	1003	20.8	280	3	5	16	27	45	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	7.6	78	1	1	5	10	17	26	53
B. *Operated*	933	10.9	109	2	2	8	15	25	34	46
2. MULTIPLE DX										
A. *Not Operated*	1747	11.6	152	1	2	8	15	26	38	65
B. *Operated*	1756	19.4	261	3	4	15	26	42	55	95
1. SINGLE DX	1479	9.7	100	1	2	6	13	22	32	50
2. MULTIPLE DX	3503	15.5	222	1	2	11	21	36	48	83
A. NOT OPERATED	2293	10.6	137	1	1	7	13	24	36	62
B. OPERATED	2689	16.5	224	2	3	12	22	37	48	88
TOTAL 0-19 YRS	109	7.8	97	1	1	4	9	20	28	55
20-34	215	9.7	125	1	2	6	11	23	33	53
35-49	460	11.6	158	1	2	7	14	28	38	64
50-64	1562	12.6	158	1	2	9	17	30	39	77
65+	2636	15.5	222	2	2	11	20	36	48	78
GRAND TOTAL	**4982**	**13.8**	**193**	**1**	**2**	**10**	**18**	**32**	**44**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	50	3.5	12	<1	<1	3	4	6	12	17
20-34	105	3.4	3	<1	1	3	4	6	6	10
35-49	163	3.6	3	1	1	3	4	6	7	9
50-64	224	3.6	3	1	2	3	5	6	7	9
65+	157	4.2	5	1	2	4	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	4	3.3	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	6	3.3	5	1	1	3	4	7	7	7
20-34	26	4.9	25	1	2	3	4	10	17	23
35-49	55	4.4	7	1	2	4	6	8	9	13
50-64	88	4.9	9	1	2	4	6	9	11	15
65+	135	6.6	35	2	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	4	1	1	3	4	6	6	6
B. *Operated*	699	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	8	<1	<1	2	5	8	10	10
B. *Operated*	310	5.5	22	2	2	4	7	10	14	24
1. SINGLE DX	704	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	320	5.4	22	1	2	4	7	10	14	23
A. NOT OPERATED	15	3.1	6	<1	<1	2	5	6	9	10
B. OPERATED	1009	4.3	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	60	3.3	10	<1	<1	3	4	6	10	17
20-34	132	3.7	8	<1	1	3	4	6	8	17
35-49	220	3.8	4	1	2	4	5	7	8	10
50-64	316	4.0	5	1	2	4	5	7	8	13
65+	296	5.3	20	2	2	4	6	9	13	24
GRAND TOTAL	**1024**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	1	1	1	3	3	4	4	4
20-34	10	1.8	2	<1	<1	1	2	4	4	4
35-49	34	2.4	6	<1	<1	2	2	5	9	10
50-64	83	2.2	3	<1	1	2	3	4	6	9
65+	122	2.3	9	<1	1	2	2	4	6	21
B. *Operated*										
0-19 YRS	54	3.4	15	<1	<1	2	4	8	11	23
20-34	72	4.7	29	<1	1	2	7	12	16	27
35-49	239	3.5	17	<1	1	2	3	9	12	18
50-64	780	3.0	12	<1	1	2	3	8	11	17
65+	1107	3.0	16	1	1	2	3	6	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.6	86	1	1	3	7	23	27	27
20-34	17	6.1	135	<1	<1	3	6	9	36	50
35-49	30	6.4	37	<1	1	4	9	15	16	27
50-64	105	5.0	34	1	1	3	6	11	16	33
65+	290	6.4	49	1	1	4	8	14	18	40
B. *Operated*										
0-19 YRS	19	5.8	31	1	1	4	9	12	18	23
20-34	55	7.5	66	1	1	5	9	16	23	41
35-49	171	6.8	52	1	1	4	9	16	24	32
50-64	811	6.5	62	1	1	3	8	16	20	40
65+	1679	8.5	95	1	1	5	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.3	6	<1	1	2	2	4	6	10
B. *Operated*	2252	3.1	15	<1	1	2	3	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	449	6.0	48	1	1	4	8	14	18	41
B. *Operated*	2735	7.7	82	1	1	4	10	18	23	46
1. SINGLE DX	2510	3.0	14	<1	1	2	3	7	11	19
2. MULTIPLE DX	3184	7.5	78	1	1	4	10	17	23	45
A. NOT OPERATED	707	4.7	36	1	1	2	5	11	16	35
B. OPERATED	4987	5.7	57	1	1	2	7	14	19	38
TOTAL 0-19 YRS	89	4.1	23	<1	1	2	4	10	13	26
20-34	154	5.7	54	<1	1	3	8	12	18	41
35-49	474	4.8	33	<1	1	2	6	12	16	28
50-64	1779	4.7	38	1	1	2	5	11	17	28
65+	3198	6.2	67	1	1	3	8	15	21	42
GRAND TOTAL	**5694**	**5.5**	**55**	**1**	**1**	**2**	**7**	**14**	**19**	**38**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	5	2.8	4	<1	<1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	91	2.1	1	<1	1	2	2	3	3	8
20-34	64	3.2	12	<1	<1	2	2	9	10	19
35-49	77	4.4	15	1	1	2	7	11	12	15
50-64	108	4.9	21	1	1	2	8	12	15	18
65+	65	4.2	22	1	2	2	4	7	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	6	6.3	59	<1	<1	2	11	19	20	20
65+	8	9.9	95	3	3	7	10	26	33	33
B. *Operated*										
0-19 YRS	12	6.2	34	1	1	3	12	15	17	17
20-34	12	4.9	34	2	2	2	5	15	20	21
35-49	32	5.8	41	1	1	3	7	16	21	28
50-64	68	8.5	73	1	2	5	11	22	25	41
65+	68	12.2	124	2	2	9	18	26	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.7	2	<1	<1	2	4	5	6	6
B. *Operated*	405	3.8	15	1	1	2	4	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	20	6.8	59	<1	1	4	8	16	26	33
B. *Operated*	192	9.0	87	1	2	5	12	22	27	42
1. SINGLE DX	421	3.7	15	<1	1	2	4	10	12	17
2. MULTIPLE DX	212	8.8	84	1	2	5	12	22	27	42
A. NOT OPERATED	36	5.0	37	<1	1	3	5	11	17	33
B. OPERATED	597	5.5	44	1	1	2	7	13	19	32
TOTAL 0-19 YRS	109	2.5	6	<1	1	2	2	3	7	15
20-34	79	3.5	15	<1	<1	2	4	9	11	21
35-49	116	4.7	22	1	1	2	7	11	14	24
50-64	187	6.2	43	1	1	3	9	15	19	30
65+	142	8.4	89	2	2	4	11	21	28	42
GRAND TOTAL	**633**	**5.4**	**44**	**1**	**1**	**2**	**7**	**13**	**19**	**32**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.7	1	<1	1	2	2	2	4	5
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	6	2.2	2	<1	<1	2	3	4	4	4
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	6	2.8	6	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	652	3.3	7	<1	1	3	4	6	8	16
20-34	812	2.7	5	<1	<1	2	3	5	6	11
35-49	972	2.7	8	<1	<1	2	3	5	6	14
50-64	974	2.8	6	<1	<1	2	3	5	7	12
65+	411	3.2	8	<1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	12	<1	<1	1	2	4	10	17
20-34	7	4.0	26	<1	<1	1	6	13	14	14
35-49	13	5.8	28	<1	<1	4	8	13	18	19
50-64	22	6.3	32	1	1	4	9	12	18	25
65+	21	5.4	13	1	1	5	8	10	12	15
B. *Operated*										
0-19 YRS	98	3.6	19	<1	1	2	3	6	13	25
20-34	186	4.3	13	<1	1	3	5	10	12	20
35-49	353	4.4	24	<1	1	3	5	9	14	24
50-64	611	4.9	36	<1	1	3	5	10	16	31
65+	416	6.0	55	1	1	3	7	14	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.3	2	<1	<1	2	3	4	5	7
B. *Operated*	3821	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	84	4.8	23	<1	<1	3	7	10	14	23
B. *Operated*	1664	4.9	35	<1	1	3	5	10	16	32
1. SINGLE DX	3858	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX	1748	4.9	34	<1	1	3	5	10	16	31
A. NOT OPERATED	121	4.0	18	<1	<1	3	5	9	13	21
B. OPERATED	5485	3.5	16	<1	<1	2	4	6	10	21
TOTAL 0-19 YRS	788	3.3	9	<1	1	3	4	6	9	18
20-34	1009	3.0	7	<1	<1	2	3	6	8	15
35-49	1344	3.2	13	<1	<1	2	3	6	9	19
50-64	1611	3.6	19	<1	<1	2	4	7	11	21
65+	854	4.6	33	<1	1	3	5	10	15	31
GRAND TOTAL	**5606**	**3.5**	**16**	**<1**	**<1**	**2**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	2	<1	1	2	3	5	5	5
20-34	4	3.5	9	2	2	2	5	8	8	8
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	6	4.2	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	798	2.4	13	<1	<1	2	2	4	7	14
20-34	346	2.3	4	<1	<1	2	3	5	6	11
35-49	249	2.7	8	<1	<1	2	3	5	8	16
50-64	235	2.9	19	<1	<1	2	3	5	8	25
65+	158	2.9	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	39	<1	<1	1	2	5	21	29
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	6	4.2	9	2	2	3	8	8	8	8
50-64	14	8.6	32	1	2	7	12	17	19	20
65+	22	9.1	50	2	3	7	13	17	24	33
B. *Operated*										
0-19 YRS	132	4.1	43	<1	<1	2	4	10	15	61
20-34	135	3.6	40	<1	<1	2	3	8	13	36
35-49	172	3.4	22	<1	<1	2	4	7	11	24
50-64	226	5.6	96	<1	<1	2	5	13	18	66
65+	150	8.4	152	<1	<1	3	9	22	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.7	3	<1	1	2	4	5	7	8
B. *Operated*	1786	2.6	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	88	5.6	43	<1	1	3	8	14	18	31
B. *Operated*	815	5.1	76	<1	<1	2	5	12	19	49
1. SINGLE DX	1819	2.6	11	<1	<1	2	3	5	7	14
2. MULTIPLE DX	903	5.1	72	<1	<1	2	5	13	19	47
A. NOT OPERATED	121	4.8	34	<1	1	2	6	12	17	30
B. OPERATED	2601	3.4	33	<1	<1	2	3	7	11	29
TOTAL 0-19 YRS	986	2.7	18	<1	<1	2	2	5	9	21
20-34	491	2.7	14	<1	<1	2	3	5	7	16
35-49	430	3.0	14	<1	<1	2	3	7	9	19
50-64	479	4.4	58	<1	<1	2	4	9	15	43
65+	336	5.8	82	<1	<1	3	6	14	22	47
GRAND TOTAL	**2722**	**3.4**	**33**	**<1**	**<1**	**2**	**3**	**7**	**11**	**29**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	5.5	41	<1	<1	5	10	10	10	10
50-64	3	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	372	1.9	1	<1	1	2	2	3	3	4
20-34	949	1.9	1	<1	<1	2	2	3	3	4
35-49	586	2.2	1	<1	1	2	2	3	4	6
50-64	220	2.4	1	1	1	2	3	3	4	8
65+	110	2.8	2	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	4	8
20-34	196	2.6	6	<1	1	2	3	4	5	12
35-49	292	2.9	5	1	2	2	3	5	6	14
50-64	178	3.5	16	1	2	3	4	5	8	18
65+	132	4.9	35	2	2	3	4	8	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	8	<1	<1	3	3	8	10	10
B. *Operated*	2237	2.1	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	5.5	33	1	1	4	10	13	13	13
B. *Operated*	831	3.3	13	1	2	2	3	5	7	20
1. SINGLE DX	2245	2.1	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	835	3.3	13	1	2	2	3	5	7	20
A. NOT OPERATED	12	4.0	15	<1	<1	3	5	11	13	13
B. OPERATED	3068	2.4	4	<1	1	2	3	3	4	10
TOTAL 0-19 YRS	405	2.0	1	<1	1	2	2	3	3	4
20-34	1148	2.0	2	<1	<1	2	2	3	3	6
35-49	881	2.4	3	<1	1	2	3	3	5	9
50-64	401	2.9	8	1	2	2	3	4	6	15
65+	245	4.0	21	2	2	3	4	7	10	31
GRAND TOTAL	**3080**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	4.0	6	1	1	3	5	8	9	11
35-49	45	2.9	5	<1	1	2	4	6	8	10
50-64	9	4.6	4	<1	1	5	6	7	8	8
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	585	5.5	8	1	1	6	8	9	9	12
35-49	2292	6.0	10	1	1	7	8	9	10	15
50-64	503	5.8	11	1	1	7	8	9	10	14
65+	36	7.1	22	1	2	8	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	49	2.9	7	<1	<1	2	4	6	9	13
35-49	175	3.3	9	<1	1	2	4	8	9	14
50-64	47	3.7	8	<1	1	3	5	7	10	15
65+	24	11.2	82	2	3	8	17	26	28	32
B. *Operated*										
0-19 YRS	13	5.3	8	1	2	7	8	8	8	8
20-34	1321	5.9	13	1	1	6	8	10	11	16
35-49	7941	6.6	15	1	2	7	8	10	12	19
50-64	1910	6.9	18	1	2	7	9	11	14	21
65+	218	11.2	104	2	3	9	13	20	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	3418	5.9	10	1	1	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	295	3.9	19	<1	1	2	5	9	11	26
B. *Operated*	11403	6.7	17	1	2	7	8	11	13	20
1. SINGLE DX	3499	5.8	10	1	1	7	8	9	10	14
2. MULTIPLE DX	11698	6.6	17	1	2	7	8	10	13	20
A. NOT OPERATED	376	3.8	16	<1	1	3	5	8	10	24
B. OPERATED	14821	6.5	16	1	2	7	8	10	12	19
TOTAL 0-19 YRS	15	5.3	8	1	2	7	8	8	8	8
20-34	1979	5.7	11	1	1	6	8	9	11	15
35-49	10453	6.4	14	1	2	7	8	10	12	18
50-64	2469	6.6	17	1	2	7	9	11	13	20
65+	281	10.6	92	2	2	9	12	20	26	37
GRAND TOTAL	**15197**	**6.4**	**16**	**1**	**1**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	16	2.5	4	<1	1	2	3	6	7	8
35-49	27	3.9	8	1	1	3	6	8	9	12
50-64	18	2.3	4	<1	<1	2	2	4	8	10
65+	5	3.2	8	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	27	5.8	87	1	2	3	6	8	15	51
35-49	114	6.0	18	1	1	6	8	10	11	24
50-64	46	5.4	18	<1	2	4	8	9	13	22
65+	13	8.6	32	2	2	8	12	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	66	3.1	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	200	6.0	28	1	2	6	8	10	13	27
1. SINGLE DX	67	3.1	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	202	6.0	28	1	1	6	8	10	13	27
A. NOT OPERATED	3	3.3	16	<1	<1	1	6	8	8	8
B. OPERATED	266	5.3	24	1	1	5	7	9	12	22
TOTAL 0-19 YRS										
20-34	43	4.6	58	1	1	3	6	8	8	51
35-49	143	5.6	17	1	1	6	8	9	11	20
50-64	64	4.5	16	<1	1	2	7	9	12	21
65+	19	7.2	29	1	2	8	10	14	18	21
GRAND TOTAL	**269**	**5.3**	**24**	**1**	**1**	**5**	**7**	**9**	**12**	**22**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	105	6.4	2	4	5	6	7	8	9	12
20-34	411	6.0	2	4	4	6	7	8	8	10
35-49	138	6.7	5	4	5	7	8	8	9	15
50-64	100	8.5	8	5	6	8	9	12	14	20
65+	53	11.4	32	6	7	11	13	18	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	5	2.6	9	<1	<1	1	3	8	8	8
35-49	4	5.8	24	2	2	4	9	13	13	13
50-64										
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	57	6.6	4	4	5	6	7	9	10	16
20-34	392	6.7	5	4	5	6	7	9	10	15
35-49	293	7.5	5	5	5	7	8	10	12	15
50-64	239	9.2	16	6	6	8	10	13	15	24
65+	193	13.6	75	7	8	10	16	24	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	6	2	2	5	6	8	9	9
B. *Operated*	807	6.9	7	4	5	6	8	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	23	<1	1	2	4	13	16	17
B. *Operated*	1174	8.5	25	5	5	7	9	13	16	30
1. SINGLE DX	815	6.8	7	4	5	6	8	9	11	18
2. MULTIPLE DX	1189	8.5	25	4	5	7	9	13	16	30
A. NOT OPERATED	23	4.6	16	<1	1	4	6	10	14	17
B. OPERATED	1981	7.8	18	4	5	7	8	11	14	26
TOTAL 0-19 YRS	167	6.3	3	4	4	6	7	8	9	13
20-34	812	6.3	4	4	4	6	7	8	9	14
35-49	436	7.3	5	4	5	7	8	10	12	14
50-64	340	9.0	14	6	6	8	10	13	15	22
65+	249	13.1	66	6	7	10	15	23	29	47
GRAND TOTAL	**2004**	**7.8**	**18**	**4**	**5**	**7**	**8**	**11**	**14**	**26**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.0	8	<1	<1	5	6	8	9	9
20-34	36	3.1	12	<1	<1	2	4	7	7	19
35-49	29	2.7	4	<1	<1	2	3	5	6	10
50-64	13	2.5	6	<1	<1	1	3	7	9	9
65+	5	2.4	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	25	3.9	8	<1	1	3	6	7	9	13
35-49	33	4.8	11	<1	1	3	8	10	11	12
50-64	24	4.7	18	1	2	3	7	9	12	20
65+	16	8.1	77	1	2	4	12	21	28	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	92	3.0	8	<1	<1	2	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	3	11.3	110	1	1	11	19	22	22	22
B. *Operated*	100	5.1	23	1	1	3	7	10	13	26
1. SINGLE DX	92	3.0	8	<1	<1	2	5	6	7	15
2. MULTIPLE DX	103	5.2	26	1	1	3	7	11	15	26
A. NOT OPERATED	3	11.3	110	1	1	11	19	22	22	22
B. OPERATED	192	4.1	17	<1	1	2	6	8	11	21
TOTAL 0-19 YRS	11	4.0	7	<1	<1	5	6	7	9	9
20-34	63	3.5	11	<1	<1	2	6	7	9	18
35-49	63	4.1	14	<1	1	2	6	9	11	21
50-64	37	3.9	15	<1	1	2	5	9	9	20
65+	21	6.7	64	1	1	3	9	19	26	31
GRAND TOTAL	**195**	**4.2**	**19**	**<1**	**1**	**2**	**6**	**9**	**11**	**22**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	24	2.6	3	<1	1	2	3	4	6	8
35-49	21	3.9	5	<1	1	3	5	7	8	9
50-64	7	3.0	1	2	2	3	4	5	5	5
65+	8	3.8	16	<1	<1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	10	2.6	3	<1	<1	2	3	5	6	6
50-64	12	4.9	22	<1	1	3	7	14	14	14
65+	27	6.3	19	2	2	5	9	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	65	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	60	4.7	17	<1	1	3	6	10	13	20
1. SINGLE DX	65	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX	61	4.8	17	<1	1	3	6	10	13	20
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	125	3.9	11	<1	1	3	5	9	11	16
TOTAL 0-19 YRS	8	2.8	5	1	1	2	3	7	8	8
20-34	32	2.5	2	<1	<1	2	3	4	5	8
35-49	31	3.5	4	<1	1	3	5	7	8	9
50-64	19	4.2	15	<1	1	3	4	12	14	14
65+	36	5.8	19	1	2	4	9	12	13	21
GRAND TOTAL	**126**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**9**	**11**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	23	2.6	2	<1	1	2	3	4	5	6
35-49	16	5.8	30	1	1	4	9	12	18	21
50-64	43	3.1	6	1	1	2	3	6	8	13
65+	72	3.8	18	1	1	3	4	6	10	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	4	5.8	11	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.3	86	1	1	2	2	19	31	31
35-49	18	4.3	31	<1	<1	2	4	12	19	23
50-64	54	7.5	109	1	1	4	8	20	30	52
65+	103	8.5	62	1	2	5	11	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	156	3.6	14	1	1	3	4	6	11	21
2. MULTIPLE DX										
A. *Not Operated*	6	4.8	10	1	1	4	8	9	9	9
B. *Operated*	186	7.6	74	1	1	4	9	19	24	43
1. SINGLE DX	157	3.6	14	1	1	3	4	6	11	21
2. MULTIPLE DX	192	7.5	73	1	1	4	9	19	24	43
A. NOT OPERATED	7	4.3	11	1	1	4	7	9	9	9
B. OPERATED	342	5.8	51	1	1	3	6	14	21	38
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	33	3.4	27	1	1	2	3	5	8	31
35-49	34	5.0	30	<1	1	3	5	12	20	23
50-64	99	5.5	66	1	1	3	6	12	22	49
65+	180	6.5	48	1	2	4	8	17	22	36
GRAND TOTAL	**349**	**5.7**	**50**	**1**	**1**	**3**	**6**	**13**	**21**	**38**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.6		<1	<1	2	2	2	2	2
20-34	16	1.4		<1	<1	1	2	2	2	2
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	2.3	1	<1	<1	2	3	4	4	4
65+	7	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.0	1	1	1	2	2	3	4	4
20-34										
35-49										
50-64	6	6.5	34	<1	<1	5	10	15	16	16
65+	4	3.0	7	1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	4.7	30	1	1	2	9	11	11	11
B. *Operated*	20	3.6	15	<1	1	2	4	9	13	16
1. SINGLE DX	63	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX	23	3.7	15	<1	1	2	4	10	13	16
A. NOT OPERATED	4	4.0	22	1	1	2	7	11	11	11
B. OPERATED	82	2.2	4	<1	<1	2	2	3	5	14
TOTAL 0-19 YRS	38	1.7		<1	<1	2	2	2	3	4
20-34	16	1.4		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	14	4.7	21	<1	<1	3	7	11	15	16
65+	12	2.5	2	1	1	2	3	4	7	7
GRAND TOTAL	**86**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**3**	**7**	**14**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.5	4	1	1	3	5	6	7	7
35-49	7	2.7	6	1	1	2	4	7	7	7
50-64	9	4.7	10	1	1	3	8	9	9	9
65+	17	7.9	95	1	1	6	9	12	32	43
B. *Operated*										
0-19 YRS	11	10.5	20	<1	5	10	14	16	17	17
20-34	47	12.7	57	3	6	11	14	26	31	35
35-49	72	12.5	52	2	3	11	16	23	26	37
50-64	112	12.4	40	2	4	12	17	21	26	99+
65+	65	18.8	212	3	5	15	22	40	51	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	2	16.0	72	10	10	16	22	22	22	22
35-49	7	6.6	14	1	1	7	9	11	12	12
50-64	25	12.2	364	1	2	6	12	53	86	99+
65+	110	16.5	259	3	5	12	21	45	78	99+
B. *Operated*										
0-19 YRS	10	16.9	41	8	8	21	23	54	96	99+
20-34	31	22.4	158	9	11	17	29	40	45	63
35-49	73	19.3	135	7	9	15	26	42	58	99+
50-64	138	21.4	282	3	4	16	27	47	63	83
65+	147	30.5	382	6	9	28	41	64	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.2	43	1	1	3	6	9	12	43
B. *Operated*	307	13.7	87	2	4	12	17	25	30	68
2. MULTIPLE DX										
A. *Not Operated*	147	15.0	265	2	3	10	19	41	79	99+
B. *Operated*	399	24.3	298	4	8	19	34	52	66	99+
1. SINGLE DX	352	12.7	89	2	2	11	16	23	28	68
2. MULTIPLE DX	546	21.8	306	3	6	16	30	52	67	99+
A. NOT OPERATED	192	12.7	229	1	2	8	15	34	59	99+
B. OPERATED	706	19.7	234	3	6	15	25	42	61	99+
TOTAL 0-19 YRS	26	11.3	53	<1	2	10	18	23	35	99+
20-34	90	15.1	121	2	4	13	18	30	38	56
35-49	159	14.9	107	2	4	13	19	31	41	99+
50-64	284	16.5	208	2	3	13	20	36	58	99+
65+	339	22.6	346	3	5	16	32	52	70	99+
GRAND TOTAL	**898**	**18.2**	**241**	**2**	**4**	**14**	**24**	**41**	**60**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	35	3.9	1	3	3	4	4	5	6	6
20-34	226	4.0	1	2	3	4	5	5	6	7
35-49	332	4.3	2	3	3	4	5	6	7	8
50-64	269	4.7	16	3	3	4	5	6	7	14
65+	90	5.6	14	3	3	5	6	8	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	11.5	61	6	6	11	17	17	17	17
65+	6	9.8	59	<1	<1	9	15	20	21	21
B. *Operated*										
0-19 YRS	4	4.8	12	<1	<1	4	7	9	9	9
20-34	40	4.6	3	3	3	4	5	7	7	12
35-49	123	5.3	19	3	3	5	5	7	10	25
50-64	137	6.7	56	3	3	5	6	10	14	40
65+	81	8.0	50	3	4	6	8	14	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.5	10	1	1	4	7	8	8	8
B. *Operated*	952	4.5	7	3	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	12	7.5	50	<1	<1	5	14	18	21	21
B. *Operated*	385	6.3	38	3	3	5	6	9	13	37
1. SINGLE DX	956	4.5	7	3	3	4	5	6	7	12
2. MULTIPLE DX	397	6.3	38	3	3	5	6	10	15	37
A. NOT OPERATED	16	6.8	41	<1	<1	5	10	17	20	21
B. OPERATED	1337	5.0	16	3	3	4	5	7	9	20
TOTAL 0-19 YRS	40	3.9	2	1	3	4	4	6	6	9
20-34	268	4.1	1	2	3	4	5	5	6	7
35-49	458	4.6	7	3	3	4	5	6	7	12
50-64	409	5.4	30	3	3	5	6	7	10	24
65+	178	6.8	33	3	3	5	7	13	17	36
GRAND TOTAL	**1353**	**5.0**	**17**	**3**	**3**	**4**	**5**	**7**	**9**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	7	4.4	17	1	1	3	5	12	13	13
35-49	5	3.4	4	1	1	3	5	6	6	6
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	5	8.8	12	4	4	10	11	13	13	13
20-34	54	10.2	31	3	4	9	12	17	22	31
35-49	42	9.8	17	4	4	10	12	15	17	22
50-64	53	9.5	42	3	4	7	12	19	21	32
65+	38	11.7	128	4	4	7	12	29	42	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	5.3	13	1	1	4	8	11	12	12
35-49	16	4.8	9	1	2	4	6	11	12	12
50-64	12	6.7	21	2	2	6	8	12	18	19
65+	14	11.6	76	1	3	7	22	24	25	25
B. *Operated*										
0-19 YRS	6	7.5	13	4	4	6	9	13	14	14
20-34	27	15.7	250	3	4	10	19	34	45	79
35-49	56	11.4	93	3	4	10	14	18	23	66
50-64	96	12.0	84	4	4	9	16	26	31	43
65+	81	14.8	171	4	4	10	20	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.0	15	1	1	4	6	12	13	13
B. *Operated*	192	10.2	49	4	4	9	12	18	22	42
2. MULTIPLE DX										
A. *Not Operated*	55	7.0	35	1	2	5	8	14	23	25
B. *Operated*	266	13.0	129	4	4	10	17	27	33	68
1. SINGLE DX	211	9.7	48	3	4	8	12	17	21	41
2. MULTIPLE DX	321	12.0	118	3	4	9	15	25	31	66
A. NOT OPERATED	74	6.5	31	1	2	5	8	13	21	25
B. OPERATED	458	11.8	97	4	4	9	14	23	31	50
TOTAL 0-19 YRS	14	7.8	14	3	4	7	10	13	14	14
20-34	100	10.7	98	2	3	9	12	20	27	59
35-49	119	9.6	57	3	3	10	12	17	19	42
50-64	163	10.7	67	3	4	8	13	22	29	38
65+	136	13.4	148	4	4	9	18	28	39	66
GRAND TOTAL	**532**	**11.1**	**92**	**3**	**4**	**9**	**13**	**22**	**29**	**49**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	8	1	1	3	5	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.8	4	<1	1	2	3	6	8	8
20-34	687	3.8	6	1	1	3	5	7	9	11
35-49	380	5.0	10	1	2	4	7	9	10	17
50-64	79	4.7	8	1	2	4	7	9	9	12
65+	36	6.9	27	2	2	7	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.4	2	1	1	2	3	5	5	5
35-49	10	3.0	11	<1	<1	1	4	9	9	9
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	3	9.3	108	1	1	6	17	21	21	21
B. *Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	373	4.9	12	2	2	4	7	9	10	15
35-49	355	6.6	14	2	2	7	8	10	12	20
50-64	98	7.2	43	2	2	7	9	11	16	40
65+	39	9.5	61	2	2	8	11	21	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	6	1	1	3	5	7	7	7
B. *Operated*	1196	4.3	9	1	2	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	21	<1	<1	2	5	9	13	21
B. *Operated*	868	6.1	20	2	2	6	8	10	12	24
1. SINGLE DX	1201	4.3	9	1	2	3	6	8	9	13
2. MULTIPLE DX	891	6.0	20	2	2	6	8	10	12	23
A. NOT OPERATED	28	3.6	18	<1	<1	2	5	8	10	21
B. OPERATED	2064	5.0	14	1	2	4	7	9	11	18
TOTAL 0-19 YRS	17	2.8	3	<1	1	3	3	6	7	8
20-34	1072	4.2	9	1	2	3	6	8	9	13
35-49	746	5.7	12	2	2	6	8	10	11	17
50-64	179	6.0	29	1	2	6	8	10	12	22
65+	78	8.3	47	2	2	7	10	18	25	32
GRAND TOTAL	**2092**	**5.0**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.5	1	3	3	5	5	5	5	5
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	29	4.5	14	1	1	3	6	11	12	14
35-49	61	4.5	12	<1	1	3	6	10	11	14
50-64	131	4.1	13	1	1	3	6	9	11	17
65+	187	5.0	45	1	2	3	5	11	17	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.0	30	1	1	6	11	14	14	14
50-64	5	19.0	735	2	2	9	26	67	67	67
65+	11	19.6	325	4	4	12	32	47	59	60
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	12	9.4	55	2	2	7	15	22	23	23
35-49	73	7.2	25	1	1	6	9	15	16	22
50-64	181	9.3	63	1	2	7	12	20	26	33
65+	291	10.3	124	2	2	7	13	23	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	1	2	2	5	5	5	5	5
B. *Operated*	410	4.6	27	1	1	3	5	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	20	17.0	356	1	3	9	21	49	63	67
B. *Operated*	559	9.5	91	1	2	7	12	21	26	54
1. SINGLE DX	417	4.6	27	1	1	3	5	10	14	25
2. MULTIPLE DX	579	9.7	101	1	2	7	12	21	27	59
A. NOT OPERATED	27	13.6	294	2	2	5	13	37	61	67
B. OPERATED	969	7.4	70	1	2	5	10	17	23	41
TOTAL 0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	41	6.0	30	1	1	4	8	13	19	23
35-49	138	6.0	21	1	1	5	9	13	15	20
50-64	321	7.2	59	1	1	5	9	17	22	33
65+	492	8.4	106	1	2	5	10	20	27	59
GRAND TOTAL	**996**	**7.6**	**76**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	34	<1	<1	2	4	9	11	37
20-34	40	4.2	13	<1	1	3	6	9	12	15
35-49	62	4.6	19	1	1	4	5	12	14	21
50-64	83	5.2	33	<1	1	3	7	12	14	34
65+	123	7.3	47	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	196	4.2	15	1	1	3	5	10	12	20
20-34	315	4.4	15	<1	1	3	6	9	12	17
35-49	343	4.5	19	<1	1	3	6	10	12	20
50-64	626	4.9	28	1	1	3	6	10	14	21
65+	643	5.6	33	1	1	3	7	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	28	<1	1	4	6	11	14	32
20-34	83	5.1	23	<1	<1	3	7	11	16	23
35-49	105	6.5	37	<1	1	4	9	15	20	27
50-64	187	7.8	82	1	1	5	9	19	26	58
65+	585	10.8	133	1	2	8	14	22	33	72
B. *Operated*										
0-19 YRS	70	10.8	242	2	2	7	12	21	64	98
20-34	190	8.4	66	1	2	6	10	18	23	45
35-49	248	8.5	79	1	2	7	10	16	20	58
50-64	558	9.8	105	1	2	7	13	22	31	56
65+	1098	12.2	168	2	2	8	16	26	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.6	35	1	1	4	7	12	15	35
B. *Operated*	2123	4.9	25	1	1	3	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1015	9.0	104	1	1	6	11	19	28	59
B. *Operated*	2164	10.8	137	2	2	7	14	23	34	67
1. SINGLE DX	2475	5.0	27	1	1	3	6	11	14	24
2. MULTIPLE DX	3179	10.2	127	1	2	7	13	22	32	65
A. NOT OPERATED	1367	8.1	88	1	1	5	10	18	24	55
B. OPERATED	4287	7.8	90	1	2	5	10	17	24	52
TOTAL 0-19 YRS	365	5.6	69	<1	1	3	6	12	17	61
20-34	628	5.7	35	<1	1	4	7	12	16	31
35-49	758	6.1	44	1	1	4	8	13	17	37
50-64	1454	7.2	70	1	1	4	9	16	22	44
65+	2449	9.9	126	1	2	6	13	21	31	60
GRAND TOTAL	**5654**	**7.9**	**90**	**1**	**1**	**5**	**10**	**17**	**24**	**53**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.3	5	1	1	3	5	7	7	7
35-49	4	5.0	23	<1	<1	3	8	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+	12	7.6	44	<1	1	6	10	19	22	22
B. *Operated*										
0-19 YRS	14	3.6	1	2	2	4	4	5	5	5
20-34	148	4.5	3	3	3	4	5	6	8	10
35-49	201	4.6	4	3	3	4	5	6	7	11
50-64	235	4.8	3	3	3	5	5	7	8	12
65+	81	5.4	14	2	3	5	6	7	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	12	2.9	5	<1	<1	2	4	7	8	8
35-49	15	3.3	5	<1	<1	3	5	7	7	7
50-64	25	7.5	23	1	1	7	10	13	16	21
65+	48	10.2	121	2	3	7	12	22	24	71
B. *Operated*										
0-19 YRS	7	4.9	1	4	4	5	6	6	6	6
20-34	34	5.4	20	3	3	4	6	8	12	28
35-49	101	5.7	9	3	3	5	6	9	12	18
50-64	173	6.6	23	3	4	5	7	11	18	28
65+	126	9.1	64	3	4	6	10	18	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.4	28	<1	<1	3	7	12	19	22
B. *Operated*	679	4.7	5	3	3	5	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	104	7.4	72	1	1	5	9	13	22	48
B. *Operated*	441	7.0	33	3	3	5	7	12	18	29
1. SINGLE DX	705	4.8	6	2	3	4	5	7	8	13
2. MULTIPLE DX	545	7.1	40	2	3	5	8	13	20	29
A. NOT OPERATED	130	7.0	63	<1	1	5	9	13	22	37
B. OPERATED	1120	5.6	17	3	3	5	6	8	11	25
TOTAL 0-19 YRS	26	3.5	2	1	1	4	5	5	6	6
20-34	202	4.5	6	2	3	4	5	7	8	12
35-49	321	4.9	6	2	3	5	5	7	8	17
50-64	434	5.7	13	3	3	5	6	9	12	24
65+	267	8.1	61	3	3	6	9	16	24	40
GRAND TOTAL	**1250**	**5.8**	**22**	**2**	**3**	**5**	**6**	**9**	**12**	**26**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.7	26	1	2	5	8	16	17	23
20-34	79	6.1	12	1	2	5	8	11	14	17
35-49	81	5.9	10	2	3	5	7	11	13	16
50-64	60	6.1	18	1	2	5	8	10	13	27
65+	47	10.4	80	2	3	9	13	21	25	51
B. *Operated*										
0-19 YRS	40	6.9	78	3	3	5	6	10	15	58
20-34	152	5.8	12	3	3	5	6	9	13	22
35-49	106	5.2	9	3	3	4	6	7	9	20
50-64	92	5.2	6	2	3	5	6	7	11	14
65+	29	7.2	49	3	3	5	7	18	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.3	23	1	2	7	10	12	16	22
20-34	104	7.4	29	1	2	6	9	16	20	25
35-49	168	8.4	31	2	3	7	11	16	20	31
50-64	300	9.9	49	3	3	8	13	18	24	41
65+	443	14.0	147	3	4	11	16	29	39	75
B. *Operated*										
0-19 YRS	8	7.1	5	5	5	6	9	10	11	11
20-34	70	6.7	16	3	3	6	8	12	14	23
35-49	74	8.4	50	3	4	6	9	17	23	39
50-64	126	10.2	89	3	3	7	12	19	26	52
65+	119	18.9	330	4	5	13	25	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	6.8	27	1	2	6	8	13	16	26
B. *Operated*	419	5.7	19	3	3	5	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1038	11.1	92	3	3	8	14	21	29	60
B. *Operated*	397	11.8	162	3	4	7	13	25	43	81
1. SINGLE DX	728	6.2	23	2	3	5	7	10	15	23
2. MULTIPLE DX	1435	11.3	111	3	4	8	14	22	32	69
A. NOT OPERATED	1347	10.1	80	2	3	8	13	19	26	49
B. OPERATED	816	8.7	98	3	3	5	9	17	26	64
TOTAL 0-19 YRS	113	6.9	42	1	3	5	8	12	16	36
20-34	405	6.4	17	2	3	5	8	11	15	23
35-49	429	7.1	27	2	3	5	8	13	17	29
50-64	578	8.8	51	3	3	7	11	16	23	44
65+	638	14.3	178	3	4	10	17	31	45	82
GRAND TOTAL	**2163**	**9.6**	**87**	**3**	**3**	**7**	**11**	**18**	**26**	**59**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	7.0	49	2	2	6	9	11	15	20
20-34	198	6.5	15	2	3	6	8	11	14	21
35-49	238	7.0	15	2	3	6	9	12	14	19
50-64	309	7.6	21	2	3	7	10	13	15	21
65+	282	8.7	39	2	3	7	11	14	19	38
B. *Operated*										
0-19 YRS										
20-34	3	7.3	5	6	6	6	9	10	10	10
35-49	8	7.1	33	2	2	5	8	17	20	20
50-64	9	7.4	11	2	3	8	9	12	13	13
65+	8	9.8	28	2	3	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	7.5	80	1	1	6	10	14	19	95
20-34	270	7.0	25	1	2	6	9	13	17	26
35-49	643	8.2	34	2	3	7	10	14	18	31
50-64	1674	9.1	43	3	4	8	11	16	20	35
65+	2670	11.3	89	3	4	9	13	20	27	57
B. *Operated*										
0-19 YRS	6	7.5	28	2	2	7	8	16	17	17
20-34	37	11.1	84	2	2	9	14	23	32	39
35-49	87	12.7	115	2	4	11	16	23	31	91
50-64	274	15.7	175	2	4	12	20	32	37	78
65+	390	20.7	311	4	6	15	28	50	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	7.4	31	2	3	7	9	12	15	24
B. *Operated*	28	8.0	21	2	3	7	11	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	5422	9.9	67	3	4	8	12	17	23	49
B. *Operated*	794	17.6	241	3	4	13	22	36	60	99+
1. SINGLE DX	1421	7.4	30	2	3	7	9	13	15	24
2. MULTIPLE DX	6216	10.9	95	3	4	8	13	20	28	62
A. NOT OPERATED	6815	9.4	60	2	3	8	11	17	22	45
B. OPERATED	822	17.2	236	3	4	13	22	36	58	99+
TOTAL 0-19 YRS	537	7.2	58	1	2	6	9	12	16	70
20-34	508	7.1	26	2	2	6	9	13	17	27
35-49	976	8.3	38	2	3	7	10	15	18	34
50-64	2266	9.7	61	3	3	8	12	17	23	41
65+	3350	12.1	120	3	4	9	14	23	33	81
GRAND TOTAL	**7637**	**10.2**	**85**	**2**	**3**	**8**	**12**	**19**	**26**	**60**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	5.8	35	1	2	5	8	10	14	24
20-34	362	5.7	14	1	2	5	8	10	12	18
35-49	165	7.1	31	2	2	6	9	13	15	23
50-64	119	7.9	15	2	3	7	10	13	15	19
65+	82	9.0	35	2	3	8	11	17	21	29
B. *Operated*										
0-19 YRS	3	6.7	6	4	4	7	8	9	9	9
20-34	3	7.3		7	7	7	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	23.0	516	7	7	13	40	49	49	49
65+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	6.2	27	2	2	5	8	11	15	28
20-34	416	6.8	22	2	3	6	9	13	16	26
35-49	347	9.7	64	2	3	8	12	18	23	46
50-64	395	11.4	71	3	4	10	14	19	24	55
65+	535	14.8	133	4	5	12	19	28	37	99+
B. *Operated*										
0-19 YRS	15	11.0	48	3	5	8	13	21	28	30
20-34	43	13.5	94	3	4	11	20	25	35	46
35-49	47	20.0	205	3	6	16	26	50	65	99+
50-64	62	23.8	274	3	7	22	31	53	62	98
65+	96	26.4	323	9	11	22	35	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	6.3	27	1	2	5	8	12	14	23
B. *Operated*	12	12.4	144	4	6	8	13	25	46	49
2. MULTIPLE DX										
A. *Not Operated*	1998	10.3	80	2	3	8	13	20	26	55
B. *Operated*	263	21.7	262	4	7	18	30	53	80	99+
1. SINGLE DX	1264	6.4	29	1	2	5	8	12	15	24
2. MULTIPLE DX	2261	11.6	115	2	3	9	14	24	31	82
A. NOT OPERATED	3250	8.8	64	2	2	7	11	17	22	46
B. OPERATED	275	21.3	260	4	7	18	30	52	74	99+
TOTAL 0-19 YRS	847	6.0	33	1	2	5	8	11	15	28
20-34	824	6.7	25	2	2	5	9	12	16	26
35-49	560	9.8	77	2	3	8	12	19	25	62
50-64	579	12.1	101	3	4	10	14	22	30	60
65+	715	15.7	168	4	5	12	20	31	48	99+
GRAND TOTAL	**3525**	**9.7**	**90**	**2**	**3**	**7**	**12**	**20**	**27**	**63**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	6.7	23	2	2	6	8	11	14	25
20-34	366	6.3	23	2	2	5	8	11	12	18
35-49	496	7.0	14	2	3	6	9	12	14	20
50-64	762	7.5	20	2	3	7	9	12	15	22
65+	685	8.7	33	3	4	8	11	15	18	34
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	21	8.4	73	1	1	5	13	24	27	28
35-49	34	10.6	316	2	2	5	10	21	46	95
50-64	99	8.4	102	2	2	4	11	20	33	79
65+	86	8.5	169	2	2	3	8	22	39	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	6.6	26	1	2	5	8	13	18	26
20-34	747	7.9	34	2	3	6	10	15	19	30
35-49	1689	8.9	40	2	3	8	11	16	20	33
50-64	4096	10.0	57	3	4	8	12	17	23	43
65+	5828	12.2	110	3	4	10	14	22	31	74
B. *Operated*										
0-19 YRS	24	11.0	189	1	2	6	15	20	40	65
20-34	234	12.3	128	2	2	9	16	27	36	54
35-49	547	17.6	214	3	4	14	25	39	53	99+
50-64	1633	21.0	336	2	4	16	29	54	76	99+
65+	2389	24.8	397	3	6	19	36	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2609	7.5	24	2	3	7	9	13	15	24
B. *Operated*	242	8.8	151	2	2	4	10	22	36	83
2. MULTIPLE DX										
A. *Not Operated*	12539	10.7	80	3	4	9	13	19	26	56
B. *Operated*	4827	22.1	353	2	4	17	32	56	78	99+
1. SINGLE DX	2851	7.6	35	2	3	6	9	13	16	31
2. MULTIPLE DX	17366	13.9	182	3	4	10	16	30	46	99+
A. NOT OPERATED	15148	10.1	72	3	4	8	12	18	24	52
B. OPERATED	5069	21.4	352	2	3	16	31	55	77	99+
TOTAL 0-19 YRS	505	6.8	33	1	2	6	8	13	16	28
20-34	1368	8.2	51	2	2	6	10	16	21	37
35-49	2766	10.3	87	2	3	8	12	20	28	58
50-64	6590	12.4	147	3	4	9	14	26	39	94
65+	8988	15.3	215	3	4	11	18	35	53	99+
GRAND TOTAL	**20217**	**13.0**	**166**	**3**	**4**	**9**	**15**	**28**	**42**	**98**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	2	3	5	5	5
20-34	11	4.4	7	1	1	3	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.0	3	<1	1	3	5	5	6	7
20-34	175	3.7	5	1	1	2	6	7	8	9
35-49	15	3.8	11	<1	1	2	5	8	12	13
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	12	4.6	6	2	2	4	6	8	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.4	9	1	1	3	6	9	10	12
20-34	263	4.3	10	1	1	4	6	8	9	16
35-49	18	6.5	23	2	2	6	7	13	19	21
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	5	1	2	3	5	8	8	8
B. *Operated*	215	3.6	5	1	1	2	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	6	1	1	3	4	7	9	10
B. *Operated*	312	4.4	11	1	1	4	6	8	9	18
1. SINGLE DX	233	3.6	5	1	1	2	5	7	8	10
2. MULTIPLE DX	332	4.4	11	1	1	4	6	8	9	17
A. NOT OPERATED	38	3.5	6	1	1	3	5	7	8	10
B. OPERATED	527	4.1	9	1	1	3	6	8	9	14
TOTAL 0-19 YRS	66	3.4	6	1	1	2	5	7	9	12
20-34	461	4.1	8	1	1	3	6	8	8	11
35-49	35	5.1	18	1	2	3	7	8	14	21
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**565**	**4.0**	**9**	**1**	**1**	**3**	**6**	**8**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.2	11	<1	1	2	4	7	8	18
20-34	107	4.7	11	1	1	4	7	9	11	15
35-49	84	5.1	19	1	1	4	6	9	16	22
50-64	77	5.6	19	1	2	5	7	11	13	24
65+	94	7.2	49	1	1	5	9	14	18	42
B. *Operated*										
0-19 YRS	13	7.6	79	1	1	4	8	24	29	30
20-34	20	6.2	26	<1	1	5	8	14	18	20
35-49	20	6.1	10	2	2	6	8	10	12	13
50-64	31	7.3	22	2	3	6	10	12	17	23
65+	22	13.3	172	2	3	10	13	30	48	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.8	41	1	1	3	6	10	14	56
20-34	268	6.3	45	1	1	4	8	13	17	30
35-49	325	6.9	58	1	2	5	8	13	17	34
50-64	505	8.4	75	1	2	6	10	16	25	48
65+	1102	9.9	98	2	3	7	12	19	26	63
B. *Operated*										
0-19 YRS	20	8.2	34	1	2	7	12	17	19	20
20-34	52	11.2	76	2	3	9	15	27	37	98
35-49	72	14.6	312	2	3	9	17	59	71	99+
50-64	110	14.7	[illegible]39	4	4	10	19	29	48	72
65+	139	19.4	278	3	4	15	27	49	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	4.9	22	1	1	4	7	10	14	22
B. *Operated*	106	8.2	63	1	2	6	10	14	23	48
2. MULTIPLE DX										
A. *Not Operated*	2378	8.4	80	1	2	6	10	16	23	53
B. *Operated*	393	15.5	229	2	4	11	20	38	57	99+
1. SINGLE DX	618	5.5	31	1	1	4	7	11	15	26
2. MULTIPLE DX	2771	9.4	107	1	2	6	11	19	28	70
A. NOT OPERATED	2890	7.8	72	1	2	6	10	15	21	48
B. OPERATED	499	14.0	203	2	3	9	18	32	53	99+
TOTAL 0-19 YRS	361	4.4	31	1	1	3	5	10	13	27
20-34	447	6.5	43	1	1	5	8	13	17	31
35-49	501	7.7	94	1	2	5	8	15	21	72
50-64	723	9.0	90	1	2	6	11	19	25	53
65+	1357	10.7	123	2	3	8	13	22	32	80
GRAND TOTAL	**3389**	**8.7**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**61**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	412	1	2	5	12	78	96	99+
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	10	7.7	12	2	3	8	11	12	12	12
65+	10	14.6	218	2	3	9	21	37	52	52
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	13.2	355	2	2	5	12	47	51	51
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	3	13.3	72	5	5	13	20	22	22	22
65+	6	25.5	925	3	3	15	32	78	83	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	9.2	56	2	2	8	15	26	99+	99+
20-34	10	5.9	14	1	1	5	9	11	13	13
35-49	22	16.1	332	3	3	11	17	32	55	89
50-64	72	14.3	179	3	4	10	18	33	46	95
65+	297	17.7	188	4	5	14	24	39	53	99+
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	7	13.7	162	1	1	7	25	30	31	31
35-49	10	22.3	118	5	8	23	29	36	42	42
50-64	26	18.7	346	3	5	11	25	43	66	77
65+	83	21.7	264	4	7	19	29	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	10.6	201	1	2	6	12	23	66	99+
B. *Operated*	19	15.7	419	2	3	6	20	43	69	83
2. MULTIPLE DX										
A. *Not Operated*	429	16.3	187	3	5	12	21	37	52	39+
B. *Operated*	128	20.5	263	3	5	17	28	41	61	99+
1. SINGLE DX	55	12.4	276	2	2	6	13	31	67	99
2. MULTIPLE DX	557	17.2	207	3	5	13	23	38	54	99+
A. NOT OPERATED	465	15.8	190	3	4	12	21	36	53	99+
B. OPERATED	147	19.9	283	3	4	15	28	41	61	99+
TOTAL 0-19 YRS	43	9.5	146	1	2	7	14	28	99+	99+
20-34	25	10.0	137	1	1	5	12	26	36	51
35-49	37	16.4	248	3	4	11	22	31	39	89
50-64	111	14.7	205	2	4	10	19	33	48	88
65+	396	18.6	216	4	5	14	25	40	54	99+
GRAND TOTAL	**612**	**16.8**	**215**	**3**	**4**	**13**	**23**	**37**	**54**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	13.3	54	3	5	13	16	21	23	36
20-34	45	11.6	36	2	5	10	14	20	25	28
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	12.8	63	1	1	16	17	18	18	18
20-34										
35-49	4	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	12.5	66	3	4	12	15	21	24	57
20-34	84	13.9	92	3	5	12	16	28	34	49
35-49	5	11.2	63	6	6	7	14	25	25	25
50-64										
65+										
B. *Operated*										
0-19 YRS	9	17.0	43	11	11	14	23	27	29	29
20-34	4	22.0	103	14	14	19	29	36	36	36
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	12.9	50	3	5	12	16	21	23	33
B. *Operated*	8	7.4	60	1	1	2	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	250	13.0	75	3	5	11	15	22	28	51
B. *Operated*	14	18.1	58	11	12	14	23	30	35	36
1. SINGLE DX	213	12.7	51	3	4	12	16	20	23	32
2. MULTIPLE DX	264	13.2	75	3	5	12	15	22	28	50
A. NOT OPERATED	455	12.9	63	3	5	12	15	21	26	44
B. OPERATED	22	14.2	84	1	2	14	16	25	32	36
TOTAL 0-19 YRS	333	13.0	63	3	5	12	16	21	24	41
20-34	133	13.4	75	3	5	11	15	25	33	45
35-49	11	7.7	47	2	2	7	10	18	24	25
50-64										
65+										
GRAND TOTAL	**477**	**13.0**	**64**	**3**	**5**	**12**	**16**	**22**	**26**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	52	1	1	4	15	92	99+	99+
20-34	9	5.8	10	<1	1	6	7	11	11	11
35-49	3	28.0	700	8	8	18	48	58	58	58
50-64	5	8.6	106	1	1	3	14	26	26	26
65+										
B. *Operated*										
0-19 YRS	6	11.3	8	8	8	12	13	15	15	15
20-34	98	8.9	7	6	6	8	10	13	14	18
35-49	85	9.4	7	6	7	9	10	12	13	23
50-64	12	12.7	73	5	6	10	15	22	35	37
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	23.2	885	1	2	16	81	99+	99+	99+
20-34	19	9.1	111	1	1	5	18	65	99+	99+
35-49	42	11.8	115	1	2	8	16	29	32	44
50-64	42	8.0	43	1	2	7	10	14	24	32
65+	15	11.6	59	3	3	9	16	23	27	28
B. *Operated*										
0-19 YRS	2	16.0	2	15	15	17	79	99+	99+	99+
20-34	90	12.5	99	7	7	10	13	21	30	91
35-49	114	11.2	36	6	7	9	13	19	24	35
50-64	46	14.5	141	3	7	11	14	30	38	66
65+	4	31.0	548	2	2	32	48	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.7	128	1	1	6	11	33	93	99+
B. *Operated*	203	9.3	12	6	6	9	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	134	11.5	191	1	2	8	15	31	81	99+
B. *Operated*	256	12.6	89	6	7	10	14	23	31	76
1. SINGLE DX	234	9.3	27	3	6	9	10	14	17	64
2. MULTIPLE DX	390	12.3	124	2	3	9	14	26	41	99+
A. NOT OPERATED	165	11.0	179	1	1	7	15	31	85	99+
B. OPERATED	459	11.2	57	6	7	9	12	17	25	58
TOTAL 0-19 YRS	38	14.8	436	1	2	11	34	99+	99+	99+
20-34	216	10.3	58	3	6	9	11	17	23	99+
35-49	244	10.9	49	4	6	9	12	19	25	41
50-64	105	11.4	99	2	3	9	12	26	32	57
65+	21	14.5	198	2	2	9	21	32	47	58
GRAND TOTAL	**624**	**11.1**	**89**	**2**	**4**	**9**	**12**	**21**	**31**	**99+**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.1	16	<1	<1	1	4	8	11	21
20-34	65	5.8	31	<1	1	4	7	14	19	24
35-49	39	6.2	25	<1	1	5	8	13	16	25
50-64	39	7.6	51	1	1	5	9	19	25	29
65+	28	11.2	260	2	2	6	13	44	73	99+
B. *Operated*										
0-19 YRS	36	5.1	16	1	1	4	8	11	12	16
20-34	57	4.6	26	<1	1	3	6	9	13	33
35-49	79	5.5	25	1	1	4	7	14	17	22
50-64	58	4.3	13	1	1	3	6	11	12	16
65+	31	7.5	82	1	2	4	10	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	5.6	28	<1	<1	4	8	13	21	99+
20-34	95	9.4	122	1	2	7	12	18	28	67
35-49	159	7.5	53	1	2	5	9	15	20	38
50-64	218	10.2	98	2	2	8	13	21	26	51
65+	249	11.3	84	2	3	9	14	24	29	47
B. *Operated*										
0-19 YRS	37	11.9	257	1	2	8	16	63	99+	99+
20-34	83	11.9	164	2	2	7	15	27	39	65
35-49	124	10.7	171	1	2	6	13	26	39	66
50-64	162	10.6	132	1	2	7	15	24	35	43
65+	155	16.7	269	1	2	12	20	42	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	5.4	52	<1	<1	3	7	14	19	40
B. *Operated*	261	5.2	29	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	851	9.2	81	1	2	7	12	20	25	50
B. *Operated*	561	12.6	197	1	2	8	16	31	43	91
1. SINGLE DX	568	5.3	41	<1	1	3	7	13	16	29
2. MULTIPLE DX	1412	10.5	130	1	2	7	13	23	34	76
A. NOT OPERATED	1158	8.2	76	<1	1	6	10	18	24	50
B. OPERATED	822	10.2	155	1	2	6	13	25	38	78
TOTAL 0-19 YRS	339	5.2	53	<1	<1	3	7	12	20	99+
20-34	300	8.4	103	1	1	5	10	18	26	55
35-49	401	8.0	85	1	1	5	9	17	24	46
50-64	477	9.4	99	1	2	7	13	21	26	43
65+	463	12.6	164	2	2	9	16	28	42	78
GRAND TOTAL	**1980**	**9.0**	**110**	**1**	**1**	**6**	**11**	**20**	**29**	**64**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	2.9	2	1	1	3	4	4	4	4
35-49	34	5.2	5	1	3	5	7	8	9	11
50-64	31	5.0	8	2	2	4	7	9	12	13
65+	49	7.1	31	3	3	6	8	12	16	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	19	7.0	24	<1	1	6	9	15	18	18
65+	26	8.4	253	1	1	4	8	16	36	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	8.2	227	2	2	4	6	9	44	68
35-49	62	6.1	25	2	2	5	7	10	12	35
50-64	125	7.3	37	2	3	6	8	12	16	41
65+	308	9.2	38	3	3	8	12	17	22	39
B. *Operated*										
0-19 YRS										
20-34	3	6.3	57	1	1	3	12	15	15	15
35-49	10	7.9	31	2	2	8	13	16	18	18
50-64	27	7.0	34	2	2	6	10	15	18	28
65+	61	17.7	160	2	5	16	24	38	42	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.7	17	2	2	5	7	9	12	25
B. *Operated*	49	7.5	144	<1	1	4	8	15	18	82
2. MULTIPLE DX										
A. *Not Operated*	514	8.3	43	2	3	7	11	15	20	41
B. *Operated*	101	13.5	136	2	2	10	18	31	39	81
1. SINGLE DX	173	6.2	53	1	2	5	7	10	13	33
2. MULTIPLE DX	615	9.2	62	2	3	7	11	17	24	46
A. NOT OPERATED	638	7.8	39	2	3	6	10	14	19	38
B. OPERATED	150	11.6	145	2	2	8	16	26	38	82
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	30	6.4	143	1	1	4	6	8	15	68
35-49	110	5.9	19	2	2	5	7	9	12	26
50-64	202	6.9	31	2	2	6	8	12	16	33
65+	444	10.1	75	2	3	8	13	21	26	65
GRAND TOTAL	**788**	**8.5**	**61**	**2**	**3**	**6**	**11**	**16**	**23**	**45**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	3	1	1	2	3	5	7	8
20-34	30	3.6	5	1	1	3	5	7	9	10
35-49	37	4.4	15	1	1	3	5	10	12	19
50-64	47	4.8	23	1	1	3	6	12	15	22
65+	154	7.4	38	1	2	6	10	15	18	33
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	5.3	34	1	1	3	10	12	12	12
50-64										
65+	4	15.5	36	8	8	18	41	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	4.4	28	1	1	3	5	8	11	27
20-34	230	4.6	17	1	1	3	5	9	13	22
35-49	296	6.7	34	1	2	5	8	13	18	31
50-64	691	7.2	35	2	2	6	9	14	18	35
65+	3284	11.6	121	3	3	9	14	22	33	75
B. *Operated*										
0-19 YRS	19	16.6	494	2	3	12	17	74	98	99+
20-34	21	15.7	465	<1	1	10	17	35	68	97
35-49	28	12.3	106	3	3	8	19	24	36	41
50-64	66	18.2	283	2	4	13	24	43	56	77
65+	312	21.9	297	6	7	18	30	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	5.3	26	1	1	4	7	11	15	27
B. *Operated*	9	9.3	57	1	2	10	18	61	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4970	9.7	98	2	2	7	12	20	28	64
B. *Operated*	446	20.2	304	3	5	15	26	56	82	99+
1. SINGLE DX	366	5.4	27	1	1	4	7	12	16	31
2. MULTIPLE DX	5416	10.6	123	2	3	7	13	22	33	81
A. NOT OPERATED	5327	9.4	94	2	2	7	11	19	27	59
B. OPERATED	455	20.0	302	3	5	15	26	56	82	99+
TOTAL 0-19 YRS	579	4.6	44	1	1	3	5	8	12	31
20-34	281	5.3	57	1	1	3	6	10	15	32
35-49	364	6.9	40	1	2	5	8	16	19	34
50-64	804	8.0	64	2	2	6	9	15	22	47
65+	3754	12.3	141	3	3	9	15	25	37	96
GRAND TOTAL	**5782**	**10.3**	**118**	**2**	**2**	**7**	**12**	**21**	**32**	**79**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	9	1	1	4	6	8	12	14
20-34	22	4.4	4	1	2	5	6	7	8	8
35-49	42	4.4	7	<1	1	4	6	8	9	13
50-64	37	4.7	9	<1	<1	5	7	8	10	11
65+	145	6.3	25	1	1	5	8	12	17	24
B. *Operated*										
0-19 YRS	8	5.5	7	2	2	5	8	9	9	9
20-34	13	10.2	65	2	3	7	14	25	26	26
35-49	14	7.8	23	<1	2	7	10	14	19	20
50-64	11	7.2	22	2	2	8	10	13	17	17
65+	28	8.4	13	3	4	8	11	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.1	21	1	2	5	8	12	14	27
20-34	63	6.4	31	1	2	5	8	11	17	29
35-49	155	7.1	26	2	3	5	8	14	17	24
50-64	308	7.9	31	1	2	7	10	14	18	26
65+	1434	9.4	70	2	3	8	12	17	21	57
B. *Operated*										
0-19 YRS	12	8.8	59	2	3	6	10	19	29	31
20-34	21	7.7	19	1	2	8	11	13	15	17
35-49	102	9.8	44	2	3	8	13	17	23	34
50-64	173	11.2	53	4	4	10	14	18	25	40
65+	603	14.7	138	5	5	12	17	28	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	5.4	17	1	1	5	7	10	13	24
B. *Operated*	74	8.1	25	2	3	7	10	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	2021	8.8	59	2	3	7	11	16	20	45
B. *Operated*	911	13.2	112	4	5	11	15	24	34	67
1. SINGLE DX	364	6.0	20	1	1	5	8	11	14	24
2. MULTIPLE DX	2932	10.2	80	2	3	8	12	18	25	57
A. NOT OPERATED	2311	8.4	55	1	2	7	10	15	20	38
B. OPERATED	985	12.8	107	3	5	10	15	23	33	64
TOTAL 0-19 YRS	125	5.8	20	1	2	5	7	11	14	29
20-34	119	6.7	30	1	2	5	8	13	17	28
35-49	313	7.6	32	2	2	6	10	15	17	30
50-64	529	8.7	40	1	2	8	11	16	18	31
65+	2210	10.6	91	2	3	8	13	19	27	66
GRAND TOTAL	**3296**	**9.7**	**75**	**2**	**3**	**8**	**12**	**18**	**24**	**55**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	4.7	14	<1	1	4	6	9	11	16
20-34	440	6.8	32	1	2	5	8	13	16	31
35-49	111	6.7	20	<1	1	6	9	11	16	22
50-64	11	7.6	42	2	2	6	9	18	23	24
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	6.0	3	3	3	6	7	8	8	8
35-49	6	11.3	40	6	6	10	14	21	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	6.6	60	1	1	5	8	12	15	51
20-34	310	9.2	62	1	2	7	11	18	22	45
35-49	145	10.7	59	1	3	9	13	20	27	40
50-64	30	12.5	92	3	3	10	15	29	31	39
65+	3	12.0	57	4	4	13	17	19	19	19
B. *Operated*										
0-19 YRS	8	13.3	12	7	8	14	16	17	18	18
20-34	42	16.5	137	3	4	14	25	35	37	49
35-49	17	14.4	159	1	4	10	16	37	41	43
50-64	5	22.8	172	2	2	22	33	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	6.0	24	<1	1	5	8	11	15	24
B. *Operated*	13	8.9	26	3	5	7	12	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	732	8.8	64	1	2	7	11	17	23	45
B. *Operated*	72	16.1	130	2	4	14	23	35	37	48
1. SINGLE DX	945	6.0	25	<1	1	5	8	11	15	24
2. MULTIPLE DX	804	9.4	75	1	2	7	12	20	27	45
A. NOT OPERATED	1664	7.2	44	1	2	6	9	14	19	34
B. OPERATED	85	15.0	121	3	4	12	21	34	37	47
TOTAL 0-19 YRS	622	5.6	34	<1	1	4	7	11	13	33
20-34	798	8.2	54	1	2	6	10	16	22	38
35-49	279	9.4	54	1	2	8	11	18	23	38
50-64	46	12.5	102	2	2	9	15	30	33	39
65+	4	10.8	44	4	4	10	16	19	19	19
GRAND TOTAL	**1749**	**7.6**	**50**	**1**	**2**	**6**	**9**	**15**	**22**	**37**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	1.9	8	<1	<1	<1	1	4	7	16
20-34	75	4.2	33	<1	<1	2	5	9	12	30
35-49	56	4.6	53	<1	1	3	4	10	11	50
50-64	124	5.4	72	<1	<1	2	7	12	18	48
65+	481	4.6	29	1	1	3	5	10	13	31
B. *Operated*										
0-19 YRS	26	11.5	320	1	2	6	10	19	61	82
20-34	22	7.6	21	1	2	7	9	13	16	21
35-49	29	9.4	59	1	2	7	13	18	21	38
50-64	49	8.7	35	2	2	8	10	18	20	32
65+	105	9.7	36	2	3	9	13	18	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.5	28	<1	[illegible]	1	4	7	11	35
20-34	147	6.3	48	<1	<1	4	8	15	21	36
35-49	220	6.8	50	1	1	5	9	14	17	37
50-64	642	7.0	72	1	1	5	9	15	21	33
65+	2906	8.1	69	1	1	6	10	17	24	50
B. *Operated*										
0-19 YRS	41	9.3	63	<1	1	9	11	17	19	47
20-34	73	13.2	110	3	4	10	17	26	31	60
35-49	114	12.8	126	2	3	10	15	25	27	71
50-64	265	14.1	143	2	4	11	17	26	35	86
65+	1187	16.6	177	4	5	13	21	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	3.7	29	<1	<1	2	4	9	12	30
B. *Operated*	231	9.5	69	1	2	8	12	18	20	42
2. MULTIPLE DX										
A. *Not Operated*	4174	7.5	67	1	1	5	10	16	22	48
B. *Operated*	1680	15.6	165	3	4	12	20	31	42	87
1. SINGLE DX	1397	4.6	40	<1	<1	2	6	11	15	31
2. MULTIPLE DX	5854	9.8	108	1	1	7	13	21	29	63
A. NOT OPERATED	5340	6.7	61	<1	1	4	9	15	21	42
B. OPERATED	1911	14.9	157	3	4	12	19	29	39	82
TOTAL 0-19 YRS	756	3.2	34	<1	<1	1	3	7	11	31
20-34	317	7.5	67	<1	<1	5	10	18	23	37
35-49	419	8.3	80	1	1	6	11	17	21	54
50-64	1080	8.7	98	1	1	6	11	19	24	50
65+	4679	9.9	108	1	2	7	13	22	30	64
GRAND TOTAL	**7251**	**8.8**	**99**	**<1**	**1**	**6**	**12**	**20**	**27**	**58**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	<1	<1	1	3	4	5	5
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	12	1.3	1	<1	<1	<1	<1	2	4	4
65+										
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49										
50-64	1	29.0		29	29	29	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	99	1	2	3	5	11	15	61
20-34	20	8.1	20	1	3	7	10	15	17	18
35-49	8	6.9	36	1	1	6	12	15	16	16
50-64	7	6.9	16	1	2	7	11	12	12	12
65+	2	17.0	8	15	15	17	19	19	19	19
B. *Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	4	8.0	6	5	5	8	10	10	10	10
35-49	2	13.0	288	1	1	13	25	25	25	25
50-64	2	15.0	50	10	10	15	20	20	20	20
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	<1	<1	3	5	5	9
B. *Operated*	2	22.0	98	15	15	22	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	93	6.7	70	1	1	4	8	14	16	55
B. *Operated*	12	9.4	49	1	1	9	10	21	24	25
1. SINGLE DX	53	2.9	19	<1	<1	1	4	5	8	29
2. MULTIPLE DX	105	7.0	68	1	1	5	9	15	18	53
A. NOT OPERATED	144	5.1	51	<1	<1	3	6	12	15	46
B. OPERATED	14	11.2	70	1	1	9	15	25	28	29
TOTAL 0-19 YRS	93	4.6	65	<1	<1	3	4	9	14	55
20-34	28	7.5	17	2	3	7	9	14	16	18
35-49	12	7.7	58	1	1	6	12	19	24	25
50-64	22	5.5	53	<1	<1	1	7	15	24	29
65+	3	13.3	44	6	6	15	18	19	19	19
GRAND TOTAL	**158**	**5.7**	**55**	**<1**	**<1**	**3**	**7**	**13**	**16**	**44**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	3.9	7	1	1	3	5	7	9	14
20-34	60	5.6	21	<1	1	4	8	11	13	25
35-49	47	5.4	30	<1	<1	3	8	14	15	25
50-64	65	6.2	23	1	2	5	7	11	19	22
65+	60	7.1	174	1	1	4	6	14	19	84
B. *Operated*										
0-19 YRS	127	6.7	49	1	2	5	8	13	16	46
20-34	91	8.8	46	2	3	7	10	15	20	44
35-49	48	9.8	58	3	3	8	11	18	21	49
50-64	78	10.7	95	2	2	8	12	23	31	53
65+	68	13.3	175	2	3	9	16	26	32	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	5.1	21	<1	1	4	6	11	13	28
20-34	119	5.7	17	1	1	5	8	11	13	21
35-49	140	6.5	27	<1	1	5	8	14	18	32
50-64	301	8.2	59	2	2	7	10	15	22	45
65+	641	9.4	101	1	2	7	12	19	25	56
B. *Operated*										
0-19 YRS	75	10.2	135	1	2	8	11	18	27	71
20-34	97	12.3	117	2	3	9	16	25	34	55
35-49	98	14.3	144	3	5	12	17	23	34	75
50-64	200	14.0	118	3	4	10	17	28	32	60
65+	444	16.6	197	3	5	12	21	32	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	5.1	37	1	1	4	6	10	14	22
B. *Operated*	412	9.4	83	2	2	7	11	18	24	51
2. MULTIPLE DX										
A. *Not Operated*	1476	7.8	67	1	2	6	10	15	21	41
B. *Operated*	914	14.8	164	3	4	11	18	29	39	76
1. SINGLE DX	866	7.1	63	1	2	5	9	14	19	44
2. MULTIPLE DX	2390	10.5	115	1	2	8	13	22	29	62
A. NOT OPERATED	1930	7.1	61	1	1	5	9	14	19	39
B. OPERATED	1326	13.1	145	2	3	10	16	26	37	69
TOTAL 0-19 YRS	699	5.6	37	1	1	4	7	11	14	33
20-34	367	8.2	59	1	2	7	10	16	22	45
35-49	333	9.1	78	<1	1	7	13	18	22	51
50-64	644	10.1	85	2	2	8	12	20	28	50
65+	1213	12.2	156	1	2	9	15	25	36	79
GRAND TOTAL	**3256**	**9.6**	**104**	**1**	**2**	**7**	**12**	**20**	**28**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	966	2.2	2	1	1	2	3	4	5	8
20-34	182	2.5	2	1	1	2	3	5	6	8
35-49	28	3.3	5	1	1	3	4	7	8	10
50-64	9	2.9	1	2	2	3	3	5	5	5
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	319	4.3	5	2	3	4	5	6	8	12
20-34	89	4.8	8	3	3	4	5	7	8	20
35-49	19	5.2	6	1	2	5	6	8	10	12
50-64	3	7.3	12	4	4	7	10	11	11	11
65+	2	11.5	85	5	5	11	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	2.9	4	1	1	2	4	5	6	10
20-34	89	3.2	4	1	1	3	4	6	6	12
35-49	24	3.7	4	1	2	3	5	6	8	9
50-64	8	7.0	46	2	2	4	10	18	20	20
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	112	4.9	4	2	3	5	6	8	8	12
20-34	63	6.3	24	3	3	5	7	9	11	36
35-49	16	11.2	34	4	4	11	14	17	24	27
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	8.8	22	3	3	9	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	2.3	2	1	1	2	3	4	5	8
B. *Operated*	432	4.5	6	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	496	3.1	5	1	1	3	4	5	7	10
B. *Operated*	196	6.0	16	2	3	5	7	10	13	22
1. SINGLE DX	1620	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	692	3.9	10	1	1	3	5	7	9	15
A. NOT OPERATED	1684	2.5	3	1	1	2	3	5	6	9
B. OPERATED	628	5.0	10	2	3	4	6	8	10	16
TOTAL 0-19 YRS	1769	2.9	4	1	1	2	4	5	6	10
20-34	423	3.7	9	1	1	3	5	6	8	13
35-49	87	5.3	18	1	1	4	7	11	13	23
50-64	21	5.6	26	2	2	4	6	14	17	20
65+	12	7.0	25	1	2	6	10	14	17	18
GRAND TOTAL	**2312**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	4.9	9	1	2	4	7	8	9	17
20-34	19	4.3	14	1	1	3	5	12	13	13
35-49	7	6.4	11	3	3	8	9	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	108	3.1	7	<1	1	2	4	8	9	13
20-34	116	3.0	7	<1	<1	2	3	6	8	16
35-49	62	3.3	10	<1	1	2	4	7	11	16
50-64	28	3.3	16	<1	1	2	3	5	12	21
65+	25	4.0	10	1	2	3	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.1	7	2	2	5	7	9	10	12
20-34	24	4.8	13	1	1	4	5	7	14	18
35-49	12	7.8	21	2	3	7	9	16	17	17
50-64	18	5.8	14	2	3	5	8	9	14	18
65+	3	11.0	63	5	5	8	17	20	20	20
B. *Operated*										
0-19 YRS	50	4.9	16	<1	1	4	7	11	14	15
20-34	58	6.3	35	<1	1	4	8	15	21	25
35-49	34	5.1	15	1	2	4	6	9	16	17
50-64	39	5.7	15	1	2	5	8	11	14	17
65+	32	10.4	155	1	2	5	12	32	40	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.9	9	1	2	4	7	9	10	16
B. *Operated*	339	3.2	9	<1	1	2	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	184	5.4	11	2	2	5	7	9	11	18
B. *Operated*	213	6.3	44	1	1	4	8	14	17	37
1. SINGLE DX	539	3.8	10	<1	1	3	5	8	10	15
2. MULTIPLE DX	397	5.9	29	1	2	4	7	11	15	28
A. NOT OPERATED	384	5.1	10	1	2	4	7	9	10	18
B. OPERATED	552	4.4	25	<1	1	3	5	9	14	24
TOTAL 0-19 YRS	456	4.5	9	1	1	4	6	8	10	15
20-34	217	4.2	18	<1	1	3	5	8	14	23
35-49	115	4.5	15	<1	1	3	6	9	14	17
50-64	86	4.9	16	1	2	4	7	10	13	20
65+	62	7.6	96	1	2	4	10	15	33	51
GRAND TOTAL	**936**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.6	545	1	1	5	10	55	66	66
20-34	22	14.1	119	1	2	12	21	30	36	37
35-49	17	9.8	34	4	4	8	14	19	21	21
50-64	8	17.8	200	1	2	15	32	36	36	36
65+	31	17.9	192	2	3	15	21	34	51	67
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.9	621	1	1	4	8	57	69	69
20-34	29	15.0	203	2	3	11	21	50	98	99+
35-49	35	12.5	177	1	1	9	15	28	60	99+
50-64	45	15.2	187	2	4	11	21	40	55	99+
65+	110	19.0	302	3	4	13	28	48	67	99+
B. *Operated*										
0-19 YRS										
20-34	2	42.0	450	27	27	42	57	57	57	57
35-49										
50-64	1	47.0		47	47	47	47	47	47	47
65+	8	30.1	759	8	10	22	59	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	14.9	170	2	3	14	20	30	38	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	226	16.5	258	2	3	12	24	45	67	99+
B. *Operated*	11	33.8	618	8	11	27	52	94	99	99+
1. SINGLE DX	85	14.9	170	2	3	14	20	30	38	67
2. MULTIPLE DX	237	17.3	286	2	3	12	25	48	70	99+
A. NOT OPERATED	311	16.1	234	2	3	12	21	42	58	99+
B. OPERATED	11	33.8	618	8	11	27	52	94	99	99+
TOTAL 0-19 YRS	14	13.2	538	1	1	4	9	66	68	69
20-34	53	15.6	194	2	2	12	24	39	59	99+
35-49	52	11.6	130	1	2	8	15	24	34	99
50-64	54	16.2	200	2	4	12	25	41	52	98
65+	149	19.4	304	3	4	14	26	48	69	99+
GRAND TOTAL	**322**	**16.7**	**256**	**2**	**3**	**12**	**22**	**44**	**60**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.2	10	1	1	2	4	7	9	18
20-34	130	6.1	71	1	1	4	6	12	24	50
35-49	50	6.9	77	1	1	4	8	10	25	48
50-64	87	12.3	212	1	1	6	16	30	41	72
65+	478	15.2	264	2	3	10	19	38	58	99+
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	19.0	357	2	2	14	30	46	46	46
65+	5	22.6	309	2	2	24	33	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	7.4	141	1	1	4	7	14	29	72
20-34	385	8.0	54	2	2	6	10	16	21	41
35-49	251	9.5	90	2	3	7	10	18	28	64
50-64	275	17.8	345	2	4	11	24	48	79	99+
65+	2275	19.6	355	3	5	14	28	68	99+	99+
B. *Operated*										
0-19 YRS	7	19.0	903	1	1	8	55	95	99+	99+
20-34	16	15.8	223	2	3	11	21	31	52	61
35-49	9	16.2	291	3	5	9	50	99+	99+	99+
50-64	26	22.1	520	4	5	17	43	99	99+	99+
65+	250	28.9	542	5	8	25	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	882	11.3	204	1	1	6	14	30	46	99
B. *Operated*	13	16.3	250	2	2	11	25	46	48	48
2. MULTIPLE DX										
A. *Not Operated*	3345	16.7	312	2	4	11	23	53	91	99+
B. *Operated*	308	27.0	535	4	7	23	58	99+	99+	99+
1. SINGLE DX	895	11.3	204	1	1	6	14	30	47	99
2. MULTIPLE DX	3653	17.6	339	2	4	12	25	61	99+	99+
A. NOT OPERATED	4227	15.6	294	2	3	10	21	48	81	99+
B. OPERATED	321	26.6	527	4	7	22	57	99+	99+	99+
TOTAL 0-19 YRS	304	5.7	105	1	1	3	6	10	17	78
20-34	533	7.7	65	1	2	5	9	16	23	49
35-49	311	9.3	95	2	3	6	10	19	29	83
50-64	392	16.9	331	2	3	11	23	47	73	99+
65+	3008	19.7	366	3	4	14	29	70	99+	99+
GRAND TOTAL	**4548**	**16.4**	**319**	**2**	**3**	**11**	**22**	**53**	**94**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	37	21.4	365	4	5	18	26	54	81	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0		7	7	7	7	7	7	7
50-64	12	14.8	163	4	4	10	24	33	43	45
65+	195	20.9	361	4	5	16	30	75	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	32.5	1201	8	8	32	57	57	57	57
65+	10	34.4	898	7	11	86	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	21.4	365	4	5	18	26	54	81	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	20.5	349	4	5	16	30	70	99+	99+
B. *Operated*	12	34.1	844	6	9	57	99+	99+	99+	99+
1. SINGLE DX	37	21.4	365	4	5	18	26	54	81	99+
2. MULTIPLE DX	221	21.2	382	4	5	16	33	89	99+	99+
A. NOT OPERATED	246	20.6	350	4	5	16	29	67	99+	99+
B. OPERATED	12	34.1	844	6	9	57	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	2	7.0		7	7	7	7	7	7	7
50-64	14	17.4	272	4	4	10	25	46	55	57
65+	242	21.6	386	4	5	17	32	87	99+	99+
GRAND TOTAL	**258**	**21.2**	**378**	**4**	**5**	**16**	**32**	**86**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	30	1	1	4	7	15	16	16
20-34	278	5.2	4	2	3	5	5	7	8	13
35-49	514	5.2	6	2	3	5	5	7	8	15
50-64	242	6.1	30	2	3	5	5	8	14	47
65+	59	8.4	69	3	5	5	8	16	28	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	4	1	1	3	5	6	6	6
20-34	710	6.5	16	2	4	6	8	9	12	23
35-49	1346	7.0	22	3	4	6	8	11	14	31
50-64	778	8.2	48	3	4	6	8	15	21	49
65+	248	12.9	182	3	4	8	15	29	45	99+
B. *Operated*										
0-19 YRS										
20-34	15	8.7	27	2	3	8	9	17	21	23
35-49	42	14.3	135	3	6	10	15	33	44	49
50-64	28	14.7	107	3	4	15	21	40	99+	99+
65+	21	22.6	190	5	5	22	35	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	5.6	15	2	3	5	5	8	9	22
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3092	7.7	43	3	4	6	8	13	19	43
B. *Operated*	106	15.2	137	3	5	11	22	36	49	99+
1. SINGLE DX	1100	5.6	15	2	3	5	5	8	9	22
2. MULTIPLE DX	3198	7.9	48	3	4	6	8	14	20	46
A. NOT OPERATED	4191	7.1	36	3	4	5	8	11	16	39
B. OPERATED	107	15.2	137	3	5	11	22	36	49	99+
TOTAL 0-19 YRS	16	4.1	14	1	1	3	6	7	13	16
20-34	1003	6.2	13	2	3	5	7	8	11	22
35-49	1902	6.7	22	3	4	5	8	10	14	31
50-64	1049	7.8	47	3	4	6	8	15	21	52
65+	328	12.7	171	3	4	8	16	30	46	99+
GRAND TOTAL	**4298**	**7.3**	**40**	**3**	**4**	**5**	**8**	**12**	**18**	**44**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.1	54	<1	1	6	10	20	25	27
20-34	35	13.5	388	1	1	5	11	37	59	88
35-49	11	11.9	104	1	2	12	15	28	35	36
50-64	6	9.3	82	2	2	6	13	25	26	26
65+	8	8.1	45	2	2	6	11	19	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	16.6	492	1	1	9	16	46	82	86
20-34	121	7.8	81	1	2	5	10	15	27	49
35-49	47	9.9	84	1	2	8	14	18	23	55
50-64	29	9.1	59	3	3	6	12	23	27	28
65+	56	14.3	195	3	3	10	15	33	48	68
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	14.3	30	8	8	17	18	18	18	18
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+	4	17.0	139	5	5	25	47	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	11.1	208	1	1	6	12	26	37	81
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	280	10.4	149	1	2	7	13	21	31	68
B. *Operated*	9	16.0	61	5	6	17	25	64	99+	99+
1. SINGLE DX	80	11.1	208	1	1	6	12	26	37	81
2. MULTIPLE DX	289	10.6	147	1	2	7	14	23	31	76
A. NOT OPERATED	360	10.6	162	1	2	6	13	24	35	68
B. OPERATED	9	16.0	61	5	6	17	25	64	99+	99+
TOTAL 0-19 YRS	48	13.1	312	1	1	8	15	29	53	86
20-34	159	9.2	151	1	2	5	10	20	36	68
35-49	59	10.3	86	1	2	8	14	20	25	53
50-64	35	9.2	61	2	3	6	13	26	27	28
65+	68	13.8	176	3	3	10	16	32	51	94
GRAND TOTAL	**369**	**10.7**	**160**	**1**	**2**	**7**	**13**	**25**	**36**	**78**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	22.8	419	2	3	17	32	73	85	99+
20-34	1198	19.2	223	3	4	15	27	39	50	88
35-49	550	18.1	196	3	4	15	24	33	45	78
50-64	259	19.2	217	3	4	17	25	37	48	74
65+	45	24.4	299	5	11	18	29	55	64	73
B. *Operated*										
0-19 YRS										
20-34	3	22.0	171	7	7	28	30	31	31	31
35-49										
50-64	2	51.0	1922	20	20	51	82	82	82	82
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	31.3	501	3	5	26	48	70	75	99+
20-34	460	21.6	275	3	5	19	30	42	56	84
35-49	285	21.4	253	4	6	17	27	45	58	92
50-64	176	24.9	347	5	7	21	33	54	79	99+
65+	79	24.1	284	6	7	22	34	62	99+	99+
B. *Operated*										
0-19 YRS	1	87.0		87	87	87	87	87	87	87
20-34	18	25.2	236	4	5	25	43	76	99+	99+
35-49	15	27.5	232	12	13	26	32	37	64	73
50-64	13	30.5	269	4	10	31	48	60	91	99+
65+	4	35.5	87	22	22	40	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2153	19.2	227	3	4	16	26	38	51	87
B. *Operated*	5	33.6	818	7	7	28	44	82	82	82
2. MULTIPLE DX										
A. *Not Operated*	1051	22.8	297	3	6	20	31	47	64	99+
B. *Operated*	51	29.3	292	5	11	30	43	73	99+	99+
1. SINGLE DX	2158	19.3	229	3	4	16	26	38	51	87
2. MULTIPLE DX	1102	23.1	298	3	6	20	32	48	66	99+
A. NOT OPERATED	3204	20.4	253	3	4	17	28	42	56	93
B. OPERATED	56	29.7	326	5	9	30	42	77	99+	99+
TOTAL 0-19 YRS	153	26.1	481	2	4	20	38	73	80	99+
20-34	1679	19.9	238	3	4	16	28	41	51	88
35-49	850	19.4	219	3	5	16	25	37	52	81
50-64	450	21.9	285	3	5	18	28	46	64	99+
65+	128	24.6	284	5	8	21	35	59	77	99+
GRAND TOTAL	**3260**	**20.5**	**255**	**3**	**5**	**17**	**28**	**42**	**57**	**98**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	18.8	246	2	3	13	28	42	52	59
20-34	109	18.4	268	2	4	14	23	41	67	99+
35-49	25	11.6	72	<1	3	11	15	25	29	31
50-64	8	11.8	21	2	4	12	14	16	17	17
65+	2	19.0	162	10	10	19	28	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	23.3	392	2	5	21	29	67	83	99+
20-34	41	23.0	235	4	7	20	31	41	49	79
35-49	12	21.1	416	<1	3	13	27	52	71	74
50-64	2	41.0	450	26	26	41	56	56	56	56
65+	5	8.8	45	2	2	8	13	19	19	19
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	3	33.0	117	21	21	36	40	42	42	42
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	17.2	229	2	3	13	23	38	48	97
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	80	22.4	300	3	5	19	30	49	67	93
B. *Operated*	5	30.8	89	21	21	34	37	42	42	42
1. SINGLE DX	182	17.2	229	2	3	13	23	38	48	97
2. MULTIPLE DX	85	22.9	291	3	5	20	31	47	67	92
A. NOT OPERATED	262	18.8	255	2	3	14	25	41	56	98
B. OPERATED	5	30.8	89	21	21	34	37	42	42	42
TOTAL 0-19 YRS	59	20.6	293	2	3	16	28	50	62	97
20-34	153	19.9	262	2	4	17	26	41	51	99
35-49	37	14.7	195	<1	3	12	19	30	39	74
50-64	11	17.9	197	2	7	14	20	38	54	56
65+	7	11.7	82	2	2	10	17	26	28	28
GRAND TOTAL	**267**	**19.0**	**254**	**2**	**3**	**14**	**26**	**41**	**56**	**98**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	23.5	325	3	5	19	34	47	62	94
20-34	1820	18.5	221	1	3	15	25	38	49	89
35-49	959	18.4	217	2	4	15	24	37	51	81
50-64	411	18.8	163	2	4	17	25	37	45	64
65+	108	19.5	264	2	3	17	26	37	70	99+
B. *Operated*										
0-19 YRS										
20-34	4	33.0	141	23	23	30	42	49	49	49
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	9.0	3	8	8	10	55	99+	99+	99+
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	24.0	312	3	4	21	32	52	66	91
20-34	805	21.3	314	3	4	16	29	47	63	96
35-49	594	20.4	246	3	5	17	28	42	53	84
50-64	400	23.8	313	4	6	21	32	52	65	99+
65+	195	23.6	314	5	6	19	34	55	72	99+
B. *Operated*										
0-19 YRS	3	29.3	276	14	14	27	42	47	47	47
20-34	35	24.1	196	4	7	23	33	42	61	99+
35-49	40	35.4	751	7	8	26	50	82	94	99
50-64	29	32.4	439	11	13	26	49	68	92	99+
65+	15	38.4	730	10	12	33	67	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3538	18.9	223	2	3	15	26	38	51	88
B. *Operated*	9	21.1	189	8	8	20	35	74	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2079	21.8	295	3	5	18	30	47	60	99
B. *Operated*	122	31.7	514	7	10	25	44	72	95	99+
1. SINGLE DX	3547	18.9	223	2	3	15	26	39	51	88
2. MULTIPLE DX	2201	22.4	312	3	5	18	30	49	64	99+
A. NOT OPERATED	5617	20.0	252	2	4	16	28	41	55	92
B. OPERATED	131	30.9	497	7	9	25	44	72	96	99+
TOTAL 0-19 YRS	328	23.7	320	3	5	19	33	48	65	95
20-34	2664	19.4	251	2	3	16	27	41	55	91
35-49	1594	19.6	247	3	5	16	27	40	54	89
50-64	843	21.6	253	2	5	19	29	43	57	99
65+	319	22.9	328	4	6	19	33	56	78	99+
GRAND TOTAL	**5748**	**20.2**	**260**	**2**	**4**	**16**	**28**	**42**	**56**	**95**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	33.0	605	2	2	40	51	60	61	61
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	29.9	1159	1	1	51	82	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	33.0	605	2	2	40	51	60	61	61
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	29.9	1159	1	1	51	82	99+	99+	99+
B. *Operated*										
1. SINGLE DX	6	33.0	605	2	2	40	51	60	61	61
2. MULTIPLE DX	7	29.9	1159	1	1	51	82	99+	99+	99+
A. NOT OPERATED	13	31.3	834	1	2	43	67	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	13	31.3	834	1	2	43	67	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**31.3**	**834**	**1**	**2**	**43**	**67**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	15.5	240	1	3	12	20	43	55	99+
20-34	649	16.2	184	1	3	13	22	34	47	66
35-49	658	18.1	179	3	5	15	23	36	44	65
50-64	743	19.6	203	3	5	17	25	39	47	74
65+	610	24.4	244	5	8	21	32	46	56	93
B *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	37.0	18	34	34	37	40	40	40	40
65+	2	50.5	5	49	49	50	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	20.6	244	2	4	16	30	51	58	99+
20-34	680	18.8	253	2	4	15	25	39	53	93
35-49	774	18.6	225	3	4	14	25	40	51	90
50-64	994	22.3	240	4	6	19	30	45	57	83
65+	1060	27.6	349	5	8	24	37	56	71	99+
B. *Operated*										
0-19 YRS	8	41.3	1159	7	9	29	71	91	93	93
20-34	34	22.1	158	5	9	19	29	41	43	57
35-49	46	25.7	325	9	10	20	32	45	85	99+
50-64	72	30.6	292	10	11	29	41	60	76	99+
65+	107	36.6	338	14	17	33	49	71	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2752	19.3	212	3	5	16	26	39	49	76
B. *Operated*	4	43.8	68	34	34	44	50	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	3591	22.4	285	3	5	19	30	46	60	98
B. *Operated*	267	31.4	348	9	12	28	42	62	80	99+
1. SINGLE DX	2756	19.4	212	3	5	16	26	39	49	76
2. MULTIPLE DX	3858	23.0	294	3	5	19	31	48	61	99+
A. NOT OPERATED	6343	21.0	255	3	5	17	28	43	56	93
B. OPERATED	271	31.6	346	9	12	29	42	61	80	99+
TOTAL 0-19 YRS	183	18.9	303	1	3	14	25	50	59	99+
20-34	1363	17.6	220	2	4	14	23	37	48	83
35-49	1478	18.6	209	3	5	15	25	38	48	83
50-64	1811	21.5	232	4	6	18	29	43	54	80
65+	1779	27.0	320	5	8	23	36	53	69	99+
GRAND TOTAL	**6614**	**21.5**	**263**	**3**	**5**	**18**	**29**	**44**	**57**	**94**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	20.2	152	4	7	18	28	35	41	64
20-34	678	17.3	178	2	4	14	23	34	46	88
35-49	525	16.5	135	3	5	14	21	32	37	56
50-64	404	17.6	153	3	5	15	23	33	41	62
65+	167	19.2	237	1	3	17	26	37	48	82
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	3	32.0	219	22	22	25	43	49	49	49
65+	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	27.1	579	2	3	20	39	77	86	99+
20-34	421	19.5	257	2	4	15	27	38	54	86
35-49	364	18.5	213	3	4	15	24	36	52	86
50-64	418	22.3	240	4	7	18	29	44	53	88
65+	293	24.4	264	5	8	20	32	47	64	95
B. *Operated*										
0-19 YRS										
20-34	21	24.9	248	4	7	22	31	50	57	61
35-49	27	28.3	363	7	9	25	37	51	72	81
50-64	29	34.6	488	10	12	29	46	74	81	84
65+	34	43.7	465	12	19	44	63	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1837	17.4	165	2	4	15	23	34	43	68
B. *Operated*	5	33.6	259	19	19	25	50	53	53	53
2. MULTIPLE DX										
A. *Not Operated*	1542	21.2	258	3	5	17	29	42	56	89
B. *Operated*	111	34.0	448	8	10	29	48	69	81	99+
1. SINGLE DX	1842	17.4	166	2	4	15	23	34	43	67
2. MULTIPLE DX	1653	22.1	280	3	5	18	29	45	60	89
A. NOT OPERATED	3379	19.1	211	3	5	16	25	37	50	84
B. OPERATED	116	34.0	438	8	10	29	49	69	81	99+
TOTAL 0-19 YRS	109	23.1	340	2	5	19	31	44	76	93
20-34	1121	18.3	210	2	4	15	25	36	50	88
35-49	916	17.6	177	3	4	15	23	35	42	70
50-64	854	20.5	219	3	6	17	27	41	52	84
65+	495	24.0	303	4	7	20	32	49	64	97
GRAND TOTAL	**3495**	**19.6**	**225**	**3**	**5**	**16**	**26**	**38**	**52**	**85**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	13.7	238	1	2	8	20	28	47	80
20-34	286	12.3	137	1	2	9	16	26	35	60
35-49	151	12.9	111	2	3	10	16	24	35	52
50-64	109	16.1	172	2	3	14	20	37	41	82
65+	108	14.0	147	2	2	10	19	31	38	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	18.0	148	10	10	12	27	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	15.1	221	2	2	11	23	39	57	99+
20-34	254	14.0	154	1	2	11	20	29	40	90
35-49	190	14.6	159	2	3	12	20	29	35	67
50-64	169	15.6	196	2	3	12	20	31	47	84
65+	421	15.2	183	3	4	12	19	33	43	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	22.2	185	9	11	22	33	99+	99+	99+
35-49	7	21.9	182	7	8	22	39	83	99+	99+
50-64	11	26.3	192	5	11	27	32	71	96	99+
65+	46	28.1	642	4	5	22	47	83	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	728	13.4	149	1	2	10	17	29	38	65
B. *Operated*	4	14.0	163	2	2	11	22	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	1103	14.9	176	2	3	12	20	31	43	99+
B. *Operated*	78	25.9	458	4	6	24	37	85	99+	99+
1. SINGLE DX	732	13.4	149	1	2	10	17	29	38	65
2. MULTIPLE DX	1181	15.6	202	2	3	12	21	33	48	99+
A. NOT OPERATED	1831	14.3	166	2	3	11	19	30	40	84
B. OPERATED	82	25.3	448	4	6	24	36	83	99+	99+
TOTAL 0-19 YRS	144	14.3	228	1	2	10	21	32	51	99+
20-34	553	13.3	148	1	2	10	18	29	39	78
35-49	349	13.9	140	2	3	11	18	29	35	69
50-64	289	16.2	190	2	3	13	21	34	47	93
65+	578	16.0	224	3	4	12	21	35	53	99+
GRAND TOTAL	**1913**	**14.7**	**183**	**2**	**3**	**11**	**20**	**32**	**43**	**99**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	16	<1	1	3	5	8	12	21
20-34	172	6.1	50	<1	1	4	7	15	21	38
35-49	147	7.1	72	1	1	4	8	16	23	46
50-64	113	5.4	25	1	1	4	7	10	17	25
65+	59	7.6	55	<1	1	5	10	16	21	40
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.2	29	1	1	3	4	8	19	97
20-34	293	8.1	63	1	1	5	10	19	25	39
35-49	357	8.3	97	1	2	6	9	17	27	54
50-64	335	7.5	61	1	2	5	9	17	25	42
65+	290	7.2	46	1	2	5	9	15	21	41
B. *Operated*										
0-19 YRS	4	4.8	20	1	1	3	8	11	11	11
20-34	71	3.0	10	1	1	2	3	6	10	16
35-49	32	7.7	137	<1	1	2	10	25	28	57
50-64	12	14.7	99	4	5	10	22	28	36	37
65+	11	15.1	145	5	6	11	18	32	47	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	6.2	49	1	1	4	7	14	21	39
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1328	7.6	67	1	2	5	9	17	25	44
B. *Operated*	130	6.3	78	1	1	2	9	16	24	50
1. SINGLE DX	535	6.2	49	1	1	4	7	14	21	39
2. MULTIPLE DX	1458	7.5	68	1	2	5	9	17	25	45
A. NOT OPERATED	1861	7.2	62	1	1	5	8	16	24	43
B. OPERATED	132	6.3	77	1	1	2	9	16	24	50
TOTAL 0-19 YRS	100	4.2	23	<1	1	3	4	9	13	67
20-34	537	6.8	55	1	1	4	8	17	23	36
35-49	536	7.9	93	1	2	5	9	17	27	54
50-64	460	7.2	55	1	2	5	8	16	23	40
65+	360	7.5	52	1	2	5	9	16	22	42
GRAND TOTAL	**1993**	**7.2**	**63**	**1**	**1**	**5**	**8**	**16**	**24**	**44**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	22.7	749	1	2	12	51	88	99+	99+
20-34	388	10.7	100	1	2	7	14	24	31	55
35-49	316	11.2	109	1	2	8	15	24	28	59
50-64	176	12.2	97	1	2	9	17	27	34	45
65+	132	13.2	86	2	3	10	20	27	31	43
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	28.7	730	1	3	21	57	87	99+	99+
20-34	584	14.0	151	1	2	11	21	28	37	64
35-49	544	12.8	102	2	3	10	20	26	31	44
50-64	410	13.8	146	2	3	10	20	29	37	62
65+	450	15.0	182	3	4	11	21	31	46	92
B. *Operated*										
0-19 YRS	5	22.8	245	5	5	19	29	48	48	48
20-34	29	17.0	139	4	6	15	22	32	39	58
35-49	22	16.5	75	7	8	15	21	29	34	39
50-64	33	22.5	285	5	7	17	30	56	61	99+
65+	35	23.1	225	7	11	18	31	53	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1111	12.4	168	1	2	8	16	27	35	89
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2140	14.9	200	2	3	11	21	31	44	90
B. *Operated*	124	20.3	198	6	7	17	25	46	58	99+
1. SINGLE DX	1112	12.4	168	1	2	8	16	27	35	89
2. MULTIPLE DX	2264	15.2	201	2	3	11	21	31	46	91
A. NOT OPERATED	3251	14.1	191	2	3	10	20	29	42	90
B. OPERATED	125	20.2	198	6	7	17	25	46	58	99+
TOTAL 0-19 YRS	256	26.3	733	1	2	17	54	87	99+	99+
20-34	1001	12.8	134	1	2	9	18	28	35	59
35-49	883	12.3	105	2	3	9	18	25	30	50
50-64	619	13.8	143	2	3	10	19	29	38	61
65+	617	15.1	168	3	4	11	21	31	44	91
GRAND TOTAL	**3376**	**14.3**	**192**	**2**	**3**	**10**	**20**	**30**	**43**	**90**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	10.6	212	1	1	5	14	30	50	99+
20-34	442	9.1	102	1	1	6	12	20	31	63
35-49	197	11.0	124	1	2	8	14	25	30	59
50-64	86	8.7	65	1	2	6	11	19	25	42
65+	32	9.2	68	2	2	6	13	16	33	36
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	34	7.9	23	2	4	8	9	10	19	27
35-49	19	5.9	23	1	2	5	7	10	17	23
50-64	27	6.4	42	2	2	5	8	8	16	36
65+	5	7.6	9	4	4	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	15.2	407	1	2	7	22	57	96	99+
20-34	692	11.7	159	1	1	8	15	27	40	76
35-49	329	11.7	146	1	2	8	15	26	37	84
50-64	194	12.6	198	1	2	8	15	28	40	80
65+	147	13.3	185	2	3	8	16	30	40	70
B. *Operated*										
0-19 YRS	3	31.3	352	20	20	21	45	53	53	53
20-34	48	19.5	346	2	4	13	22	48	62	80
35-49	29	19.4	344	<1	2	13	27	51	54	75
50-64	47	13.2	267	2	3	9	13	31	66	99+
65+	20	16.4	124	3	4	20	24	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	9.8	125	1	1	6	13	22	32	78
B. *Operated*	88	6.9	27	2	2	6	8	9	14	33
2. MULTIPLE DX										
A. *Not Operated*	1563	12.4	195	1	2	8	15	29	43	97
B. *Operated*	147	17.3	295	2	3	12	22	47	63	99+
1. SINGLE DX	1047	9.5	118	1	1	6	12	21	32	68
2. MULTIPLE DX	1710	12.8	206	1	2	8	16	31	45	98
A. NOT OPERATED	2522	11.4	171	1	1	7	14	27	40	95
B. OPERATED	235	13.4	220	2	3	8	18	32	52	99+
TOTAL 0-19 YRS	409	13.0	314	1	1	6	17	44	75	99+
20-34	1216	11.0	146	1	1	7	14	26	39	77
35-49	574	11.6	148	1	2	8	15	26	36	67
50-64	354	11.3	166	1	2	8	13	25	36	85
65+	204	12.8	159	2	3	8	16	29	40	85
GRAND TOTAL	**2757**	**11.6**	**175**	**1**	**2**	**7**	**15**	**28**	**41**	**96**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	4.9	40	<1	<1	2	6	13	22	26
20-34	1539	6.9	30	1	2	5	7	14	21	28
35-49	1713	6.6	27	2	3	5	7	11	21	28
50-64	818	6.4	26	1	2	5	7	11	21	27
65+	189	7.2	43	1	2	5	7	15	21	33
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	8.1	27	2	2	7	12	16	16	16
50-64	4	10.5	104	2	2	7	17	25	25	25
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	7.5	66	<1	1	5	9	21	25	42
20-34	2634	7.8	38	2	3	6	8	14	21	32
35-49	3910	8.2	35	2	3	7	9	14	21	30
50-64	2274	8.8	42	2	3	7	10	17	21	33
65+	802	10.1	76	2	3	7	12	20	28	48
B. *Operated*										
0-19 YRS	5	8.8	61	<1	<1	7	17	17	17	17
20-34	80	14.1	124	2	4	11	18	28	38	89
35-49	148	15.2	159	5	5	12	18	30	43	74
50-64	119	15.3	128	6	6	12	17	30	46	75
65+	62	21.9	362	5	6	16	30	58	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4401	6.6	29	1	2	5	7	12	21	28
B. *Operated*	14	9.9	50	2	2	9	15	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	9787	8.4	42	2	3	7	9	15	21	34
B. *Operated*	414	15.9	178	3	6	12	20	32	52	99+
1. SINGLE DX	4415	6.6	29	1	2	5	7	12	21	28
2. MULTIPLE DX	10201	8.7	50	2	3	7	10	16	21	38
A. NOT OPERATED	14188	7.8	38	2	3	6	8	14	21	31
B. OPERATED	428	15.7	175	3	6	12	20	32	51	99+
TOTAL 0-19 YRS	314	6.3	56	<1	1	4	7	18	23	33
20-34	4254	7.6	38	2	3	6	8	14	21	31
35-49	5779	7.9	38	2	3	6	8	14	21	30
50-64	3215	8.4	44	2	3	7	10	17	21	33
65+	1054	10.3	96	2	3	7	12	21	29	53
GRAND TOTAL	**14616**	**8.0**	**44**	**2**	**3**	**6**	**9**	**15**	**21**	**34**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.3	21	2	3	12	13	15	17	17
20-34	481	11.6	29	3	5	12	14	17	21	28
35-49	110	12.1	17	5	6	12	15	17	18	24
50-64	11	11.5	10	7	8	12	13	16	18	18
65+	3	15.7	20	11	11	16	19	20	20	20
B. *Operated*										
0-19 YRS										
20-34	5	8.4	19	1	1	10	11	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	12.8	29	3	7	13	15	17	17	36
20-34	1618	13.0	25	4	7	13	16	17	19	28
35-49	710	13.1	20	6	8	13	16	17	19	29
50-64	79	12.1	15	6	6	13	15	17	17	22
65+	5	12.6	34	7	7	11	17	21	21	21
B. *Operated*										
0-19 YRS	3	15.7	5	13	13	17	17	17	17	17
20-34	197	15.0	36	9	11	15	17	17	18	62
35-49	80	15.2	30	8	9	15	17	18	22	43
50-64	11	16.3	16	13	13	15	17	22	27	27
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	11.7	26	3	5	12	15	17	21	27
B. *Operated*	5	8.4	19	1	1	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2453	13.0	23	5	7	13	16	17	19	28
B. *Operated*	292	15.1	33	9	11	15	17	17	19	49
1. SINGLE DX	619	11.6	26	3	5	12	15	17	21	27
2. MULTIPLE DX	2745	13.2	25	5	7	13	16	17	19	30
A. NOT OPERATED	3067	12.7	24	4	7	13	15	17	20	28
B. OPERATED	297	15.0	33	8	10	15	17	17	19	49
TOTAL 0-19 YRS	53	12.5	27	3	6	13	15	17	17	35
20-34	2301	12.8	27	4	6	13	16	17	20	29
35-49	900	13.2	21	6	8	13	16	17	19	29
50-64	101	12.5	16	6	7	13	15	17	18	25
65+	9	13.9	25	7	7	15	17	21	21	21
GRAND TOTAL	**3364**	**12.9**	**25**	**4**	**7**	**13**	**16**	**17**	**19**	**29**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	15	7	7	7	11	16	16	16
20-34	81	10.5	52	1	2	9	16	19	22	34
35-49	18	10.3	59	1	1	9	15	21	25	27
50-64	4	14.3	125	3	3	12	22	29	29	29
65+	1	30.0		30	30	30	30	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.1	26	1	1	8	11	14	18	20
20-34	237	13.1	48	2	3	14	17	21	23	30
35-49	82	13.9	51	3	4	14	18	21	27	34
50-64	20	14.9	173	2	4	12	17	47	77	99+
65+	8	9.8	22	1	2	11	13	14	14	14
B. *Operated*										
0-19 YRS	2	25.0	512	9	9	25	41	41	41	41
20-34	13	18.2	108	5	10	16	19	30	45	49
35-49	3	25.7	144	14	14	25	35	38	38	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	10.8	56	1	2	9	16	20	26	33
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	366	13.0	55	2	3	13	17	21	25	38
B. *Operated*	18	20.2	134	6	10	17	25	40	46	49
1. SINGLE DX	110	10.7	56	1	2	9	16	20	26	33
2. MULTIPLE DX	384	13.4	61	2	4	13	17	21	26	45
A. NOT OPERATED	475	12.5	56	2	3	13	17	21	25	36
B. OPERATED	19	19.3	143	3	6	16	23	40	45	49
TOTAL 0-19 YRS	26	9.6	62	1	2	8	11	16	24	41
20-34	331	12.7	53	2	3	13	17	21	23	33
35-49	103	13.6	59	2	4	14	18	22	28	36
50-64	25	14.3	158	2	3	12	17	38	66	99+
65+	9	12.0	65	1	2	12	13	24	30	30
GRAND TOTAL	**494**	**12.8**	**61**	**2**	**3**	**13**	**17**	**21**	**26**	**40**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	1.4	1	<1	<1	1	2	2	3	6
20-34	126	2.8	11	<1	<1	1	3	8	8	19
35-49	63	3.8	8	<1	1	3	5	8	8	13
50-64	42	3.5	6	1	1	3	4	8	8	9
65+	21	3.2	17	<1	<1	2	3	9	14	18
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.2	17	<1	<1	1	2	3	6	19
20-34	400	5.7	17	<1	1	7	8	8	10	22
35-49	398	7.0	16	1	2	8	8	9	14	25
50-64	185	6.1	17	1	2	5	8	10	15	20
65+	54	7.6	63	1	1	5	10	14	24	43
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	22	7.4	28	<1	1	8	8	13	19	24
35-49	11	9.9	23	1	5	8	13	17	20	20
50-64	4	16.8	91	3	3	19	22	25	25	25
65+	5	5.2	8	2	2	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	2.2	6	<1	<1	1	2	5	8	11
B. *Operated*	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1242	5.7	22	<1	1	5	8	8	12	24
B. *Operated*	45	8.2	38	1	1	8	10	19	21	25
1. SINGLE DX	574	2.2	6	<1	<1	1	2	5	8	11
2. MULTIPLE DX	1287	5.8	22	<1	1	6	8	9	13	25
A. NOT OPERATED	1814	4.6	19	<1	<1	3	8	8	10	22
B. OPERATED	47	8.0	37	1	1	8	10	18	21	25
TOTAL 0-19 YRS	528	1.7	7	<1	<1	1	2	3	3	8
20-34	549	5.1	18	<1	<1	4	8	8	10	22
35-49	472	6.7	17	1	2	8	8	9	14	24
50-64	232	5.8	19	1	1	5	8	9	16	21
65+	80	6.3	51	<1	1	4	8	13	20	40
GRAND TOTAL	**1861**	**4.7**	**20**	**<1**	**<1**	**3**	**8**	**8**	**11**	**22**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.0	30	<1	1	1	4	12	15	24
20-34	92	5.4	19	<1	1	5	7	12	15	19
35-49	17	5.2	14	1	1	4	7	12	13	13
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	4.3	24	<1	<1	2	8	10	10	10
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.8	54	<1	1	4	11	17	22	34
20-34	323	7.2	28	1	2	7	9	14	16	27
35-49	129	8.0	31	2	4	7	10	15	22	29
50-64	32	9.4	44	2	3	7	11	18	21	35
65+	12	10.9	99	1	2	7	14	28	32	33
B. *Operated*										
0-19 YRS										
20-34	11	12.9	109	4	5	10	14	29	40	41
35-49	8	10.3	20	5	6	9	13	17	18	18
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.0	21	<1	1	4	7	12	14	19
B. *Operated*	6	5.3	18	<1	<1	4	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	541	7.5	34	1	2	7	10	14	19	30
B. *Operated*	21	12.3	73	5	6	9	14	23	33	41
1. SINGLE DX	153	5.1	20	<1	1	4	7	11	14	19
2. MULTIPLE DX	562	7.7	36	1	2	7	10	15	19	32
A. NOT OPERATED	688	7.0	32	1	1	6	9	14	18	29
B. OPERATED	27	10.7	69	2	3	9	12	20	28	41
TOTAL 0-19 YRS	78	5.6	45	<1	1	3	6	15	19	32
20-34	429	6.9	29	1	1	7	9	14	16	27
35-49	156	7.8	29	2	3	7	10	15	20	29
50-64	38	9.0	50	1	2	7	10	19	24	35
65+	14	10.5	85	1	3	8	9	27	32	33
GRAND TOTAL	**715**	**7.1**	**34**	**1**	**1**	**6**	**9**	**14**	**18**	**30**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	7	<1	1	2	3	6	8	15
20-34	63	5.0	39	1	1	3	5	9	15	40
35-49	50	4.0	14	1	1	3	5	8	15	17
50-64	40	4.1	6	1	2	4	5	7	9	13
65+	27	5.0	6	2	2	5	6	8	9	12
B. *Operated*										
0-19 YRS	6	4.2	12	<1	<1	3	6	10	10	10
20-34	6	6.8	17	2	2	7	10	12	12	12
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	4	7.0	114	1	1	2	13	23	23	23
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.7	117	1	1	4	6	7	8	75
20-34	111	5.6	32	1	2	4	7	10	13	32
35-49	135	5.3	19	1	2	4	7	11	13	25
50-64	123	6.0	21	2	2	5	7	11	14	51
65+	147	6.3	23	1	2	5	8	11	16	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	7.3	28	<1	1	8	10	14	17	17
35-49	12	9.4	48	2	2	6	15	20	21	21
50-64	9	9.9	24	3	3	11	14	16	16	16
65+	17	14.5	329	2	3	9	18	20	60	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	4.2	18	1	1	3	5	8	11	19
B. *Operated*	21	5.6	29	<1	1	3	8	11	17	23
2. MULTIPLE DX										
A. *Not Operated*	567	5.8	32	1	2	4	7	11	15	30
B. *Operated*	49	10.7	139	2	2	8	14	19	20	81
1. SINGLE DX	245	4.3	19	1	1	3	5	8	12	23
2. MULTIPLE DX	616	6.2	42	1	2	5	7	12	17	31
A. NOT OPERATED	791	5.4	28	1	1	4	7	10	13	28
B. OPERATED	70	9.2	111	1	2	7	12	18	20	69
TOTAL 0-19 YRS	102	4.4	63	1	1	3	5	7	9	51
20-34	190	5.5	34	1	1	4	7	10	14	35
35-49	201	5.2	20	1	1	4	6	11	15	23
50-64	176	5.8	20	2	2	5	7	11	15	31
65+	192	6.9	52	1	2	5	8	12	19	59
GRAND TOTAL	**861**	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	11.4	186	1	1	6	14	29	37	87
20-34	509	7.1	56	1	1	5	9	14	23	37
35-49	248	7.4	50	1	1	5	10	14	21	36
50-64	102	9.7	73	1	1	7	14	22	25	39
65+	63	11.7	130	1	2	9	17	25	28	68
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	13.7	281	1	2	8	17	39	63	99+
20-34	690	10.1	84	1	2	8	14	21	27	50
35-49	391	9.7	76	1	2	7	12	21	28	42
50-64	175	11.5	97	2	3	8	16	24	28	43
65+	135	14.3	147	2	4	12	19	27	37	65
B. *Operated*										
0-19 YRS	15	14.7	257	1	2	13	24	58	89	99+
20-34	30	11.1	130	1	2	8	14	20	26	61
35-49	18	18.3	122	2	4	17	21	32	40	46
50-64	7	31.7	794	2	3	19	55	72	76	76
65+	13	29.2	180	9	11	32	41	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1320	8.9	103	1	1	6	12	21	29	52
B. *Operated*	4	3.0	8	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1725	11.2	129	1	2	8	14	23	32	69
B. *Operated*	83	17.9	255	2	2	14	24	45	59	92
1. SINGLE DX	1324	8.8	102	1	1	5	12	21	29	52
2. MULTIPLE DX	1808	11.5	137	1	2	8	15	24	34	71
A. NOT OPERATED	3045	10.2	119	1	2	7	13	23	31	63
B. OPERATED	87	17.2	253	1	2	14	22	44	58	91
TOTAL 0-19 YRS	748	12.5	231	1	1	7	16	31	50	99+
20-34	1231	8.9	76	1	1	6	12	20	26	48
35-49	658	9.1	71	1	2	7	12	20	28	43
50-64	284	11.4	114	1	2	8	15	24	30	54
65+	211	14.5	158	2	3	12	19	28	40	68
GRAND TOTAL	**3132**	**10.4**	**124**	**1**	**2**	**7**	**13**	**23**	**31**	**64**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	15.1	417	1	1	6	21	59	75	99+
20-34	299	9.1	108	1	2	6	11	22	33	69
35-49	210	9.0	98	1	1	5	11	20	29	50
50-64	143	12.8	136	2	2	8	18	28	33	64
65+	115	14.5	160	3	3	9	19	34	42	52
B. *Operated*										
0-19 YRS	7	8.1	51	1	1	5	14	19	20	20
20-34	6	9.5	238	3	3	3	4	37	41	41
35-49	7	4.3	14	1	1	3	5	11	12	12
50-64	5	13.6	114	4	4	10	20	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	20.1	618	1	2	10	36	85	99+	99+
20-34	504	11.1	176	1	2	7	13	25	39	95
35-49	391	10.2	97	2	2	7	12	22	30	48
50-64	363	12.6	190	2	3	8	15	27	41	80
65+	456	15.2	198	2	3	11	19	36	51	99+
B. *Operated*										
0-19 YRS	16	29.3	793	2	3	21	64	96	99+	99+
20-34	34	19.4	307	4	5	15	25	31	57	92
35-49	28	18.6	474	2	3	13	21	37	79	98
50-64	43	19.8	218	4	5	18	25	51	58	99+
65+	56	29.8	525	3	4	27	49	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	12.1	230	1	2	6	15	34	55	99+
B. *Operated*	26	8.6	92	1	2	4	11	20	33	41
2. MULTIPLE DX										
A. *Not Operated*	2092	13.7	260	2	2	8	16	36	61	99+
B. *Operated*	177	23.6	440	3	5	19	33	68	88	99+
1. SINGLE DX	1207	12.1	227	1	2	6	15	33	55	99+
2. MULTIPLE DX	2269	14.5	281	2	2	9	18	38	64	99+
A. NOT OPERATED	3273	13.1	250	1	2	7	16	35	58	99+
B. OPERATED	203	21.7	420	2	3	18	31	63	86	99+
TOTAL 0-19 YRS	815	17.6	522	1	1	8	27	72	99	99+
20-34	843	10.7	161	1	2	7	13	25	35	92
35-49	636	10.1	116	1	2	7	12	22	30	52
50-64	554	13.2	180	2	3	8	17	29	39	75
65+	628	16.3	237	2	3	11	22	41	54	99+
GRAND TOTAL	**3476**	**13.6**	**263**	**1**	**2**	**8**	**17**	**36**	**60**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	50	1	1	10	16	92	99+	99+
20-34	14	6.9	42	<1	1	5	9	17	22	23
35-49	6	2.7	5	1	1	2	3	7	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.6	239	1	2	7	13	21	71	99+
20-34	60	11.7	156	1	1	7	14	31	41	49
35-49	26	13.7	174	2	4	8	20	30	48	53
50-64	20	11.8	63	2	3	12	16	27	60	99+
65+	6	10.3	120	3	3	6	11	30	32	32
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	5	76	99+	99+	99+
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.9	35	<1	1	4	9	16	34	99+
B. *Operated*	4	11.3	218	2	2	5	20	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	149	11.7	163	1	2	7	15	30	46	99+
B. *Operated*	3	4.7	12	1	1	6	54	99+	99+	99+
1. SINGLE DX	30	6.6	56	1	1	4	9	19	32	99+
2. MULTIPLE DX	152	11.6	161	1	2	7	15	30	47	99+
A. NOT OPERATED	175	10.9	148	1	2	7	14	29	45	99+
B. OPERATED	7	8.4	126	1	1	6	21	80	99+	99+
TOTAL 0-19 YRS	43	10.8	223	1	2	7	14	33	92	99+
20-34	78	10.3	133	1	1	6	13	31	41	85
35-49	34	11.4	151	1	2	7	13	28	44	53
50-64	20	11.8	63	2	3	12	16	27	60	99+
65+	7	9.4	106	3	3	5	10	28	32	32
GRAND TOTAL	**182**	**10.8**	**146**	**1**	**2**	**7**	**14**	**30**	**47**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	11.1	29	2	3	11	14	16	18	25
20-34	57	8.7	40	2	2	8	13	16	18	35
35-49	36	10.1	74	1	2	9	13	21	25	43
50-64	22	12.0	242	<1	1	6	15	25	48	71
65+	13	14.9	63	6	6	15	20	27	31	32
B. *Operated*										
0-19 YRS	32	14.2	14	10	11	13	15	21	22	26
20-34	22	11.4	203	1	2	6	12	32	48	58
35-49	38	14.8	213	2	3	9	20	34	48	68
50-64	22	9.8	49	2	3	7	16	21	54	99+
65+	7	33.0	483	5	7	33	52	60	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	12.7	56	2	4	12	15	21	25	36
20-34	48	12.2	134	2	2	10	15	22	28	59
35-49	51	15.6	248	1	2	11	20	33	58	75
50-64	61	15.5	215	2	3	12	17	33	50	74
65+	54	21.1	217	2	7	17	30	44	55	59
B. *Operated*										
0-19 YRS	56	19.0	167	9	11	15	23	35	46	99
20-34	37	28.4	446	4	7	25	44	64	84	99+
35-49	39	23.4	511	2	2	19	36	79	89	99+
50-64	57	24.5	351	2	4	21	38	60	70	99+
65+	38	35.5	486	3	8	38	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	10.9	46	1	3	11	14	17	21	33
B. *Operated*	121	14.2	163	2	3	12	17	30	50	77
2. MULTIPLE DX										
A. *Not Operated*	450	14.4	133	2	3	12	16	26	35	59
B. *Operated*	227	25.4	394	3	4	21	39	68	87	99+
1. SINGLE DX	573	11.6	72	2	3	11	15	19	25	53
2. MULTIPLE DX	677	18.1	247	2	4	14	23	44	59	99+
A. NOT OPERATED	902	12.6	92	2	3	11	15	22	29	59
B. OPERATED	348	21.5	342	2	4	16	31	54	79	99+
TOTAL 0-19 YRS	648	12.6	55	2	4	12	15	20	24	40
20-34	164	14.5	235	2	3	10	17	36	50	86
35-49	164	16.1	280	2	2	10	21	41	61	97
50-64	162	17.4	271	2	3	12	23	48	64	99+
65+	112	26.0	359	3	6	21	40	59	83	99+
GRAND TOTAL	**1250**	**15.1**	**177**	**2**	**3**	**12**	**17**	**31**	**49**	**87**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	23.0	130	6	6	28	29	30	30	30
35-49	4	12.0	90	3	3	10	19	24	24	24
50-64	73	13.3	115	3	4	10	18	29	32	56
65+	198	13.4	142	3	4	10	16	25	35	64
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	9	20.9	212	6	7	22	23	43	55	55
65+	16	19.6	271	2	3	18	23	52	57	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	7.0		7	7	7	7	7	7	7
35-49	14	13.4	115	1	2	12	20	31	31	31
50-64	155	17.0	215	4	5	13	22	34	52	99+
65+	1130	16.7	184	4	5	13	23	38	57	99+
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	2	20.5	61	15	15	20	26	26	26	26
50-64	21	27.3	555	6	7	20	44	59	81	94
65+	158	23.7	243	6	9	21	37	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	13.4	134	3	4	10	17	28	34	60
B. *Operated*	26	19.7	234	3	3	18	23	52	56	58
2. MULTIPLE DX										
A. *Not Operated*	1302	16.7	187	4	5	13	22	37	56	99+
B. *Operated*	182	24.1	274	6	8	21	37	70	99+	99+
1. SINGLE DX	306	14.0	145	3	4	11	18	28	35	60
2. MULTIPLE DX	1484	17.6	203	4	5	14	24	42	61	99+
A. NOT OPERATED	1582	16.1	179	3	5	12	21	35	53	99+
B. OPERATED	208	23.5	270	6	8	21	34	61	99+	99+
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	7	18.9	132	6	6	26	28	30	30	30
35-49	21	13.7	97	1	2	14	21	28	31	31
50-64	258	16.9	224	4	5	12	23	33	50	98
65+	1502	17.0	192	4	5	13	23	41	59	99+
GRAND TOTAL	**1790**	**17.0**	**195**	**3**	**5**	**13**	**23**	**38**	**57**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	12.2	110	2	3	7	18	31	33	34
20-34	229	9.8	68	2	3	9	13	17	24	52
35-49	243	10.1	60	1	2	9	14	20	24	40
50-64	79	10.4	47	2	3	9	14	21	27	80
65+	5	7.2	20	1	1	9	12	91	99+	99+
B. *Operated*										
0-19 YRS										
20-34	37	13.8	160	1	2	10	22	35	42	45
35-49	44	9.4	92	2	2	6	11	23	27	47
50-64	23	18.9	358	2	2	10	35	47	53	61
65+	2	23.0	98	16	16	23	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	128	14.9	269	2	3	11	16	26	50	90
35-49	234	14.2	143	3	4	11	18	30	40	99+
50-64	166	14.2	172	2	3	11	18	35	53	99+
65+	50	16.0	252	4	6	11	20	49	99	99+
B. *Operated*										
0-19 YRS										
20-34	43	17.0	155	4	6	13	23	47	64	99+
35-49	70	19.1	181	5	6	16	32	99+	99+	99+
50-64	64	19.5	303	3	4	16	26	61	99+	99+
65+	16	16.7	212	1	3	15	27	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	10.1	63	2	3	9	14	19	25	48
B. *Operated*	106	13.3	183	2	2	8	21	35	45	54
2. MULTIPLE DX										
A. *Not Operated*	582	14.4	188	2	4	11	17	31	49	99+
B. *Operated*	193	18.6	216	4	5	15	29	61	99+	99+
1. SINGLE DX	682	10.6	83	2	2	9	14	22	30	49
2. MULTIPLE DX	775	15.5	198	3	4	12	20	38	64	99+
A. NOT OPERATED	1158	12.3	130	2	3	10	15	25	37	99+
B. OPERATED	299	16.7	210	2	3	13	26	47	99+	99+
TOTAL 0-19 YRS	24	10.9	101	2	3	6	17	31	33	34
20-34	437	12.3	150	2	3	10	15	24	38	90
35-49	591	12.7	119	2	3	10	16	28	40	99+
50-64	332	14.6	189	2	3	11	18	37	56	99+
65+	73	15.8	225	3	5	11	25	58	99+	99+
GRAND TOTAL	**1457**	**13.2**	**150**	**2**	**3**	**10**	**17**	**30**	**46**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	507	3.7	9	1	1	3	4	7	10	16
20-34	322	3.9	14	1	1	3	5	7	9	15
35-49	182	4.3	13	1	1	3	6	9	11	18
50-64	154	5.2	26	1	1	4	7	10	13	32
65+	84	5.4	19	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	13	7.5	43	<1	1	6	9	19	21	22
20-34	8	7.0	26	1	2	5	11	14	15	15
35-49	5	7.0	42	1	1	6	9	18	18	18
50-64	4	4.0	11	2	2	3	6	9	9	9
65+	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	5.9	50	1	1	4	7	12	20	43
20-34	459	7.1	69	1	1	5	9	15	20	49
35-49	408	6.8	38	1	2	5	8	14	19	32
50-64	503	7.8	55	2	2	6	9	15	21	37
65+	616	10.3	108	2	3	7	12	20	31	77
B. *Operated*										
0-19 YRS	20	15.4	256	2	2	9	21	37	54	63
20-34	49	9.2	54	1	2	6	13	21	24	28
35-49	43	13.2	92	2	3	11	19	30	35	99+
50-64	54	18.0	239	3	4	14	21	44	62	98
65+	67	19.3	202	6	6	16	24	45	55	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	4.2	14	1	1	3	5	8	11	19
B. *Operated*	32	6.9	31	1	2	6	9	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	2400	7.8	70	1	2	5	9	16	22	52
B. *Operated*	233	15.4	176	2	3	12	20	35	50	99+
1. SINGLE DX	1281	4.2	15	1	1	3	5	8	11	20
2. MULTIPLE DX	2633	8.5	84	1	2	6	10	18	26	57
A. NOT OPERATED	3649	6.6	54	1	1	5	8	13	19	40
B. OPERATED	265	14.4	166	2	3	11	19	30	46	94
TOTAL 0-19 YRS	954	5.0	36	1	1	3	5	10	14	30
20-34	838	6.0	49	1	1	4	7	13	17	38
35-49	638	6.5	39	1	2	5	8	14	19	34
50-64	715	8.0	72	1	2	6	9	16	21	54
65+	769	10.6	116	2	3	7	13	22	33	73
GRAND TOTAL	**3914**	**7.1**	**65**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	5.4	95	<1	1	3	5	11	25	99+
20-34	260	5.7	26	1	1	4	7	12	15	30
35-49	197	6.5	41	1	1	5	8	12	15	35
50-64	205	7.3	42	1	2	5	9	15	22	35
65+	278	10.8	111	2	2	8	14	22	33	58
B. *Operated*										
0-19 YRS	184	7.6	110	1	2	4	8	16	30	61
20-34	194	10.0	120	1	2	6	12	30	35	46
35-49	172	8.0	56	2	2	5	10	17	22	41
50-64	154	9.7	154	1	2	5	11	21	41	75
65+	159	11.3	166	2	2	7	15	27	38	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	8.9	241	1	1	4	10	74	99+	99+
20-34	367	8.4	101	1	2	6	9	16	38	99+
35-49	312	9.5	128	1	2	7	12	18	31	98
50-64	642	12.5	174	2	3	8	15	31	49	99+
65+	1817	16.8	245	3	4	12	22	42	61	99+
B. *Operated*										
0-19 YRS	266	9.5	177	1	2	6	10	21	40	93
20-34	282	13.0	216	1	2	8	18	33	52	99+
35-49	281	15.4	267	2	2	10	22	44	67	99+
50-64	410	18.1	331	2	3	12	25	49	69	99+
65+	682	21.2	361	3	4	17	33	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	7.3	69	1	1	5	9	15	23	52
B. *Operated*	863	9.3	121	1	2	5	11	21	35	64
2. MULTIPLE DX										
A. *Not Operated*	3461	13.7	218	2	3	9	17	37	59	99+
B. *Operated*	1921	16.9	311	2	2	11	24	48	75	99+
1. SINGLE DX	2023	8.1	92	1	2	5	10	17	28	59
2. MULTIPLE DX	5382	14.8	253	2	3	10	20	42	66	99+
A. NOT OPERATED	4621	12.1	188	1	2	8	15	31	51	99+
B. OPERATED	2784	14.5	264	2	2	9	20	41	64	99+
TOTAL 0-19 YRS	993	8.0	169	1	1	4	9	23	63	99+
20-34	1103	9.2	123	1	2	6	11	22	37	99+
35-49	962	10.3	149	1	2	7	12	24	37	99+
50-64	1411	13.1	211	2	3	8	15	32	51	99+
65+	2936	17.0	264	3	4	12	23	44	68	99+
GRAND TOTAL	**7405**	**13.0**	**218**	**1**	**2**	**8**	**16**	**35**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.0	5	1	1	2	4	5	7	12
20-34	384	4.2	12	1	1	3	5	8	9	18
35-49	285	3.8	8	1	1	3	5	7	10	14
50-64	95	4.2	10	1	1	3	5	8	12	16
65+	18	7.3	300	<1	1	3	4	9	50	76
B. *Operated*										
0-19 YRS	5	3.2	5	2	2	2	4	7	7	7
20-34	17	4.6	10	2	2	3	6	8	11	13
35-49	18	4.4	6	2	2	4	5	9	10	10
50-64	9	6.2	14	2	2	4	9	12	13	13
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.4	5	1	1	3	4	7	8	11
20-34	333	4.9	12	1	2	4	6	9	11	17
35-49	289	5.3	15	1	2	4	7	10	13	20
50-64	180	5.3	12	2	2	4	6	10	12	18
65+	66	6.6	22	2	2	5	9	13	15	24
B. *Operated*										
0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	30	6.8	20	1	2	6	9	13	16	20
35-49	33	7.8	16	3	4	7	9	14	15	21
50-64	17	10.4	27	3	4	10	13	16	21	24
65+	15	5.5	25	2	2	3	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	979	3.9	14	1	1	3	5	7	9	16
B. *Operated*	51	4.6	9	2	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	969	5.1	13	1	2	4	6	10	12	18
B. *Operated*	99	7.4	22	2	2	6	10	14	16	23
1. SINGLE DX	1030	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX	1068	5.3	14	1	2	4	7	10	13	19
A. NOT OPERATED	1948	4.5	14	1	1	4	6	8	11	17
B. OPERATED	150	6.5	19	2	2	5	9	13	15	21
TOTAL 0-19 YRS	307	3.2	5	1	1	3	4	6	7	12
20-34	764	4.6	12	1	1	4	6	8	10	19
35-49	625	4.8	12	1	1	4	6	9	12	17
50-64	301	5.3	14	1	2	4	7	11	13	18
65+	101	6.5	69	1	2	4	8	13	15	49
GRAND TOTAL	**2098**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	19.0	512	3	3	19	35	35	35	35
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.3	5	<1	<1	3	5	6	6	6
50-64	11	4.5	12	<1	1	4	5	10	13	13
65+	4	3.3	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	27	2.3	1	<1	1	2	3	4	4	5
20-34	546	2.0	1	<1	<1	2	2	3	4	5
35-49	947	2.1	1	<1	<1	2	2	3	4	6
50-64	1209	2.2	2	<1	<1	2	3	3	4	7
65+	723	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	16	2.6	8	<1	1	1	3	7	10	11
35-49	22	3.5	11	<1	<1	2	5	8	12	12
50-64	41	4.8	26	<1	1	4	6	9	13	29
65+	25	5.0	27	<1	1	3	5	12	18	23
B. *Operated*										
0-19 YRS	12	2.8	2	<1	1	2	3	5	7	7
20-34	137	2.7	4	1	1	2	3	5	7	11
35-49	345	3.3	9	1	1	2	3	5	8	16
50-64	690	3.4	10	1	1	2	4	6	9	19
65+	520	3.7	15	1	2	3	4	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.9	47	<1	1	4	5	8	18	35
B. *Operated*	3452	2.2	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	106	4.2	20	<1	1	3	5	9	12	26
B. *Operated*	1704	3.4	11	1	1	2	4	6	9	17
1. SINGLE DX	3477	2.2	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX	1810	3.4	11	1	1	2	4	6	9	17
A. NOT OPERATED	131	4.3	25	<1	1	3	5	9	12	30
B. OPERATED	5156	2.6	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	43	3.1	26	<1	1	2	3	4	6	35
20-34	701	2.1	2	<1	<1	2	3	3	4	8
35-49	1320	2.4	4	<1	<1	2	3	4	5	12
50-64	1951	2.7	6	<1	1	2	3	4	6	13
65+	1272	3.0	8	<1	1	2	3	5	8	16
GRAND TOTAL	**5287**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.8	75	1	1	5	10	19	32	93
20-34	155	5.4	32	1	1	4	6	11	16	35
35-49	175	6.3	46	1	2	4	7	13	17	34
50-64	217	6.9	48	1	2	5	9	14	18	38
65+	165	7.5	52	1	2	5	10	16	23	35
B. *Operated*										
0-19 YRS	105	4.0	40	1	2	3	4	6	8	42
20-34	580	4.2	20	<1	1	3	5	7	9	19
35-49	636	4.0	10	1	1	3	5	8	11	16
50-64	563	4.2	17	1	2	3	4	8	11	24
65+	217	5.3	27	1	2	4	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	11.0	175	1	2	6	13	25	41	62
20-34	146	8.4	63	1	2	6	11	17	21	46
35-49	272	7.5	61	1	2	5	9	16	23	48
50-64	468	9.5	90	2	2	7	12	20	30	76
65+	748	11.5	119	2	3	9	15	23	31	79
B. *Operated*										
0-19 YRS	50	8.6	109	2	2	5	11	32	51	99+
20-34	248	6.1	44	1	2	4	8	14	22	99+
35-49	330	7.8	86	1	2	5	9	17	22	48
50-64	477	9.0	117	2	2	5	11	21	32	73
65+	379	13.9	215	2	3	9	19	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	6.7	47	1	2	4	8	14	20	38
B. *Operated*	2101	4.3	18	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1675	10.0	100	2	2	7	13	21	28	67
B. *Operated*	1484	9.5	130	2	2	6	12	23	36	99+
1. SINGLE DX	2875	4.9	27	1	2	3	6	10	14	27
2. MULTIPLE DX	3159	9.8	114	2	2	6	12	22	31	80
A. NOT OPERATED	2449	8.9	86	1	2	6	11	19	26	56
B. OPERATED	3585	6.4	71	1	2	4	7	14	22	61
TOTAL 0-19 YRS	258	6.9	89	1	2	4	7	16	31	95
20-34	1129	5.3	34	1	1	4	7	10	16	36
35-49	1413	5.9	45	1	2	4	7	12	17	36
50-64	1725	7.3	74	1	2	4	9	16	23	48
65+	1509	10.8	130	2	2	7	14	24	34	89
GRAND TOTAL	**6034**	**7.5**	**79**	**1**	**2**	**5**	**9**	**17**	**24**	**59**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.3	13	1	1	7	8	9	9	9
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	59	5.3	8	1	2	5	7	9	11	15
20-34	92	4.6	8	1	2	4	6	8	10	15
35-49	134	4.8	5	2	3	4	6	7	8	12
50-64	490	4.8	7	1	2	5	6	8	9	13
65+	374	5.1	6	2	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	6	5.0	34	<1	<1	2	7	15	16	16
65+	12	2.4	4	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	30	6.0	15	2	2	5	8	10	15	20
20-34	71	5.6	10	2	2	4	7	10	14	15
35-49	94	6.4	16	2	3	5	8	11	13	24
50-64	389	5.8	12	2	3	5	7	9	12	21
65+	476	6.2	13	2	3	5	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.6	10	1	1	5	7	9	9	9
B. *Operated*	1149	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	30	2.8	9	<1	<1	2	4	6	7	16
B. *Operated*	1060	6.0	13	2	3	5	7	10	13	19
1. SINGLE DX	1158	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	1090	5.9	13	2	3	5	7	10	13	19
A. NOT OPERATED	39	3.2	10	<1	<1	2	5	7	9	16
B. OPERATED	2209	5.5	10	2	2	5	7	9	11	16
TOTAL 0-19 YRS	93	5.4	11	1	2	5	7	9	11	18
20-34	168	5.0	9	2	2	4	6	9	11	15
35-49	234	5.4	10	2	2	5	7	9	11	14
50-64	889	5.2	9	1	2	5	6	9	11	16
65+	864	5.7	10	2	3	5	7	9	12	17
GRAND TOTAL	**2248**	**5.4**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	2.2	1	<1	<1	2	2	4	5	5
50-64	16	2.4	4	1	1	2	3	3	7	9
65+	24	1.8	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.9	6	1	1	3	6	7	9	9
35-49	48	3.0	4	1	1	2	3	6	7	12
50-64	172	3.0	4	1	1	2	4	6	7	11
65+	309	3.5	10	1	2	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	11	5.1	34	1	2	3	5	13	21	22
65+	33	3.6	10	1	1	3	5	6	8	18
B. *Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	19	4.9	30	1	2	3	5	12	19	24
50-64	104	4.0	10	1	2	3	4	8	11	18
65+	353	5.2	28	1	2	4	6	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.0	2	<1	1	2	2	3	5	9
B. *Operated*	545	3.3	7	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	50	3.9	14	1	1	3	5	6	8	22
B. *Operated*	482	4.9	24	1	2	3	5	10	13	28
1. SINGLE DX	599	3.2	7	1	1	2	4	6	7	15
2. MULTIPLE DX	532	4.8	24	1	2	3	5	10	13	27
A. NOT OPERATED	104	2.9	9	1	1	2	3	5	7	20
B. OPERATED	1027	4.1	16	1	2	3	4	8	11	23
TOTAL 0-19 YRS	7	2.1	2	<1	<1	1	3	5	5	5
20-34	21	3.6	5	1	1	3	5	7	8	9
35-49	81	3.4	10	1	1	2	3	6	8	21
50-64	303	3.4	7	1	1	3	4	6	9	15
65+	719	4.3	20	1	2	3	5	8	12	26
GRAND TOTAL	**1131**	**4.0**	**15**	**1**	**1**	**3**	**4**	**7**	**11**	**22**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	3.6	19	1	1	1	6	11	11	11
35-49	7	2.0	4	1	1	1	3	5	6	6
50-64	6	1.2		1	1	1	1	2	2	2
65+	13	3.1	7	1	1	2	4	6	9	10
B. *Operated*										
0-19 YRS	7	2.7	1	2	2	2	4	4	4	4
20-34	13	3.6	12	1	1	3	4	8	13	14
35-49	40	3.9	11	1	2	3	4	8	11	19
50-64	94	2.9	3	1	1	2	3	5	6	10
65+	224	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	7	3.4	19	<1	<1	1	4	11	13	13
50-64	15	3.9	11	<1	1	3	5	11	11	11
65+	37	5.5	45	<1	1	4	6	20	69	99+
B. *Operated*										
0-19 YRS	9	2.7	2	<1	1	2	3	5	6	6
20-34	25	6.1	21	1	2	4	8	14	15	19
35-49	28	3.3	4	1	1	3	4	6	7	9
50-64	80	4.1	11	1	2	3	5	8	10	21
65+	222	5.3	65	1	2	3	5	9	14	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	6	1	1	1	3	5	9	11
B. *Operated*	378	3.0	6	1	1	2	4	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	61	4.8	32	<1	1	3	5	14	24	99+
B. *Operated*	364	4.8	44	1	2	3	5	8	13	34
1. SINGLE DX	412	3.0	6	1	1	2	4	5	8	13
2. MULTIPLE DX	425	4.8	43	1	1	3	5	9	14	47
A. NOT OPERATED	95	3.9	24	<1	1	2	5	11	19	99+
B. OPERATED	742	3.9	25	1	1	3	4	7	10	22
TOTAL 0-19 YRS	21	2.4	2	<1	<1	2	3	4	5	6
20-34	43	5.1	18	1	1	4	7	12	14	19
35-49	82	3.5	9	<1	1	3	4	6	9	17
50-64	195	3.4	7	1	1	3	4	6	8	13
65+	496	4.2	36	1	1	3	4	7	12	38
GRAND TOTAL	**837**	**3.9**	**25**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	18	2.8	6	<1	<1	2	3	6	9	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	520	2.6	1	1	2	2	3	4	4	7
50-64	3473	2.6	1	2	2	2	3	4	4	6
65+	13249	2.8	1	2	2	3	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	2.0	1	<1	1	2	2	4	5	5
50-64	118	2.5	8	<1	<1	1	3	6	8	15
65+	504	3.1	16	<1	1	2	3	7	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	280	3.3	10	2	2	3	3	5	7	19
50-64	2680	3.3	7	2	2	3	3	5	7	14
65+	13588	3.6	12	2	2	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.2	4	<1	<1	2	2	4	7	10
B. *Operated*	17242	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	650	2.9	14	<1	<1	2	3	7	10	19
B. *Operated*	16548	3.6	11	2	2	3	4	5	8	18
1. SINGLE DX	17271	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX	17198	3.5	11	2	2	3	4	5	8	18
A. NOT OPERATED	679	2.9	14	<1	<1	2	3	7	10	19
B. OPERATED	33790	3.1	6	2	2	3	3	4	6	13
TOTAL 0-19 YRS										
20-34										
35-49	830	2.8	4	1	2	2	3	4	5	9
50-64	6280	2.9	4	2	2	3	3	4	5	10
65+	27359	3.2	7	2	2	3	3	5	6	14
GRAND TOTAL	**34469**	**3.1**	**6**	**2**	**2**	**3**	**3**	**4**	**6**	**13**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.5	1	1	2	2	3	4	4	5
20-34	43	2.6	3	<1	1	2	3	4	6	10
35-49	48	2.4	1	1	1	2	3	4	4	4
50-64	97	2.3	1	<1	1	2	3	3	4	5
65+	138	2.3	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.3	21	1	1	2	7	11	11	11
65+	7	3.6	12	1	1	2	4	10	11	11
B. *Operated*										
0-19 YRS	32	2.9	1	1	2	3	3	4	4	5
20-34	33	3.2	2	1	2	3	4	5	7	7
35-49	57	2.6	1	1	2	2	3	4	5	6
50-64	90	3.1	4	2	2	3	3	6	7	12
65+	236	3.2	5	2	2	2	4	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	370	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.1	10	1	1	2	3	10	11	11
B. *Operated*	448	3.1	4	2	2	3	3	5	7	12
1. SINGLE DX	372	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	464	3.1	4	1	2	3	3	5	7	12
A. NOT OPERATED	18	2.9	9	<1	1	2	3	9	11	11
B. OPERATED	818	2.8	3	1	2	2	3	4	6	10
TOTAL 0-19 YRS	78	2.7	1	1	2	3	3	4	4	5
20-34	80	2.8	3	<1	1	2	4	4	6	10
35-49	106	2.5	1	1	2	2	3	4	4	6
50-64	191	2.7	3	1	2	2	3	4	6	10
65+	381	2.9	4	1	2	2	3	5	6	12
GRAND TOTAL	**836**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**6**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	2	<1	<1	1	2	2	5	7
20-34	9	4.2	19	<1	<1	3	5	12	13	13
35-49	5	3.8	8	1	1	3	6	8	8	8
50-64	10	4.4	10	1	1	4	5	9	12	12
65+	9	5.0	3	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	1512	1.7		<1	1	2	2	2	2	3
20-34	270	2.0		1	1	2	2	3	3	4
35-49	138	2.1	1	1	1	2	2	3	3	6
50-64	55	2.1	1	<1	1	2	2	3	4	5
65+	39	2.7	6	1	1	2	2	5	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.2	1	<1	<1	<1	1	1	2	6
20-34	22	2.9	7	<1	<1	2	4	7	9	10
35-49	14	7.9	71	1	2	6	8	15	31	35
50-64	35	5.9	8	2	2	6	7	10	12	12
65+	56	6.9	22	2	3	5	9	13	16	27
B. *Operated*										
0-19 YRS	303	1.8		<1	1	2	2	2	3	4
20-34	68	2.0	1	1	1	2	2	3	3	7
35-49	48	2.2	1	1	2	2	2	3	4	6
50-64	49	5.5	203	1	1	2	3	8	14	98
65+	48	6.2	95	2	2	3	6	13	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.1	8	<1	<1	2	5	7	9	13
B. *Operated*	2014	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	224	3.9	19	<1	<1	2	6	9	11	20
B. *Operated*	516	2.6	31	1	1	2	2	3	5	18
1. SINGLE DX	2074	1.8	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	740	3.0	27	<1	<1	2	3	6	9	18
A. NOT OPERATED	284	3.8	17	<1	<1	2	5	9	11	17
B. OPERATED	2530	1.9	7	<1	1	2	2	2	3	6
TOTAL 0-19 YRS	1939	1.7		<1	<1	2	2	2	2	3
20-34	369	2.1	1	1	1	2	2	3	3	8
35-49	205	2.6	8	1	1	2	2	3	6	11
50-64	149	4.3	71	1	1	2	4	7	10	32
65+	152	5.5	42	2	2	3	7	10	15	41
GRAND TOTAL	**2814**	**2.1**	**8**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.5	5	<1	<1	1	3	6	7	9
20-34	23	5.7	31	<1	1	4	7	11	18	27
35-49	17	4.1	8	<1	1	3	6	9	10	10
50-64	15	2.9	4	<1	<1	2	4	6	7	7
65+	46	4.9	10	<1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	270	1.4		<1	<1	1	2	2	3	5
20-34	225	2.1	2	<1	<1	2	2	3	5	7
35-49	430	2.0	2	<1	<1	2	2	3	4	6
50-64	592	2.2	2	<1	<1	2	2	3	4	7
65+	791	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	3.6	8	<1	<1	3	5	7	9	15
20-34	22	3.8	9	<1	<1	3	5	8	10	11
35-49	33	4.7	19	<1	1	3	8	11	14	17
50-64	42	4.8	15	<1	1	4	7	11	13	15
65+	109	6.7	39	<1	1	5	9	16	18	33
B. *Operated*										
0-19 YRS	77	2.3	5	<1	1	2	2	5	7	14
20-34	93	3.0	5	1	1	2	4	6	7	14
35-49	335	2.8	5	1	1	2	3	5	7	12
50-64	793	3.0	5	1	1	2	3	5	7	13
65+	971	3.4	12	1	1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.2	9	<1	<1	2	5	7	8	13
B. *Operated*	2308	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	343	4.8	22	<1	1	3	6	11	14	19
B. *Operated*	2269	3.1	8	1	1	2	3	5	8	16
1. SINGLE DX	2612	2.2	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2612	3.3	10	1	1	2	4	6	9	17
A. NOT OPERATED	647	4.1	16	<1	<1	3	5	9	12	18
B. OPERATED	4577	2.6	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	687	2.3	4	<1	<1	1	3	5	6	11
20-34	363	2.6	6	<1	<1	2	3	5	7	11
35-49	815	2.5	5	<1	<1	2	3	4	6	11
50-64	1442	2.7	4	<1	1	2	3	4	6	12
65+	1917	3.2	10	1	1	2	3	6	8	17
GRAND TOTAL	**5224**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	4.1	6	1	2	4	5	7	9	12
20-34	78	4.9	19	1	1	4	7	10	12	25
35-49	48	5.0	21	1	2	4	5	10	15	24
50-64	49	5.9	23	1	2	5	7	10	18	26
65+	67	5.0	11	1	1	5	7	9	12	16
B. *Operated*										
0-19 YRS	43	2.4	2	<1	1	2	3	4	5	9
20-34	63	3.8	16	1	1	3	4	6	10	26
35-49	76	3.1	4	<1	1	2	4	5	8	11
50-64	216	3.1	6	1	2	2	3	6	7	13
65+	648	2.9	5	1	2	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.8	8	1	1	4	7	9	10	12
20-34	75	5.4	13	1	2	5	7	10	12	18
35-49	68	6.8	21	2	2	6	9	12	14	26
50-64	134	5.9	20	1	2	5	8	11	13	24
65+	184	7.2	52	1	1	6	10	14	16	44
B. *Operated*										
0-19 YRS	66	5.4	31	1	1	4	6	11	14	35
20-34	76	6.8	129	2	2	4	7	11	16	73
35-49	86	6.1	34	1	2	4	7	12	16	34
50-64	292	5.2	32	2	2	4	6	10	16	39
65+	788	4.8	34	1	2	3	5	9	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	4.6	12	1	2	4	6	9	10	18
B. *Operated*	1046	3.0	6	1	2	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	657	6.0	25	1	2	5	8	11	14	21
B. *Operated*	1308	5.1	39	1	2	3	5	10	15	37
1. SINGLE DX	1582	3.5	8	1	2	3	4	7	9	16
2. MULTIPLE DX	1965	5.4	34	1	2	4	7	11	14	33
A. NOT OPERATED	1193	5.3	20	1	2	4	7	10	13	21
B. OPERATED	2354	4.2	25	1	2	3	4	8	12	28
TOTAL 0-19 YRS	599	4.3	9	1	1	4	6	8	10	14
20-34	292	5.3	46	1	2	4	6	10	12	31
35-49	278	5.2	22	1	2	4	6	11	13	26
50-64	691	4.7	22	1	2	3	6	9	13	26
65+	1687	4.3	26	1	2	3	5	9	13	26
GRAND TOTAL	**3547**	**4.6**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**24**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	6	<1	1	2	3	7	8	8
20-34	9	4.4	8	1	1	5	6	8	10	10
35-49	10	4.0	2	2	2	4	5	6	6	6
50-64	6	4.2	5	1	1	4	6	7	7	7
65+	10	5.3	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	10	2.9	2	2	2	2	4	5	5	5
35-49	8	2.6	2	1	1	2	3	5	5	5
50-64	18	2.6	1	1	2	2	3	4	5	6
65+	15	3.1	4	1	2	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	1	1	2	3	5	8	9
20-34	30	5.8	34	1	1	3	8	14	16	26
35-49	34	4.7	5	2	2	4	6	8	9	12
50-64	39	5.4	12	2	2	5	8	10	14	99+
65+	58	7.2	28	1	2	6	9	14	19	29
B. *Operated*										
0-19 YRS	10	2.9	6	1	1	2	3	6	9	9
20-34	20	5.5	26	2	2	4	6	9	17	25
35-49	12	10.9	190	1	1	4	16	35	42	43
50-64	26	5.3	36	1	2	3	5	14	18	28
65+	38	5.2	24	2	2	3	8	15	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.8	6	1	1	3	6	7	8	10
B. *Operated*	57	2.6	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	184	5.5	20	1	2	4	7	11	14	29
B. *Operated*	106	5.7	46	1	2	3	7	14	25	99+
1. SINGLE DX	110	3.2	4	1	1	2	4	6	8	10
2. MULTIPLE DX	290	5.6	30	1	2	4	7	12	17	75
A. NOT OPERATED	237	5.2	18	1	1	4	7	10	13	26
B. OPERATED	163	4.6	33	1	2	3	5	10	19	91
TOTAL 0-19 YRS	57	2.4	4	<1	1	2	3	6	8	9
20-34	69	5.1	24	1	2	3	6	11	15	26
35-49	64	5.5	44	2	2	4	6	8	15	41
50-64	89	4.7	17	1	2	3	6	9	15	71
65+	121	5.9	24	2	2	4	8	12	19	99+
GRAND TOTAL	**400**	**5.0**	**24**	**1**	**1**	**3**	**6**	**10**	**14**	**37**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	910	3.3	4	1	1	3	4	6	7	11
20-34	15	4.3	5	<1	1	4	6	7	8	8
35-49	7	3.1	6	1	1	2	5	7	7	7
50-64	5	6.0	27	1	1	6	9	14	14	14
65+	4	3.5	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	3425	1.1		<1	<1	<1	1	1	2	3
20-34	196	2.1	2	<1	<1	2	2	3	4	9
35-49	180	2.2	1	<1	1	2	3	3	4	7
50-64	193	2.3	1	<1	1	2	3	3	4	6
65+	85	2.1	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2005	3.9	10	1	1	3	5	7	9	15
20-34	49	4.0	17	<1	1	3	4	8	12	21
35-49	34	5.6	24	1	1	4	7	10	17	23
50-64	43	4.7	11	1	1	4	6	9	12	13
65+	40	8.5	48	1	2	7	11	14	25	34
B. *Operated*										
0-19 YRS	2063	1.5	1	<1	<1	1	2	2	3	7
20-34	248	2.7	3	1	1	2	3	4	6	11
35-49	188	2.9	6	1	1	3	3	4	5	12
50-64	259	3.0	4	1	2	3	3	4	7	11
65+	118	4.3	43	1	1	3	4	8	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	3.3	4	1	1	3	4	6	7	11
B. *Operated*	4079	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2171	4.1	11	1	1	3	5	7	9	17
B. *Operated*	2876	2.0	4	<1	<1	1	2	3	4	10
1. SINGLE DX	5020	1.7	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX	5047	2.9	8	<1	<1	2	3	6	7	14
A. NOT OPERATED	3112	3.8	9	1	1	3	5	7	9	15
B. OPERATED	6955	1.6	2	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	8403	2.1	5	<1	<1	1	3	4	6	11
20-34	508	2.6	4	<1	1	2	3	4	6	11
35-49	409	2.9	6	<1	1	2	3	4	7	14
50-64	500	2.9	4	1	1	3	3	5	7	12
65+	247	4.2	33	<1	1	3	4	9	12	31
GRAND TOTAL	**10067**	**2.3**	**6**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.0	10	1	1	3	5	8	9	19
20-34	34	4.1	3	2	2	4	5	6	8	10
35-49	20	4.8	5	1	2	5	6	8	9	9
50-64	21	6.1	8	3	3	6	7	11	12	12
65+	7	13.7	258	6	6	8	9	42	50	50
B. *Operated*										
0-19 YRS	359	1.9	10	<1	<1	1	2	3	6	12
20-34	59	3.1	7	<1	<1	2	4	6	7	17
35-49	48	3.1	4	1	2	3	3	6	8	10
50-64	50	3.1	9	1	1	3	3	6	8	20
65+	25	4.7	23	<1	1	3	5	11	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.7	5	1	1	3	5	6	8	12
20-34	42	5.4	11	2	3	5	7	9	11	20
35-49	30	5.4	7	2	2	5	7	9	12	12
50-64	37	6.0	9	1	2	6	7	10	13	14
65+	51	14.5	239	3	4	9	19	32	60	70
B. *Operated*										
0-19 YRS	361	2.4	7	<1	<1	2	2	4	7	15
20-34	77	3.6	10	1	2	3	4	6	7	22
35-49	67	4.7	114	1	1	3	4	5	9	76
50-64	98	5.4	47	1	2	3	5	8	21	40
65+	61	11.4	193	1	2	6	14	39	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.8	20	1	2	4	6	8	10	21
B. *Operated*	541	2.4	10	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	361	5.8	52	1	2	4	6	10	14	40
B. *Operated*	664	4.0	48	<1	<1	2	4	7	13	46
1. SINGLE DX	711	2.9	14	<1	<1	2	3	6	8	16
2. MULTIPLE DX	1025	4.6	50	<1	1	3	5	8	13	44
A. NOT OPERATED	531	5.5	42	1	2	4	6	9	12	38
B. OPERATED	1205	3.3	32	<1	<1	2	3	6	9	28
TOTAL 0-19 YRS	1009	2.6	9	<1	<1	2	3	5	7	14
20-34	212	3.9	9	1	1	3	5	7	8	19
35-49	165	4.4	50	1	2	3	5	7	9	13
50-64	206	5.0	28	1	2	3	6	8	13	26
65+	144	11.4	191	1	2	7	12	29	50	71
GRAND TOTAL	**1736**	**3.9**	**36**	**<1**	**<1**	**2**	**4**	**8**	**10**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.2	5	1	2	4	5	8	9	9
20-34	103	4.3	7	1	2	4	5	8	10	14
35-49	181	4.0	7	1	1	3	5	7	9	15
50-64	294	3.9	8	1	1	3	5	7	9	13
65+	251	4.6	13	1	1	4	5	9	11	23
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	28	3.3	4	1	2	3	4	5	7	12
35-49	47	4.0	3	2	2	3	5	6	8	10
50-64	50	4.8	7	2	3	4	5	10	11	11
65+	25	5.7	10	2	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	12	<1	1	3	6	9	12	15
20-34	122	4.6	6	2	2	4	6	8	9	13
35-49	237	5.0	22	1	2	4	6	9	10	22
50-64	623	5.5	13	2	2	5	7	10	12	18
65+	1061	6.4	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	8.6	162	1	1	2	13	31	31	31
20-34	10	7.8	37	2	2	6	12	17	21	21
35-49	24	8.5	48	2	3	6	11	20	25	27
50-64	50	8.1	43	3	3	5	11	17	22	34
65+	73	11.4	73	2	3	8	15	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	4.2	9	1	1	3	5	8	10	15
B. *Operated*	152	4.4	6	2	2	4	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2066	5.9	18	2	2	5	7	11	13	21
B. *Operated*	162	9.6	61	2	3	7	14	20	25	42
1. SINGLE DX	1005	4.2	9	1	1	3	5	8	10	15
2. MULTIPLE DX	2228	6.1	23	2	2	5	8	11	15	23
A. NOT OPERATED	2919	5.4	16	1	2	4	7	10	13	19
B. OPERATED	314	7.1	42	2	2	5	9	15	20	32
TOTAL 0-19 YRS	54	4.7	21	1	2	3	6	8	11	30
20-34	263	4.5	8	1	2	4	6	8	10	13
35-49	489	4.7	17	1	2	4	6	8	10	22
50-64	1017	5.1	13	1	2	4	7	10	12	19
65+	1410	6.3	25	2	2	5	8	12	15	25
GRAND TOTAL	**3233**	**5.5**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	2.5	1	1	2	2	3	3	4	4
20-34	189	2.6	1	2	2	3	3	4	4	5
35-49	299	2.8	1	2	2	3	3	4	4	7
50-64	348	2.8	1	2	2	3	3	4	4	5
65+	169	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	2.2	4	<1	<1	1	3	6	6	6
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	2.5	1	2	2	2	3	4	4	4
20-34	24	2.9	1	1	2	3	3	4	5	5
35-49	53	2.9	3	2	2	2	3	5	5	14
50-64	67	2.9	1	2	2	3	3	4	4	8
65+	47	3.4	6	1	2	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*	1023	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	197	3.0	3	2	2	3	3	4	5	12
1. SINGLE DX	1029	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX	212	2.9	3	1	2	3	3	4	5	11
A. NOT OPERATED	21	1.7	2	<1	<1	1	2	4	5	6
B. OPERATED	1220	2.8	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	25	2.4	1	1	2	2	3	3	4	4
20-34	218	2.6	1	2	2	3	3	4	4	5
35-49	354	2.8	1	2	2	3	3	4	5	7
50-64	425	2.8	1	2	2	3	3	4	4	6
65+	219	2.9	2	2	2	3	3	4	5	9
GRAND TOTAL	**1241**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	4	<1	<1	1	3	5	7	7
20-34	19	5.1	10	<1	1	5	8	9	11	12
35-49	20	4.4	6	1	1	4	6	8	9	9
50-64	23	5.8	19	2	2	4	8	10	16	21
65+	14	7.0	14	2	3	6	9	13	14	14
B. *Operated*										
0-19 YRS	484	2.0	1	<1	<1	2	2	3	4	6
20-34	301	2.6	3	<1	1	2	3	4	5	9
35-49	235	2.6	2	<1	1	2	3	4	5	7
50-64	196	2.6	1	1	2	2	3	4	5	6
65+	89	2.8	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	13	<1	<1	3	5	10	12	15
20-34	27	4.1	21	<1	<1	4	5	9	12	23
35-49	19	5.4	15	<1	1	5	9	11	12	12
50-64	39	5.9	23	<1	1	5	8	14	17	19
65+	49	6.9	21	1	1	6	9	15	16	17
B. *Operated*										
0-19 YRS	347	2.2	2	<1	<1	2	3	3	4	7
20-34	165	2.6	3	1	1	2	3	4	5	12
35-49	155	3.3	15	1	2	3	3	5	8	19
50-64	181	3.4	8	1	2	3	4	5	7	17
65+	102	4.1	54	1	2	3	4	6	10	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.9	13	1	1	4	7	9	12	18
B. *Operated*	1305	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	165	5.4	20	<1	<1	4	8	12	15	19
B. *Operated*	950	2.9	11	1	1	2	3	4	6	16
1. SINGLE DX	1399	2.5	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1115	3.3	13	<1	1	2	3	6	9	17
A. NOT OPERATED	259	5.2	18	<1	1	4	8	11	14	19
B. OPERATED	2255	2.6	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	880	2.1	2	<1	<1	2	3	3	4	8
20-34	512	2.8	4	1	1	2	3	5	6	12
35-49	429	3.1	8	1	1	2	3	5	7	13
50-64	439	3.4	8	1	2	3	3	6	8	17
65+	254	4.4	31	1	1	3	5	9	13	18
GRAND TOTAL	**2514**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.5	23	2	2	6	8	13	19	22
20-34	17	7.9	12	3	3	7	10	13	15	16
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	6.3	12	3	3	6	9	10	10	10
65+	7	8.3	29	4	4	6	11	18	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	13.0	242	2	2	13	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.6	188	3	3	7	17	31	46	59
20-34	15	12.7	119	2	3	9	19	28	37	40
35-49	31	8.0	42	1	2	6	10	18	21	29
50-64	52	11.9	109	2	3	8	17	28	35	45
65+	43	10.9	123	3	4	9	13	18	38	99+
B. *Operated*										
0-19 YRS										
20-34	6	9.3	21	2	3	9	11	16	16	16
35-49	7	8.9	118	2	2	3	11	28	32	32
50-64	12	25.3	179	3	12	24	32	41	54	56
65+	6	25.3	114	15	16	24	41	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.0	21	2	2	6	9	13	18	22
B. *Operated*	4	7.5	121	2	2	2	13	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	164	11.1	112	2	3	8	14	22	32	73
B. *Operated*	31	18.5	179	2	2	17	28	38	55	99+
1. SINGLE DX	83	7.0	24	2	2	6	9	13	19	23
2. MULTIPLE DX	195	12.2	129	2	3	8	16	29	38	88
A. NOT OPERATED	243	9.7	86	2	3	7	12	20	28	60
B. OPERATED	35	17.3	181	2	2	16	26	35	53	99+
TOTAL 0-19 YRS	74	8.4	81	2	2	6	9	18	22	54
20-34	38	10.0	58	2	3	8	11	20	27	40
35-49	39	8.2	52	1	2	6	10	18	25	32
50-64	69	13.7	144	2	2	10	19	31	36	54
65+	58	12.2	129	3	4	10	16	24	60	99+
GRAND TOTAL	**278**	**10.7**	**103**	**2**	**2**	**8**	**14**	**23**	**32**	**70**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	16.0	483	2	2	6	19	55	59	59
20-34	22	4.2	4	1	2	4	6	7	8	8
35-49	23	5.4	14	1	1	5	7	11	14	15
50-64	28	6.7	25	1	2	5	9	12	14	25
65+	35	6.4	15	2	3	5	8	12	14	20
B. *Operated*										
0-19 YRS	8	8.8	94	2	2	2	17	23	25	25
20-34	41	9.1	156	2	2	7	13	17	18	79
35-49	79	7.1	40	2	2	3	11	17	21	23
50-64	170	8.2	57	2	2	4	14	18	21	33
65+	62	11.8	123	2	2	10	17	27	36	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	11.4	406	2	2	4	9	31	68	78
20-34	69	6.4	43	1	2	5	8	10	15	41
35-49	178	6.5	21	2	2	6	8	11	14	27
50-64	403	8.9	61	2	3	7	11	16	23	37
65+	560	11.7	107	3	4	9	14	22	32	56
B. *Operated*										
0-19 YRS	8	17.3	168	4	5	12	28	37	38	38
20-34	47	10.7	176	1	2	8	14	22	26	84
35-49	134	11.0	118	2	2	10	14	22	30	64
50-64	583	14.3	176	2	2	12	19	29	39	73
65+	365	16.7	220	2	2	13	23	36	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.4	41	1	2	5	7	12	14	37
B. *Operated*	360	8.7	78	2	2	4	14	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	1224	9.7	83	2	3	7	11	19	26	45
B. *Operated*	1137	14.5	186	2	2	12	19	31	40	74
1. SINGLE DX	474	8.1	70	2	2	5	13	18	22	37
2. MULTIPLE DX	2361	12.0	138	2	2	9	16	25	34	64
A. NOT OPERATED	1338	9.4	80	2	3	7	11	18	25	45
B. OPERATED	1497	13.1	166	2	2	11	18	28	37	70
TOTAL 0-19 YRS	36	12.9	283	2	2	6	17	34	53	78
20-34	179	7.9	102	1	2	5	10	16	22	69
35-49	414	8.0	60	2	2	6	11	16	21	37
50-64	1184	11.4	124	2	2	9	15	24	32	59
65+	1022	13.3	152	2	3	9	17	28	37	64
GRAND TOTAL	**2835**	**11.4**	**129**	**2**	**2**	**8**	**15**	**24**	**32**	**63**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.5	10	1	1	4	6	9	10	15
20-34	132	4.8	8	2	2	4	6	8	10	17
35-49	390	5.3	18	2	2	4	7	9	13	23
50-64	443	5.4	16	2	2	4	7	9	12	23
65+	327	6.8	72	2	2	5	7	13	18	50
B. *Operated*										
0-19 YRS	5	10.2	297	2	2	2	13	41	41	41
20-34	29	4.4	11	2	2	3	6	11	12	13
35-49	26	7.0	47	1	2	4	10	15	23	29
50-64	49	5.0	17	<1	2	3	7	11	12	20
65+	18	6.3	40	1	2	4	9	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	10	2	2	5	7	10	11	15
20-34	293	6.0	23	1	2	5	8	11	16	23
35-49	1225	6.4	22	2	2	5	8	12	15	24
50-64	2398	7.3	39	2	2	6	9	14	18	36
65+	3063	9.1	76	2	3	7	11	17	24	58
B. *Operated*										
0-19 YRS	11	7.9	41	2	3	6	11	18	23	23
20-34	56	7.4	40	2	2	6	10	12	18	37
35-49	154	10.4	91	2	2	8	14	21	28	60
50-64	323	10.1	87	2	3	8	13	20	26	86
65+	431	15.4	211	3	4	11	19	33	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1336	5.6	30	2	2	4	7	10	14	25
B. *Operated*	127	5.7	35	1	2	3	8	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	7026	7.9	52	2	3	6	9	15	20	42
B. *Operated*	975	12.3	147	2	3	9	15	25	36	84
1. SINGLE DX	1463	5.6	30	2	2	4	7	10	14	26
2. MULTIPLE DX	8001	8.4	66	2	3	6	10	16	22	51
A. NOT OPERATED	8362	7.5	50	2	2	6	9	14	19	39
B. OPERATED	1102	11.6	139	2	2	8	14	23	33	81
TOTAL 0-19 YRS	107	5.5	25	1	2	4	7	10	13	31
20-34	510	5.8	21	2	2	4	7	10	13	23
35-49	1795	6.5	29	2	2	5	8	12	16	28
50-64	3213	7.3	42	2	2	6	9	14	19	35
65+	3839	9.6	95	2	3	7	12	19	27	73
GRAND TOTAL	**9464**	**8.0**	**62**	**2**	**2**	**6**	**10**	**15**	**21**	**47**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.7	9	2	2	6	8	10	12	12
35-49	64	7.2	30	2	3	6	9	12	19	32
50-64	134	6.4	25	2	2	5	7	11	14	24
65+	271	7.8	30	2	3	7	10	14	17	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	6.5	47	2	2	2	11	18	20	20
50-64	19	2.5	1	1	1	2	3	4	6	6
65+	7	8.9	36	3	3	7	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	5	3	3	5	7	7	7	7
20-34	28	9.4	62	3	3	7	12	16	29	38
35-49	321	8.4	51	3	3	7	10	14	21	43
50-64	1233	8.9	46	2	3	7	11	16	21	41
65+	3934	12.0	110	3	4	9	14	23	32	71
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	42	10.3	51	2	2	9	14	22	24	28
50-64	164	12.7	137	2	2	10	17	28	37	60
65+	444	20.3	252	4	6	16	26	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	7.3	28	2	3	6	9	13	16	31
B. *Operated*	34	4.7	25	1	2	2	6	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	5520	11.1	94	3	4	8	13	21	29	62
B. *Operated*	651	17.7	224	2	3	14	23	39	55	99+
1. SINGLE DX	515	7.1	28	2	2	6	9	13	16	28
2. MULTIPLE DX	6171	11.8	112	3	4	9	14	23	33	68
A. NOT OPERATED	6001	10.8	90	3	4	8	13	20	28	59
B. OPERATED	685	17.1	222	2	2	13	22	38	53	99+
TOTAL 0-19 YRS	5	4.4	6	2	2	3	7	7	7	7
20-34	40	8.2	49	2	3	6	10	15	22	38
35-49	435	8.4	49	2	3	7	10	15	21	41
50-64	1550	9.0	55	2	3	7	11	16	22	44
65+	4656	12.5	126	3	4	9	15	25	37	76
GRAND TOTAL	**6686**	**11.4**	**107**	**3**	**4**	**9**	**14**	**22**	**31**	**66**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	15	4.8	10	<1	<1	5	7	10	10	10
35-49	29	8.7	29	2	2	8	12	15	17	23
50-64	34	10.9	50	2	4	9	14	20	28	32
65+	48	11.3	62	2	3	10	16	24	27	36
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	26	6.8	68	<1	1	4	8	16	22	40
35-49	35	10.6	113	2	2	7	12	31	33	41
50-64	48	10.9	161	2	2	5	14	26	43	62
65+	40	8.8	55	2	2	7	12	16	19	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	12	2	2	5	10	10	10	10
20-34	26	8.7	26	3	3	8	10	18	21	21
35-49	81	10.3	47	2	3	9	14	17	24	35
50-64	199	11.8	85	3	4	9	16	24	31	44
65+	494	13.6	134	3	4	10	17	26	38	72
B. *Operated*										
0-19 YRS	11	13.7	128	2	2	12	20	31	37	38
20-34	83	12.0	171	<1	<1	8	16	28	37	70
35-49	99	14.2	152	2	2	11	19	34	49	99+
50-64	259	16.7	251	2	3	12	20	39	57	98
65+	282	21.0	291	3	4	18	30	45	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	9.7	48	2	2	8	13	18	25	33
B. *Operated*	151	9.5	104	2	2	6	12	19	33	48
2. MULTIPLE DX										
A. *Not Operated*	806	12.6	111	3	4	10	16	25	32	62
B. *Operated*	734	17.4	251	2	3	13	24	41	54	99+
1. SINGLE DX	280	9.6	78	2	2	7	13	19	29	42
2. MULTIPLE DX	1540	14.9	183	2	3	11	19	33	45	85
A. NOT OPERATED	935	12.2	103	2	4	10	15	24	31	54
B. OPERATED	885	16.1	235	2	2	12	21	38	51	99+
TOTAL 0-19 YRS	22	9.6	82	2	3	6	12	23	31	38
20-34	150	9.8	118	<1	<1	7	13	23	29	49
35-49	244	11.7	100	2	2	9	15	24	34	61
50-64	540	14.0	175	2	3	10	17	30	43	81
65+	864	15.7	192	3	4	12	20	34	46	93
GRAND TOTAL	**1820**	**14.1**	**171**	**2**	**3**	**10**	**18**	**31**	**42**	**83**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	84	11.3	15	3	7	11	14	16	17	21
35-49	955	11.9	17	5	7	12	14	17	19	23
50-64	2247	13.1	20	7	8	13	15	19	21	27
65+	1984	13.6	28	7	8	13	16	19	22	31
B. *Operated*										
0-19 YRS										
20-34	13	15.8	78	4	7	14	19	28	36	38
35-49	65	14.8	30	7	9	14	18	22	24	27
50-64	141	15.8	40	7	10	15	18	23	26	37
65+	90	16.7	43	7	9	16	21	26	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.9	32	5	7	14	20	69	99+	99+
20-34	129	12.5	26	4	5	13	15	19	20	28
35-49	2001	12.7	29	5	6	12	15	19	22	30
50-64	7467	14.0	40	6	8	13	16	21	24	36
65+	12661	15.8	70	7	8	14	18	25	31	50
B. *Operated*										
0-19 YRS	4	15.5	596	2	2	4	29	52	52	52
20-34	32	15.5	99	2	5	12	20	30	36	41
35-49	431	14.9	73	2	5	14	18	25	31	46
50-64	1438	17.5	114	3	9	15	21	30	36	69
65+	1732	22.7	178	9	11	20	28	41	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5272	13.0	23	6	8	13	15	19	21	28
B. *Operated*	309	15.9	40	7	9	15	19	24	27	37
2. MULTIPLE DX										
A. *Not Operated*	22266	14.9	57	6	8	14	17	23	28	44
B. *Operated*	3637	19.6	149	6	9	17	24	35	44	90
1. SINGLE DX	5581	13.2	24	6	8	13	15	19	21	28
2. MULTIPLE DX	25903	15.6	73	6	8	14	18	24	31	52
A. NOT OPERATED	27538	14.5	51	6	8	13	17	22	26	42
B. OPERATED	3946	19.3	141	6	9	17	23	34	43	88
TOTAL 0-19 YRS	14	13.1	169	1	2	11	19	52	88	99+
20-34	258	12.6	36	3	6	12	15	19	23	36
35-49	3452	12.8	32	4	7	12	15	19	22	33
50-64	11293	14.3	47	6	8	13	17	21	26	39
65+	16467	16.2	82	7	9	14	19	26	33	58
GRAND TOTAL	**31484**	**15.1**	**65**	**6**	**8**	**14**	**18**	**23**	**29**	**49**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	49	4.0	10	1	1	3	5	7	8	21
35-49	490	4.6	9	1	2	4	6	8	10	16
50-64	922	5.0	12	2	2	4	6	9	10	16
65+	833	5.6	17	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.6	4	2	2	3	4	7	8	8
35-49	109	3.4	16	2	2	2	3	7	9	25
50-64	256	3.3	9	2	2	2	3	7	9	17
65+	56	4.4	17	2	2	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	13	3	3	4	8	11	11	11
20-34	134	5.4	15	1	2	4	7	11	13	19
35-49	1622	5.6	14	2	2	5	7	10	12	18
50-64	5181	6.2	17	2	2	5	8	11	14	22
65+	7331	7.6	35	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	29	6.8	35	2	2	4	10	16	20	23
35-49	546	6.9	42	2	2	4	10	15	18	31
50-64	1938	8.4	70	2	2	5	13	18	24	40
65+	1034	12.4	116	2	2	11	17	25	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2296	5.1	13	1	2	4	6	9	11	17
B. *Operated*	431	3.5	12	2	2	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	14272	6.8	27	2	3	6	8	12	15	25
B. *Operated*	3548	9.3	83	2	2	7	14	20	26	41
1. SINGLE DX	2727	4.8	13	2	2	4	6	9	11	17
2. MULTIPLE DX	17820	7.3	39	2	2	6	9	14	18	31
A. NOT OPERATED	16568	6.6	25	2	2	5	8	12	15	25
B. OPERATED	3979	8.7	78	2	2	5	13	19	25	41
TOTAL 0-19 YRS	8	3.8	10	<1	<1	3	4	9	11	11
20-34	221	5.2	16	1	2	4	7	10	13	22
35-49	2767	5.6	20	2	2	4	7	11	14	21
50-64	8297	6.5	30	2	2	5	8	13	16	27
65+	9254	7.9	45	2	3	6	10	15	19	34
GRAND TOTAL	**20547**	**7.0**	**36**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	40	5.7	15	1	1	4	8	11	14	17
35-49	434	5.6	11	2	2	5	7	9	11	18
50-64	1120	6.0	12	2	2	5	7	10	13	18
65+	1095	6.7	20	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	53	7.6	23	2	3	8	9	11	14	27
50-64	164	7.1	18	2	2	7	10	13	14	18
65+	61	9.5	58	2	2	9	11	16	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	9	3	3	6	9	10	10	10
20-34	97	6.1	12	1	2	6	8	11	13	17
35-49	1569	6.6	17	2	3	6	8	11	14	22
50-64	6080	7.5	21	2	3	6	9	13	16	24
65+	10172	8.9	41	3	4	7	11	15	20	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	21	8.9	23	2	3	8	11	14	19	23
35-49	361	10.8	85	2	2	9	14	20	27	52
50-64	1377	12.4	102	2	2	11	16	24	31	48
65+	1150	17.2	135	3	5	15	23	33	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2691	6.2	15	2	3	5	8	11	13	19
B. *Operated*	280	7.7	28	2	2	8	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	17923	8.2	33	3	3	7	10	14	18	29
B. *Operated*	2910	14.1	119	2	3	12	18	28	35	55
1. SINGLE DX	2971	6.3	16	2	2	5	8	11	13	20
2. MULTIPLE DX	20833	9.0	49	3	3	7	11	16	21	37
A. NOT OPERATED	20614	7.9	31	3	3	7	10	14	17	28
B. OPERATED	3190	13.5	114	2	3	11	18	27	34	54
TOTAL 0-19 YRS	8	8.0	19	3	3	7	10	14	16	16
20-34	160	6.3	15	1	2	6	8	11	13	20
35-49	2417	7.1	29	2	3	6	9	13	16	28
50-64	8741	8.0	37	2	3	7	10	15	18	30
65+	12478	9.5	54	3	3	8	11	17	23	39
GRAND TOTAL	**23804**	**8.7**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	4.9	18	1	1	3	5	12	14	14
35-49	148	5.7	13	2	2	5	7	11	14	17
50-64	338	6.0	15	2	2	5	8	12	15	18
65+	383	6.7	25	2	2	6	8	13	16	29
B. *Operated*										
0-19 YRS	4	7.0	33	2	2	7	12	12	12	12
20-34	40	4.7	21	2	2	2	7	12	15	18
35-49	733	5.4	25	2	2	2	9	12	15	20
50-64	1927	6.2	39	2	2	2	11	14	18	27
65+	569	8.0	60	2	2	3	13	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	5.5	24	1	1	4	7	9	15	27
35-49	645	6.2	32	1	2	5	8	11	14	25
50-64	2327	7.0	29	2	2	6	9	13	16	24
65+	4969	9.8	70	2	3	8	12	18	24	50
B. *Operated*										
0-19 YRS	4	15.5	766	<1	<1	2	30	57	57	57
20-34	87	5.8	29	2	2	3	10	15	17	22
35-49	1396	6.7	39	2	2	3	11	14	18	29
50-64	4725	8.9	70	2	2	7	13	19	24	39
65+	2221	13.0	135	2	2	11	18	28	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	6.3	19	2	2	5	8	12	15	20
B. *Operated*	3273	6.3	40	2	2	3	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	7976	8.7	57	2	3	7	11	16	21	43
B. *Operated*	8433	9.6	87	2	2	8	13	21	27	46
1. SINGLE DX	4153	6.3	35	2	2	3	10	14	17	27
2. MULTIPLE DX	16409	9.1	72	2	2	7	12	18	24	45
A. NOT OPERATED	8856	8.4	53	2	3	7	10	16	20	40
B. OPERATED	11706	8.7	76	2	2	5	12	19	24	42
TOTAL 0-19 YRS	10	10.3	288	<1	1	3	12	35	57	57
20-34	171	5.4	25	2	2	3	8	13	16	22
35-49	2922	6.2	33	2	2	4	10	13	16	26
50-64	9317	7.8	53	2	2	5	11	16	21	33
65+	8142	10.4	88	2	2	8	13	21	28	52
GRAND TOTAL	**20562**	**8.6**	**66**	**2**	**2**	**6**	**12**	**17**	**23**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.1	25	1	2	10	13	15	15	15
20-34	84	9.7	25	2	3	9	12	16	17	29
35-49	139	11.6	26	4	6	11	14	18	21	28
50-64	186	11.6	35	3	5	11	14	18	22	34
65+	148	12.7	21	5	7	12	15	19	21	23
B. *Operated*										
0-19 YRS	3	9.7	6	7	7	10	11	12	12	12
20-34	16	14.9	67	4	8	13	18	26	33	36
35-49	26	13.4	30	7	9	11	17	23	25	27
50-64	35	12.9	51	3	6	12	18	27	29	99+
65+	26	19.1	103	7	10	18	22	31	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	13.3	29	3	4	14	15	19	22	22
20-34	137	11.0	31	3	5	11	13	18	20	33
35-49	287	13.1	56	4	6	12	15	21	28	45
50-64	629	14.1	55	6	7	13	17	23	27	41
65+	1221	16.5	90	7	8	14	19	28	34	57
B. *Operated*										
0-19 YRS	3	11.7	2	10	10	12	13	13	13	13
20-34	25	14.0	52	3	6	13	17	21	30	32
35-49	65	17.5	82	7	8	15	21	34	37	44
50-64	161	19.2	113	7	9	16	23	35	44	52
65+	245	24.1	224	9	10	20	31	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	11.6	28	3	5	11	14	18	21	30
B. *Operated*	106	14.8	65	6	7	13	19	26	30	74
2. MULTIPLE DX										
A. *Not Operated*	2284	15.1	75	6	7	13	18	25	32	52
B. *Operated*	499	21.1	169	7	9	17	26	40	50	94
1. SINGLE DX	672	12.1	35	3	6	11	15	19	22	34
2. MULTIPLE DX	2783	16.2	97	6	7	14	19	28	36	58
A. NOT OPERATED	2850	14.4	67	5	7	13	17	23	30	49
B. OPERATED	605	20.0	157	7	9	16	25	38	46	94
TOTAL 0-19 YRS	25	11.2	24	2	3	12	15	15	18	22
20-34	262	11.1	35	2	5	11	14	18	21	34
35-49	517	13.3	53	5	6	12	16	21	28	43
50-64	1011	14.4	65	5	7	13	17	24	32	46
65+	1640	17.3	113	7	8	15	20	30	40	73
GRAND TOTAL	**3455**	**15.4**	**88**	**5**	**7**	**13**	**18**	**26**	**34**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	153	1	1	3	10	30	30	30
20-34	24	19.0	204	2	3	19	29	35	41	54
35-49	3	50.3	64	42	42	51	56	58	58	58
50-64	14	24.6	132	3	5	29	31	33	40	42
65+	15	28.4	190	7	8	29	36	46	53	55
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	2	38.0	8	36	36	38	40	40	40	40
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	30.5	181	21	21	30	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	25.5	215	2	3	28	32	43	52	53
20-34	94	27.2	233	<1	5	29	36	46	54	67
35-49	53	30.1	168	4	8	31	40	44	46	65
50-64	81	29.7	192	4	10	30	37	44	49	72
65+	135	30.3	220	8	12	30	37	50	57	85
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	31	39.5	288	8	18	42	51	57	69	77
35-49	14	31.4	121	19	20	29	37	45	57	61
50-64	49	40.4	227	18	25	39	49	67	86	99+
65+	52	39.5	212	11	23	38	50	64	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	23.3	234	2	3	28	31	42	52	58
B. *Operated*	6	34.5	75	21	22	38	40	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	374	29.2	210	5	9	30	37	47	55	74
B. *Operated*	147	39.1	226	16	21	37	50	61	74	99+
1. SINGLE DX	67	24.3	229	2	3	28	32	42	51	57
2. MULTIPLE DX	521	32.0	234	6	12	31	42	52	61	90
A. NOT OPERATED	435	28.4	217	3	7	29	36	46	54	72
B. OPERATED	153	38.9	220	17	21	37	49	61	73	99+
TOTAL 0-19 YRS	18	22.9	299	1	2	28	32	48	52	53
20-34	151	28.6	275	1	5	29	37	51	55	71
35-49	70	31.2	169	5	14	31	40	45	51	65
50-64	145	32.8	226	7	13	32	42	50	63	99+
65+	204	32.5	230	9	12	32	40	55	61	99+
GRAND TOTAL	**588**	**31.1**	**239**	**5**	**9**	**31**	**40**	**51**	**60**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	2	<1	1	2	3	5	6	6
20-34	43	2.6	2	<1	<1	2	4	4	6	8
35-49	89	2.9	5	1	1	2	4	5	7	12
50-64	136	2.9	4	1	1	2	4	6	7	10
65+	104	4.2	10	1	1	3	6	8	9	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	3	9.7	32	5	5	8	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	54	<1	1	2	5	9	19	37
20-34	50	4.1	17	1	1	3	4	8	12	21
35-49	133	4.3	10	1	1	4	6	8	10	17
50-64	399	5.6	23	1	2	4	7	11	13	23
65+	670	7.1	27	2	2	6	9	13	17	25
B. *Operated*										
0-19 YRS										
20-34	2	48.5	2965	10	10	48	87	87	87	87
35-49	4	5.0	6	2	2	5	7	8	8	8
50-64	13	16.1	58	7	8	13	23	27	29	30
65+	48	16.0	103	5	6	13	24	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	3.2	6	1	1	3	4	6	8	10
B. *Operated*	8	6.0	25	2	2	4	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	1279	6.2	25	1	2	5	8	11	15	25
B. *Operated*	67	16.3	168	5	6	13	23	31	54	99+
1. SINGLE DX	404	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1346	6.7	37	1	2	5	8	12	18	32
A. NOT OPERATED	1675	5.5	22	1	1	4	7	11	13	23
B. OPERATED	75	15.2	163	2	5	12	22	30	47	99+
TOTAL 0-19 YRS	51	3.6	30	<1	1	2	4	6	9	37
20-34	96	4.3	84	<1	1	3	4	6	10	57
35-49	227	3.7	8	1	1	3	5	7	9	14
50-64	551	5.2	24	1	1	4	6	10	13	24
65+	825	7.3	35	2	2	6	9	13	20	32
GRAND TOTAL	**1750**	**5.9**	**32**	**1**	**1**	**4**	**7**	**11**	**16**	**29**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	113	2.6	5	<1	1	2	3	5	6	14
35-49	182	3.2	6	<1	1	3	4	6	8	12
50-64	471	3.9	10	1	1	3	5	8	10	15
65+	510	4.9	18	1	1	4	7	9	12	24
B. *Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	6	3.8	11	2	2	2	5	9	10	10
50-64	17	6.1	28	2	2	5	7	14	20	22
65+	20	9.5	46	2	2	8	12	20	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.8	16	1	1	3	8	11	12	12
20-34	128	3.9	10	<1	1	3	5	8	10	16
35-49	364	5.3	18	1	1	4	7	10	12	19
50-64	1801	6.7	27	1	2	5	8	13	16	25
65+	4873	9.1	74	2	3	7	11	17	23	51
B. *Operated*										
0-19 YRS	5	29.2	304	12	12	25	47	48	48	48
20-34	3	9.0	49	1	1	12	13	14	14	14
35-49	30	8.5	26	2	3	8	11	15	25	99+
50-64	150	12.1	89	2	3	10	15	24	34	54
65+	599	17.3	182	4	5	14	23	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1280	4.1	13	1	1	3	5	8	10	17
B. *Operated*	45	7.3	36	2	2	5	10	19	21	24
2. MULTIPLE DX										
A. *Not Operated*	7185	8.2	60	2	2	6	10	15	20	42
B. *Operated*	787	16.0	166	3	5	13	21	32	42	99+
1. SINGLE DX	1325	4.2	14	1	1	3	5	8	11	19
2. MULTIPLE DX	7972	9.0	76	2	2	7	11	17	24	51
A. NOT OPERATED	8465	7.6	55	1	2	6	9	14	19	39
B. OPERATED	832	15.6	163	3	4	12	20	31	42	99+
TOTAL 0-19 YRS	28	8.9	151	1	1	4	11	22	47	48
20-34	246	3.4	9	<1	1	3	4	6	9	16
35-49	582	4.8	16	1	1	4	6	10	12	19
50-64	2439	6.5	31	1	2	5	8	13	16	29
65+	6002	9.6	88	2	3	7	12	18	26	60
GRAND TOTAL	**9297**	**8.3**	**70**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.8	12	<1	1	3	4	9	12	18
20-34	164	4.0	8	1	1	3	5	8	10	13
35-49	275	4.4	9	1	1	4	6	9	10	13
50-64	419	5.1	15	1	2	4	7	9	12	24
65+	548	6.0	21	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	6	6.8	15	2	2	7	11	11	11	11
20-34	11	5.9	12	2	2	4	10	11	11	11
35-49	35	8.1	38	2	2	7	10	16	22	28
50-64	123	8.2	36	2	3	6	10	15	20	32
65+	629	8.4	27	3	3	7	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	20	1	1	4	6	11	15	22
20-34	329	4.7	14	1	1	4	6	9	11	15
35-49	873	6.2	30	1	2	5	8	11	15	23
50-64	2647	7.3	36	2	2	6	9	13	17	29
65+	6078	9.4	65	2	3	7	11	17	23	43
B. *Operated*										
0-19 YRS	22	12.3	98	3	4	9	15	24	38	43
20-34	28	10.0	55	2	2	9	13	17	27	34
35-49	141	12.5	119	2	2	10	15	23	31	59
50-64	766	11.9	75	3	4	9	15	22	30	50
65+	3937	14.0	111	4	5	11	17	26	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	5.1	16	1	1	4	7	10	12	22
B. *Operated*	804	8.3	29	3	3	7	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	10025	8.3	54	2	3	7	10	15	21	38
B. *Operated*	4894	13.6	106	4	5	11	17	26	34	62
1. SINGLE DX	2289	6.2	22	1	2	5	8	12	15	24
2. MULTIPLE DX	14919	10.1	77	2	3	8	12	19	26	49
A. NOT OPERATED	11510	7.9	51	2	2	6	10	15	20	37
B. OPERATED	5698	12.8	99	3	4	10	16	24	32	59
TOTAL 0-19 YRS	205	5.5	31	1	1	4	7	12	15	30
20-34	532	4.8	16	1	1	4	6	9	12	16
35-49	1324	6.6	40	1	2	5	8	13	16	29
50-64	3955	7.9	46	2	2	6	10	15	20	35
65+	11192	10.8	83	2	3	8	13	21	28	51
GRAND TOTAL	**17208**	**9.6**	**72**	**2**	**3**	**7**	**12**	**18**	**25**	**46**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	10	4.9	7	1	2	4	7	9	9	9
35-49	41	8.4	67	2	2	6	11	16	26	43
50-64	291	7.6	30	2	2	6	9	14	19	30
65+	1599	8.6	49	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
20-34										
35-49	3	15.3	170	3	3	14	25	29	29	29
50-64	8	9.9	55	3	4	8	11	22	27	27
65+	46	13.5	113	2	2	11	17	25	30	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	7.8	73	1	1	5	10	18	23	43
20-34	95	8.9	58	2	2	7	11	17	24	43
35-49	664	9.7	62	2	3	8	12	17	24	39
50-64	5074	10.5	62	3	4	8	13	19	25	43
65+	27053	12.4	105	3	4	10	15	23	32	67
B. *Operated*										
0-19 YRS	17	15.7	175	3	3	11	24	45	79	99+
20-34	22	13.0	257	1	1	7	21	46	75	99+
35-49	116	13.4	92	2	3	11	18	26	32	45
50-64	573	18.7	227	3	5	14	24	40	52	96
65+	2750	22.4	269	6	8	18	29	47	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1944	8.4	47	2	3	7	10	16	21	37
B. *Operated*	59	12.8	105	2	2	11	16	25	29	58
2. MULTIPLE DX										
A. *Not Operated*	32977	12.0	98	3	4	9	15	22	30	63
B. *Operated*	3478	21.4	260	5	7	17	28	45	63	99+
1. SINGLE DX	2003	8.6	49	2	3	7	11	16	21	37
2. MULTIPLE DX	36455	12.9	121	3	4	10	16	25	35	73
A. NOT OPERATED	34921	11.8	96	3	4	9	14	22	30	62
B. OPERATED	3537	21.3	258	5	7	17	28	45	63	99+
TOTAL 0-19 YRS	113	8.9	93	1	1	6	11	21	35	67
20-34	127	9.3	91	2	2	7	11	21	29	70
35-49	824	10.2	68	2	3	8	12	20	27	41
50-64	5946	11.1	83	3	4	9	14	21	28	52
65+	31448	13.0	126	3	4	10	16	25	36	78
GRAND TOTAL	**38458**	**12.7**	**118**	**3**	**4**	**10**	**15**	**24**	**34**	**72**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.2	17	1	1	4	7	9	13	24
20-34	232	5.6	20	2	2	5	7	10	14	22
35-49	336	5.8	29	1	2	4	7	10	15	24
50-64	280	6.9	40	2	2	5	8	12	18	37
65+	195	8.5	66	2	2	6	10	18	22	43
B. *Operated*										
0-19 YRS	42	4.5	30	1	1	2	5	12	16	28
20-34	59	5.6	26	2	2	3	9	13	17	21
35-49	164	5.2	22	2	2	3	8	12	15	18
50-64	263	6.4	47	2	2	2	10	16	20	33
65+	166	8.3	65	2	2	3	13	18	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.3	79	1	1	5	8	14	17	57
20-34	335	6.9	45	2	2	5	8	12	17	36
35-49	730	8.1	51	2	2	6	10	15	21	42
50-64	1558	9.3	57	2	3	7	11	18	23	40
65+	2308	11.1	92	3	4	9	14	21	28	62
B. *Operated*										
0-19 YRS	34	7.9	55	2	2	6	9	18	28	31
20-34	102	12.4	191	2	2	10	14	27	41	96
35-49	267	10.9	100	2	2	10	15	23	33	57
50-64	856	12.3	142	2	2	10	17	26	37	68
65+	944	16.7	202	2	2	14	23	34	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	6.5	37	2	2	5	8	13	17	34
B. *Operated*	694	6.4	44	2	2	3	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	5032	9.8	74	2	3	8	12	19	25	48
B. *Operated*	2203	14.0	170	2	2	12	19	30	40	75
1. SINGLE DX	1798	6.5	39	2	2	4	8	14	18	31
2. MULTIPLE DX	7235	11.0	107	2	2	8	14	23	30	59
A. NOT OPERATED	6136	9.2	68	2	3	7	11	18	24	46
B. OPERATED	2897	12.2	150	2	2	10	17	27	37	67
TOTAL 0-19 YRS	238	6.3	52	1	2	4	8	13	17	37
20-34	728	7.1	60	2	2	5	8	14	19	42
35-49	1497	7.8	55	2	2	6	10	16	21	43
50-64	2957	9.7	82	2	2	7	13	20	26	51
65+	3613	12.3	126	2	3	9	16	25	33	66
GRAND TOTAL	**9033**	**10.1**	**97**	**2**	**2**	**7**	**13**	**21**	**28**	**55**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	16	5.6	18	1	2	4	7	13	15	16
65+	32	8.3	25	1	3	7	13	15	17	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	3.9	7	2	2	3	4	8	10	10
50-64	10	6.4	18	2	2	6	11	12	12	12
65+	3	20.3	672	2	2	9	40	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	5	4.0	10	1	1	4	5	9	9	9
35-49	49	5.4	12	1	2	5	8	10	12	15
50-64	195	8.1	41	2	3	6	11	14	18	37
65+	835	11.6	137	2	3	8	14	26	45	99+
B. *Operated*										
0-19 YRS										
20-34	4	9.0	145	2	2	3	15	27	27	27
35-49	29	6.9	33	2	2	4	11	14	17	23
50-64	92	9.0	76	2	2	7	13	19	29	99+
65+	138	16.4	280	2	3	12	21	42	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.1	23	1	2	6	10	15	16	21
B. *Operated*	22	7.3	104	2	2	3	9	12	27	50
2. MULTIPLE DX										
A. *Not Operated*	1086	10.7	117	2	3	8	13	23	37	99+
B. *Operated*	263	12.7	194	2	2	10	16	29	46	99+
1. SINGLE DX	74	7.2	46	2	2	5	9	14	16	43
2. MULTIPLE DX	1349	11.0	132	2	3	8	13	24	40	99+
A. NOT OPERATED	1138	10.5	113	2	3	8	13	22	34	99+
B. OPERATED	285	12.2	189	2	2	9	16	28	46	99+
TOTAL 0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	9	6.2	66	1	1	4	5	20	27	27
35-49	91	5.6	19	2	2	4	9	11	14	20
50-64	313	8.2	50	2	2	6	11	16	22	45
65+	1008	12.2	157	2	3	9	15	27	46	99+
GRAND TOTAL	**1423**	**10.8**	**128**	**2**	**3**	**8**	**13**	**23**	**39**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	9	4.9	27	<1	<1	2	8	14	16	16
35-49	5	8.8	128	3	3	4	11	29	29	29
50-64	13	6.0	32	<1	1	3	10	15	16	16
65+	10	7.0	57	<1	<1	3	15	19	19	19
B. *Operated*										
0-19 YRS	3	17.0	36	11	11	17	21	23	23	23
20-34	34	18.9	217	4	5	15	22	35	50	77
35-49	50	19.5	117	3	5	18	27	34	41	44
50-64	39	20.2	94	3	6	21	28	32	36	42
65+	7	39.0	940	6	8	36	48	89	99	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	20.8	692	2	3	8	23	67	82	82
35-49	7	22.1	307	5	6	21	65	99+	99+	99+
50-64	27	12.4	214	<1	1	11	15	21	42	73
65+	32	24.6	374	4	5	20	39	90	99+	99+
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	21	24.6	291	5	7	22	28	47	61	78
35-49	39	31.0	421	5	11	27	40	64	74	92
50-64	67	32.6	469	7	12	29	42	91	99	99+
65+	30	36.4	409	13	15	38	53	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	6.4	45	<1	<1	3	10	16	19	29
B. *Operated*	133	20.5	188	3	6	18	27	35	42	81
2. MULTIPLE DX										
A. *Not Operated*	75	19.5	362	2	3	15	34	64	99+	99+
B. *Operated*	159	31.6	426	7	12	27	43	75	95	99+
1. SINGLE DX	172	17.3	190	1	3	15	23	33	41	72
2. MULTIPLE DX	234	27.7	436	3	6	23	39	73	96	99+
A. NOT OPERATED	114	15.0	291	<1	1	11	19	49	86	99+
B. OPERATED	292	26.6	347	5	8	22	34	54	80	99+
TOTAL 0-19 YRS	7	12.6	55	2	3	12	18	22	23	23
20-34	73	19.1	295	2	3	15	23	41	52	81
35-49	101	23.6	282	3	5	21	31	45	68	99+
50-64	146	23.2	370	2	3	21	31	51	90	99+
65+	79	28.1	479	3	4	22	44	84	99+	99+
GRAND TOTAL	**406**	**23.3**	**357**	**2**	**4**	**20**	**32**	**52**	**82**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	44.0		44	44	44	44	44	44	44
50-64	2	28.0	288	16	16	28	40	40	40	40
65+	3	26.3	97	15	15	31	32	33	33	33
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	57.0	1548	21	21	51	87	99	99	99+
35-49	7	46.6	887	12	15	45	85	97	99+	99+
50-64	5	31.4	62	21	22	36	85	99+	99+	99+
65+	3	51.0	624	31	31	43	70	79	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	29.8	145	15	15	32	40	44	44	44
B. *Operated*	19	42.8	708	10	18	38	80	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	39.7	594	11	15	36	66	99+	99+	99+
A. NOT OPERATED	6	29.8	145	15	15	32	40	44	44	44
B. OPERATED	19	42.8	708	10	18	38	80	99+	99+	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	57.0	1548	21	21	51	87	99	99	99+
35-49	8	46.3	761	12	16	44	83	96	99+	99+
50-64	7	30.4	92	16	18	36	55	99+	99+	99+
65+	6	38.7	471	15	17	32	43	75	79	79
GRAND TOTAL	**25**	**39.7**	**594**	**11**	**15**	**36**	**66**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	5	5.6	19	1	1	6	8	12	12	12
35-49	8	5.9	23	1	1	5	9	13	14	14
50-64	21	12.8	149	<1	1	7	23	31	37	40
65+	37	17.5	254	1	3	12	21	44	65	99+
B. *Operated*										
0-19 YRS	3	24.0	364	12	12	14	38	46	46	46
20-34	16	10.1	29	2	2	10	14	18	19	19
35-49	23	16.3	272	3	4	11	22	29	48	81
50-64	40	17.4	312	3	5	13	19	38	80	99+
65+	75	16.4	137	5	6	13	22	36	45	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	6	15.5	188	2	2	11	31	34	34	34
35-49	27	19.4	340	2	4	15	27	31	60	88
50-64	104	18.7	230	4	5	14	24	39	53	88
65+	275	23.9	361	5	6	19	35	55	84	99+
B. *Operated*										
0-19 YRS	13	29.6	569	3	8	22	40	61	82	87
20-34	20	28.1	374	6	9	23	43	65	85	99+
35-49	32	29.5	489	6	10	22	38	61	79	92
50-64	70	23.5	229	7	9	21	37	67	99+	99+
65+	158	30.4	485	8	10	26	46	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	13.3	193	<1	1	9	18	34	44	92
B. *Operated*	157	16.1	194	3	5	12	20	32	47	99+
2. MULTIPLE DX										
A. *Not Operated*	414	22.1	328	4	6	17	31	51	79	99+
B. *Operated*	293	28.4	422	7	10	24	41	75	99+	99+
1. SINGLE DX	232	15.2	195	2	3	12	20	33	47	99+
2. MULTIPLE DX	707	24.7	377	5	7	20	36	60	93	99+
A. NOT OPERATED	489	20.8	317	3	5	16	29	46	73	99+
B. OPERATED	450	24.2	377	5	7	19	34	65	97	99+
TOTAL 0-19 YRS	22	21.3	510	1	1	12	36	53	67	87
20-34	47	18.0	270	2	3	12	24	46	61	99+
35-49	90	21.0	391	2	4	15	28	49	66	90
50-64	235	19.4	244	3	5	15	27	47	71	99+
65+	545	24.3	380	5	7	19	35	62	95	99+
GRAND TOTAL	**939**	**22.4**	**348**	**3**	**6**	**17**	**31**	**56**	**87**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	3	33.0	813	4	4	34	54	61	61	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	44.8	749	11	11	59	64	72	72	72
50-64	28	34.2	675	5	7	26	49	85	99	99+
65+	79	35.0	520	10	12	27	53	76	97	99+
B. *Operated*										
0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49	5	48.6	1068	15	16	54	94	99	99+	99+
50-64	14	38.5	741	9	12	33	78	99	99+	99+
65+	47	32.2	311	9	13	31	45	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	27.0	492	4	4	24	41	61	61	61
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	112	35.3	561	9	12	27	56	79	97	99+
B. *Operated*	67	34.7	450	9	14	32	51	92	99+	99+
1. SINGLE DX	5	27.0	492	4	4	24	41	61	61	61
2. MULTIPLE DX	179	35.0	517	9	12	28	54	84	99+	99+
A. NOT OPERATED	117	34.9	557	9	11	26	56	76	97	99+
B. OPERATED	67	34.7	450	9	14	32	51	92	99+	99+
TOTAL 0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49	10	46.7	811	11	13	59	71	96	99+	99+
50-64	44	34.8	668	6	10	28	57	92	99+	99+
65+	129	34.0	443	9	12	27	51	73	97	99+
GRAND TOTAL	**184**	**34.8**	**515**	**9**	**12**	**28**	**53**	**81**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	3.4	4	1	1	3	5	7	7	7
50-64	31	5.1	15	1	2	4	7	11	13	16
65+	57	5.5	33	1	2	3	6	14	20	26
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	50	7.3	31	2	2	6	9	16	18	28
50-64	458	7.9	29	2	2	7	10	14	17	27
65+	577	8.3	32	2	2	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	7.0	28	1	2	5	10	16	16	16
50-64	127	8.6	126	1	2	6	9	17	27	74
65+	377	10.5	99	2	3	8	12	20	29	57
B. *Operated*										
0-19 YRS										
20-34	3	10.3	52	2	2	14	15	15	15	15
35-49	103	10.1	66	2	2	8	14	22	30	99+
50-64	998	10.4	78	2	2	8	13	20	24	55
65+	1558	12.1	108	2	3	9	15	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.2	24	1	2	3	6	12	16	25
B. *Operated*	1090	8.1	30	2	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	514	10.0	105	2	2	8	12	20	29	64
B. *Operated*	2662	11.3	96	2	3	9	14	22	29	58
1. SINGLE DX	1187	7.8	31	2	2	7	10	15	18	29
2. MULTIPLE DX	3176	11.1	97	2	2	9	14	22	29	58
A. NOT OPERATED	611	9.2	95	1	2	7	11	19	26	55
B. OPERATED	3752	10.4	79	2	2	8	13	20	26	52
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	6.1	21	2	2	4	6	14	15	15
35-49	169	8.9	54	2	2	7	13	19	28	88
50-64	1614	9.4	68	2	2	8	12	18	22	50
65+	2569	10.9	91	2	2	8	13	21	29	53
GRAND TOTAL	**4363**	**10.2**	**81**	**2**	**2**	**8**	**13**	**20**	**26**	**52**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	57.5	265	46	46	57	69	69	69	69
50-64	11	25.5	520	2	3	23	43	61	67	68
65+	38	18.6	204	4	5	15	27	50	80	99+
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	12.1	106	2	2	10	20	27	28	28
50-64	54	15.2	234	3	4	11	17	48	99+	99+
65+	82	21.4	369	4	5	16	29	49	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	51	21.6	322	3	5	19	30	58	69	99+
B. *Operated*	144	18.5	312	3	5	13	26	48	88	99+
1. SINGLE DX	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX	195	19.3	315	3	5	14	27	50	87	99+
A. NOT OPERATED	51	21.6	322	3	5	19	30	58	69	99+
B. OPERATED	145	18.5	310	3	5	13	25	48	88	99+
TOTAL 0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	9	22.2	513	2	2	18	32	60	69	69
50-64	65	16.9	290	3	4	12	24	54	99+	99+
65+	121	20.5	314	4	5	16	28	50	82	99+
GRAND TOTAL	**196**	**19.3**	**313**	**3**	**5**	**14**	**27**	**50**	**87**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	11.3	37	2	3	10	17	19	19	19
35-49	24	8.1	28	2	2	7	10	16	20	21
50-64	100	10.0	88	2	3	7	11	19	34	75
65+	255	14.2	130	3	4	11	18	29	37	56
B. *Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	7	10.1	13	5	5	11	13	13	13	13
35-49	9	6.0	20	1	1	4	9	13	13	13
50-64	23	8.2	20	2	3	8	10	15	18	19
65+	23	15.5	145	2	2	13	22	35	41	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.0	73	1	1	11	16	18	18	18
20-34	19	10.7	44	1	3	11	13	18	24	29
35-49	96	11.4	151	3	4	8	14	24	30	75
50-64	618	13.8	173	3	4	10	17	29	44	99+
65+	2477	18.4	256	4	5	14	23	40	60	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	16.9	204	5	6	10	24	40	48	49
35-49	35	15.1	144	2	4	12	20	37	43	47
50-64	142	18.0	241	3	4	13	22	44	52	87
65+	341	24.1	350	5	8	20	35	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	12.6	115	3	4	9	16	27	34	55
B. *Operated*	64	10.8	77	2	2	9	13	21	30	44
2. MULTIPLE DX										
A. *Not Operated*	3213	17.2	240	4	5	12	21	38	57	99+
B. *Operated*	531	21.7	314	4	6	17	30	57	96	99+
1. SINGLE DX	451	12.4	110	2	3	9	16	26	34	54
2. MULTIPLE DX	3744	17.9	253	4	5	13	23	40	61	99+
A. NOT OPERATED	3600	16.7	228	4	5	12	21	37	54	99+
B. OPERATED	595	20.5	299	4	5	16	28	54	90	99+
TOTAL 0-19 YRS	7	8.9	46	1	1	8	15	18	18	18
20-34	45	12.4	84	2	4	11	14	19	33	49
35-49	164	11.5	129	2	3	8	14	24	31	50
50-64	883	13.9	175	3	4	10	17	29	45	99
65+	3096	18.6	260	4	5	14	24	43	64	99+
GRAND TOTAL	**4195**	**17.3**	**240**	**4**	**5**	**13**	**22**	**39**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	23.8	720	6	6	13	41	63	63	63
35-49	30	23.5	427	2	5	16	33	58	67	84
50-64	244	22.2	290	4	6	17	31	50	60	99+
65+	1075	24.3	297	5	8	20	32	53	72	99+
B. *Operated*										
0-19 YRS										
20-34	3	18.0	43	12	12	21	62	99+	99+	99+
35-49	7	38.4	995	14	14	29	82	98	99+	99+
50-64	31	31.5	466	4	8	28	46	59	74	91
65+	112	29.7	332	6	9	31	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	18.0	72	12	12	18	24	24	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1354	23.9	300	5	7	19	32	53	70	99+
B. *Operated*	153	30.2	381	6	9	30	51	99+	99+	99+
1. SINGLE DX	2	18.0	72	12	12	18	24	24	24	24
2. MULTIPLE DX	1507	24.5	311	5	7	20	34	56	79	99+
A. NOT OPERATED	1356	23.9	300	5	7	19	32	53	70	99+
B. OPERATED	153	30.2	381	6	9	30	51	99+	99+	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	21.3	384	6	6	18	44	89	99+	99+
35-49	37	26.3	545	3	6	18	37	69	90	99+
50-64	276	23.2	316	4	6	18	32	52	62	97
65+	1188	24.8	303	5	8	21	34	57	83	99+
GRAND TOTAL	**1509**	**24.5**	**311**	**5**	**7**	**20**	**34**	**56**	**79**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	5	4.6	2	3	3	4	5	7	7	7
20-34	19	4.0	5	1	1	4	6	7	8	8
35-49	84	5.1	14	1	2	4	7	10	14	18
50-64	353	5.0	15	1	2	4	7	9	11	16
65+	1079	6.1	26	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	5.9	6	2	3	5	8	9	9	9
35-49	39	5.8	17	2	2	5	7	12	16	18
50-64	163	5.9	18	2	2	5	8	12	15	20
65+	143	7.6	50	2	2	6	10	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	12	1	1	3	6	10	11	11
20-34	27	5.3	23	1	2	4	6	14	17	19
35-49	255	6.1	15	2	2	5	8	11	13	21
50-64	1669	7.2	31	2	3	6	9	13	15	26
65+	8523	10.0	97	2	3	7	12	18	27	73
B. *Operated*										
0-19 YRS	3	14.3	162	6	6	8	24	29	29	29
20-34	8	6.1	15	2	2	5	9	11	12	12
35-49	76	9.5	98	2	2	7	11	17	21	66
50-64	488	9.9	64	2	3	8	13	20	24	44
65+	1098	16.2	225	3	4	12	20	38	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1540	5.8	22	1	2	5	7	10	13	21
B. *Operated*	353	6.5	31	2	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	10484	9.4	86	2	3	7	11	17	24	68
B. *Operated*	1673	14.0	180	2	3	10	17	30	46	99+
1. SINGLE DX	1893	5.9	24	1	2	5	8	11	13	22
2. MULTIPLE DX	12157	10.1	101	2	3	7	12	19	28	75
A. NOT OPERATED	12024	9.0	79	2	3	7	10	16	23	62
B. OPERATED	2026	12.7	162	2	3	9	15	27	42	99+
TOTAL 0-19 YRS	19	5.9	39	1	1	4	7	10	21	29
20-34	61	5.1	14	1	2	4	6	10	13	19
35-49	454	6.4	31	2	2	5	8	12	15	22
50-64	2673	7.3	36	2	2	6	9	13	17	30
65+	10843	10.2	108	2	3	7	12	20	29	77
GRAND TOTAL	**14050**	**9.5**	**93**	**2**	**3**	**7**	**11**	**18**	**26**	**71**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	70	<1	<1	9	16	16	16	16
20-34	11	6.1	34	2	2	3	7	15	21	22
35-49	40	10.3	248	1	2	7	11	18	64	99+
50-64	239	13.7	180	2	3	10	17	29	40	99+
65+	887	15.1	204	3	4	11	18	34	49	99+
B. *Operated*										
0-19 YRS										
20-34	5	18.0	303	4	4	12	29	46	46	46
35-49	12	11.3	189	2	3	7	12	26	49	53
50-64	37	9.6	89	2	2	6	12	28	38	99+
65+	37	19.8	404	2	3	13	32	68	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	14.0	276	3	3	6	21	43	45	45
20-34	19	12.3	107	4	5	8	14	29	39	43
35-49	152	15.4	229	2	4	11	21	34	61	99+
50-64	1185	15.1	201	3	5	11	18	33	55	99+
65+	5669	19.5	271	4	6	15	26	49	73	99+
B. *Operated*										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	13	17.7	176	7	7	13	23	34	49	52
35-49	49	19.1	247	2	5	15	22	46	61	67
50-64	227	23.8	418	4	6	18	37	72	99+	99+
65+	774	29.5	417	6	9	27	49	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	14.6	200	2	3	10	18	33	48	99+
B. *Operated*	91	14.4	257	2	3	8	20	44	71	99+
2. MULTIPLE DX										
A. *Not Operated*	7031	18.7	261	4	5	14	25	46	70	99+
B. *Operated*	1064	27.7	416	5	8	24	47	84	99+	99+
1. SINGLE DX	1272	14.5	204	2	3	10	18	33	49	99+
2. MULTIPLE DX	8095	19.9	291	4	5	15	27	52	79	99+
A. NOT OPERATED	8212	18.1	254	4	5	13	24	44	67	99+
B. OPERATED	1155	26.6	416	4	7	22	45	82	99+	99+
TOTAL 0-19 YRS	11	15.6	319	<1	1	7	20	48	53	53
20-34	48	12.9	139	3	3	8	17	29	43	52
35-49	253	15.1	238	2	3	11	19	34	61	99+
50-64	1688	15.9	235	3	4	11	19	38	65	99+
65+	7367	20.1	292	4	5	15	28	52	79	99+
GRAND TOTAL	**9367**	**19.1**	**282**	**4**	**5**	**14**	**26**	**50**	**76**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	11.0		11	11	11	11	11	11	11
65+	6	15.3	267	2	2	10	26	40	42	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	113	13	13	20	28	28	28	28
20-34	10	10.2	103	1	1	8	12	27	35	35
35-49	71	16.8	138	4	5	15	24	36	65	99+
50-64	464	22.6	334	5	7	18	31	53	78	99+
65+	2311	24.7	360	5	7	20	35	60	87	99+
B. *Operated*										
0-19 YRS	3	7.3	20	3	3	9	56	99+	99+	99+
20-34	4	24.5	433	8	8	18	39	54	54	54
35-49	17	28.9	397	9	13	24	38	77	93	99+
50-64	91	27.8	395	6	9	25	45	91	99+	99+
65+	316	36.0	502	10	13	34	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	14.3	195	2	2	11	21	37	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2858	24.1	352	5	7	19	34	58	85	99+
B. *Operated*	431	33.6	486	8	12	31	58	99+	99+	99+
1. SINGLE DX	8	14.3	195	2	2	11	21	37	42	42
2. MULTIPLE DX	3289	25.3	380	5	7	20	37	65	96	99+
A. NOT OPERATED	2866	24.1	351	5	7	19	34	58	85	99+
B. OPERATED	431	33.6	486	8	12	31	58	99+	99+	99+
TOTAL 0-19 YRS	5	12.6	90	3	3	12	28	93	99+	99+
20-34	14	14.3	216	1	2	8	19	37	50	54
35-49	88	19.2	207	4	6	15	25	42	82	99+
50-64	557	23.4	346	5	7	19	33	61	86	99+
65+	2633	26.0	390	6	7	21	38	66	97	99+
GRAND TOTAL	**3297**	**25.3**	**379**	**5**	**7**	**20**	**37**	**65**	**96**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	11	3.0	3	1	1	3	4	6	6	6
35-49	42	5.5	34	1	2	4	7	9	12	38
50-64	78	7.0	81	1	2	4	7	15	19	58
65+	253	9.0	101	2	2	6	11	18	31	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	15.7	337	2	2	12	18	31	63	77
35-49	27	14.2	144	2	3	9	21	35	39	44
50-64	52	7.4	48	2	2	4	11	18	24	29
65+	71	9.8	161	1	2	7	10	20	28	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	17.8	247	2	2	14	38	78	99+	99+
20-34	37	6.6	23	1	1	5	11	13	16	17
35-49	132	8.8	100	2	2	6	10	17	22	47
50-64	549	10.6	127	2	3	7	12	23	34	99+
65+	3231	14.0	211	3	4	10	16	34	63	99+
B. *Operated*										
0-19 YRS	4	10.3	148	1	1	6	18	28	28	28
20-34	17	13.9	157	2	2	9	20	35	39	40
35-49	59	15.7	194	2	3	13	20	35	52	97
50-64	196	14.0	189	2	3	10	18	40	58	99+
65+	475	18.6	297	2	4	14	25	49	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	8.0	89	1	2	5	9	17	24	94
B. *Operated*	167	10.3	144	2	2	7	12	23	29	73
2. MULTIPLE DX										
A. *Not Operated*	3957	13.3	196	3	3	9	16	31	57	99+
B. *Operated*	751	17.0	260	2	3	13	23	43	73	99+
1. SINGLE DX	553	8.7	106	1	2	6	10	19	28	78
2. MULTIPLE DX	4708	13.9	208	2	3	10	17	34	60	99+
A. NOT OPERATED	4343	12.8	189	2	3	9	15	30	54	99+
B. OPERATED	918	15.8	246	2	3	11	22	40	67	99+
TOTAL 0-19 YRS	15	13.0	189	1	1	7	26	43	83	99+
20-34	81	9.4	127	1	1	6	12	18	32	65
35-49	260	10.4	127	2	2	7	13	23	35	68
50-64	875	10.9	136	2	3	7	13	25	38	99+
65+	4030	14.1	217	2	3	10	17	35	65	99+
GRAND TOTAL	**5261**	**13.3**	**200**	**2**	**3**	**9**	**16**	**32**	**58**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	11	3.4	7	1	1	2	3	8	10	10
65+	25	9.4	158	1	2	6	13	51	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	14.0	8	12	12	14	16	16	16	16
35-49	17	8.2	19	2	2	10	11	13	15	16
50-64	90	8.6	41	1	2	8	12	16	21	31
65+	114	11.9	167	1	2	9	15	28	39	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	11	4.7	4	2	2	5	6	7	8	8
50-64	84	7.0	37	2	2	5	8	14	17	35
65+	515	13.0	188	2	3	8	16	32	54	99+
B. *Operated*										
0-19 YRS	4	23.5	763	3	3	14	42	63	63	63
20-34	8	4.1	6	2	2	3	5	8	9	9
35-49	83	12.7	92	2	2	11	16	25	31	51
50-64	538	16.0	208	2	2	12	21	40	55	99+
65+	1352	23.1	366	2	4	18	32	55	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.2	110	1	2	3	9	29	74	99+
B. *Operated*	223	10.3	106	1	2	9	13	21	31	55
2. MULTIPLE DX										
A. *Not Operated*	613	12.1	170	2	3	8	14	28	45	99+
B. *Operated*	1985	20.6	324	2	3	16	28	51	68	99+
1. SINGLE DX	262	9.9	107	1	2	8	13	21	33	72
2. MULTIPLE DX	2598	18.6	301	2	3	14	25	47	66	99+
A. NOT OPERATED	652	11.8	168	2	3	8	14	28	46	99+
B. OPERATED	2208	19.6	312	2	3	15	26	49	66	99+
TOTAL 0-19 YRS	5	28.0	674	3	3	22	50	63	63	63
20-34	13	6.0	18	2	2	5	7	13	15	16
35-49	113	11.0	79	2	2	10	14	23	29	48
50-64	723	13.9	178	2	2	11	18	33	48	99+
65+	2006	19.7	330	2	3	14	26	51	69	99+
GRAND TOTAL	**2860**	**17.8**	**289**	**2**	**3**	**13**	**23**	**45**	**64**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	17	4.1	20	<1	1	2	4	13	14	15
65+	53	5.6	14	1	1	5	7	10	14	16
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	12.7	42	6	7	12	14	24	26	26
50-64	104	13.0	112	2	3	12	14	19	22	76
65+	281	13.6	71	2	3	13	16	22	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.5	113	6	6	13	21	21	21	21
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	55	7.1	29	2	3	5	9	13	20	29
65+	360	8.6	46	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS										
20-34	3	15.0	57	7	7	16	20	22	22	22
35-49	20	13.7	128	2	2	11	15	33	41	42
50-64	428	15.9	121	3	7	13	18	26	34	62
65+	1083	20.1	194	4	8	17	25	39	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.1	16	<1	1	4	7	11	14	16
B. *Operated*	390	13.5	81	2	3	13	16	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	420	8.4	44	2	3	6	11	17	22	33
B. *Operated*	1534	18.8	176	4	7	16	23	34	48	93
1. SINGLE DX	463	12.1	80	2	2	12	15	21	24	39
2. MULTIPLE DX	1954	16.6	166	3	4	14	20	31	44	86
A. NOT OPERATED	493	7.9	41	2	2	6	10	16	21	33
B. OPERATED	1924	17.7	161	3	6	15	21	31	45	86
TOTAL 0-19 YRS										
20-34	7	11.6	66	<1	1	8	20	22	22	22
35-49	32	11.8	102	1	2	10	14	26	39	42
50-64	601	14.3	118	2	4	13	17	24	30	62
65+	1777	16.3	164	2	4	14	20	31	43	90
GRAND TOTAL	**2417**	**15.7**	**152**	**2**	**4**	**13**	**19**	**29**	**41**	**80**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	2.9		2	2	3	3	4	4	4
65+	8	3.8	6	<1	1	3	5	8	8	8
B. *Operated*										
0-19 YRS	6	3.7	15	1	1	2	5	10	11	11
20-34	16	4.9	17	<1	1	4	6	13	14	14
35-49	34	9.5	105	1	1	5	13	30	32	38
50-64	56	9.9	64	2	2	9	11	20	24	48
65+	66	13.5	193	2	2	10	17	26	43	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	7	5.7	38	1	1	2	8	16	18	18
65+	20	9.4	56	2	2	7	13	18	26	32
B. *Operated*										
0-19 YRS	2	13.0	242	2	2	13	24	24	24	24
20-34	16	16.8	79	5	7	15	21	30	35	37
35-49	30	18.3	159	3	5	16	22	39	46	52
50-64	119	17.9	202	3	4	13	22	37	50	68
65+	194	20.3	255	2	5	15	27	43	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	3	<1	2	3	4	7	8	8
B. *Operated*	178	10.5	120	1	2	8	13	22	31	65
2. MULTIPLE DX										
A. *Not Operated*	29	8.3	49	2	2	6	12	17	21	32
B. *Operated*	361	19.2	221	3	5	15	25	39	49	79
1. SINGLE DX	194	9.9	114	1	2	7	12	20	30	61
2. MULTIPLE DX	390	18.4	216	2	4	14	24	38	49	78
A. NOT OPERATED	45	6.6	38	1	2	4	8	14	18	32
B. OPERATED	539	16.3	204	2	3	12	20	36	47	74
TOTAL 0-19 YRS	8	6.0	64	1	1	2	8	20	24	24
20-34	33	10.7	81	1	2	8	15	22	30	37
35-49	66	13.4	146	1	2	11	18	31	39	51
50-64	189	14.5	168	2	3	11	18	31	43	58
65+	288	17.5	238	2	3	13	22	39	48	78
GRAND TOTAL	**584**	**15.5**	**198**	**2**	**2**	**12**	**20**	**34**	**46**	**73**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	7.9	41	1	2	6	9	18	24	27
35-49	22	5.2	20	1	1	3	9	10	15	20
50-64	56	4.3	18	1	1	3	5	9	16	20
65+	61	7.1	53	1	1	5	9	15	20	39
B. *Operated*										
0-19 YRS	4	4.3	8	2	2	4	6	8	8	8
20-34	26	7.7	24	2	2	7	10	15	17	18
35-49	117	8.7	39	2	2	9	11	14	19	32
50-64	400	9.8	37	2	2	10	13	17	19	31
65+	455	11.5	80	2	2	11	15	19	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	14.5	63	4	4	15	20	23	23	23
35-49	33	9.3	98	1	2	6	10	19	33	47
50-64	110	8.8	71	1	2	7	11	20	26	41
65+	264	10.2	99	2	2	8	13	19	26	66
B. *Operated*										
0-19 YRS	5	7.0	34	2	2	5	12	15	15	15
20-34	21	14.0	209	2	2	10	17	24	49	69
35-49	233	13.7	102	2	4	12	16	25	32	71
50-64	1308	15.1	147	2	3	13	18	28	41	70
65+	2178	19.2	247	3	5	15	24	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	5.9	36	1	1	4	8	12	19	31
B. *Operated*	1002	10.3	58	2	2	10	14	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	411	9.8	91	1	2	8	12	19	26	62
B. *Operated*	3745	17.4	207	2	4	14	21	35	50	99
1. SINGLE DX	1159	9.7	57	2	2	9	13	18	22	35
2. MULTIPLE DX	4156	16.7	201	2	3	13	20	34	49	97
A. NOT OPERATED	568	8.7	79	1	2	7	11	18	25	46
B. OPERATED	4747	15.9	184	2	3	13	19	32	45	95
TOTAL 0-19 YRS	9	5.8	22	2	2	5	9	13	15	15
20-34	69	10.1	93	2	2	8	12	18	23	62
35-49	405	11.4	86	2	2	10	14	21	26	54
50-64	1874	13.3	124	2	2	11	16	25	35	65
65+	2958	17.0	218	2	3	13	21	35	50	99+
GRAND TOTAL	**5315**	**15.1**	**178**	**2**	**3**	**12**	**18**	**30**	**44**	**89**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	7.9	48	1	2	6	11	17	21	38
20-34	18	6.5	30	1	2	5	8	17	19	19
35-49	41	4.6	15	1	1	4	6	10	14	17
50-64	68	6.9	136	1	1	4	7	15	21	77
65+	109	5.8	30	1	1	4	7	12	17	30
B. *Operated*										
0-19 YRS	18	5.9	36	1	1	3	8	17	21	21
20-34	37	9.3	197	1	2	5	11	16	31	81
35-49	110	6.6	35	1	2	5	10	13	17	30
50-64	307	8.1	53	2	2	6	12	17	21	35
65+	379	9.9	98	1	2	8	14	20	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	8.5	53	2	2	5	11	21	25	31
20-34	43	5.3	16	1	1	4	7	10	15	18
35-49	85	8.1	54	1	2	6	11	18	23	38
50-64	283	7.8	67	1	2	5	10	16	23	44
65+	839	10.7	128	2	2	8	13	21	32	74
B. *Operated*										
0-19 YRS	20	12.0	102	1	2	9	19	25	31	36
20-34	58	11.3	184	1	2	7	15	24	40	69
35-49	174	14.3	242	2	2	10	16	33	49	84
50-64	871	14.1	181	2	2	11	18	31	45	98
65+	1843	19.7	328	2	3	15	26	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	6.5	56	1	1	5	8	14	19	32
B. *Operated*	851	8.7	78	1	2	6	12	18	24	48
2. MULTIPLE DX										
A. *Not Operated*	1310	9.6	105	2	2	7	12	19	27	64
B. *Operated*	2966	17.5	283	2	2	13	22	42	61	99+
1. SINGLE DX	1173	8.1	73	1	2	6	11	17	22	44
2. MULTIPLE DX	4276	15.1	242	2	2	11	19	35	55	99+
A. NOT OPERATED	1632	9.0	97	1	2	6	11	19	26	62
B. OPERATED	3817	15.6	251	2	2	12	20	37	56	99+
TOTAL 0-19 YRS	184	8.3	56	1	2	6	11	20	24	34
20-34	156	8.6	127	1	2	5	10	18	24	69
35-49	410	10.0	139	1	2	6	12	19	32	65
50-64	1529	11.4	141	2	2	8	15	24	37	76
65+	3170	15.7	261	2	2	11	20	37	58	99+
GRAND TOTAL	**5449**	**13.6**	**214**	**2**	**2**	**10**	**17**	**31**	**48**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	7.7	18	1	2	7	11	13	15	20
20-34	441	8.4	21	2	3	8	11	14	16	24
35-49	505	8.9	23	2	3	8	11	15	18	23
50-64	592	9.1	20	3	4	9	11	14	17	24
65+	539	9.9	22	3	4	9	13	16	19	24
B. *Operated*										
0-19 YRS	19	7.7	32	1	2	6	11	16	20	21
20-34	170	8.2	36	2	2	7	11	15	16	35
35-49	196	8.8	35	2	2	8	11	15	20	30
50-64	209	9.8	34	2	3	9	13	18	21	28
65+	146	10.9	37	1	3	10	14	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.4	42	2	2	8	10	16	22	31
20-34	333	10.3	39	2	3	9	13	18	20	35
35-49	690	11.1	47	3	4	10	14	19	23	39
50-64	1432	11.1	47	4	5	10	13	18	22	43
65+	2211	12.7	63	4	6	11	15	21	27	51
B. *Operated*										
0-19 YRS	14	8.7	26	2	2	9	12	16	17	17
20-34	159	12.5	73	3	4	11	16	23	29	61
35-49	314	13.2	112	3	4	11	15	25	36	59
50-64	568	14.2	107	3	5	12	17	26	32	59
65+	740	16.2	129	5	6	14	20	28	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2132	9.0	22	3	4	8	11	15	18	24
B. *Operated*	740	9.3	36	2	3	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	4690	11.8	55	4	5	10	14	20	25	42
B. *Operated*	1795	14.7	115	3	5	12	18	26	35	70
1. SINGLE DX	2872	9.1	25	2	3	8	12	15	18	25
2. MULTIPLE DX	6485	12.6	73	4	5	11	15	22	28	51
A. NOT OPERATED	6822	10.9	46	3	4	10	13	18	22	38
B. OPERATED	2535	13.1	98	3	4	11	16	24	31	59
TOTAL 0-19 YRS	112	8.0	26	1	2	7	11	14	17	25
20-34	1103	9.5	38	2	3	9	12	16	20	34
35-49	1705	10.6	53	3	4	9	13	18	23	39
50-64	2801	11.2	55	3	4	10	13	19	24	44
65+	3636	12.9	73	4	5	11	16	22	27	53
GRAND TOTAL	**9357**	**11.5**	**61**	**3**	**4**	**10**	**14**	**20**	**25**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	9.8	132	1	1	5	14	29	37	38
35-49	27	6.0	35	<1	<1	4	9	11	15	30
50-64	54	11.8	96	1	2	9	16	25	32	48
65+	111	13.2	91	2	4	11	18	28	36	66
B. *Operated*										
0-19 YRS	32	3.5	3	1	2	3	5	6	7	8
20-34	837	4.2	8	2	2	4	5	6	8	14
35-49	1155	4.8	12	2	2	4	5	8	10	18
50-64	911	5.8	35	2	2	4	6	10	16	28
65+	341	11.6	172	2	3	6	14	28	38	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	21	5.7	29	<1	1	5	6	14	19	23
35-49	75	8.4	86	<1	<1	6	10	19	34	40
50-64	182	11.8	103	1	2	10	15	22	32	49
65+	600	14.7	140	3	4	12	19	30	40	99+
B. *Operated*										
0-19 YRS	8	11.4	54	3	3	12	18	20	21	21
20-34	188	7.0	57	2	3	5	7	15	20	40
35-49	390	7.1	40	2	3	5	8	14	18	34
50-64	637	10.1	90	3	3	7	12	24	28	57
65+	620	19.6	271	3	4	15	28	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	11.7	92	1	2	9	16	26	34	46
B. *Operated*	3276	5.6	38	2	2	4	6	9	15	35
2. MULTIPLE DX										
A. *Not Operated*	879	13.3	130	2	3	11	17	28	37	88
B. *Operated*	1843	12.3	165	3	3	7	16	30	40	76
1. SINGLE DX	3480	6.0	44	2	2	4	6	10	17	38
2. MULTIPLE DX	2722	12.7	154	2	3	8	16	29	39	78
A. NOT OPERATED	1083	13.0	123	1	3	10	17	28	36	77
B. OPERATED	5119	8.0	94	2	3	5	8	18	28	58
TOTAL 0-19 YRS	41	5.1	22	1	2	4	5	12	18	21
20-34	1058	4.8	20	2	2	4	5	7	10	24
35-49	1647	5.5	24	2	2	4	6	10	13	29
50-64	1784	8.1	69	2	3	5	9	17	25	43
65+	1672	15.8	201	3	4	12	21	35	48	99+
GRAND TOTAL	**6202**	**8.9**	**103**	**2**	**3**	**5**	**10**	**21**	**30**	**59**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	2	1	1	2	4	5	5	5
20-34	67	3.4	7	1	1	3	5	6	7	15
35-49	83	3.5	7	<1	1	3	5	7	9	13
50-64	81	2.6	5	<1	<1	2	3	5	8	11
65+	74	3.6	7	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	25	4.4	5	1	2	4	6	8	8	9
20-34	533	4.6	4	2	3	4	6	7	8	11
35-49	683	4.8	6	2	3	4	6	7	9	14
50-64	452	4.7	5	2	3	4	5	7	9	12
65+	156	5.8	12	3	3	5	7	9	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	8	1	1	4	7	8	8	8
20-34	87	3.8	11	1	1	3	5	7	9	20
35-49	176	4.5	14	1	1	4	7	9	11	18
50-64	277	5.0	24	1	1	4	6	10	14	24
65+	390	6.1	37	1	2	5	7	11	15	33
B. *Operated*										
0-19 YRS	51	4.2	5	1	2	4	6	7	9	11
20-34	1262	4.8	5	2	2	4	6	8	9	14
35-49	1971	5.3	9	2	3	5	6	8	10	16
50-64	1824	5.8	14	2	3	5	7	9	12	20
65+	943	7.4	36	3	3	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1849	4.8	5	2	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	941	5.3	26	1	1	4	7	10	14	24
B. *Operated*	6051	5.6	15	2	3	5	6	9	12	20
1. SINGLE DX	2163	4.6	6	1	2	4	6	7	9	13
2. MULTIPLE DX	6992	5.6	16	2	2	5	6	9	12	20
A. NOT OPERATED	1255	4.8	22	1	1	4	6	9	13	22
B. OPERATED	7900	5.4	13	2	3	5	6	9	11	19
TOTAL 0-19 YRS	96	4.1	5	1	1	4	6	7	8	10
20-34	1949	4.7	5	2	2	4	6	8	8	13
35-49	2913	5.1	9	2	2	5	6	8	10	15
50-64	2634	5.4	13	2	2	5	6	9	12	19
65+	1563	6.7	34	2	2	5	8	12	16	31
GRAND TOTAL	**9155**	**5.3**	**14**	**2**	**2**	**5**	**6**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.2	16	1	1	3	9	12	12	12
20-34	112	7.9	38	1	2	7	10	13	16	34
35-49	106	7.8	27	2	2	6	10	17	19	21
50-64	142	7.6	21	1	2	7	10	13	15	23
65+	213	8.6	53	1	2	7	11	17	23	31
B. *Operated*										
0-19 YRS	152	3.3	9	1	1	2	3	5	8	16
20-34	744	2.8	11	1	2	2	3	4	5	13
35-49	415	3.4	12	1	2	2	3	7	11	19
50-64	135	7.7	56	1	2	6	10	17	21	37
65+	111	10.1	55	2	2	9	14	21	25	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	21	1	2	5	7	10	13	25
20-34	160	7.7	47	1	1	6	10	14	17	32
35-49	321	8.1	46	1	2	7	11	16	20	30
50-64	652	9.3	51	2	3	8	12	17	24	36
65+	1469	10.6	74	2	3	9	13	20	27	47
B. *Operated*										
0-19 YRS	55	7.6	142	<1	2	4	10	14	19	82
20-34	312	6.3	80	1	2	3	6	14	22	53
35-49	282	9.7	92	1	2	7	13	21	31	45
50-64	427	13.0	153	2	2	10	16	26	34	82
65+	601	17.0	190	3	4	14	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	7.9	36	1	2	7	10	14	19	28
B. *Operated*	1557	4.0	23	1	2	2	3	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2653	9.7	63	2	3	8	12	19	24	43
B. *Operated*	1677	12.5	158	2	2	9	16	28	37	81
1. SINGLE DX	2161	5.1	30	1	2	3	6	12	15	26
2. MULTIPLE DX	4330	10.8	102	2	2	8	14	22	30	61
A. NOT OPERATED	3257	9.4	59	2	2	8	12	18	23	42
B. OPERATED	3234	8.4	111	1	2	4	11	20	29	63
TOTAL 0-19 YRS	289	4.8	39	1	1	3	6	11	13	24
20-34	1328	4.6	38	1	2	2	4	10	14	33
35-49	1124	6.8	50	1	2	4	9	16	20	34
50-64	1356	10.1	84	2	2	8	13	20	27	48
65+	2394	12.0	109	2	3	9	15	24	32	73
GRAND TOTAL	**6491**	**8.9**	**85**	**1**	**2**	**6**	**12**	**19**	**26**	**51**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2970	2.8	3	1	1	2	4	5	6	9
20-34	352	3.7	8	1	2	3	5	6	8	10
35-49	143	3.9	17	1	1	3	4	6	7	19
50-64	79	4.2	6	1	2	4	5	7	10	11
65+	66	4.9	11	1	2	4	6	8	10	20
B. *Operated*										
0-19 YRS	330	2.1	3	1	1	2	2	3	6	9
20-34	172	2.4	4	1	1	2	3	4	6	15
35-49	42	4.5	22	<1	1	3	6	8	12	28
50-64	33	4.8	16	1	1	4	7	11	13	14
65+	21	3.0	4	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4007	3.7	7	1	1	3	5	7	8	13
20-34	571	4.2	8	1	2	4	5	7	9	16
35-49	316	4.8	9	1	2	4	6	9	11	15
50-64	381	6.3	22	2	2	5	8	12	16	27
65+	751	8.7	73	2	3	7	10	15	20	56
B. *Operated*										
0-19 YRS	219	4.0	35	1	1	2	4	8	13	30
20-34	85	4.4	11	1	2	3	6	10	11	17
35-49	59	6.2	38	1	2	4	8	12	19	36
50-64	59	8.2	37	1	2	6	12	18	20	23
65+	73	12.1	115	2	2	9	16	27	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3610	3.0	5	1	1	3	4	5	7	10
B. *Operated*	598	2.6	6	1	1	2	2	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	6026	4.6	19	1	2	4	5	8	11	20
B. *Operated*	495	6.0	51	1	1	3	7	14	20	36
1. SINGLE DX	4208	2.9	5	1	1	2	4	5	7	10
2. MULTIPLE DX	6521	4.7	22	1	2	4	6	9	12	22
A. NOT OPERATED	9636	4.0	14	1	1	3	5	7	10	17
B. OPERATED	1093	4.1	29	1	1	2	4	9	14	28
TOTAL 0-19 YRS	7526	3.3	7	1	1	3	4	6	7	12
20-34	1180	3.8	8	1	1	3	5	7	9	15
35-49	560	4.7	15	1	2	4	6	9	11	19
50-64	552	6.1	22	1	2	5	8	12	17	23
65+	911	8.6	72	2	3	7	10	15	21	50
GRAND TOTAL	**10729**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3187	4.0	5	1	2	3	5	7	8	12
20-34	146	3.9	6	1	2	3	5	7	9	14
35-49	137	4.7	5	2	2	4	6	8	8	11
50-64	183	5.5	14	2	2	5	6	9	11	18
65+	241	6.2	14	2	3	5	8	11	13	20
B. *Operated*										
0-19 YRS	6	7.2	11	3	3	6	10	12	12	12
20-34	8	2.8	5	1	1	2	3	6	8	8
35-49	11	4.4	7	1	1	4	6	8	9	9
50-64	23	6.0	18	1	2	6	8	12	14	15
65+	9	10.9	56	3	3	11	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2759	4.7	10	2	2	4	6	8	10	15
20-34	307	5.3	13	1	2	4	7	10	12	20
35-49	535	6.3	16	2	3	5	8	11	14	21
50-64	1692	8.1	39	3	3	7	10	14	18	30
65+	3815	9.5	57	3	4	8	11	16	22	41
B. *Operated*										
0-19 YRS	26	10.9	139	1	2	6	11	28	41	42
20-34	29	8.3	131	1	1	5	10	16	20	62
35-49	51	9.4	91	1	2	7	10	21	36	46
50-64	168	11.5	101	2	3	8	14	22	40	55
65+	275	15.7	170	4	5	13	19	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3894	4.2	7	1	2	4	5	7	9	13
B. *Operated*	57	6.1	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	9108	7.5	40	2	3	6	9	14	17	31
B. *Operated*	549	13.2	144	2	3	10	16	28	41	94
1. SINGLE DX	3951	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	9657	7.8	47	2	3	6	9	14	19	36
A. NOT OPERATED	13002	6.5	32	2	2	5	8	12	15	28
B. OPERATED	606	12.5	137	2	3	9	16	27	40	85
TOTAL 0-19 YRS	5978	4.4	8	1	2	4	5	8	9	14
20-34	490	5.0	19	1	2	4	6	9	12	18
35-49	734	6.2	20	2	2	5	7	11	14	24
50-64	2066	8.1	43	2	3	7	10	14	19	35
65+	4340	9.7	65	3	4	8	12	17	23	49
GRAND TOTAL	**13608**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1188	2.5	1	1	2	2	3	4	4	5
20-34	2193	2.5	1	1	1	2	3	4	4	5
35-49	863	2.5	1	1	1	2	3	4	4	6
50-64	379	2.5	1	1	1	2	3	4	4	6
65+	82	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.3		<1	<1	1	1	3	3	3
20-34	48	1.3		<1	<1	1	2	2	2	3
35-49	21	1.4	1	<1	<1	1	2	3	4	4
50-64	17	2.3	6	<1	<1	1	3	6	8	9
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	1118	2.6	1	1	1	3	3	4	4	6
20-34	2528	2.7	1	1	1	3	3	4	4	6
35-49	1221	2.8	1	1	2	3	3	4	5	7
50-64	721	3.0	3	1	2	3	3	4	5	9
65+	189	3.4	8	1	2	3	4	5	7	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	4705	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	123	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	5777	2.8	2	1	2	3	3	4	5	7
1. SINGLE DX	4727	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	5900	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	145	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	10482	2.6	1	1	1	3	3	4	4	6
TOTAL 0-19 YRS	2348	2.5	1	1	1	2	3	4	4	5
20-34	4777	2.6	1	1	1	3	3	4	4	6
35-49	2109	2.7	1	1	1	3	3	4	4	6
50-64	1119	2.8	2	1	2	3	3	4	5	8
65+	274	3.2	6	1	2	3	3	5	6	17
GRAND TOTAL	**10627**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	37	1.8	1	<1	<1	2	2	3	4	6
20-34	78	2.4	2	<1	1	2	3	4	5	8
35-49	120	2.2	1	<1	1	2	2	4	5	7
50-64	177	2.2	1	<1	1	2	2	4	5	5
65+	115	2.2	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	2	<1	<1	<1	2	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.0	3	1	1	1	2	5	6	6
65+	9	5.0	14	1	1	5	6	11	13	13
B. *Operated*										
0-19 YRS	68	3.4	10	<1	1	3	4	5	10	19
20-34	140	2.9	3	1	2	3	3	5	5	7
35-49	221	2.9	2	1	1	3	4	5	5	9
50-64	308	2.9	3	1	1	3	3	4	5	9
65+	206	3.7	20	1	1	3	4	7	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	527	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.9	8	<1	<1	2	5	6	8	13
B. *Operated*	943	3.1	7	1	1	3	4	5	6	13
1. SINGLE DX	530	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	969	3.1	7	1	1	3	4	5	6	13
A. NOT OPERATED	29	2.7	8	<1	<1	1	4	6	7	13
B. OPERATED	1470	2.8	5	1	1	2	3	5	5	12
TOTAL 0-19 YRS	112	2.8	7	<1	<1	2	3	5	6	17
20-34	220	2.7	2	1	1	2	3	5	5	7
35-49	344	2.6	2	<1	1	2	3	4	5	8
50-64	493	2.6	3	1	1	2	3	4	5	8
65+	330	3.2	13	1	1	2	4	5	8	16
GRAND TOTAL	**1499**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.4	4	<1	<1	2	3	5	6	10
20-34	13	2.3	2	<1	<1	2	4	4	5	5
35-49	5	3.8	9	1	1	2	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	12263	1.6	1	<1	1	2	2	2	3	3
20-34	3402	2.0	1	1	1	2	2	3	3	4
35-49	270	2.3	1	1	1	2	2	3	4	6
50-64	41	2.3	1	1	1	2	3	4	5	6
65+	22	2.0	3	1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	1.4	1	<1	<1	<1	1	2	3	8
20-34	41	2.1	4	<1	<1	1	2	5	8	9
35-49	11	3.5	11	<1	<1	2	6	9	11	11
50-64										
65+	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	5856	1.6	1	<1	<1	1	2	2	3	4
20-34	423	2.6	4	1	1	2	3	4	5	9
35-49	63	3.0	5	1	2	2	3	5	6	16
50-64	23	2.9	3	1	1	3	3	4	6	10
65+	12	6.2	34	2	2	3	9	16	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.5	4	<1	<1	2	3	5	6	10
B. *Operated*	15998	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	395	1.5	2	<1	<1	1	1	3	4	9
B. *Operated*	6377	1.7	1	<1	<1	2	2	2	3	5
1. SINGLE DX	16062	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	6772	1.7	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	459	1.7	3	<1	<1	1	1	3	5	9
B. OPERATED	22375	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	18504	1.6	1	<1	<1	2	2	2	3	4
20-34	3879	2.1	1	1	1	2	2	3	3	5
35-49	349	2.5	2	1	1	2	3	4	4	9
50-64	65	2.5	2	1	1	2	3	4	5	9
65+	37	3.6	17	1	1	2	3	9	13	20
GRAND TOTAL	**22834**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	3.5	6	1	1	3	4	6	7	10
20-34	279	3.5	4	1	1	3	4	6	7	13
35-49	116	3.6	8	1	1	3	4	7	9	15
50-64	90	3.1	6	<1	1	2	4	6	8	14
65+	60	3.3	8	1	1	2	4	7	10	13
B. *Operated*										
0-19 YRS	535	2.8	4	<1	1	2	3	5	6	8
20-34	892	2.6	5	<1	1	2	3	4	6	11
35-49	856	2.4	5	<1	1	2	2	4	5	11
50-64	963	2.2	2	1	1	2	2	4	5	9
65+	406	2.7	12	1	1	2	2	4	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	4.1	7	1	2	3	5	7	9	15
20-34	149	3.8	5	1	1	4	5	7	8	12
35-49	142	4.3	9	<1	1	4	6	9	10	13
50-64	150	5.2	24	1	1	4	7	11	14	24
65+	148	6.5	23	2	2	5	8	13	17	20
B. *Operated*										
0-19 YRS	297	4.0	21	1	1	3	4	7	11	27
20-34	538	3.4	13	1	1	3	4	5	9	18
35-49	530	3.4	16	1	1	2	4	6	8	20
50-64	721	4.2	34	1	1	2	4	8	15	30
65+	487	5.9	68	1	2	3	6	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	3.4	6	1	1	3	4	6	7	12
B. *Operated*	3652	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	890	4.6	13	1	1	4	6	9	11	19
B. *Operated*	2573	4.2	32	1	1	3	4	8	13	30
1. SINGLE DX	4693	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3463	4.3	27	1	1	3	5	8	12	28
A. NOT OPERATED	1931	4.0	9	1	1	3	5	7	10	16
B. OPERATED	6225	3.2	17	1	1	2	3	5	8	21
TOTAL 0-19 YRS	1629	3.4	8	1	1	3	4	6	8	15
20-34	1858	3.1	7	<1	1	2	4	5	7	13
35-49	1644	3.0	9	<1	1	2	3	6	8	14
50-64	1924	3.3	17	1	1	2	3	6	9	22
65+	1101	4.6	40	1	1	2	4	10	17	33
GRAND TOTAL	**8156**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5662	4.6	7	2	2	4	6	8	9	13
20-34	1278	5.7	10	2	3	5	7	9	11	16
35-49	994	6.3	12	2	3	6	8	10	13	19
50-64	945	7.3	21	3	3	7	9	11	13	22
65+	1559	8.7	29	3	4	8	11	15	18	29
B. *Operated*										
0-19 YRS	23	9.6	25	3	4	9	13	16	20	23
20-34	34	11.4	52	1	2	11	16	20	26	32
35-49	82	9.5	40	1	2	9	13	17	21	32
50-64	120	10.5	45	2	2	10	15	19	25	51
65+	131	11.8	89	1	2	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4778	5.5	16	2	2	4	7	10	12	20
20-34	1276	7.8	32	2	3	6	9	14	17	31
35-49	1521	8.5	33	3	3	7	10	15	18	28
50-64	3339	10.2	46	3	4	9	12	18	23	37
65+	11901	13.2	99	4	5	11	16	23	32	63
B. *Operated*										
0-19 YRS	91	16.1	154	3	4	12	23	41	48	99+
20-34	167	18.2	226	3	5	14	24	37	46	97
35-49	281	17.1	143	4	5	14	23	33	43	59
50-64	630	18.2	185	5	7	14	22	35	50	85
65+	1731	23.0	253	7	9	19	30	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10438	5.7	15	2	2	5	7	10	12	19
B. *Operated*	390	10.7	58	1	2	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	22815	10.5	75	3	3	8	13	19	26	51
B. *Operated*	2900	20.9	229	5	7	17	27	43	61	99+
1. SINGLE DX	10828	5.9	17	2	2	5	7	10	13	21
2. MULTIPLE DX	25715	11.7	104	3	4	9	14	22	31	66
A. NOT OPERATED	33253	9.0	61	2	3	7	11	17	22	43
B. OPERATED	3290	19.7	220	4	6	16	25	41	57	99+
TOTAL 0-19 YRS	10554	5.1	14	2	2	4	6	9	11	18
20-34	2755	7.5	42	2	3	6	9	14	18	36
35-49	2878	8.6	45	3	3	7	10	15	21	35
50-64	5034	10.7	68	3	4	9	13	19	25	48
65+	15322	13.8	122	4	5	11	16	26	36	79
GRAND TOTAL	**36543**	**10.0**	**85**	**2**	**3**	**7**	**12**	**19**	**27**	**56**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.7	4	1	1	3	5	6	8	11
20-34	56	3.9	6	1	2	3	5	6	8	14
35-49	29	5.2	9	2	2	5	7	10	10	12
50-64	29	4.4	6	1	2	4	5	6	10	13
65+	47	6.4	14	2	3	6	9	12	14	16
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	3.7	4	1	2	3	4	6	7	12
20-34	86	3.9	6	1	2	3	5	7	9	14
35-49	67	5.0	10	2	2	4	6	8	12	17
50-64	124	6.8	18	2	3	6	8	12	15	26
65+	286	7.5	33	2	3	6	10	14	16	27
B. *Operated*										
0-19 YRS	2	22.5	613	5	5	22	40	40	40	40
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	6	23.5	412	8	8	18	24	59	63	63
50-64	6	15.5	84	4	4	16	22	27	28	28
65+	12	14.7	86	5	6	12	19	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.3	8	1	2	4	5	8	10	14
B. *Operated*	4	9.5	81	2	2	8	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	814	5.7	20	2	2	4	7	11	14	20
B. *Operated*	28	16.4	180	3	4	13	22	33	42	63
1. SINGLE DX	309	4.4	9	1	2	4	5	8	10	15
2. MULTIPLE DX	842	6.0	29	2	2	5	7	11	15	27
A. NOT OPERATED	1119	5.3	17	2	2	4	6	10	13	19
B. OPERATED	32	15.6	170	2	3	13	21	30	39	63
TOTAL 0-19 YRS	397	3.8	8	1	2	3	5	6	7	13
20-34	146	3.9	6	1	2	3	5	6	9	14
35-49	103	6.2	48	2	2	4	7	11	15	42
50-64	159	6.7	22	2	2	6	8	13	15	27
65+	346	7.7	35	2	3	6	10	14	17	28
GRAND TOTAL	**1151**	**5.6**	**24**	**2**	**2**	**4**	**7**	**11**	**14**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	535	3.5	5	1	1	3	4	6	7	11
20-34	71	3.9	6	1	1	3	5	7	10	12
35-49	99	4.8	8	1	2	4	6	8	9	16
50-64	219	6.0	17	2	2	5	7	11	14	21
65+	324	7.3	28	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	8	5.3	28	1	1	2	10	13	14	14
20-34	17	4.9	19	<1	<1	4	6	10	16	18
35-49	22	4.7	30	<1	1	2	5	13	20	21
50-64	56	5.0	23	<1	1	2	8	12	15	18
65+	69	6.0	32	1	1	4	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	4.3	10	1	2	4	5	7	8	17
20-34	153	5.6	16	2	2	5	7	10	13	17
35-49	248	6.5	20	2	2	5	8	13	16	22
50-64	905	8.9	58	2	3	7	11	17	24	44
65+	2198	10.0	62	3	4	8	12	19	24	56
B. *Operated*										
0-19 YRS	11	10.5	126	1	2	7	13	26	40	41
20-34	20	9.3	118	2	2	7	13	31	72	99+
35-49	70	6.9	32	1	2	5	9	15	20	25
50-64	242	9.9	131	1	2	7	12	22	34	99+
65+	356	13.0	126	2	3	10	18	30	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	5.0	16	1	2	4	6	10	12	20
B. *Operated*	172	5.4	27	1	1	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	3994	8.7	54	2	3	7	11	17	22	40
B. *Operated*	699	11.2	122	2	2	8	15	25	41	99+
1. SINGLE DX	1420	5.1	17	1	1	4	6	10	13	21
2. MULTIPLE DX	4693	9.0	65	2	3	7	11	19	24	58
A. NOT OPERATED	5242	7.8	47	2	2	6	10	15	20	35
B. OPERATED	871	10.0	108	1	2	7	13	22	34	99+
TOTAL 0-19 YRS	1044	3.9	9	1	1	3	5	7	8	14
20-34	261	5.4	22	1	2	4	7	10	14	31
35-49	439	6.1	20	1	2	5	8	12	16	22
50-64	1422	8.5	65	2	2	6	11	16	24	49
65+	2947	10.0	67	3	3	8	13	20	25	65
GRAND TOTAL	**6113**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**22**	**47**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.5	5	2	2	4	6	8	8	8
35-49	25	6.3	23	2	2	4	7	14	17	19
50-64	105	9.2	92	2	3	7	10	16	33	84
65+	201	7.8	32	2	3	7	10	14	17	32
B. *Operated*										
0-19 YRS	4	15.3	236	5	5	9	24	38	38	38
20-34	9	11.6	27	6	6	11	16	19	21	21
35-49	12	8.1	30	<1	1	8	13	15	16	16
50-64	7	12.6	111	1	1	14	23	25	25	25
65+	5	15.4	197	4	4	10	22	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	26.5	1301	1	1	26	52	52	52	52
20-34	9	7.6	53	1	1	5	13	19	20	20
35-49	57	7.7	40	2	2	6	9	19	21	29
50-64	595	10.7	92	3	4	8	13	20	27	55
65+	1359	11.9	109	3	4	9	14	23	33	74
B. *Operated*										
0-19 YRS	2	25.0	242	14	14	25	36	36	36	36
20-34	15	18.5	74	8	10	17	20	30	39	42
35-49	14	14.6	67	3	5	15	21	27	28	28
50-64	90	21.3	300	4	6	17	25	40	67	84
65+	161	24.8	371	5	7	19	35	65	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	8.1	50	2	3	7	10	14	19	41
B. *Operated*	37	11.5	83	1	2	10	16	23	33	39
2. MULTIPLE DX										
A. *Not Operated*	2022	11.4	103	3	4	9	14	22	31	68
B. *Operated*	282	22.8	321	5	7	18	29	57	76	99+
1. SINGLE DX	374	8.4	54	2	3	7	10	15	20	40
2. MULTIPLE DX	2304	12.8	144	3	4	9	16	25	38	88
A. NOT OPERATED	2359	11.0	97	3	3	8	13	21	30	64
B. OPERATED	319	21.5	306	4	6	17	28	53	74	99+
TOTAL 0-19 YRS	8	20.5	353	1	2	12	37	48	52	52
20-34	39	12.2	75	1	2	12	18	21	27	42
35-49	108	8.3	44	2	2	6	11	18	22	29
50-64	797	11.7	127	3	4	9	14	23	33	73
65+	1726	12.7	141	3	4	9	15	25	40	94
GRAND TOTAL	**2678**	**12.2**	**133**	**3**	**4**	**9**	**15**	**24**	**36**	**83**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7978	3.6	5	1	2	3	4	6	7	10
20-34	2329	4.6	7	1	2	4	6	8	9	13
35-49	2089	5.4	11	1	2	5	7	9	11	18
50-64	1658	6.1	12	2	2	5	8	10	13	18
65+	919	7.3	23	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	13	4.4	6	1	1	4	6	8	8	8
20-34	14	8.6	25	2	3	9	12	16	18	18
35-49	27	8.2	44	1	1	7	15	17	20	23
50-64	16	12.3	62	3	3	10	17	26	27	27
65+	8	10.9	34	5	5	9	18	68	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3620	4.4	14	1	2	4	5	7	9	19
20-34	1412	5.8	15	2	2	5	7	10	12	20
35-49	1937	7.5	30	2	3	6	9	13	17	28
50-64	3072	8.4	37	2	3	7	10	14	19	33
65+	3570	10.1	62	3	4	8	12	18	23	43
B. *Operated*										
0-19 YRS	26	13.0	155	4	6	10	14	20	32	69
20-34	59	12.7	76	3	4	11	16	26	33	40
35-49	111	15.3	127	4	5	13	19	31	36	88
50-64	188	15.7	196	4	5	12	18	28	39	81
65+	255	19.6	266	5	7	15	23	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14973	4.5	9	1	2	4	6	8	10	15
B. *Operated*	78	8.8	41	1	2	7	15	18	22	79
2. MULTIPLE DX										
A. *Not Operated*	13611	7.4	39	2	2	6	9	14	18	32
B. *Operated*	639	16.8	205	4	6	13	20	32	51	91
1. SINGLE DX	15051	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	14250	7.8	50	2	2	6	10	14	19	38
A. NOT OPERATED	28584	5.9	25	1	2	5	7	11	14	25
B. OPERATED	717	15.9	193	3	5	12	19	31	47	93
TOTAL 0-19 YRS	11637	3.9	8	1	2	3	5	7	8	13
20-34	3814	5.2	13	1	2	4	6	9	11	18
35-49	4164	6.7	26	2	2	5	8	12	15	27
50-64	4934	7.9	38	2	3	7	10	14	18	32
65+	4752	10.1	71	3	4	8	12	18	24	51
GRAND TOTAL	**29301**	**6.1**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	17	1	1	3	7	11	15	15
20-34	18	6.1	16	2	2	5	9	13	14	14
35-49	129	7.4	46	3	3	6	8	11	14	34
50-64	742	8.0	36	2	3	7	10	15	19	31
65+	1273	8.8	41	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	6	7.0	66	2	2	2	13	20	21	21
20-34	6	13.3	335	2	2	6	12	46	50	50
35-49	14	5.8	26	1	2	4	8	12	18	20
50-64	35	6.6	21	1	2	6	10	15	17	99+
65+	51	12.1	304	1	1	4	14	28	50	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.0	12	1	2	5	9	12	26	99+
20-34	51	7.8	46	1	2	5	11	18	21	31
35-49	408	9.2	60	2	3	7	11	17	24	41
50-64	3315	10.5	79	3	4	8	12	19	26	53
65+	7761	11.9	100	3	4	9	14	22	32	63
B. *Operated*										
0-19 YRS	7	7.9	40	1	1	8	11	18	19	19
20-34	13	9.3	50	1	2	6	16	19	21	21
35-49	76	14.3	295	2	4	9	15	27	57	91
50-64	432	16.7	197	2	4	13	22	41	55	99+
65+	985	20.4	288	3	6	16	27	51	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2172	8.4	40	2	3	7	10	15	20	36
B. *Operated*	112	9.4	173	1	2	5	12	20	43	91
2. MULTIPLE DX										
A. *Not Operated*	11561	11.4	93	3	4	9	14	21	30	61
B. *Operated*	1513	18.9	264	3	5	14	25	47	73	99+
1. SINGLE DX	2284	8.4	46	2	3	7	10	15	20	39
2. MULTIPLE DX	13074	12.2	118	3	4	9	15	24	34	82
A. NOT OPERATED	13733	10.9	86	3	4	8	13	21	28	57
B. OPERATED	1625	18.2	263	2	4	14	24	46	71	99+
TOTAL 0-19 YRS	49	6.1	22	1	2	5	9	13	19	99+
20-34	88	8.1	59	1	2	5	11	18	21	43
35-49	627	9.4	88	2	3	7	11	17	24	60
50-64	4524	10.6	87	3	3	8	13	20	28	61
65+	10070	12.4	120	3	4	9	15	24	35	85
GRAND TOTAL	**15358**	**11.7**	**110**	**3**	**4**	**9**	**14**	**23**	**32**	**77**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.7	10	1	1	3	5	8	9	15
20-34	214	4.1	7	1	1	4	5	7	9	13
35-49	57	4.9	9	1	2	4	6	9	11	15
50-64	27	6.2	20	1	2	5	7	14	15	18
65+	13	8.8	20	3	4	9	11	16	17	17
B. *Operated*										
0-19 YRS	107	6.9	21	3	3	5	8	12	18	25
20-34	540	7.1	18	2	3	6	9	13	16	21
35-49	160	7.6	30	2	3	6	9	13	16	32
50-64	66	8.5	34	3	3	7	11	17	19	32
65+	49	8.8	33	2	3	7	12	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.7	15	1	1	3	4	6	10	21
20-34	40	5.0	9	1	2	4	7	9	11	13
35-49	28	7.5	45	1	2	6	10	13	22	32
50-64	35	9.6	44	3	3	9	11	18	22	35
65+	79	11.6	71	2	4	9	15	24	29	44
B. *Operated*										
0-19 YRS	37	11.1	69	3	5	9	14	24	33	36
20-34	174	11.0	59	3	4	9	15	19	23	43
35-49	131	12.7	122	3	4	9	16	24	28	63
50-64	151	14.7	127	4	4	11	19	28	39	57
65+	215	16.6	180	3	4	12	22	34	46	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.5	10	1	1	4	6	9	11	16
B. *Operated*	922	7.3	22	3	3	6	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	208	8.4	53	2	2	6	11	18	24	33
B. *Operated*	708	13.8	127	3	4	10	17	26	35	57
1. SINGLE DX	1300	6.5	21	2	2	5	8	12	16	23
2. MULTIPLE DX	916	12.6	115	3	4	9	16	25	33	56
A. NOT OPERATED	586	5.9	29	1	1	4	7	12	16	29
B. OPERATED	1630	10.1	78	3	3	7	12	20	26	49
TOTAL 0-19 YRS	237	6.3	31	1	1	5	8	13	17	31
20-34	968	7.0	27	2	2	6	9	14	17	24
35-49	376	9.0	68	2	3	7	10	17	24	45
50-64	279	11.8	94	3	4	9	15	23	32	52
65+	356	14.1	140	3	4	10	19	29	37	58
GRAND TOTAL	**2216**	**9.0**	**68**	**2**	**3**	**6**	**11**	**18**	**24**	**46**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	4.1	11	1	1	3	5	8	12	17
20-34	178	4.7	18	1	1	4	6	9	13	25
35-49	172	4.5	16	1	1	3	6	9	13	23
50-64	260	5.6	22	1	1	4	7	11	14	25
65+	313	8.2	89	1	2	6	10	14	19	64
B. *Operated*										
0-19 YRS	39	8.7	223	1	2	4	8	17	27	91
20-34	104	8.1	51	1	2	6	11	18	22	35
35-49	175	8.3	65	1	2	6	11	17	20	47
50-64	309	8.2	53	1	2	6	12	18	22	33
65+	272	8.2	56	1	1	6	12	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	5.9	47	1	1	4	7	11	16	43
20-34	295	6.5	33	1	2	5	8	13	19	31
35-49	448	8.1	60	1	2	6	10	16	20	37
50-64	1372	8.7	55	2	3	7	11	16	22	41
65+	4223	11.7	92	3	4	9	14	21	29	59
B. *Operated*										
0-19 YRS	89	13.9	205	1	2	9	21	35	48	91
20-34	172	14.4	218	1	2	9	20	33	50	81
35-49	337	13.9	170	2	2	10	18	33	44	72
50-64	886	13.8	158	2	3	10	18	30	43	99+
65+	1502	17.8	216	2	4	14	23	37	50	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1116	5.7	40	1	1	4	7	11	15	28
B. *Operated*	899	8.2	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	6686	10.3	81	2	3	8	13	20	26	53
B. *Operated*	2986	15.9	197	2	3	12	21	34	47	97
1. SINGLE DX	2015	6.9	52	1	1	5	9	15	19	32
2. MULTIPLE DX	9672	12.0	123	2	3	9	15	25	34	69
A. NOT OPERATED	7802	9.7	78	2	2	8	12	19	25	50
B. OPERATED	3885	14.1	76	2	2	10	19	31	42	90
TOTAL 0-19 YRS	669	6.6	77	1	1	4	7	13	21	48
20-34	749	8.1	37	1	2	5	9	19	26	53
35-49	1132	9.3	[illegible]	1	2	6	11	20	28	60
50-64	2827	10.0	[illegible]	2	2	8	12	21	29	59
65+	6310	12.8	[illegible]	2	3	10	16	25	35	72
GRAND TOTAL	**11687**	**11.2**	[illegible]	**2**	**2**	**8**	**14**	**23**	**32**	**64**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.5	3	1	1	3	4	6	7	9
20-34	20	3.7	9	1	1	3	5	8	10	11
35-49	22	3.8	16	1	1	2	5	11	14	16
50-64	12	3.6	7	1	1	2	6	8	8	8
65+	7	3.7	5	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	4320	1.7	1	<1	<1	2	2	2	3	5
20-34	3509	1.8	1	<1	<1	2	2	2	4	6
35-49	777	2.1	3	<1	<1	2	2	3	4	7
50-64	561	2.2	2	<1	<1	2	2	3	4	9
65+	247	2.3	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.6	5	<1	<1	1	4	6	7	10
20-34	121	2.6	6	<1	<1	2	3	6	8	12
35-49	55	3.7	12	<1	<1	2	6	9	10	15
50-64	57	4.4	33	<1	<1	2	5	11	13	35
65+	55	5.8	37	1	1	4	8	13	20	28
B. *Operated*										
0-19 YRS	1652	2.2	10	<1	<1	2	2	4	5	11
20-34	1817	2.3	3	<1	1	2	2	4	5	9
35-49	919	2.5	6	1	1	2	2	4	6	11
50-64	1082	2.7	8	1	1	2	3	4	6	15
65+	846	3.2	13	1	2	2	3	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.6	7	1	1	3	5	7	9	14
B. *Operated*	9414	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	431	3.4	15	<1	<1	2	5	8	10	19
B. *Operated*	6316	2.5	7	<1	1	2	2	4	6	12
1. SINGLE DX	9524	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	6747	2.6	8	<1	1	2	3	4	6	13
A. NOT OPERATED	541	3.4	13	<1	<1	2	5	7	10	18
B. OPERATED	15730	2.1	4	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	6164	1.9	4	<1	<1	2	2	3	4	7
20-34	5467	2.0	2	<1	<1	2	2	3	4	7
35-49	1773	2.4	5	<1	1	2	2	4	5	11
50-64	1712	2.6	7	<1	1	2	3	4	6	14
65+	1155	3.2	12	1	2	2	3	6	8	18
GRAND TOTAL	**16271**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	4.3	7	1	2	4	5	7	8	15
20-34	41	4.3	8	1	1	3	6	8	10	12
35-49	33	5.1	9	1	2	4	6	8	13	15
50-64	34	5.3	11	1	2	5	6	10	12	15
65+	26	6.0	16	1	[illegible]	5	10	12	13	15
B. *Operated*										
0-19 YRS	167	2.7	3	<1	<1	2	4	5	6	9
20-34	182	3.2	5	<1	1	3	4	6	7	11
35-49	146	3.2	4	<1	1	3	4	5	6	12
50-64	198	3.3	4	<1	1	3	4	6	7	10
65+	147	4.5	14	1	2	3	5	8	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	4.7	9	1	2	4	6	9	12	14
20-34	50	5.1	15	2	2	4	6	7	11	25
35-49	52	5.8	21	1	1	5	8	11	17	22
50-64	74	6.8	26	1	2	6	8	12	16	31
65+	119	8.8	46	2	2	8	11	16	20	37
B. *Operated*										
0-19 YRS	89	3.2	11	<1	1	2	4	6	8	21
20-34	84	5.0	18	1	2	4	6	11	14	23
35-49	105	5.8	60	1	2	3	5	12	20	46
50-64	189	5.0	20	1	2	4	6	10	14	30
65+	191	7.6	85	2	2	4	9	17	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	4.7	9	1	2	4	6	9	11	15
B. *Operated*	840	3.4	6	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	414	6.4	28	1	2	5	8	13	16	29
B. *Operated*	658	5.6	46	1	2	3	6	12	17	36
1. SINGLE DX	1076	3.7	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	1072	6.0	39	1	2	4	7	12	17	34
A. NOT OPERATED	650	5.8	22	1	2	5	7	11	14	25
B. OPERATED	1498	4.4	25	<1	1	3	5	8	12	27
TOTAL 0-19 YRS	477	3.6	8	<1	1	3	5	7	9	13
20-34	357	4.0	10	1	1	3	5	7	10	17
35-49	336	4.6	26	1	2	3	5	8	12	27
50-64	495	4.6	15	1	1	4	6	9	12	23
65+	483	6.9	53	1	2	4	9	14	21	35
GRAND TOTAL	**2148**	**4.8**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	4.1	16	1	1	3	5	8	10	20
20-34	126	3.7	7	<1	<1	3	5	7	9	14
35-49	209	3.6	6	<1	1	3	5	8	9	11
50-64	211	4.2	8	<1	1	4	6	8	9	12
65+	179	4.9	22	1	1	4	6	8	10	30
B. *Operated*										
0-19 YRS	109	4.7	95	<1	1	2	4	10	16	55
20-34	73	5.2	20	1	1	4	8	10	12	24
35-49	112	5.7	43	<1	1	4	7	11	14	37
50-64	173	5.5	35	<1	1	4	7	11	13	36
65+	292	6.1	41	1	2	4	8	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	6.0	30	1	2	4	8	15	18	80
20-34	258	5.1	17	1	1	4	6	10	14	19
35-49	505	5.5	16	1	2	5	7	10	13	18
50-64	802	6.0	19	1	2	5	8	11	14	23
65+	1262	7.9	46	2	2	6	10	15	21	43
B. *Operated*										
0-19 YRS	102	9.8	186	1	2	6	12	22	44	87
20-34	126	8.8	104	1	2	6	11	19	29	81
35-49	277	8.7	80	1	2	7	11	18	24	46
50-64	603	9.3	78	<1	2	7	12	20	27	50
65+	1122	11.6	149	2	2	8	14	24	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	4.1	12	<1	1	3	5	8	9	17
B. *Operated*	759	5.6	45	<1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	3004	6.6	31	1	2	5	8	13	17	29
B. *Operated*	2230	10.4	122	1	2	8	13	22	31	73
1. SINGLE DX	1645	4.8	28	<1	1	3	6	9	12	25
2. MULTIPLE DX	5234	8.2	73	1	2	6	10	17	23	54
A. NOT OPERATED	3890	6.1	28	1	2	5	8	12	16	27
B. OPERATED	2989	9.2	107	1	2	7	11	19	27	67
TOTAL 0-19 YRS	549	5.9	71	1	1	3	7	13	19	71
20-34	583	5.6	37	<1	1	4	7	11	16	31
35-49	1103	5.9	36	1	1	4	8	12	16	29
50-64	1789	6.8	43	1	2	5	9	13	18	34
65+	2855	9.0	89	2	2	6	11	19	25	65
GRAND TOTAL	**6879**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**21**	**46**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.2	18	<1	1	5	7	9	14	20
20-34	56	4.5	9	<1	1	4	6	9	10	15
35-49	107	5.2	11	<1	1	5	7	10	11	17
50-64	123	5.2	10	1	1	5	7	9	11	16
65+	111	6.8	25	1	1	5	9	13	17	25
B. *Operated*										
0-19 YRS	6	6.5	8	3	3	7	7	11	11	11
20-34	22	10.0	48	<1	1	8	14	20	25	26
35-49	89	8.0	41	<1	1	7	11	17	22	74
50-64	118	7.0	37	<1	<1	6	9	14	18	33
65+	113	8.9	53	<1	1	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.8	19	3	3	4	6	14	16	16
20-34	88	5.9	11	2	2	5	7	10	12	17
35-49	173	6.9	23	1	2	6	8	14	16	21
50-64	257	7.1	20	2	3	6	9	13	16	23
65+	627	9.6	63	2	3	8	12	17	22	49
B. *Operated*										
0-19 YRS	3	7.3	16	3	3	8	10	11	11	11
20-34	41	9.3	62	1	3	7	10	17	28	38
35-49	123	8.9	40	1	3	8	12	16	22	31
50-64	291	10.3	68	1	2	9	13	19	23	51
65+	596	12.8	100	2	4	10	15	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	5.5	15	<1	1	5	7	10	13	19
B. *Operated*	348	8.1	44	<1	1	7	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	1154	8.3	45	2	3	7	10	15	19	36
B. *Operated*	1054	11.5	84	2	3	9	14	22	27	55
1. SINGLE DX	766	6.7	30	<1	1	6	9	13	17	27
2. MULTIPLE DX	2208	9.8	66	2	3	8	12	18	23	48
A. NOT OPERATED	1572	7.6	38	1	2	6	9	14	18	31
B. OPERATED	1402	10.6	76	1	2	9	13	21	26	51
TOTAL 0-19 YRS	39	5.7	16	1	2	5	8	10	14	20
20-34	207	6.6	28	1	2	5	8	13	17	29
35-49	492	7.2	29	<1	2	6	9	14	17	28
50-64	789	8.0	42	1	2	7	10	15	19	34
65+	1447	10.6	78	2	3	9	13	20	26	57
GRAND TOTAL	**2974**	**9.0**	**59**	**1**	**2**	**7**	**11**	**17**	**22**	**40**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	9	2	2	5	8	11	11	11
20-34	42	4.5	4	2	2	4	6	7	9	11
35-49	62	5.5	5	2	3	5	6	8	10	12
50-64	114	6.5	11	3	4	6	7	9	11	23
65+	154	7.8	26	3	4	7	9	13	17	22
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	24	12.2	48	4	5	10	16	22	25	31
35-49	53	9.3	29	3	5	9	11	15	17	36
50-64	94	11.1	36	5	6	10	14	20	21	33
65+	123	12.9	77	3	5	11	16	24	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	8	3	3	7	8	9	9	9
20-34	43	6.0	20	1	2	5	7	8	14	24
35-49	96	7.4	15	3	4	7	9	12	13	24
50-64	306	8.1	36	3	4	7	9	13	17	28
65+	746	10.9	63	4	5	9	13	19	25	46
B. *Operated*										
0-19 YRS	8	8.8	38	4	4	7	10	19	23	23
20-34	36	13.7	153	3	3	9	17	36	39	53
35-49	88	15.0	185	4	5	11	17	26	37	84
50-64	281	13.7	104	4	5	11	17	25	34	58
65+	768	17.0	169	5	6	14	21	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	6.6	16	2	3	6	8	11	13	22
B. *Operated*	295	11.6	54	4	5	10	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*	1196	9.7	53	3	4	8	11	16	22	39
B. *Operated*	1181	15.9	155	5	6	12	19	30	44	92
1. SINGLE DX	684	8.8	39	3	4	7	11	16	20	35
2. MULTIPLE DX	2377	12.8	113	4	5	10	15	24	34	73
A. NOT OPERATED	1585	9.0	46	3	4	7	10	15	20	37
B. OPERATED	1476	15.0	138	4	6	12	18	28	39	85
TOTAL 0-19 YRS	31	6.6	17	2	3	6	8	11	11	23
20-34	145	8.5	67	2	3	6	9	19	26	41
35-49	299	9.6	78	3	4	8	11	16	24	47
50-64	795	10.2	64	3	4	8	12	19	24	43
65+	1791	13.4	117	4	5	10	16	25	36	78
GRAND TOTAL	**3061**	**11.9**	**99**	**3**	**4**	**9**	**14**	**22**	**30**	**60**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	4.4	9	1	1	4	5	9	11	16
20-34	334	4.7	8	1	2	4	6	9	10	14
35-49	420	5.2	11	1	2	4	7	9	11	19
50-64	364	5.2	9	1	2	5	7	9	11	15
65+	205	6.3	25	1	2	6	8	10	11	32
B. *Operated*										
0-19 YRS	4	2.5	3	<1	<1	2	4	4	4	4
20-34	59	8.9	31	1	3	9	10	16	19	31
35-49	88	10.9	63	1	3	9	13	19	23	47
50-64	75	8.2	29	<1	2	8	11	14	17	28
65+	43	9.5	44	<1	1	9	12	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.2	10	2	2	5	6	10	13	71
20-34	374	5.8	14	1	2	5	7	10	13	18
35-49	588	6.3	17	2	3	5	8	10	14	23
50-64	860	6.8	22	2	3	6	8	11	14	23
65+	1331	9.0	46	3	3	7	11	16	21	42
B. *Operated*										
0-19 YRS	4	6.0	18	3	3	5	9	12	12	12
20-34	70	12.4	95	3	4	10	16	21	33	55
35-49	159	12.0	98	2	4	9	15	22	26	57
50-64	261	12.9	106	2	3	10	17	25	35	57
65+	393	14.4	123	3	4	12	18	28	40	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1417	5.2	12	1	2	4	7	9	11	17
B. *Operated*	269	9.4	44	1	2	9	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	3237	7.5	31	2	3	6	9	13	17	30
B. *Operated*	887	13.3	112	2	4	11	17	26	34	61
1. SINGLE DX	1686	5.8	20	1	2	5	8	10	13	23
2. MULTIPLE DX	4124	8.7	54	2	3	7	10	16	22	43
A. NOT OPERATED	4654	6.8	27	2	2	6	8	12	15	28
B. OPERATED	1156	12.4	99	2	3	10	16	24	32	57
TOTAL 0-19 YRS	186	4.7	10	1	2	4	6	9	12	17
20-34	837	6.1	24	1	2	5	8	11	14	26
35-49	1255	7.0	34	2	2	6	9	13	17	27
50-64	1560	7.5	40	2	2	6	9	13	18	35
65+	1972	9.8	65	3	3	8	12	19	25	48
GRAND TOTAL	**5810**	**7.9**	**46**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	5.2	7	1	2	5	7	8	11	13
20-34	201	5.4	6	2	3	5	7	9	10	13
35-49	261	5.7	6	3	3	5	7	9	11	13
50-64	350	6.5	10	3	3	6	8	11	12	17
65+	338	7.1	12	3	4	6	8	12	14	19
B. *Operated*										
0-19 YRS	6	6.2	23	2	2	5	8	13	14	14
20-34	72	10.3	22	5	6	9	12	16	18	30
35-49	120	11.1	27	4	6	10	14	17	20	30
50-64	168	11.6	66	5	6	10	13	19	28	39
65+	139	14.0	97	5	7	11	16	25	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.3	15	2	2	5	9	11	13	18
20-34	168	6.3	18	2	3	5	8	11	14	24
35-49	303	6.8	23	2	3	6	8	12	14	27
50-64	702	7.8	27	3	3	7	9	12	16	27
65+	1426	10.5	64	3	4	8	13	18	24	58
B. *Operated*										
0-19 YRS	7	23.4	670	6	6	11	35	68	75	75
20-34	54	14.4	196	4	4	11	16	26	31	96
35-49	163	14.7	97	5	6	12	18	27	39	46
50-64	344	16.4	163	5	6	13	20	29	41	91
65+	733	20.7	237	6	8	16	25	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1193	6.2	10	3	3	6	8	10	12	17
B. *Operated*	505	11.9	60	5	6	10	14	19	26	42
2. MULTIPLE DX										
A. *Not Operated*	2627	9.0	49	3	4	7	11	16	20	43
B. *Operated*	1301	18.6	206	5	7	14	23	36	52	97
1. SINGLE DX	1698	7.9	31	3	3	7	10	13	17	28
2. MULTIPLE DX	3928	12.2	121	3	4	9	14	24	33	75
A. NOT OPERATED	3820	8.2	38	3	3	7	10	14	18	35
B. OPERATED	1806	16.7	174	5	6	13	20	31	45	85
TOTAL 0-19 YRS	84	7.2	83	2	2	5	8	11	13	64
20-34	495	7.4	42	2	3	6	9	13	17	30
35-49	847	8.6	44	2	3	7	10	15	20	39
50-64	1564	9.8	72	3	4	8	11	17	25	53
65+	2636	13.1	132	4	5	10	15	25	36	76
GRAND TOTAL	**5626**	**10.9**	**98**	**3**	**4**	**8**	**13**	**21**	**28**	**64**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	2	2	3	6	6	6	6
20-34	6	7.8	7	5	5	7	11	11	11	11
35-49	13	8.3	20	3	3	7	11	15	17	17
50-64	23	7.1	11	3	4	7	9	11	15	16
65+	30	9.2	20	3	4	8	12	16	17	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	11.2	37	2	5	10	12	21	24	25
35-49	32	13.4	29	6	7	13	16	21	25	26
50-64	41	14.8	55	4	7	13	19	22	32	37
65+	26	15.7	71	5	7	14	18	26	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.4	9	2	3	6	7	12	12	12
35-49	22	7.5	14	2	2	7	11	12	13	14
50-64	44	8.0	15	3	3	7	10	13	16	19
65+	92	11.9	50	3	5	10	14	23	28	33
B. *Operated*										
0-19 YRS	2	17.5	13	15	15	17	20	20	20	20
20-34	16	16.6	55	4	11	16	21	29	31	31
35-49	51	18.0	177	5	6	15	21	34	44	77
50-64	87	21.1	220	6	8	18	27	35	48	87
65+	167	21.8	207	7	9	18	27	40	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	8.0	17	2	3	7	10	15	16	21
B. *Operated*	112	14.1	51	5	7	13	18	24	26	37
2. MULTIPLE DX										
A. *Not Operated*	171	9.9	38	3	4	9	12	17	24	32
B. *Operated*	323	20.7	198	6	8	17	26	37	49	93
1. SINGLE DX	189	11.6	46	3	5	10	15	20	25	36
2. MULTIPLE DX	494	17.0	169	4	6	13	22	32	42	77
A. NOT OPERATED	248	9.3	32	3	4	8	11	16	20	32
B. OPERATED	435	19.0	168	6	7	16	23	34	44	79
TOTAL 0-19 YRS	8	6.9	48	<1	1	4	11	18	20	20
20-34	47	11.3	48	2	4	11	13	21	26	31
35-49	118	13.8	106	4	5	12	16	25	33	58
50-64	195	15.2	148	4	5	11	19	30	35	67
65+	315	17.2	157	5	6	14	22	32	42	73
GRAND TOTAL	**683**	**15.5**	**140**	**4**	**5**	**12**	**20**	**29**	**37**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	3.0	3	1	1	3	4	5	6	10
20-34	770	3.5	5	1	1	3	5	6	8	11
35-49	598	4.2	8	1	1	4	5	8	10	15
50-64	402	4.4	11	1	1	4	6	8	10	16
65+	255	5.1	17	1	2	4	7	10	11	24
B. *Operated*										
0-19 YRS	14	6.5	28	<1	1	5	9	17	17	17
20-34	61	5.3	20	<1	<1	4	8	10	15	18
35-49	83	6.0	31	<1	<1	5	9	13	16	29
50-64	86	5.9	43	<1	<1	4	8	12	19	34
65+	82	7.7	65	<1	<1	5	11	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	773	3.5	6	1	1	3	4	6	8	13
20-34	1275	4.8	10	1	2	4	6	9	11	16
35-49	1630	5.8	16	2	2	5	7	10	13	20
50-64	1821	6.4	21	2	2	5	8	11	14	23
65+	2571	8.5	54	2	3	7	10	15	20	40
B. *Operated*										
0-19 YRS	29	6.4	18	<1	1	6	8	11	13	21
20-34	161	8.2	44	1	2	7	10	15	18	25
35-49	329	10.1	90	1	3	8	12	18	27	47
50-64	509	10.9	102	2	3	8	13	22	28	68
65+	809	12.7	95	3	4	10	16	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2571	3.9	8	1	1	3	5	7	9	13
B. *Operated*	326	6.3	41	<1	<1	5	8	14	18	34
2. MULTIPLE DX										
A. *Not Operated*	8070	6.4	30	2	2	5	8	12	15	28
B. *Operated*	1837	11.2	92	2	3	9	14	22	30	57
1. SINGLE DX	2897	4.1	12	<1	1	3	5	8	10	18
2. MULTIPLE DX	9907	7.3	45	2	2	6	9	14	18	35
A. NOT OPERATED	10641	5.8	26	1	2	5	7	11	14	25
B. OPERATED	2163	10.5	88	<1	2	8	13	20	28	51
TOTAL 0-19 YRS	1362	3.4	6	1	1	3	4	6	8	12
20-34	2267	4.6	12	1	1	4	6	9	11	17
35-49	2640	6.0	27	1	2	5	7	11	15	24
50-64	2818	6.9	39	1	2	5	8	12	17	32
65+	3717	9.2	65	2	3	7	11	17	24	42
GRAND TOTAL	**12804**	**6.6**	**39**	**1**	**2**	**5**	**8**	**12**	**17**	**33**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.4	8	1	1	3	4	6	9	17
20-34	93	4.0	7	<1	1	3	6	7	8	12
35-49	77	5.5	19	<1	1	4	7	10	14	24
50-64	64	5.5	27	<1	1	4	7	10	15	32
65+	62	6.1	25	1	1	5	8	13	15	25
B. *Operated*										
0-19 YRS	56	5.1	4	3	3	5	6	8	9	9
20-34	13	9.8	44	2	4	8	12	17	27	29
35-49	19	11.4	41	2	3	12	14	17	24	29
50-64	25	11.5	137	1	2	9	14	17	29	62
65+	29	19.6	273	1	2	14	31	48	49	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	6	1	1	3	4	7	10	12
20-34	193	6.0	41	1	2	4	7	11	15	32
35-49	196	5.8	18	1	2	4	7	12	15	20
50-64	272	7.3	39	1	2	6	9	14	19	31
65+	414	8.7	46	2	3	7	11	16	21	46
B. *Operated*										
0-19 YRS	13	11.3	150	2	2	9	12	21	44	50
20-34	35	13.6	130	<1	2	11	17	32	38	49
35-49	91	16.0	179	1	3	13	19	32	52	89
50-64	111	15.3	125	1	4	13	20	29	38	59
65+	214	22.7	281	3	6	19	32	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.7	16	1	1	4	6	9	12	22
B. *Operated*	142	10.4	117	2	3	7	12	27	33	53
2. MULTIPLE DX										
A. *Not Operated*	1186	7.0	37	1	2	5	9	14	18	33
B. *Operated*	464	18.6	222	2	4	15	24	40	50	95
1. SINGLE DX	534	6.2	49	1	1	4	7	12	17	38
2. MULTIPLE DX	1650	10.3	117	1	2	7	13	22	33	60
A. NOT OPERATED	1578	6.4	33	1	2	5	8	13	17	30
B. OPERATED	606	16.7	209	2	3	13	22	36	48	89
TOTAL 0-19 YRS	276	4.1	15	1	1	3	5	8	10	14
20-34	334	6.4	48	1	2	4	8	12	18	34
35-49	383	8.4	76	1	2	6	11	17	23	55
50-64	472	9.2	75	1	2	7	12	19	24	49
65+	719	13.1	167	2	3	9	17	31	42	87
GRAND TOTAL	**2184**	**9.3**	**103**	**1**	**2**	**6**	**11**	**20**	**30**	**57**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.1	6	<1	1	3	4	5	9	14
20-34	55	3.0	5	1	1	2	3	6	6	15
35-49	14	4.6	7	1	2	4	8	8	9	9
50-64	7	6.6	11	3	3	6	9	12	12	12
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	4613	4.2	3	2	3	4	5	6	7	11
20-34	2741	4.6	4	2	3	4	5	7	8	11
35-49	800	5.3	7	3	3	5	6	8	10	16
50-64	375	6.1	9	3	4	5	7	10	12	18
65+	137	7.8	12	4	4	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.2	7	1	1	2	4	6	9	14
20-34	28	2.8	3	1	1	2	4	5	6	7
35-49	15	3.6	3	1	2	3	5	6	6	6
50-64	7	5.1	8	2	2	4	8	9	9	9
65+	7	12.1	44	7	7	9	14	24	26	26
B. *Operated*										
0-19 YRS	654	6.2	15	3	3	5	7	11	14	21
20-34	557	6.8	30	3	3	6	8	11	14	22
35-49	228	8.6	31	3	4	7	10	16	21	36
50-64	205	9.7	47	3	4	8	11	17	21	38
65+	158	13.5	133	5	6	10	15	23	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.4	6	1	1	3	4	6	9	15
B. *Operated*	8666	4.6	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	98	3.9	13	1	1	3	5	8	10	20
B. *Operated*	1802	7.7	40	3	3	6	9	14	18	31
1. SINGLE DX	8820	4.5	5	2	3	4	5	7	8	12
2. MULTIPLE DX	1900	7.5	39	3	3	6	9	14	17	31
A. NOT OPERATED	252	3.6	9	1	1	3	4	7	9	15
B. OPERATED	10468	5.1	12	2	3	4	6	8	10	18
TOTAL 0-19 YRS	5382	4.4	5	2	3	4	5	7	8	14
20-34	3381	4.9	9	2	3	4	6	7	9	15
35-49	1057	6.0	14	3	3	5	7	10	13	23
50-64	594	7.4	25	3	4	6	8	13	16	29
65+	306	10.8	84	4	5	8	12	19	25	53
GRAND TOTAL	**10720**	**5.1**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	9.7	15	3	4	10	12	14	15	21
20-34	17	9.9	14	5	6	9	11	16	18	19
35-49	17	7.6	10	3	3	8	10	12	13	13
50-64	11	6.5	11	2	2	6	9	11	12	12
65+	9	11.0	16	4	6	10	15	16	16	16
B. *Operated*										
0-19 YRS	928	8.1	15	3	4	7	10	13	15	20
20-34	499	7.9	15	3	4	7	10	12	14	21
35-49	307	9.2	20	4	5	9	11	14	19	25
50-64	257	9.7	19	4	5	9	12	15	17	25
65+	140	11.6	32	6	6	10	14	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.7	37	2	2	13	16	19	21	21
20-34	11	9.8	12	2	5	9	13	14	14	14
35-49	3	9.7	2	8	8	10	11	11	11	11
50-64	6	16.5	82	7	7	15	21	31	32	32
65+	8	13.6	40	7	7	12	17	24	26	26
B. *Operated*										
0-19 YRS	320	12.0	54	4	5	10	15	21	26	34
20-34	237	11.8	51	4	5	10	14	19	25	43
35-49	203	13.1	61	6	7	11	15	22	30	45
50-64	262	14.7	55	7	7	13	18	24	31	51
65+	299	18.1	108	8	9	15	22	36	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	9.0	15	3	4	9	11	14	16	20
B. *Operated*	2131	8.6	18	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	38	12.2	37	3	7	11	15	20	24	32
B. *Operated*	1321	14.0	72	5	7	12	17	25	33	49
1. SINGLE DX	2220	8.6	18	3	4	8	10	14	16	23
2. MULTIPLE DX	1359	14.0	72	5	7	12	16	25	32	49
A. NOT OPERATED	127	10.0	23	3	4	9	13	16	18	27
B. OPERATED	3452	10.7	46	4	5	9	13	18	24	40
TOTAL 0-19 YRS	1293	9.1	27	3	4	8	11	15	19	28
20-34	764	9.2	29	4	4	8	11	14	18	30
35-49	530	10.7	39	4	5	9	13	17	22	37
50-64	536	12.2	44	5	6	11	14	21	25	40
65+	456	15.9	91	7	8	13	19	31	38	60
GRAND TOTAL	**3579**	**10.7**	**45**	**4**	**5**	**9**	**13**	**18**	**23**	**39**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.7	3	1	1	2	3	5	7	7
20-34	43	2.6	2	1	1	2	4	4	5	6
35-49	14	4.1	12	1	1	3	5	9	13	14
50-64	7	5.4	10	2	2	4	7	10	11	11
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	209	4.8	4	3	3	4	6	8	9	12
20-34	139	5.0	3	2	3	4	6	8	10	14
35-49	40	5.5	4	3	3	5	7	8	10	11
50-64	29	7.4	17	4	4	6	10	14	16	20
65+	9	9.0	21	4	5	8	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.1	3	1	2	3	4	5	6	7
20-34	29	3.6	9	<1	1	3	4	6	9	16
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64	5	4.0	6	2	2	3	5	8	8	8
65+	4	8.5	36	3	3	7	12	17	17	17
B. *Operated*										
0-19 YRS	116	5.9	9	3	3	5	6	10	12	19
20-34	89	6.8	14	3	3	6	7	13	16	20
35-49	35	9.7	37	3	4	8	12	19	24	28
50-64	26	11.4	46	4	4	8	16	20	24	30
65+	23	13.8	43	6	7	12	19	23	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.0	4	1	1	2	4	5	7	12
B. *Operated*	426	5.2	7	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	71	3.7	8	1	1	3	5	6	8	17
B. *Operated*	289	7.7	26	3	4	6	9	15	19	27
1. SINGLE DX	542	4.7	7	2	2	4	6	8	10	14
2. MULTIPLE DX	360	6.9	25	2	3	5	8	14	18	25
A. NOT OPERATED	187	3.3	6	1	1	3	4	6	7	15
B. OPERATED	715	6.2	16	3	3	5	7	11	14	22
TOTAL 0-19 YRS	401	4.7	6	2	2	4	6	8	10	13
20-34	300	5.1	11	1	2	4	6	9	12	18
35-49	96	6.6	23	2	3	5	8	12	17	27
50-64	67	8.5	32	3	4	7	11	17	20	29
65+	38	11.5	44	3	4	10	14	21	23	31
GRAND TOTAL	**902**	**5.6**	**16**	**2**	**2**	**5**	**6**	**10**	**14**	**21**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	<1	<1	1	2	3	4	4
20-34	15	3.0	7	<1	<1	2	4	6	10	11
35-49	10	2.3	3	<1	<1	2	3	5	6	6
50-64	13	2.9	5	1	1	2	3	7	9	9
65+	16	3.4	6	1	1	2	6	7	8	8
B. *Operated*										
0-19 YRS	4080	2.0	1	<1	<1	2	2	3	4	6
20-34	3480	3.5	2	2	2	3	4	5	6	8
35-49	3323	3.9	2	2	2	4	5	6	7	9
50-64	5311	4.2	3	2	2	4	5	6	7	10
65+	3733	4.8	5	2	3	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	1.2		<1	<1	1	1	2	3	5
20-34	40	2.1	3	<1	<1	1	3	4	5	10
35-49	40	2.5	10	<1	<1	1	3	4	7	19
50-64	92	3.2	17	<1	<1	2	4	7	10	23
65+	188	5.3	70	<1	1	3	6	11	16	69
B. *Operated*										
0-19 YRS	1949	2.1	3	<1	<1	2	2	4	5	10
20-34	1132	4.1	4	2	2	4	5	6	7	11
35-49	1646	4.7	7	2	3	4	5	7	9	14
50-64	3905	5.4	15	2	3	4	6	9	11	18
65+	4741	7.1	32	3	3	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.4	4	<1	<1	2	3	6	6	10
B. *Operated*	19927	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	605	2.9	28	<1	<1	1	3	6	10	25
B. *Operated*	13373	5.3	20	1	2	4	6	9	13	23
1. SINGLE DX	20021	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX	13978	5.2	21	1	2	4	6	9	13	23
A. NOT OPERATED	699	2.8	25	<1	<1	1	3	6	9	22
B. OPERATED	33300	4.3	11	1	2	4	5	7	9	17
TOTAL 0-19 YRS	6314	2.0	2	<1	<1	2	2	3	4	6
20-34	4667	3.6	3	2	2	3	4	5	6	9
35-49	5019	4.1	4	2	2	4	5	6	7	11
50-64	9321	4.7	9	2	3	4	5	7	9	15
65+	8678	6.1	22	2	3	5	7	10	14	24
GRAND TOTAL	**33999**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	<1	<1	1	1	3	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	1.8	1	<1	<1	1	2	4	4	4
65+	15	3.4	5	<1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	267	2.2	2	<1	1	2	3	4	5	7
20-34	138	4.0	3	2	2	4	5	7	7	8
35-49	126	4.8	9	2	2	4	6	8	9	15
50-64	270	4.9	6	2	3	5	6	8	9	13
65+	370	6.7	13	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	4	<1	<1	2	2	5	7	8
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	13	4.4	11	<1	1	3	7	9	11	11
65+	45	7.0	60	1	2	5	9	13	17	49
B. *Operated*										
0-19 YRS	158	3.2	9	<1	1	2	4	6	8	16
20-34	63	5.1	6	2	3	5	7	8	9	14
35-49	83	7.4	29	2	3	6	9	14	21	27
50-64	291	7.5	27	3	3	6	8	14	20	30
65+	866	11.3	101	3	4	8	13	21	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.4	4	<1	<1	1	4	6	7	7
B. *Operated*	1171	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	77	5.4	42	<1	1	4	7	10	14	42
B. *Operated*	1461	9.2	76	2	3	7	11	18	25	54
1. SINGLE DX	1208	4.7	10	1	1	4	6	8	10	15
2. MULTIPLE DX	1538	9.0	75	2	3	7	11	17	24	54
A. NOT OPERATED	114	4.4	31	<1	1	3	6	9	11	32
B. OPERATED	2632	7.2	51	1	2	5	8	14	19	41
TOTAL 0-19 YRS	447	2.5	5	<1	1	2	3	5	6	10
20-34	206	4.3	4	2	2	4	5	7	8	10
35-49	214	5.7	18	2	2	5	7	10	14	25
50-64	583	6.2	18	2	3	5	7	11	14	27
65+	1296	9.7	78	3	4	7	11	18	25	55
GRAND TOTAL	**2746**	**7.1**	**51**	**1**	**2**	**5**	**8**	**13**	**19**	**41**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	478	2.1	2	<1	1	2	2	3	4	6
20-34	206	3.3	2	1	2	3	4	5	6	8
35-49	277	3.8	3	2	2	3	5	6	7	9
50-64	223	4.2	4	2	2	4	5	7	8	11
65+	93	4.9	8	2	3	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.3	1	<1	<1	1	1	2	4	5
20-34	8	1.6	1	<1	<1	1	2	4	4	4
35-49	18	2.6	3	<1	<1	2	4	5	6	7
50-64	18	5.9	26	<1	<1	4	8	15	18	18
65+	28	7.6	66	1	1	5	9	16	31	34
B. *Operated*										
0-19 YRS	77	2.5	3	<1	<1	2	3	5	6	10
20-34	85	4.8	9	1	2	4	6	8	10	17
35-49	187	5.1	10	2	2	4	7	9	11	17
50-64	232	6.5	31	2	3	5	8	11	14	22
65+	149	9.6	75	3	4	7	11	20	23	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	18	<1	<1	1	3	8	15	16
B. *Operated*	1277	3.2	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	112	3.9	28	<1	<1	2	4	8	15	32
B. *Operated*	730	6.2	33	2	2	5	7	11	15	28
1. SINGLE DX	1289	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	842	5.9	33	1	1	4	7	11	15	30
A. NOT OPERATED	124	3.8	27	<1	<1	2	4	8	15	32
B. OPERATED	2007	4.3	16	1	2	3	5	8	10	21
TOTAL 0-19 YRS	600	2.1	2	<1	<1	2	2	3	4	6
20-34	303	3.7	5	1	1	3	5	6	8	10
35-49	484	4.2	6	1	2	4	5	7	9	14
50-64	473	5.4	19	2	2	4	6	9	12	19
65+	271	7.8	55	2	3	5	9	16	22	45
GRAND TOTAL	**2131**	**4.3**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	12	4.8	14	2	2	3	6	11	14	14
65+	11	6.3	35	1	2	4	6	17	21	21
B. *Operated*										
0-19 YRS	116	2.6	3	<1	1	2	3	4	6	9
20-34	390	4.2	5	2	2	4	5	7	8	11
35-49	564	5.3	6	2	2	5	6	9	9	14
50-64	685	6.4	10	3	3	6	8	10	12	16
65+	450	7.0	9	3	3	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	6	<1	<1	2	4	7	7	7
20-34	11	3.1	7	<1	<1	2	3	8	9	9
35-49	37	4.5	63	<1	<1	3	5	8	9	49
50-64	71	5.0	15	<1	1	5	6	8	14	21
65+	90	7.5	54	1	2	6	9	19	24	78
B. *Operated*										
0-19 YRS	26	5.1	21	<1	1	3	7	12	15	19
20-34	208	6.1	14	2	3	5	7	9	13	23
35-49	443	7.5	24	3	3	6	9	14	17	27
50-64	729	8.4	31	3	4	7	10	15	20	31
65+	721	10.7	57	4	4	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.6	19	1	1	3	5	11	14	21
B. *Operated*	2205	5.6	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	215	5.8	40	<1	1	4	7	13	19	48
B. *Operated*	2127	8.7	39	3	3	7	10	16	20	32
1. SINGLE DX	2238	5.6	9	2	2	5	7	9	11	16
2. MULTIPLE DX	2342	8.4	40	2	3	7	10	16	20	32
A. NOT OPERATED	248	5.7	38	<1	1	4	7	12	19	47
B. OPERATED	4332	7.2	26	2	3	6	9	12	16	27
TOTAL 0-19 YRS	150	3.0	7	<1	1	2	3	6	7	14
20-34	614	4.8	9	2	2	4	6	8	9	18
35-49	1047	6.2	17	2	3	5	8	10	13	21
50-64	1497	7.3	22	3	3	6	9	12	16	26
65+	1272	9.1	43	3	4	8	11	16	20	39
GRAND TOTAL	**4580**	**7.1**	**27**	**2**	**3**	**6**	**8**	**12**	**16**	**27**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	31	4.7	10	<1	1	4	7	10	11	12
35-49	100	4.3	10	<1	1	3	6	8	11	17
50-64	158	4.8	7	2	2	4	6	8	10	14
65+	130	5.1	12	2	2	4	6	9	14	17
B. *Operated*										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	22	8.4	8	4	5	8	9	12	14	15
35-49	28	7.6	8	3	4	8	9	11	12	13
50-64	44	8.3	17	2	3	8	10	14	17	19
65+	36	9.0	45	1	2	8	12	20	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	7	4	4	5	8	10	10	10
20-34	131	5.0	10	1	2	5	7	9	11	16
35-49	428	5.5	13	1	2	5	7	10	12	19
50-64	921	6.0	13	2	2	5	8	10	13	19
65+	1624	7.4	34	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	7	11.6	63	<1	1	10	19	23	23	23
20-34	59	10.0	45	3	4	8	11	20	25	38
35-49	141	9.8	48	2	3	9	11	16	24	51
50-64	329	10.2	65	2	2	9	12	19	23	44
65+	404	13.0	120	2	3	10	17	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.8	9	1	2	4	6	8	11	16
B. *Operated*	136	8.1	22	1	2	8	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	3108	6.6	24	2	2	6	8	12	15	24
B. *Operated*	940	11.3	87	2	3	9	13	21	29	51
1. SINGLE DX	557	5.6	14	1	2	5	7	10	13	19
2. MULTIPLE DX	4048	7.7	43	2	3	6	9	14	19	34
A. NOT OPERATED	3529	6.4	23	2	2	5	8	11	14	23
B. OPERATED	1076	10.9	80	2	3	9	13	21	28	47
TOTAL 0-19 YRS	19	6.9	40	<1	<1	6	9	17	22	23
20-34	243	6.5	23	1	2	6	8	11	14	25
35-49	697	6.3	23	1	2	5	8	11	14	25
50-64	1452	6.9	28	2	2	6	9	12	16	25
65+	2194	8.4	54	2	3	7	10	16	21	38
GRAND TOTAL	**4605**	**7.5**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	16	<1	<1	1	5	9	9	9
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	12	4.6	11	1	1	4	6	9	12	13
50-64	1	14.0		14	14	14	14	14	14	14
65+	5	3.8	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	25	2.8	2	<1	1	3	4	5	5	6
20-34	67	3.5	3	1	2	3	4	5	6	10
35-49	115	4.7	6	2	2	4	6	8	9	15
50-64	120	4.3	4	1	2	4	5	7	8	10
65+	125	5.9	12	2	3	5	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.3	4	1	2	5	6	8	8	8
35-49	7	4.6	9	3	3	3	5	10	11	11
50-64	12	4.8	16	1	1	3	7	10	13	14
65+	28	6.0	13	1	2	5	8	11	13	14
B. *Operated*										
0-19 YRS	11	2.9	4	1	1	2	4	6	8	8
20-34	32	5.9	23	2	2	5	6	12	14	26
35-49	53	5.5	12	2	3	4	6	9	13	19
50-64	97	7.0	28	2	3	6	8	13	16	32
65+	171	9.2	51	3	3	7	11	20	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	12	<1	1	3	6	9	13	14
B. *Operated*	452	4.6	7	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	55	5.4	12	1	1	5	8	11	13	14
B. *Operated*	364	7.6	38	2	3	6	9	15	21	35
1. SINGLE DX	478	4.6	7	1	2	4	5	8	10	14
2. MULTIPLE DX	419	7.3	35	2	3	5	9	14	20	34
A. NOT OPERATED	81	5.1	12	1	1	4	7	11	13	14
B. OPERATED	816	6.0	23	2	2	5	7	10	15	26
TOTAL 0-19 YRS	40	2.8	4	<1	1	2	4	5	7	9
20-34	111	4.3	10	1	2	4	5	7	10	19
35-49	187	4.9	8	2	2	4	6	9	10	16
50-64	230	5.5	17	1	2	5	7	9	13	20
65+	329	7.6	35	3	3	6	9	14	21	33
GRAND TOTAL	**897**	**5.9**	**22**	**2**	**2**	**5**	**7**	**10**	**14**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	2.1	2	<1	<1	1	3	5	5	5
50-64	14	6.3	29	<1	1	5	7	16	18	19
65+	34	6.0	42	2	2	4	6	13	16	35
B. *Operated*										
0-19 YRS	38	3.4	6	<1	1	3	4	6	10	11
20-34	131	4.2	10	2	2	3	5	7	10	18
35-49	234	5.2	12	2	2	4	6	9	11	19
50-64	282	6.2	15	2	3	5	8	11	12	25
65+	394	9.0	35	3	4	8	11	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	5	1	1	3	5	7	7	7
35-49	18	7.5	33	1	2	6	10	17	21	22
50-64	54	6.9	42	1	2	5	9	13	17	41
65+	140	8.4	46	2	2	7	10	16	20	39
B. *Operated*										
0-19 YRS	8	3.6	8	2	2	3	4	8	10	10
20-34	64	7.1	45	2	2	5	9	13	19	42
35-49	181	8.6	32	3	3	7	11	16	19	33
50-64	427	10.8	71	3	3	9	13	22	27	68
65+	912	13.9	131	4	5	11	17	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.4	33	<1	1	4	6	13	16	34
B. *Operated*	1079	6.7	24	2	2	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	220	7.8	43	1	2	6	10	15	19	39
B. *Operated*	1592	12.1	105	3	4	9	15	24	33	86
1. SINGLE DX	1137	6.6	25	2	2	5	8	12	16	26
2. MULTIPLE DX	1812	11.6	99	3	4	9	14	23	32	73
A. NOT OPERATED	278	7.3	42	1	2	6	9	14	19	37
B. OPERATED	2671	9.9	79	2	3	8	12	19	27	60
TOTAL 0-19 YRS	49	3.3	6	<1	1	3	4	6	10	11
20-34	202	5.1	22	2	2	4	6	10	13	20
35-49	441	6.6	24	2	2	5	8	13	17	23
50-64	777	8.8	53	2	3	7	11	17	24	43
65+	1480	11.9	102	3	4	9	14	23	33	72
GRAND TOTAL	**2949**	**9.7**	**76**	**2**	**3**	**7**	**12**	**19**	**26**	**54**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIFNT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.5	7	1	1	3	4	8	10	12
20-34	234	5.4	18	1	2	4	7	9	13	20
35-49	300	5.2	12	1	2	4	6	9	12	18
50-64	428	6.4	46	1	2	5	8	10	13	25
65+	575	6.8	21	2	2	6	8	12	16	24
B. *Operated*										
0-19 YRS	105	6.9	15	2	3	6	9	12	14	20
20-34	132	11.3	35	5	6	10	14	19	21	39
35-49	173	12.5	48	5	6	11	15	19	26	42
50-64	194	12.6	31	7	7	11	15	19	23	34
65+	300	16.3	125	7	8	14	18	26	36	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	25	1	1	4	6	9	12	31
20-34	196	6.5	24	1	2	6	8	12	15	33
35-49	350	7.2	41	2	2	6	9	12	17	28
50-64	810	7.8	37	2	3	6	10	14	17	33
65+	2105	10.2	66	3	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	109	10.7	41	4	5	9	13	20	24	62
20-34	190	14.7	126	5	6	12	17	24	32	69
35-49	258	16.4	143	6	7	13	21	30	41	74
50-64	619	19.3	156	7	8	16	24	37	45	88
65+	1465	22.1	212	8	10	18	27	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1687	5.9	25	1	2	5	7	10	13	22
B. *Operated*	904	12.9	72	4	6	11	15	21	27	53
2. MULTIPLE DX										
A. *Not Operated*	3541	9.0	56	2	3	7	11	17	22	40
B. *Operated*	2641	19.9	188	6	8	16	24	38	50	99+
1. SINGLE DX	2591	8.4	53	2	2	7	11	16	19	35
2. MULTIPLE DX	6182	13.7	141	3	4	10	17	28	38	75
A. NOT OPERATED	5228	8.0	48	2	2	6	10	15	19	36
B. OPERATED	3545	18.1	168	6	7	15	22	34	45	94
TOTAL 0-19 YRS	444	6.3	28	1	1	5	9	12	16	31
20-34	752	9.1	65	2	2	7	12	17	22	43
35-49	1081	9.7	78	2	3	8	12	19	26	49
50-64	2051	11.4	104	2	3	9	14	23	30	55
65+	4445	14.1	148	3	4	11	18	28	38	80
GRAND TOTAL	**8773**	**12.1**	**121**	**2**	**3**	**9**	**15**	**24**	**33**	**68**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5285	3.0	4	1	1	3	4	5	6	10
20-34	2126	3.1	5	1	1	3	4	6	7	11
35-49	886	3.5	5	1	1	3	4	7	8	11
50-64	583	4.0	6	1	1	3	5	7	9	13
65+	585	5.1	29	1	2	4	6	9	12	31
B. *Operated*										
0-19 YRS	97	6.1	50	<1	2	4	7	10	15	45
20-34	201	6.6	35	1	2	5	8	12	16	28
35-49	80	6.8	24	1	1	6	9	13	16	26
50-64	75	6.8	38	<1	1	5	8	15	19	31
65+	63	7.8	40	<1	1	7	10	18	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6276	4.0	9	1	2	3	5	7	8	15
20-34	1735	3.8	7	1	1	3	5	7	8	12
35-49	1232	5.0	13	1	2	4	6	9	12	17
50-64	1727	6.1	25	2	2	5	7	11	14	25
65+	3659	8.3	66	2	3	6	10	16	22	48
B. *Operated*										
0-19 YRS	129	9.5	117	2	3	6	10	26	51	99+
20-34	209	8.1	36	2	2	7	11	16	19	30
35-49	179	10.9	81	2	3	8	14	24	30	46
50-64	278	11.4	91	2	3	9	14	21	27	46
65+	473	16.8	182	4	5	13	21	35	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9465	3.3	6	1	1	3	4	6	7	12
B. *Operated*	516	6.7	37	1	1	5	8	13	17	32
2. MULTIPLE DX										
A. *Not Operated*	14629	5.4	29	1	2	4	6	10	13	27
B. *Operated*	1268	12.6	128	2	3	9	16	26	36	75
1. SINGLE DX	9981	3.5	8	1	1	3	4	6	8	14
2. MULTIPLE DX	15897	5.9	40	1	2	4	7	11	16	34
A. NOT OPERATED	24094	4.5	21	1	1	3	5	8	11	23
B. OPERATED	1784	10.9	109	2	3	8	14	23	31	61
TOTAL 0-19 YRS	11787	3.6	9	1	1	3	4	6	8	14
20-34	4271	3.8	10	1	1	3	5	7	9	16
35-49	2377	5.0	19	1	1	4	6	9	12	22
50-64	2663	6.2	32	1	2	5	8	12	16	27
65+	4780	8.8	81	2	2	6	10	17	25	53
GRAND TOTAL	**25878**	**5.0**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	79	5.6	7	1	2	5	7	9	10	15
35-49	440	5.8	10	2	2	5	7	10	11	15
50-64	893	5.9	11	1	2	5	8	10	12	16
65+	1335	6.0	24	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	33	10.1	12	5	6	10	12	14	16	21
35-49	148	12.2	32	5	7	11	15	20	24	33
50-64	308	13.6	53	5	7	12	16	22	25	42
65+	315	14.7	85	2	4	13	18	27	32	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	50	7.2	18	2	3	6	9	13	15	24
35-49	433	6.7	17	2	3	6	9	12	13	20
50-64	1607	7.2	23	2	3	6	9	12	16	24
65+	5753	8.9	52	2	3	7	11	16	21	44
B. *Operated*										
0-19 YRS	2	16.5	5	15	15	16	18	18	18	18
20-34	45	12.6	134	4	5	10	14	20	30	77
35-49	303	14.3	63	5	7	13	17	25	33	49
50-64	1007	16.1	100	4	7	14	19	28	36	57
65+	2096	18.8	208	4	6	15	23	36	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	5.9	17	1	2	5	8	10	13	18
B. *Operated*	807	13.6	61	3	6	12	17	22	28	42
2. MULTIPLE DX										
A. *Not Operated*	7848	8.4	45	2	3	7	10	15	20	38
B. *Operated*	3453	17.5	165	4	6	14	21	33	43	78
1. SINGLE DX	3557	7.7	37	1	2	6	10	14	18	30
2. MULTiPLE DX	11301	11.2	99	2	3	8	14	22	30	58
A. NOT OPERATED	10598	7.8	39	2	3	6	9	14	18	33
B. OPERATED	4260	16.8	148	4	6	14	20	30	41	75
TOTAL 0-19 YRS	13	7.2	24	2	2	5	9	16	18	18
20-34	207	8.2	45	2	3	7	10	14	16	31
35-49	1324	8.7	40	2	3	7	11	16	21	36
50-64	3815	9.7	61	2	3	8	12	18	24	40
65+	9499	10.9	104	2	3	8	13	21	29	61
GRAND TOTAL	**14858**	**10.3**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**54**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	3	1	1	3	5	6	7	7
20-34	50	3.2	4	1	1	3	5	6	7	10
35-49	51	3.3	4	<1	1	3	4	7	8	9
50-64	23	3.5	3	<1	1	3	5	6	7	7
65+	26	5.2	17	1	1	4	7	11	13	18
B. *Operated*										
0-19 YRS	174	3.4	5	1	1	3	4	6	8	10
20-34	1072	3.8	4	1	2	3	5	6	8	12
35-49	927	3.8	6	1	2	3	5	6	8	13
50-64	551	4.4	12	1	2	4	5	7	9	20
65+	217	4.7	12	1	2	4	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.0	13	<1	<1	3	4	9	14	15
20-34	53	4.1	11	<1	1	4	6	8	10	17
35-49	63	5.4	13	1	2	5	7	10	11	21
50-64	64	5.3	12	1	1	5	7	10	12	16
65+	84	8.6	48	2	2	7	12	18	23	79
B. *Operated*										
0-19 YRS	81	5.8	90	1	1	4	5	8	18	61
20-34	740	4.8	19	2	2	4	5	8	10	26
35-49	894	5.0	17	2	2	4	6	8	11	21
50-64	843	5.9	27	2	2	4	7	10	15	28
65+	486	8.5	78	2	3	6	9	18	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	3.5	6	1	1	3	5	7	9	12
B. *Operated*	2941	3.9	7	1	2	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	298	5.9	25	1	1	5	8	12	16	29
B. *Operated*	3044	5.8	33	2	2	4	6	10	15	32
1. SINGLE DX	3133	3.9	7	1	2	3	5	7	8	13
2. MULTIPLE DX	3342	5.8	33	2	2	4	6	10	15	32
A. NOT OPERATED	490	5.0	19	1	1	4	7	10	13	22
B. OPERATED	5985	4.9	21	1	2	4	5	8	11	26
TOTAL 0-19 YRS	331	4.0	27	1	1	3	5	7	9	28
20-34	1915	4.2	10	1	2	4	5	7	9	14
35-49	1935	4.4	12	1	2	4	5	7	10	17
50-64	1481	5.3	21	2	2	4	6	9	12	25
65+	813	7.4	58	2	2	5	8	15	23	44
GRAND TOTAL	**6475**	**4.9**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**26**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	716	4.3	19	1	1	3	5	9	12	23
20-34	949	6.1	23	1	2	5	8	12	15	24
35-49	652	5.8	22	1	1	5	7	11	15	23
50-64	553	5.5	19	1	1	4	8	11	13	20
65+	699	5.5	24	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	243	9.0	95	<1	1	6	11	19	30	48
20-34	709	9.5	71	1	2	7	13	20	26	39
35-49	484	9.1	68	1	2	7	12	19	25	35
50-64	481	9.1	100	1	1	6	11	21	28	50
65+	573	9.8	111	1	2	7	13	21	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	5.2	45	1	1	3	6	10	15	28
20-34	1104	7.2	49	1	2	5	9	14	20	33
35-49	1045	6.9	37	1	2	6	8	12	17	37
50-64	1415	7.4	40	2	2	6	9	14	19	34
65+	3651	8.9	66	2	2	7	11	17	23	47
B. *Operated*										
0-19 YRS	281	13.2	182	1	2	9	16	32	42	69
20-34	1029	13.0	140	2	3	9	17	27	38	58
35-49	984	12.9	153	2	3	9	16	27	36	65
50-64	1338	13.7	167	2	3	10	18	29	45	99
65+	2214	17.6	254	2	4	13	23	39	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3569	5.5	22	1	1	4	7	11	15	22
B. *Operated*	2490	9.4	87	1	2	7	12	20	27	49
2. MULTIPLE DX										
A. *Not Operated*	7740	7.9	55	1	2	6	10	15	21	40
B. *Operated*	5846	14.9	198	2	3	11	19	33	45	90
1. SINGLE DX	6059	7.1	52	1	1	5	9	15	21	36
2. MULTIPLE DX	13586	10.9	128	2	2	7	13	23	33	67
A. NOT OPERATED	11309	7.1	45	1	2	5	9	14	19	36
B. OPERATED	8336	13.2	171	2	2	9	17	29	41	77
TOTAL 0-19 YRS	1765	6.7	73	1	1	4	8	15	22	42
20-34	3791	8.9	79	1	2	6	11	19	26	45
35-49	3165	8.9	83	1	2	6	11	19	25	47
50-64	3787	9.6	100	1	2	7	12	21	28	59
65+	7137	11.3	142	2	2	8	14	24	36	75
GRAND TOTAL	**19645**	**9.7**	**108**	**1**	**2**	**7**	**12**	**21**	**29**	**61**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	34	9.1	68	1	2	7	10	20	32	33
35-49	75	10.7	62	2	2	9	14	24	26	36
50-64	94	10.9	86	2	3	8	13	22	34	48
65+	40	8.6	28	2	3	8	12	15	18	26
B. *Operated*										
0-19 YRS										
20-34	10	14.1	285	<1	1	5	23	39	54	54
35-49	24	8.7	106	1	1	4	13	25	32	38
50-64	36	11.1	117	1	1	8	19	26	31	44
65+	19	11.2	58	1	2	10	17	23	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	205	12.1	118	3	3	8	16	25	36	54
35-49	578	12.8	125	3	4	10	16	26	31	69
50-64	876	14.8	144	3	4	12	19	31	37	65
65+	466	14.4	156	4	5	11	17	27	38	67
B. *Operated*										
0-19 YRS										
20-34	70	20.0	299	2	4	15	26	39	59	86
35-49	183	18.5	213	2	2	16	26	38	52	67
50-64	311	18.8	251	2	3	14	24	44	53	96
65+	163	19.8	213	3	5	18	24	39	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	10.3	67	2	2	8	13	21	28	38
B. *Operated*	89	10.8	118	1	1	7	18	25	29	50
2. MULTIPLE DX										
A. *Not Operated*	2127	13.9	140	3	4	10	17	28	36	66
B. *Operated*	727	19.1	237	2	4	15	25	40	52	82
1. SINGLE DX	333	10.4	80	1	2	8	14	23	29	44
2. MULTIPLE DX	2854	15.2	169	3	4	12	19	31	41	70
A. NOT OPERATED	2371	13.5	133	3	4	10	17	27	35	64
B. OPERATED	816	18.2	230	2	3	15	24	39	51	81
TOTAL 0-19 YRS	3	11.3	140	4	4	5	20	25	25	25
20-34	319	13.6	168	2	3	9	18	31	39	61
35-49	860	13.7	144	2	3	10	18	28	36	67
50-64	1317	15.4	169	2	4	12	20	32	43	72
65+	688	15.3	167	3	4	12	19	29	41	67
GRAND TOTAL	**3187**	**14.7**	**162**	**2**	**4**	**11**	**19**	**30**	**40**	**68**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.4	10	3	3	8	10	12	12	12
20-34	34	5.4	43	1	1	3	8	11	19	32
35-49	47	9.0	108	2	2	6	10	18	27	57
50-64	90	7.7	64	1	1	6	10	17	24	42
65+	69	9.7	136	1	1	7	12	18	24	76
B. *Operated*										
0-19 YRS	25	2.8	4	1	1	2	3	5	7	11
20-34	136	2.7	5	1	1	2	3	5	9	11
35-49	143	3.3	21	1	1	2	2	7	13	25
50-64	181	4.8	50	1	1	2	4	12	21	33
65+	64	8.1	96	<1	1	4	11	21	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	24	1	1	3	5	10	17	19
20-34	86	9.4	67	1	2	8	13	18	23	46
35-49	236	10.5	73	2	3	9	14	22	27	38
50-64	551	11.8	104	2	3	9	14	22	31	53
65+	620	14.2	146	3	4	11	18	28	38	65
B. *Operated*										
0-19 YRS	18	7.0	66	1	2	4	7	16	27	34
20-34	117	9.6	124	1	1	5	13	23	35	50
35-49	197	10.7	112	1	1	8	14	25	33	50
50-64	441	12.7	191	1	2	9	17	28	38	72
65+	390	16.9	215	2	2	13	23	36	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	8.2	89	1	1	6	10	16	24	49
B. *Operated*	549	4.2	37	1	1	2	4	10	16	31
2. MULTIPLE DX										
A. *Not Operated*	1506	12.4	116	2	3	10	16	24	32	56
B. *Operated*	1163	13.4	184	1	2	10	18	31	40	66
1. SINGLE DX	796	5.4	56	1	1	2	7	13	19	33
2. MULTIPLE DX	2669	12.8	146	2	2	10	17	27	36	61
A. NOT OPERATED	1753	11.8	115	2	3	9	15	23	31	56
B. OPERATED	1712	10.4	155	1	1	6	14	26	34	58
TOTAL 0-19 YRS	63	4.9	29	1	1	3	5	11	15	32
20-34	373	6.6	70	1	1	3	9	16	22	44
35-49	623	8.8	85	1	1	6	12	21	27	45
50-64	1263	10.8	131	1	2	8	14	23	32	59
65+	1143	14.5	171	2	3	11	18	31	40	69
GRAND TOTAL	**3465**	**11.1**	**135**	**1**	**2**	**8**	**15**	**24**	**34**	**56**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.8	12	2	2	5	8	11	13	17
20-34	185	6.9	23	2	3	6	8	12	15	26
35-49	75	7.7	27	2	2	6	9	14	19	27
50-64	86	7.9	30	2	3	6	11	16	20	26
65+	59	10.2	77	2	3	9	13	18	20	59
B. *Operated*										
0-19 YRS	6	3.0	5	1	1	2	4	7	7	7
20-34	42	6.2	56	1	1	3	8	13	23	38
35-49	40	8.3	56	1	1	6	11	21	25	27
50-64	67	9.2	100	1	1	5	13	22	34	42
65+	37	12.6	242	1	1	7	18	34	42	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	16	1	2	6	8	12	15	19
20-34	150	8.0	48	2	2	6	10	14	21	38
35-49	214	10.6	61	2	3	9	14	22	26	43
50-64	413	11.8	123	3	4	8	13	22	36	64
65+	461	12.9	100	4	4	10	16	24	31	58
B. *Operated*										
0-19 YRS	12	8.5	86	1	1	4	13	22	30	31
20-34	51	14.5	145	2	2	11	22	33	40	47
35-49	84	16.0	269	1	2	11	25	40	47	96
50-64	173	18.2	257	2	3	14	25	38	49	96
65+	166	18.3	216	2	3	15	24	39	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	7.4	31	2	3	6	9	14	17	26
B. *Operated*	192	8.8	109	1	1	5	11	22	30	44
2. MULTIPLE DX										
A. *Not Operated*	1297	11.3	94	2	3	9	14	22	31	57
B. *Operated*	486	17.3	231	2	2	14	24	39	47	95
1. SINGLE DX	676	7.8	53	1	2	6	10	16	20	38
2. MULTIPLE DX	1783	12.9	139	2	3	9	16	28	38	66
A. NOT OPERATED	1781	10.3	80	2	3	8	12	20	27	49
B. OPERATED	678	14.9	211	1	2	11	21	35	44	85
TOTAL 0-19 YRS	156	6.1	19	1	2	5	8	12	15	19
20-34	428	8.1	55	2	2	6	10	16	23	40
35-49	413	10.9	104	2	2	8	14	24	32	56
50-64	739	12.6	152	2	3	9	16	28	38	71
65+	723	13.9	138	3	4	11	17	28	38	66
GRAND TOTAL	**2459**	**11.5**	**120**	**2**	**3**	**8**	**14**	**24**	**34**	**63**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	5	1	1	3	5	7	7	10
20-34	273	3.5	6	1	1	3	5	7	7	14
35-49	298	3.7	6	1	1	3	5	7	8	12
50-64	357	4.4	7	1	1	4	6	8	10	13
65+	355	6.3	26	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	205	7.7	11	4	5	7	9	12	14	20
20-34	2862	7.4	7	5	5	7	8	11	12	17
35-49	2814	7.8	8	5	5	7	9	11	13	18
50-64	2966	8.5	11	5	6	8	9	13	15	20
65+	1670	10.7	26	6	6	9	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	13	1	1	5	7	10	13	14
20-34	289	4.3	10	<1	1	3	6	8	10	13
35-49	375	5.1	11	1	2	4	6	9	11	16
50-64	899	6.6	27	2	2	5	8	12	15	28
65+	1908	8.8	53	2	3	7	11	15	21	41
B. *Operated*										
0-19 YRS	117	9.6	19	4	5	8	12	16	19	21
20-34	1550	9.5	26	5	6	8	11	15	19	28
35-49	2390	9.9	26	5	6	8	11	16	19	30
50-64	4123	11.7	44	6	6	10	14	19	24	37
65+	4723	15.9	101	7	8	13	19	27	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1331	4.5	13	1	1	4	6	8	11	15
B. *Operated*	10517	8.3	13	5	5	8	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	3505	7.4	41	2	2	6	9	13	17	34
B. *Operated*	12903	12.6	66	6	6	10	15	21	27	46
1. SINGLE DX	11848	7.9	14	3	5	7	9	12	15	21
2. MULTIPLE DX	16408	11.5	65	3	5	9	14	20	26	44
A. NOT OPERATED	4836	6.6	35	1	2	5	8	12	16	30
B. OPERATED	23420	10.7	46	5	6	9	12	18	23	38
TOTAL 0-19 YRS	404	7.6	16	2	3	7	9	13	16	20
20-34	4974	7.6	16	3	4	7	9	12	14	21
35-49	5877	8.3	18	3	5	7	10	13	16	24
50-64	8345	9.7	33	3	5	8	12	16	20	31
65+	8656	12.9	84	4	5	11	16	23	30	51
GRAND TOTAL	**28256**	**10.0**	**47**	**3**	**5**	**8**	**12**	**17**	**22**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	10	1	2	4	5	7	12	17
20-34	287	3.8	7	1	1	3	5	7	8	13
35-49	287	4.1	7	<1	1	4	5	7	9	12
50-64	243	4.8	9	1	1	4	6	9	11	14
65+	189	6.2	31	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	27	8.0	14	2	4	7	10	14	15	16
20-34	247	8.1	13	4	5	7	9	13	16	21
35-49	274	8.4	14	4	5	8	10	12	15	26
50-64	237	10.2	23	5	6	9	12	17	21	29
65+	190	12.5	46	6	7	11	15	19	22	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.5	12	2	3	5	6	11	13	19
20-34	210	4.8	12	1	2	4	6	8	11	19
35-49	287	5.4	13	1	2	5	7	9	11	18
50-64	460	6.4	17	1	2	6	8	12	14	20
65+	823	9.3	46	3	4	8	11	16	20	34
B. *Operated*										
0-19 YRS	12	12.8	46	5	6	11	18	22	25	26
20-34	232	10.8	27	5	6	10	13	17	20	28
35-49	317	12.0	63	5	6	9	14	22	29	41
50-64	471	13.9	80	6	7	12	17	23	29	52
65+	712	18.6	156	7	8	15	22	34	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	4.6	13	1	1	4	6	8	11	16
B. *Operated*	975	9.6	25	5	5	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1816	7.4	32	2	2	6	9	13	17	29
B. *Operated*	1744	15.0	110	6	7	12	18	26	34	70
1. SINGLE DX	2019	7.0	25	1	2	6	9	13	16	22
2. MULTIPLE DX	3560	11.1	85	2	3	9	14	21	28	53
A. NOT OPERATED	2860	6.4	27	1	2	5	8	12	15	26
B. OPERATED	2719	13.1	87	5	6	10	16	23	30	56
TOTAL 0-19 YRS	113	6.5	22	2	2	5	7	14	17	22
20-34	976	6.8	22	1	2	6	8	13	16	22
35-49	1165	7.6	35	1	2	7	9	13	18	32
50-64	1411	9.3	51	2	3	8	12	17	22	35
65+	1914	12.8	108	3	4	10	15	24	32	64
GRAND TOTAL	**5579**	**9.6**	**67**	**2**	**3**	**8**	**12**	**18**	**24**	**44**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	25	4.0	4	1	2	4	5	6	8	9
35-49	25	4.9	18	<1	1	4	6	9	12	22
50-64	50	3.6	5	1	1	3	4	7	8	10
65+	56	5.8	27	1	1	4	7	11	18	28
B. *Operated*										
0-19 YRS	11	9.5	17	5	5	9	12	15	19	19
20-34	102	9.3	21	2	4	8	12	14	17	25
35-49	107	8.9	25	2	4	8	11	15	18	28
50-64	134	10.6	62	2	2	9	13	18	25	41
65+	232	13.1	92	2	2	12	18	26	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	5.7	10	1	1	5	7	11	12	12
35-49	34	5.7	11	1	2	5	8	9	11	16
50-64	62	5.8	11	1	2	5	7	10	12	17
65+	219	9.8	54	2	3	9	12	17	21	59
B. *Operated*										
0-19 YRS	8	16.3	74	8	8	15	18	30	35	35
20-34	65	10.6	34	2	5	9	14	18	21	32
35-49	111	13.8	149	3	5	11	15	23	41	93
50-64	252	15.5	78	4	7	14	19	27	31	65
65+	690	20.5	186	4	8	17	25	36	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.7	15	1	1	4	6	8	10	22
B. *Operated*	586	11.0	62	2	3	9	14	21	27	36
2. MULTIPLE DX										
A. *Not Operated*	331	8.4	43	2	3	7	11	15	18	40
B. *Operated*	1126	18.1	158	4	7	15	22	32	43	81
1. SINGLE DX	744	9.7	59	1	2	8	12	20	26	34
2. MULTIPLE DX	1457	15.9	148	3	4	13	20	30	39	71
A. NOT OPERATED	489	7.2	37	1	2	6	9	14	17	29
B. OPERATED	1712	15.7	137	2	5	13	20	29	37	68
TOTAL 0-19 YRS	21	11.5	52	4	5	9	14	19	26	35
20-34	208	8.8	27	2	2	8	11	15	18	26
35-49	277	10.1	83	2	3	9	12	17	23	66
50-64	498	11.8	76	2	3	10	16	22	29	49
65+	1197	16.4	161	2	4	14	21	31	41	70
GRAND TOTAL	**2201**	**13.8**	**127**	**2**	**3**	**11**	**18**	**27**	**34**	**66**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	12	1	1	5	7	8	8	8
20-34	35	5.2	9	2	2	5	7	8	12	15
35-49	33	5.6	21	2	2	4	7	10	14	24
50-64	35	6.7	14	1	2	7	9	12	13	15
65+	80	7.3	20	1	2	6	9	14	17	20
B. *Operated*										
0-19 YRS										
20-34	27	6.8	45	<1	1	4	11	16	20	23
35-49	33	8.2	32	1	2	8	12	17	19	20
50-64	35	7.8	58	1	2	4	13	18	26	29
65+	60	12.6	117	2	2	10	17	26	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	10.2	241	1	2	5	8	35	51	51
20-34	30	6.5	17	2	3	5	8	11	17	19
35-49	55	7.1	22	1	2	7	8	14	18	23
50-64	103	9.6	39	2	3	9	13	17	22	33
65+	283	11.3	63	3	5	10	14	20	26	37
B. *Operated*										
0-19 YRS	7	19.6	248	3	3	17	29	43	46	46
20-34	35	11.6	111	2	3	11	14	20	25	60
35-49	65	13.7	109	2	4	13	16	21	30	67
50-64	140	16.7	173	2	3	14	22	31	35	74
65+	312	20.8	215	2	6	18	27	40	50	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.5	17	2	2	6	9	12	15	20
B. *Operated*	155	9.6	78	1	1	8	15	19	27	37
2. MULTIPLE DX										
A. *Not Operated*	480	10.2	56	3	3	9	13	19	23	33
B. *Operated*	559	18.3	194	2	4	15	25	35	46	75
1. SINGLE DX	341	7.9	47	1	2	6	10	17	19	35
2. MULTIPLE DX	1039	14.6	147	2	3	12	19	29	36	71
A. NOT OPERATED	666	9.1	48	2	3	8	12	17	21	32
B. OPERATED	714	16.4	182	2	2	14	22	33	43	72
TOTAL 0-19 YRS	19	12.8	223	1	2	6	15	39	49	51
20-34	127	7.6	52	1	2	6	10	16	19	33
35-49	186	9.4	64	2	2	8	13	17	21	40
50-64	313	12.2	114	2	2	10	16	25	31	54
65+	735	15.0	153	2	4	12	19	30	38	71
GRAND TOTAL	**1380**	**12.9**	**130**	**2**	**3**	**10**	**17**	**27**	**34**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	6.2	14	2	3	5	8	10	12	23
20-34	547	6.9	27	2	3	6	9	12	14	29
35-49	584	7.5	38	2	3	6	9	12	16	27
50-64	352	7.5	39	2	3	6	9	13	18	26
65+	258	8.2	28	2	3	7	11	14	18	25
B. *Operated*										
0-19 YRS	11	4.5	18	<1	1	3	5	11	16	16
20-34	66	10.6	99	1	2	8	15	20	29	47
35-49	86	11.9	253	1	1	7	16	25	35	88
50-64	80	11.1	116	1	2	10	13	28	39	86
65+	51	10.6	70	1	2	10	13	20	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.0	11	2	3	5	7	11	12	18
20-34	740	8.3	37	2	3	7	10	15	20	34
35-49	1225	8.8	39	3	3	7	11	15	21	33
50-64	1025	9.7	46	3	4	8	12	18	22	36
65+	995	11.0	76	3	4	9	13	20	25	52
B. *Operated*										
0-19 YRS	8	19.0	282	2	3	10	38	40	40	40
20-34	164	19.1	281	2	4	14	23	39	53	84
35-49	274	20.1	281	3	5	16	28	48	59	99+
50-64	333	19.4	241	3	6	16	24	37	62	99+
65+	370	21.0	235	5	7	18	27	40	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	7.3	33	2	3	6	9	13	16	27
B. *Operated*	294	10.9	141	1	2	8	14	23	35	77
2. MULTIPLE DX										
A. *Not Operated*	4042	9.4	50	3	4	8	11	17	22	37
B. *Operated*	1149	20.0	254	3	5	16	25	41	59	99+
1. SINGLE DX	2111	7.8	49	2	2	6	10	14	19	35
2. MULTIPLE DX	5191	11.8	115	3	4	9	14	23	32	66
A. NOT OPERATED	5859	8.8	46	2	3	7	11	16	21	35
B. OPERATED	1443	18.2	245	2	3	14	23	39	55	99
TOTAL 0-19 YRS	152	6.7	34	2	3	5	8	11	14	40
20-34	1517	9.0	76	2	3	7	10	16	24	46
35-49	2169	10.0	93	2	3	7	11	19	26	56
50-64	1790	11.1	100	2	3	8	14	21	28	64
65+	1674	12.8	124	3	4	10	16	25	34	67
GRAND TOTAL	**7302**	**10.6**	**99**	**2**	**3**	**8**	**13**	**21**	**28**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.7	6	1	1	3	5	7	8	12
20-34	113	3.7	7	<1	1	3	5	7	9	15
35-49	146	5.0	10	1	2	4	6	9	11	20
50-64	192	4.7	9	1	1	4	6	8	10	17
65+	348	6.6	26	2	2	5	8	12	17	24
B. *Operated*										
0-19 YRS	8	5.1	20	<1	<1	5	7	12	14	14
20-34	13	9.7	116	3	3	6	10	18	39	44
35-49	15	6.6	10	2	2	7	8	12	12	12
50-64	29	8.3	35	2	2	8	10	15	17	31
65+	47	12.1	80	3	5	9	15	26	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.9	24	1	1	3	6	10	13	30
20-34	271	5.0	13	1	2	4	6	9	11	22
35-49	426	6.7	24	2	2	5	8	13	17	25
50-64	1032	6.9	23	2	3	6	8	12	16	27
65+	2969	9.5	63	2	3	7	11	17	23	51
B. *Operated*										
0-19 YRS	16	12.3	161	1	2	8	14	32	44	49
20-34	57	8.7	60	1	2	6	12	18	25	39
35-49	110	9.5	42	2	3	8	12	18	22	34
50-64	260	11.6	100	3	4	9	14	22	30	88
65+	788	15.9	164	4	5	12	20	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	5.3	17	1	2	4	7	10	12	20
B. *Operated*	112	9.6	63	2	2	8	11	17	27	43
2. MULTIPLE DX										
A. *Not Operated*	4838	8.3	49	2	3	7	10	15	20	39
B. *Operated*	1231	14.1	141	3	4	11	17	29	39	92
1. SINGLE DX	1004	5.8	24	1	2	5	7	10	14	25
2. MULTIPLE DX	6069	9.5	73	2	3	7	11	18	25	52
A. NOT OPERATED	5730	7.8	45	2	2	6	10	14	19	37
B. OPERATED	1343	13.7	136	3	4	10	17	28	38	90
TOTAL 0-19 YRS	257	5.0	29	1	1	3	6	10	13	33
20-34	454	5.3	23	1	2	4	6	10	13	26
35-49	697	6.8	26	1	2	5	8	13	17	25
50-64	1513	7.5	39	2	3	6	9	14	18	32
65+	4152	10.5	87	2	3	8	12	20	28	58
GRAND TOTAL	**7073**	**8.9**	**68**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.6	6	1	1	3	5	7	10	12
20-34	12	8.7	17	1	2	10	12	13	13	13
35-49	14	8.9	161	1	2	4	7	27	43	48
50-64	8	9.0	88	1	1	5	16	24	24	24
65+	10	14.1	212	3	3	8	20	37	50	50
B. *Operated*										
0-19 YRS	12	3.3	10	1	1	2	5	9	10	10
20-34	8	5.4	25	1	1	4	8	14	15	15
35-49	14	7.7	30	1	1	6	13	15	17	18
50-64	17	10.5	95	1	2	6	14	20	34	41
65+	13	11.0	68	1	2	8	15	24	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.2	12	1	2	4	7	11	13	17
20-34	29	6.7	12	2	3	6	9	11	12	16
35-49	41	10.9	175	2	2	7	11	21	35	75
50-64	56	11.8	76	3	4	9	14	22	35	43
65+	73	15.0	149	4	5	12	19	40	48	99+
B. *Operated*										
0-19 YRS	10	8.9	56	2	2	10	13	56	96	99+
20-34	22	12.3	283	1	1	9	12	25	52	80
35-49	39	11.3	121	1	1	8	15	24	40	47
50-64	47	14.1	124	2	2	12	20	33	36	50
65+	54	21.4	335	5	5	18	23	39	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.6	66	1	2	4	7	13	24	49
B. *Operated*	64	8.0	56	1	1	6	11	18	21	39
2. MULTIPLE DX										
A. *Not Operated*	267	10.3	101	2	3	8	12	21	34	73
B. *Operated*	172	15.2	221	1	2	11	21	34	46	84
1. SINGLE DX	160	7.1	62	1	1	4	9	15	23	47
2. MULTIPLE DX	439	12.2	154	2	3	9	15	25	39	83
A. NOT OPERATED	363	9.3	95	2	2	7	12	19	29	64
B. OPERATED	236	13.3	186	1	2	10	17	27	38	83
TOTAL 0-19 YRS	142	4.7	14	1	1	4	6	10	13	31
20-34	71	8.6	102	1	1	7	11	13	16	70
35-49	108	10.4	133	1	2	7	12	22	37	59
50-64	128	12.3	97	2	3	10	15	24	36	45
65+	150	16.9	222	4	5	13	22	36	50	99+
GRAND TOTAL	**599**	**10.9**	**134**	**1**	**2**	**8**	**13**	**23**	**36**	**81**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	6.3	14	2	2	6	10	11	13	17
20-34	25	6.1	19	1	2	5	8	12	16	18
35-49	20	5.9	16	1	2	5	8	13	14	15
50-64	18	6.9	40	1	2	5	7	12	22	29
65+	13	10.8	37	2	4	10	14	20	22	22
B. *Operated*										
0-19 YRS	43	3.6	8	1	2	2	4	7	10	14
20-34	59	4.7	28	<1	1	3	5	9	16	29
35-49	34	4.7	27	<1	<1	3	5	13	20	21
50-64	19	8.5	62	2	2	5	10	20	29	33
65+	18	9.3	117	2	2	5	10	28	36	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	7.2	25	2	2	6	11	14	17	21
20-34	55	7.1	33	1	2	6	9	15	21	25
35-49	44	9.2	43	2	3	8	12	18	24	30
50-64	68	10.2	114	2	3	8	13	19	26	68
65+	181	14.0	125	3	4	11	17	28	35	55
B. *Operated*										
0-19 YRS	20	13.6	171	1	2	7	25	30	37	42
20-34	91	9.5	159	<1	<1	4	13	28	32	65
35-49	74	12.2	147	<1	<1	9	20	32	35	89
50-64	96	13.2	145	2	2	10	19	29	41	79
65+	105	18.4	252	3	4	13	24	42	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	6.6	21	2	2	6	10	12	14	22
B. *Operated*	173	5.3	38	<1	2	3	6	11	21	33
2. MULTIPLE DX										
A. *Not Operated*	409	10.9	95	2	3	8	14	22	28	52
B. *Operated*	386	13.6	188	<1	2	10	21	32	42	76
1. SINGLE DX	335	6.0	30	1	2	4	8	12	15	30
2. MULTIPLE DX	795	12.2	142	1	2	9	16	28	35	67
A. NOT OPERATED	571	9.7	77	2	2	7	12	19	26	49
B. OPERATED	559	11.0	156	<1	2	6	16	28	38	68
TOTAL 0-19 YRS	210	6.7	36	2	2	5	10	13	18	30
20-34	230	7.3	83	<1	<1	4	9	18	27	44
35-49	172	9.2	90	<1	1	5	13	22	30	56
50-64	201	11.2	121	2	2	8	14	27	33	63
65+	317	15.0	169	2	3	11	19	32	43	67
GRAND TOTAL	**1130**	**10.3**	**117**	**1**	**2**	**7**	**13**	**25**	**32**	**58**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	9	2	2	5	8	10	11	12
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	9.4	26	3	3	10	12	17	17	17
20-34	2	8.5	113	<1	<1	8	16	16	16	16
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.8	25	1	2	5	9	15	17	19
20-34	9	4.8	4	2	2	4	6	8	8	8
35-49	5	4.0	3	2	2	4	5	6	6	6
50-64	7	10.4	43	2	2	13	15	19	20	20
65+	21	13.9	148	3	4	9	19	25	41	56
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	3	13.0	121	2	2	13	21	24	24	24
50-64	8	14.9	71	2	3	15	19	27	29	29
65+	15	26.4	690	2	3	20	50	90	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.5	8	2	2	5	7	10	11	12
B. *Operated*	12	7.8	25	<1	1	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	68	8.9	71	2	2	6	12	19	21	51
B. *Operated*	31	19.1	407	2	2	15	23	55	90	99+
1. SINGLE DX	65	6.0	12	1	2	6	8	10	11	17
2. MULTIPLE DX	99	12.1	196	2	2	7	16	23	50	96
A. NOT OPERATED	121	7.4	46	2	2	6	9	15	20	37
B. OPERATED	43	16.0	323	2	2	11	20	49	72	99+
TOTAL 0-19 YRS	80	6.4	16	1	2	6	8	11	15	18
20-34	17	5.2	12	1	2	5	6	8	13	16
35-49	13	6.8	36	2	2	5	7	15	22	24
50-64	16	12.6	56	2	2	13	16	22	27	29
65+	38	18.3	389	2	3	11	22	54	79	99+
GRAND TOTAL	**164**	**9.7**	**132**	**2**	**2**	**6**	**11**	**20**	**25**	**88**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.0		<1	1	1	1	1	1	1
20-34	22	2.1	1	<1	<1	2	3	4	5	6
35-49	63	2.6	6	1	1	2	3	5	8	14
50-64	156	2.1	8	<1	<1	1	2	3	6	18
65+	196	2.1	7	<1	<1	1	2	3	7	18
B. *Operated*										
0-19 YRS	19	10.3	230	1	2	5	11	24	48	66
20-34	93	4.3	41	<1	<1	<1	5	11	16	33
35-49	69	5.3	34	<1	<1	3	6	16	18	26
50-64	128	6.8	99	<1	1	4	8	14	17	56
65+	131	8.0	94	<1	1	5	10	18	29	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.1	257	<1	1	3	6	10	42	74
20-34	73	6.4	83	<1	1	3	7	12	29	47
35-49	122	6.4	56	1	1	3	8	17	24	34
50-64	220	8.0	87	1	1	5	10	19	24	48
65+	586	11.7	159	1	1	8	14	25	38	71
B. *Operated*										
0-19 YRS	60	16.3	445	2	3	9	18	69	87	99+
20-34	380	7.3	127	<1	<1	2	9	21	29	66
35-49	301	11.5	169	<1	<1	7	15	28	36	81
50-64	651	11.3	165	<1	<1	7	16	28	38	92
65+	617	17.7	271	2	3	13	24	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	2.2	7	<1	<1	1	2	3	6	17
B. *Operated*	440	6.5	82	<1	<1	3	8	15	22	50
2. MULTIPLE DX										
A. *Not Operated*	1021	9.8	132	1	1	6	12	22	32	66
B. *Operated*	2009	12.7	213	<1	<1	8	17	32	46	99+
1. SINGLE DX	894	4.3	49	<1	<1	2	4	10	16	33
2. MULTIPLE DX	3030	11.7	188	<1	<1	7	15	29	42	90
A. NOT OPERATED	1475	7.4	106	<1	<1	3	10	19	27	56
B. OPERATED	2449	11.6	195	<1	<1	7	16	29	43	93
TOTAL 0-19 YRS	116	11.5	339	1	1	5	12	29	72	99+
20-34	568	6.5	104	<1	<1	2	8	17	26	61
35-49	555	8.6	120	<1	<1	5	11	22	30	55
50-64	1155	8.9	132	<1	<1	5	12	23	32	75
65+	1530	12.6	206	<1	1	8	17	31	46	99
GRAND TOTAL	**3924**	**10.0**	**166**	**<1**	**<1**	**5**	**13**	**25**	**37**	**80**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	1	1	3	3	3
20-34	5	7.2	32	1	1	6	12	14	14	14
35-49	8	6.0	23	<1	<1	5	8	14	16	16
50-64	17	4.9	29	1	1	2	7	14	18	20
65+	37	9.4	111	1	1	7	10	20	34	51
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	9.0	53	2	2	7	14	19	19	19
35-49	6	2.8	3	1	1	2	3	6	6	6
50-64	23	8.7	76	1	2	5	17	24	52	99+
65+	23	10.7	68	2	2	8	17	22	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	20	<1	1	3	5	11	16	17
20-34	20	7.1	36	1	1	5	11	15	19	22
35-49	38	8.7	75	1	2	6	12	16	32	36
50-64	91	12.0	142	1	2	10	15	25	34	70
65+	395	15.2	178	3	4	11	19	29	42	92
B. *Operated*										
0-19 YRS	7	11.7	57	1	2	10	18	22	23	23
20-34	33	15.9	180	2	2	11	26	39	42	45
35-49	53	17.8	284	3	3	12	23	41	48	94
50-64	105	20.9	310	<1	1	19	28	43	61	77
65+	218	25.8	339	5	7	22	34	56	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	6.8	70	1	1	4	8	15	21	47
B. *Operated*	57	8.8	66	2	2	5	16	22	28	94
2. MULTIPLE DX										
A. *Not Operated*	557	13.7	163	2	3	10	18	28	37	84
B. *Operated*	416	22.5	320	2	4	19	31	48	63	99+
1. SINGLE DX	135	7.6	69	1	1	5	10	19	25	58
2. MULTIPLE DX	973	17.5	249	2	3	13	23	38	51	93
A. NOT OPERATED	635	12.8	157	1	2	9	17	27	36	83
B. OPERATED	473	20.9	309	2	3	17	30	47	60	99+
TOTAL 0-19 YRS	32	4.9	34	<1	1	3	6	15	19	23
20-34	62	11.9	129	1	2	8	16	31	39	45
35-49	105	12.7	198	1	2	8	16	32	41	70
50-64	236	15.1	231	1	1	11	22	35	47	79
65+	673	18.2	253	2	4	14	24	40	56	99+
GRAND TOTAL	**1108**	**16.3**	**238**	**1**	**2**	**12**	**22**	**36**	**50**	**93**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	4.8	5	2	2	4	6	7	9	11
20-34	300	4.8	6	2	2	4	6	8	9	13
35-49	100	5.6	8	2	3	5	7	9	12	15
50-64	49	6.8	15	3	3	6	8	12	13	21
65+	34	7.2	10	3	4	7	9	13	14	15
B. *Operated*										
0-19 YRS	12	5.6	6	2	3	6	6	8	11	12
20-34	17	7.6	15	3	4	7	8	13	17	19
35-49	8	7.0	14	2	2	7	10	12	12	12
50-64	7	9.7	33	5	5	8	10	20	22	22
65+	6	11.5	28	3	4	12	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	5.4	6	2	3	5	7	8	10	14
20-34	320	5.9	11	2	3	5	7	9	12	19
35-49	165	7.2	15	3	3	6	8	12	16	21
50-64	195	8.3	34	2	3	7	10	15	17	27
65+	354	11.4	70	4	4	9	14	21	26	55
B. *Operated*										
0-19 YRS	26	8.5	19	5	5	8	9	11	15	27
20-34	50	10.9	38	4	5	10	12	19	25	30
35-49	41	13.8	112	5	6	12	16	23	37	60
50-64	59	14.1	62	5	6	13	18	27	39	99+
65+	100	18.9	83	8	9	17	23	33	37	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	5.2	7	2	2	5	6	8	10	14
B. *Operated*	50	7.8	19	3	3	7	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	1191	8.0	38	3	3	7	9	15	19	30
B. *Operated*	276	14.7	81	5	6	13	18	27	35	58
1. SINGLE DX	736	5.4	8	2	2	5	7	9	11	16
2. MULTIPLE DX	1467	9.3	52	3	3	7	11	18	23	40
A. NOT OPERATED	1877	7.0	28	2	3	6	8	12	16	27
B. OPERATED	326	13.6	77	4	6	11	17	25	33	55
TOTAL 0-19 YRS	398	5.3	7	2	3	5	7	9	10	13
20-34	687	5.8	13	2	3	5	7	10	12	21
35-49	314	7.5	32	3	3	6	9	13	17	30
50-64	310	9.2	42	3	4	7	12	17	21	46
65+	494	12.6	78	4	5	10	16	23	29	53
GRAND TOTAL	**2203**	**8.0**	**41**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	4.5	5	2	2	4	6	7	9	11
20-34	325	4.9	7	2	2	4	6	8	9	13
35-49	105	5.7	10	2	3	5	7	10	12	17
50-64	65	6.1	16	2	3	5	7	9	12	28
65+	55	7.2	34	2	3	6	8	12	17	38
B. *Operated*										
0-19 YRS	20	4.7	16	<1	1	4	6	8	13	19
20-34	48	6.9	32	1	2	6	8	14	19	31
35-49	36	6.3	41	1	2	4	8	11	23	30
50-64	36	8.4	29	1	2	8	12	15	20	21
65+	25	11.2	102	2	2	9	18	26	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	5.7	15	2	2	5	7	9	12	23
20-34	366	5.8	11	2	2	5	7	10	11	18
35-49	175	7.7	77	3	3	6	8	13	16	56
50-64	203	8.6	30	3	3	7	11	15	19	32
65+	383	11.2	84	3	4	9	13	21	28	77
B. *Operated*										
0-19 YRS	47	12.8	108	1	3	10	17	28	37	44
20-34	98	8.7	55	1	2	7	10	17	22	42
35-49	89	11.7	98	2	2	9	14	23	34	54
50-64	149	13.9	121	2	3	11	19	25	40	99+
65+	186	17.3	170	3	5	14	22	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	5.2	10	2	2	5	6	8	11	17
B. *Operated*	165	7.5	44	1	2	6	10	16	20	43
2. MULTIPLE DX										
A. *Not Operated*	1315	8.0	49	2	3	6	10	14	18	40
B. *Operated*	569	13.7	129	2	3	10	17	27	41	64
1. SINGLE DX	931	5.6	17	2	2	5	7	9	12	23
2. MULTIPLE DX	1884	9.7	80	2	3	7	11	19	26	56
A. NOT OPERATED	2081	7.0	37	2	3	6	8	12	16	33
B. OPERATED	734	12.3	117	2	2	10	16	25	37	63
TOTAL 0-19 YRS	471	5.8	25	2	2	5	7	10	15	30
20-34	837	5.9	17	2	2	5	7	10	13	21
35-49	405	7.9	65	2	3	6	9	14	18	39
50-64	453	10.0	66	2	3	8	12	19	25	52
65+	649	12.6	115	3	4	10	15	25	39	83
GRAND TOTAL	**2815**	**8.4**	**63**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.1	5	1	1	3	4	5	9	11
20-34	372	2.6	4	<1	1	2	3	5	6	10
35-49	520	2.6	3	1	1	2	3	5	6	8
50-64	349	3.0	4	1	1	2	4	5	7	9
65+	111	3.7	15	1	1	3	4	7	9	22
B. *Operated*										
0-19 YRS	16	9.4	103	1	1	6	11	27	35	38
20-34	202	9.0	24	2	3	8	11	15	18	24
35-49	271	8.8	35	2	2	8	11	14	17	31
50-64	309	8.9	21	2	2	9	11	14	16	23
65+	143	9.7	28	2	3	9	12	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	6	1	1	3	4	7	8	15
20-34	277	3.4	5	1	1	3	5	7	8	11
35-49	397	3.6	7	1	1	3	5	7	8	12
50-64	442	4.6	22	1	1	3	5	9	12	23
65+	317	6.9	51	2	2	5	8	14	18	33
B. *Operated*										
0-19 YRS	13	15.8	219	2	3	11	19	41	49	51
20-34	166	11.0	58	2	2	9	14	20	26	40
35-49	319	10.9	58	2	3	9	14	19	24	39
50-64	559	11.7	68	2	3	10	14	21	30	43
65+	429	13.3	99	2	3	11	17	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1407	2.8	5	1	1	2	3	5	7	10
B. *Operated*	941	9.0	28	2	2	9	11	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1480	4.6	22	1	1	3	6	9	12	22
B. *Operated*	1486	11.9	76	2	3	10	15	22	30	47
1. SINGLE DX	2348	5.3	23	1	1	3	8	11	14	21
2. MULTIPLE DX	2966	8.3	63	1	2	6	11	17	22	40
A. NOT OPERATED	2887	3.7	14	1	1	3	5	7	9	17
B. OPERATED	2427	10.8	59	2	3	9	13	19	25	42
TOTAL 0-19 YRS	131	5.3	53	1	1	3	5	10	16	41
20-34	1017	5.4	29	1	1	3	8	12	15	26
35-49	1507	5.7	33	1	1	4	8	12	16	27
50-64	1659	7.4	46	1	2	5	10	15	19	34
65+	1000	9.7	76	2	2	8	12	19	26	46
GRAND TOTAL	**5314**	**6.9**	**47**	**1**	**1**	**5**	**9**	**15**	**19**	**34**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.6	2	1	1	2	3	4	6	7
20-34	1246	2.3	2	1	1	2	3	4	5	8
35-49	1427	2.4	3	1	1	2	3	4	6	8
50-64	1000	2.6	3	1	1	2	3	5	6	8
65+	252	3.1	4	1	1	3	4	5	7	9
B. *Operated*										
0-19 YRS	52	5.7	12	2	2	4	8	11	12	14
20-34	649	6.6	16	2	2	6	9	12	14	20
35-49	860	6.5	15	2	2	6	9	11	14	20
50-64	811	7.4	23	2	2	7	10	13	16	21
65+	296	8.3	29	2	2	8	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	2	1	1	3	4	5	6	6
20-34	409	2.8	4	1	1	2	4	5	6	9
35-49	545	3.1	4	1	1	3	4	6	7	10
50-64	658	3.6	6	1	1	3	5	7	8	14
65+	300	4.7	14	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	18	8.9	19	2	3	9	11	15	18	19
20-34	281	8.0	52	2	3	7	10	14	18	29
35-49	451	8.6	45	2	2	7	11	16	20	30
50-64	712	9.6	51	2	3	8	12	17	22	33
65+	484	12.0	84	3	4	10	15	22	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4042	2.5	3	1	1	2	3	4	6	8
B. *Operated*	2668	7.0	20	2	2	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1942	3.5	7	1	1	3	4	6	8	13
B. *Operated*	1946	9.7	60	2	3	8	12	18	22	37
1. SINGLE DX	6710	4.3	14	1	1	3	6	9	12	18
2. MULTIPLE DX	3888	6.6	43	1	2	5	9	14	18	28
A. NOT OPERATED	5984	2.8	4	1	1	2	4	5	7	10
B. OPERATED	4614	8.1	38	2	3	7	10	15	19	28
TOTAL 0-19 YRS	217	3.9	10	1	1	3	4	9	11	15
20-34	2585	4.1	17	1	1	3	5	9	11	17
35-49	3283	4.4	18	1	1	3	6	9	12	20
50-64	3181	5.6	27	1	1	4	8	12	15	23
65+	1332	7.8	54	1	2	6	10	16	21	32
GRAND TOTAL	**10598**	**5.1**	**26**	**1**	**1**	**3**	**7**	**11**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.1	6	<1	<1	3	4	6	9	11
20-34	44	3.8	8	1	1	3	5	8	10	12
35-49	43	3.1	7	1	1	2	4	7	8	13
50-64	54	4.4	10	1	2	4	5	10	12	14
65+	56	6.0	73	1	2	4	6	11	14	59
B. *Operated*										
0-19 YRS	264	6.7	24	<1	1	7	9	13	16	23
20-34	153	8.3	39	<1	1	7	12	17	20	28
35-49	180	6.7	33	1	1	5	9	15	18	25
50-64	192	6.2	26	1	1	4	9	14	16	24
65+	119	8.1	77	1	2	5	11	20	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.1	27	<1	1	4	6	11	16	29
20-34	90	4.4	18	1	1	3	5	8	13	24
35-49	84	6.0	26	1	2	5	7	10	17	28
50-64	164	7.9	44	1	2	6	10	17	20	32
65+	397	11.8	130	2	3	8	15	23	31	67
B. *Operated*										
0-19 YRS	267	8.8	44	<1	1	8	12	17	23	30
20-34	229	10.4	63	1	2	9	13	21	25	41
35-49	250	11.2	118	2	2	9	14	23	31	66
50-64	511	11.4	111	1	2	9	15	23	31	54
65+	666	14.0	175	2	2	10	18	30	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	4.2	24	1	1	3	5	8	11	16
B. *Operated*	908	7.0	36	1	1	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	792	9.1	89	1	2	6	11	19	26	50
B. *Operated*	1923	11.8	122	1	2	9	15	24	33	59
1. SINGLE DX	1146	6.4	35	1	1	5	9	14	17	27
2. MULTIPLE DX	2715	11.0	114	1	2	8	14	23	31	57
A. NOT OPERATED	1030	8.0	79	1	2	5	10	17	22	47
B. OPERATED	2831	10.3	99	1	2	8	13	21	29	54
TOTAL 0-19 YRS	629	7.2	34	<1	1	7	10	14	18	27
20-34	516	8.2	49	1	2	7	11	17	22	30
35-49	557	8.3	75	1	2	6	11	18	23	45
50-64	921	9.3	81	1	2	7	12	20	26	46
65+	1238	12.4	151	2	2	9	16	27	36	70
GRAND TOTAL	**3861**	**9.6**	**95**	**1**	**2**	**7**	**12**	**20**	**28**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	5	1	1	2	5	7	7	7
20-34	76	2.5	3	<1	1	2	3	5	6	8
35-49	104	2.4	3	<1	1	2	3	5	6	8
50-64	72	2.9	5	1	1	2	4	5	7	12
65+	17	3.8		1	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	9	10.3	47	4	4	6	18	20	20	20
20-34	61	5.4	27	1	2	4	7	10	11	35
35-49	82	6.0	17	1	2	5	9	13	14	16
50-64	115	5.4	14	1	2	4	7	10	13	18
65+	88	7.0	24	1	2	6	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	7	1	1	3	5	8	9	9
20-34	42	3.0	4	<1	1	2	4	6	8	10
35-49	62	3.5	6	<1	1	3	4	7	8	12
50-64	79	4.8	13	1	1	4	6	10	12	15
65+	46	6.3	49	1	2	4	6	11	23	35
B. *Operated*										
0-19 YRS	7	7.4	26	2	3	6	8	16	18	18
20-34	36	10.1	258	2	2	6	11	15	31	95
35-49	96	7.9	40	1	2	7	10	17	20	32
50-64	194	8.7	40	2	2	8	12	17	21	28
65+	368	11.3	121	2	3	9	15	22	30	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.7	4	<1	1	2	3	5	6	9
B. *Operated*	355	6.0	21	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	236	4.4	17	1	1	3	6	9	11	23
B. *Operated*	701	10.0	95	2	2	8	13	20	26	84
1. SINGLE DX	633	4.6	16	1	1	3	6	10	13	18
2. MULTIPLE DX	937	8.6	81	1	2	6	11	17	23	49
A. NOT OPERATED	514	3.5	11	<1	1	3	4	7	9	15
B. OPERATED	1056	8.7	74	2	2	7	11	17	22	43
TOTAL 0-19 YRS	32	6.3	29	1	2	5	7	18	20	20
20-34	215	4.7	59	<1	1	3	5	9	12	37
35-49	344	5.0	22	1	1	3	7	11	14	22
50-64	460	6.3	28	1	1	5	9	13	16	25
65+	519	9.9	100	2	2	7	13	20	27	88
GRAND TOTAL	**1570**	**7.0**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.4	3	1	2	3	5	6	6	8
20-34	66	3.2	5	1	1	3	4	5	7	13
35-49	36	2.7	3	1	1	2	4	5	6	6
50-64	29	4.4	5	2	2	4	6	7	10	10
65+	46	4.5	7	1	2	4	6	9	9	13
B. *Operated*										
0-19 YRS	106	2.3	4	<1	<1	1	2	5	7	11
20-34	222	2.7	4	<1	1	2	3	5	7	9
35-49	237	2.8	6	<1	1	2	3	6	8	12
50-64	260	3.2	7	1	1	2	4	6	7	13
65+	365	4.0	11	1	2	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.5	5	1	1	3	4	6	8	14
20-34	109	4.0	6	1	2	3	5	7	9	11
35-49	75	4.7	6	2	2	4	6	9	9	12
50-64	124	6.5	21	2	2	6	8	12	16	99+
65+	421	9.0	55	2	3	7	11	17	23	57
B. *Operated*										
0-19 YRS	180	2.8	8	<1	<1	2	4	6	8	15
20-34	339	3.9	22	<1	<1	2	4	8	12	27
35-49	383	4.7	26	<1	1	3	6	11	16	26
50-64	614	5.4	47	1	1	3	6	11	15	32
65+	1342	8.1	71	2	2	6	10	17	23	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.6	5	1	1	3	5	6	8	12
B. *Operated*	1190	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	824	6.9	38	2	2	5	9	13	18	40
B. *Operated*	2858	6.2	53	<1	1	4	8	14	19	38
1. SINGLE DX	1452	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	3682	6.4	50	1	1	4	8	14	19	38
A. NOT OPERATED	1086	6.1	32	1	2	5	8	12	16	30
B. OPERATED	4048	5.3	42	<1	1	3	6	12	16	35
TOTAL 0-19 YRS	466	3.0	6	<1	<1	2	4	6	8	12
20-34	736	3.5	13	<1	1	2	4	7	9	18
35-49	731	4.0	17	<1	1	3	5	9	12	21
50-64	1027	4.9	33	1	1	3	6	10	14	31
65+	2174	7.5	59	2	2	5	9	15	21	49
GRAND TOTAL	**5134**	**5.5**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	9	2.1	2	1	1	2	3	4	4	4
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	6	3.7	17	1	1	2	3	11	12	12
65+	23	3.6	4	<1	1	4	4	7	8	9
B. *Operated*										
0-19 YRS	552	1.7	5	<1	<1	1	2	3	5	8
20-34	332	3.3	9	<1	<1	2	4	7	10	14
35-49	234	3.4	9	<1	1	2	4	7	8	15
50-64	246	3.9	17	1	1	3	5	7	11	21
65+	353	4.8	19	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	3	<1	<1	1	1	3	5	10
20-34	12	3.8	12	<1	<1	2	6	10	11	11
35-49	9	2.9	2	1	1	3	4	5	5	5
50-64	28	5.0	17	1	1	4	7	12	14	16
65+	84	6.0	17	1	2	5	9	12	13	18
B. *Operated*										
0-19 YRS	371	2.0	15	<1	<1	1	2	4	5	10
20-34	292	3.9	13	<1	1	3	5	8	12	18
35-49	324	4.1	16	1	1	3	5	9	12	18
50-64	466	5.1	35	1	1	3	6	10	15	28
65+	983	8.1	81	2	2	6	9	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.0	5	1	1	2	4	6	7	12
B. *Operated*	1717	3.2	12	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	160	4.8	16	<1	<1	3	7	11	13	16
B. *Operated*	2436	5.6	51	<1	1	3	7	12	17	32
1. SINGLE DX	1765	3.2	12	<1	<1	2	4	7	9	16
2. MULTIPLE DX	2596	5.5	48	<1	1	3	7	12	17	31
A. NOT OPERATED	208	4.4	14	<1	1	3	6	10	12	16
B. OPERATED	4153	4.6	36	<1	<1	3	6	10	14	28
TOTAL 0-19 YRS	953	1.8	9	<1	<1	1	2	3	5	10
20-34	645	3.5	11	<1	1	2	4	7	11	17
35-49	574	3.8	13	<1	1	2	5	8	11	18
50-64	746	4.7	28	1	1	3	6	10	14	28
65+	1443	7.1	63	1	2	5	8	14	20	40
GRAND TOTAL	**4361**	**4.6**	**35**	**<1**	**<1**	**3**	**6**	**10**	**14**	**27**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	588	3.6	5	1	1	3	4	7	8	11
20-34	327	3.6	6	1	1	3	5	6	8	11
35-49	147	4.3	6	1	2	4	6	7	9	11
50-64	189	4.6	10	1	1	4	6	8	10	17
65+	356	6.7	34	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	381	2.6	7	<1	<1	2	3	6	9	13
20-34	406	2.9	7	<1	<1	2	3	7	8	14
35-49	449	2.8	7	<1	<1	2	3	6	9	14
50-64	476	3.2	7	<1	1	2	4	7	9	12
65+	651	4.9	18	1	2	4	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	844	4.8	14	1	2	4	6	8	11	18
20-34	611	5.2	22	1	2	4	6	10	13	30
35-49	499	6.6	38	1	2	5	9	12	15	30
50-64	918	8.3	67	2	3	6	10	16	21	59
65+	4085	11.1	110	3	4	9	13	20	30	79
B. *Operated*										
0-19 YRS	412	3.6	21	<1	<1	2	4	8	11	23
20-34	498	4.6	47	<1	1	2	5	10	15	59
35-49	606	5.9	60	1	1	3	7	14	20	54
50-64	1216	7.1	66	1	2	4	9	16	22	45
65+	2779	11.4	136	2	2	8	15	25	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1607	4.5	14	1	1	4	6	8	10	17
B. *Operated*	2363	3.4	11	<1	<1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	6957	9.1	86	2	3	7	11	17	24	67
B. *Operated*	5511	8.6	104	1	1	5	11	20	28	65
1. SINGLE DX	3970	3.8	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	12468	8.9	94	1	2	6	11	18	26	65
A. NOT OPERATED	8564	8.3	76	2	2	6	10	16	22	59
B. OPERATED	7874	7.1	82	<1	1	4	9	16	24	53
TOTAL 0-19 YRS	2225	3.9	12	<1	1	3	5	8	10	17
20-34	1842	4.2	23	<1	1	3	5	8	12	24
35-49	1701	5.2	37	<1	1	3	7	10	15	32
50-64	2799	6.7	56	1	2	5	8	14	19	42
65+	7871	10.5	112	2	2	8	13	21	31	73
GRAND TOTAL	**16438**	**7.7**	**79**	**1**	**1**	**5**	**9**	**16**	**23**	**56**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	27	3.9	11	1	1	3	4	9	13	14
65+	54	4.6	14	1	1	4	6	9	13	16
B. *Operated*										
0-19 YRS	6	5.0	10	2	2	4	5	10	11	11
20-34	11	2.5	5	<1	<1	2	2	6	8	8
35-49	113	3.6	9	<1	1	2	5	7	9	14
50-64	2253	6.5	14	1	2	6	8	11	13	18
65+	3960	7.7	20	2	3	7	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	8	3.9	10	2	2	2	5	9	11	11
50-64	165	5.3	20	1	1	4	7	10	14	21
65+	574	7.2	56	1	1	5	9	16	22	78
B. *Operated*										
0-19 YRS	5	8.8	63	1	1	7	12	22	22	22
20-34	25	4.6	22	1	1	2	6	9	14	21
35-49	199	6.1	23	1	1	5	8	13	16	21
50-64	3256	8.5	38	2	2	7	11	15	19	30
65+	9204	11.6	78	3	5	9	14	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.3	13	1	1	3	6	9	13	16
B. *Operated*	6343	7.2	18	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	749	6.7	48	1	1	5	9	14	21	37
B. *Operated*	12689	10.7	69	2	4	9	13	19	25	47
1. SINGLE DX	6427	7.2	18	2	2	7	9	12	15	22
2. MULTIPLE DX	13438	10.5	69	2	3	8	13	19	25	47
A. NOT OPERATED	833	6.5	45	1	1	5	8	14	20	37
B. OPERATED	19032	9.5	55	2	3	8	12	17	22	42
TOTAL 0-19 YRS	11	6.7	34	1	2	5	8	15	21	22
20-34	39	4.1	17	1	1	2	5	9	12	21
35-49	322	5.1	19	<1	1	4	6	12	14	20
50-64	5701	7.6	29	1	2	7	9	14	17	26
65+	13792	10.3	64	2	4	8	12	18	24	46
GRAND TOTAL	**19865**	**9.4**	**55**	**2**	**3**	**8**	**11**	**17**	**22**	**41**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	9	2	2	4	6	10	11	11
20-34	47	3.5	6	1	1	3	4	7	8	12
35-49	43	4.5	5	1	2	4	6	7	9	10
50-64	70	4.6	6	1	2	4	6	7	7	15
65+	35	5.0	5	2	3	5	6	8	10	10
B. *Operated*										
0-19 YRS	24	2.2	2	<1	<1	2	3	5	5	5
20-34	162	2.4	7	<1	<1	2	3	4	7	10
35-49	229	2.2	3	<1	<1	2	3	4	6	8
50-64	161	2.9	5	1	1	2	3	5	8	12
65+	74	3.3	9	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.2	13	2	2	4	6	11	14	14
20-34	45	5.2	19	1	2	5	6	8	12	27
35-49	78	5.3	12	2	2	5	6	9	10	23
50-64	139	5.9	9	2	3	5	7	10	12	16
65+	126	7.2	66	2	2	6	8	11	14	54
B. *Operated*										
0-19 YRS	26	4.6	17	<1	1	3	7	12	13	14
20-34	150	3.2	8	1	1	2	4	7	10	14
35-49	259	4.1	24	<1	1	2	5	9	12	25
50-64	305	5.0	21	1	1	3	7	10	14	25
65+	275	7.8	55	2	2	6	10	15	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.4	6	1	2	4	6	7	9	12
B. *Operated*	650	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	398	6.1	29	2	2	5	7	10	12	25
B. *Operated*	1015	5.3	32	1	1	3	7	11	15	30
1. SINGLE DX	854	3.0	6	<1	1	2	4	6	8	11
2. MULTIPLE DX	1413	5.5	31	1	1	4	7	11	14	29
A. NOT OPERATED	602	5.5	22	1	2	5	7	9	11	18
B. OPERATED	1665	4.2	23	<1	1	2	5	9	12	25
TOTAL 0-19 YRS	69	3.9	11	<1	1	3	5	9	12	14
20-34	404	3.1	9	<1	1	2	4	7	8	14
35-49	609	3.6	14	<1	1	2	5	7	9	21
50-64	675	4.6	15	1	1	3	6	9	12	19
65+	510	6.8	50	1	2	5	8	12	17	40
GRAND TOTAL	**2267**	**4.6**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	2	8.0	2	7	7	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	306	2.3	2	<1	1	2	3	4	5	7
20-34	175	3.3	2	2	2	3	4	5	6	7
35-49	163	3.4	3	1	2	3	4	5	6	11
50-64	296	3.7	2	2	2	3	4	5	7	9
65+	178	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	1	3	4	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	7	3.9	18	<1	<1	2	4	11	13	13
B. *Operated*										
0-19 YRS	262	2.4	2	<1	1	2	3	4	5	7
20-34	62	4.0	5	1	2	4	5	6	8	15
35-49	98	4.1	6	1	2	4	5	7	9	14
50-64	269	5.0	14	2	2	4	6	9	12	21
65+	248	6.5	33	2	2	5	7	13	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.6	19	<1	<1	2	4	9	15	17
B. *Operated*	1118	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.0	4	<1	<1	1	2	5	5	13
B. *Operated*	939	4.5	17	1	2	3	5	8	12	22
1. SINGLE DX	1134	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	985	4.4	16	1	1	3	5	8	11	22
A. NOT OPERATED	62	2.4	8	<1	<1	1	3	5	8	17
B. OPERATED	2057	3.8	10	1	2	3	4	6	8	18
TOTAL 0-19 YRS	609	2.3	2	<1	<1	2	3	4	5	7
20-34	243	3.5	4	1	2	3	4	5	7	12
35-49	264	3.7	4	1	2	3	4	6	7	13
50-64	570	4.3	8	2	2	4	5	7	9	15
65+	433	5.3	23	2	2	4	6	9	16	26
GRAND TOTAL	**2119**	**3.8**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.9	5	1	1	3	5	7	8	11
20-34	201	4.7	6	1	2	4	6	8	9	12
35-49	122	5.1	7	2	2	5	6	9	10	15
50-64	113	6.0	9	2	3	6	7	10	11	18
65+	74	6.5	12	2	3	6	8	10	13	22
B. *Operated*										
0-19 YRS	40	4.1	7	1	1	3	6	8	10	11
20-34	65	4.5	29	1	1	3	4	9	12	36
35-49	45	3.9	6	1	2	3	5	7	9	12
50-64	43	4.6	8	2	2	4	6	8	9	17
65+	29	8.4	23	2	2	8	11	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.9	24	1	1	3	6	9	11	29
20-34	68	5.1	14	1	1	4	7	9	11	20
35-49	66	6.2	11	3	3	5	8	10	13	19
50-64	128	6.6	10	2	3	6	8	10	13	16
65+	179	9.0	44	3	4	7	10	14	21	42
B. *Operated*										
0-19 YRS	23	4.7	11	1	2	4	6	8	11	16
20-34	36	6.5	27	1	2	5	9	13	16	26
35-49	46	7.6	30	2	2	6	11	18	19	20
50-64	83	8.0	35	2	3	6	10	17	21	29
65+	104	11.0	81	3	4	9	14	19	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	5.0	8	1	2	5	6	8	10	14
B. *Operated*	222	4.8	17	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	480	7.1	27	2	2	6	9	12	15	28
B. *Operated*	292	8.6	52	2	3	6	11	18	20	38
1. SINGLE DX	869	5.0	10	1	2	4	6	9	10	17
2. MULTIPLE DX	772	7.7	37	2	3	6	9	14	19	35
A. NOT OPERATED	1127	5.9	17	1	2	5	7	10	12	21
B. OPERATED	514	6.9	40	2	2	5	9	14	19	36
TOTAL 0-19 YRS	239	4.2	9	1	1	3	6	8	9	12
20-34	370	4.9	14	1	2	4	6	9	11	20
35-49	279	5.6	13	2	2	5	7	10	12	19
50-64	367	6.5	16	2	3	6	8	11	14	21
65+	386	9.0	49	3	4	7	10	16	20	42
GRAND TOTAL	**1641**	**6.2**	**24**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

239: Redundant prepuce and phimosis (605)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5th (5)**	**10th (6)**	**50th (7)**	**75th (8)**	**90th (9)**	**95th (10)**	**99th (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	696	1.6	1	<1	<1	1	2	2	3	4
20-34	173	2.0	1	<1	1	2	2	3	3	6
35-49	109	1.9	1	<1	1	2	2	3	3	5
50-64	83	2.0	1	<1	<1	2	2	3	4	6
65+	50	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-19 YRS	373	1.8	1	<1	<1	2	2	2	3	7
20-34	149	1.9		<1	<1	2	2	3	3	4
35-49	100	1.9		<1	1	2	2	3	3	4
50-64	73	2.3	5	<1	<1	2	2	3	7	14
65+	54	2.2	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	1.7	2	<1	<1	1	2	3	5	7
20-34	41	2.4	3	<1	<1	2	3	4	7	9
35-49	65	2.6	4	<1	1	2	3	5	7	12
50-64	116	2.8	4	<1	1	2	3	5	7	11
65+	80	3.3	6	1	2	2	4	6	7	14
B. *Operated*										
0-19 YRS	123	2.0	2	<1	<1	2	2	3	4	9
20-34	66	2.4	6	<1	1	2	2	4	5	18
35-49	96	3.3	14	<1	1	2	3	7	9	23
50-64	147	3.4	6	1	2	3	4	6	9	12
65+	164	5.3	27	2	2	3	6	10	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1111	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	749	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	412	2.5	4	<1	<1	2	3	5	7	11
B. *Operated*	596	3.5	14	<1	1	2	4	7	10	22
1. SINGLE DX	1860	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1008	3.1	10	<1	1	2	3	6	9	19
A. NOT OPERATED	1523	2.0	2	<1	<1	2	2	3	4	7
B. OPERATED	1345	2.6	7	<1	<1	2	3	4	7	14
TOTAL 0-19 YRS	1302	1.7	1	<1	<1	2	2	2	3	6
20-34	429	2.0	2	<1	1	2	2	3	4	6
35-49	370	2.4	5	<1	1	2	2	4	5	10
50-64	419	2.7	4	<1	1	2	3	5	7	12
65+	348	3.9	16	1	2	2	4	8	11	22
GRAND TOTAL	**2868**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5th (5)**	**10th (6)**	**50th (7)**	**75th (8)**	**90th (9)**	**95th (10)**	**99th (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.1	2	<1	<1	2	3	4	5	8
20-34	52	2.3	2	<1	1	2	3	5	5	6
35-49	42	2.5	3	<1	1	2	3	5	7	9
50-64	33	3.1	7	1	1	2	3	7	8	13
65+	19	3.3	6	<1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	667	2.4	2	1	1	2	3	4	5	8
20-34	526	2.8	7	<1	1	2	3	5	7	12
35-49	356	3.3	8	1	1	3	4	6	7	13
50-64	367	4.1	15	1	2	3	5	7	9	11
65+	133	4.5	12	1	2	4	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.3	6	<1	1	2	5	7	8	11
20-34	33	3.4	5	1	1	3	5	6	7	9
35-49	50	4.8	28	<1	1	3	6	11	15	28
50-64	53	5.2	34	<1	1	3	7	10	20	29
65+	59	6.2	45	1	1	4	8	14	21	94
B. *Operated*										
0-19 YRS	206	2.9	4	<1	1	2	4	5	6	11
20-34	254	4.0	19	1	1	3	4	7	10	25
35-49	266	5.9	62	1	2	4	6	11	18	55
50-64	367	5.9	45	2	2	4	7	11	16	45
65+	217	8.9	149	2	2	6	8	16	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	2049	3.1	8	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	239	4.8	27	1	1	3	6	10	14	30
B. *Operated*	1310	5.5	57	1	2	4	6	10	15	49
1. SINGLE DX	2294	3.0	8	1	1	2	4	5	7	11
2. MULTIPLE DX	1549	5.4	53	1	2	3	6	10	15	48
A. NOT OPERATED	484	3.6	16	<1	1	2	4	8	10	25
B. OPERATED	3359	4.1	29	1	1	3	4	7	10	29
TOTAL 0-19 YRS	1016	2.5	3	<1	1	2	3	4	5	8
20-34	865	3.2	11	<1	1	2	4	5	8	14
35-49	714	4.3	31	1	1	3	5	8	11	26
50-64	820	4.9	30	1	2	3	6	9	12	33
65+	428	6.9	90	2	2	4	8	14	20	87
GRAND TOTAL	**3843**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**10**	**26**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	5	2.2	3	1	1	2	3	5	5	5
35-49	14	1.7	1	<1	<1	1	2	3	5	5
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	3	5.0	4	3	3	5	6	7	7	[illegible]
B. *Operated*										
0-19 YRS	141	2.1	1	<1	1	2	2	3	4	5
20-34	1039	2.2	1	<1	<1	2	3	3	4	7
35-49	2255	2.3	1	<1	1	2	3	3	4	7
50-64	1055	2.4	1	1	1	2	3	4	4	6
65+	360	2.8	2	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	1.9	3	<1	<1	1	2	5	6	6
35-49	14	2.6	6	1	1	2	3	7	9	9
50-64	7	2.6	4	1	1	2	4	6	6	6
65+	6	6.7	12	<1	<1	8	9	10	10	10
B. *Operated*										
0-19 YRS	41	2.7	5	<1	<1	2	3	4	6	15
20-34	401	2.9	3	1	1	2	3	5	6	11
35-49	1029	3.0	5	<1	1	2	3	5	7	14
50-64	671	3.4	7	2	2	3	4	6	8	15
65+	376	4.5	19	2	2	3	5	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.2	4	<1	<1	1	2	5	7	8
B. *Operated*	4850	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	41	2.9	8	<1	<1	2	4	8	9	10
B. *Operated*	2518	3.3	8	1	2	3	4	6	8	15
1. SINGLE DX	4880	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX	2559	3.3	8	1	2	3	4	6	8	15
A. NOT OPERATED	71	2.6	6	<1	<1	1	3	7	9	10
B. OPERATED	7368	2.7	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	188	2.2	2	<1	<1	2	3	3	4	6
20-34	1457	2.4	2	<1	1	2	3	4	5	8
35-49	3312	2.5	3	<1	1	2	3	4	5	9
50-64	1737	2.8	4	1	2	2	3	5	6	10
65+	745	3.7	11	2	2	3	4	7	9	19
GRAND TOTAL	**7439**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	4	1	1	3	5	7	8	8
20-34	55	3.4	4	<1	1	3	5	6	6	11
35-49	28	4.3	4	1	2	4	6	7	7	8
50-64	8	2.9	4	<1	<1	2	4	6	6	6
65+	8	4.8	8	<1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	431	3.1	8	1	1	3	4	5	6	11
20-34	816	3.1	5	<1	1	3	4	5	6	11
35-49	527	2.8	3	1	1	2	3	5	6	9
50-64	390	2.9	3	1	1	2	3	5	6	11
65+	163	3.3	10	<1	2	3	4	5	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	5	<1	1	3	5	7	7	7
20-34	36	3.4	14	<1	<1	2	4	10	11	17
35-49	45	4.8	37	<1	<1	3	6	11	22	28
50-64	40	3.6	19	<1	1	2	4	10	15	17
65+	46	9.1	203	1	1	5	10	20	27	92
B. *Operated*										
0-19 YRS	101	3.9	5	2	2	3	5	7	9	12
20-34	277	3.5	5	1	1	3	4	6	8	12
35-49	331	4.1	10	1	2	3	5	8	10	18
50-64	346	4.8	30	1	2	3	5	8	13	25
65+	201	6.1	94	2	2	4	6	10	13	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	4	<1	1	3	5	7	7	9
B. *Operated*	2327	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.2	71	<1	1	3	6	11	17	29
B. *Operated*	1256	4.5	28	1	2	3	5	8	11	21
1. SINGLE DX	2461	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	1441	4.6	34	1	1	3	5	8	11	22
A. NOT OPERATED	319	4.6	44	<1	1	3	5	9	13	27
B. OPERATED	3583	3.5	14	1	1	3	4	6	8	15
TOTAL 0-19 YRS	585	3.3	7	1	1	3	4	5	7	11
20-34	1184	3.2	5	<1	1	3	4	5	7	12
35-49	931	3.4	8	1	1	3	4	6	8	17
50-64	784	3.7	17	1	1	3	4	6	10	19
65+	418	5.3	74	1	2	3	6	9	13	43
GRAND TOTAL	**3902**	**3.6**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	3	1	1	2	4	5	6	9
20-34	670	2.6	3	1	1	2	3	5	6	9
35-49	113	3.2	6	1	1	3	4	7	8	13
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	466	4.7	6	1	2	5	6	8	9	14
20-34	1594	4.6	7	1	1	5	6	8	9	12
35-49	411	5.9	8	2	2	6	8	9	10	14
50-64	94	6.7	6	1	3	7	8	10	10	13
65+	30	8.0	21	2	3	8	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	3.4	5	1	1	3	4	7	8	11
20-34	404	3.2	6	<1	1	3	4	6	8	12
35-49	117	3.8	8	1	1	3	5	8	9	13
50-64	10	4.2	8	1	1	3	7	8	9	9
65+	12	10.7	129	2	2	6	11	34	34	34
B. *Operated*										
0-19 YRS	374	5.6	8	2	2	5	7	9	11	15
20-34	2317	5.7	11	1	2	6	7	9	11	18
35-49	1072	7.1	15	2	2	7	8	11	14	24
50-64	197	8.9	20	4	6	8	9	14	17	27
65+	100	12.0	57	6	7	10	14	20	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1159	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2595	4.9	8	1	2	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	729	3.5	9	1	1	3	4	7	9	12
B. *Operated*	4060	6.4	15	1	2	6	8	10	13	21
1. SINGLE DX	3754	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX	4789	5.9	15	1	2	6	7	10	12	20
A. NOT OPERATED	1888	3.0	5	1	1	2	4	6	7	11
B. OPERATED	6655	5.8	13	1	2	6	7	9	11	18
TOTAL 0-19 YRS	1397	4.2	7	1	1	4	6	7	9	13
20-34	4985	4.7	10	1	1	5	6	8	10	15
35-49	1713	6.3	14	1	2	6	8	10	12	20
50-64	304	8.0	17	2	4	8	9	11	15	26
65+	144	10.9	57	3	5	9	12	19	27	41
GRAND TOTAL	**8543**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	723	4.6	7	2	2	4	6	7	9	13
20-34	2016	5.0	10	2	2	4	6	8	10	17
35-49	287	5.9	12	2	2	5	8	10	12	17
50-64	17	6.8	30	2	2	4	9	14	20	23
65+	8	7.0	41	1	1	4	12	17	18	18
B. *Operated*										
0-19 YRS	171	5.5	12	1	2	5	7	11	12	16
20-34	1283	4.4	12	<1	1	3	6	8	11	17
35-49	344	5.6	24	1	1	5	8	12	15	24
50-64	38	6.8	51	<1	1	3	9	17	24	31
65+	15	9.3	54	<1	2	7	13	16	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	344	5.8	11	2	2	5	7	10	12	19
20-34	1035	5.8	13	2	2	5	7	10	12	18
35-49	250	7.2	15	3	3	6	9	12	15	21
50-64	28	9.0	20	3	4	9	10	15	18	22
65+	23	11.2	65	4	5	7	14	27	28	29
B. *Operated*										
0-19 YRS	267	6.4	18	1	2	6	8	11	15	21
20-34	2657	5.7	25	1	1	5	7	10	13	23
35-49	941	7.7	45	1	2	7	9	14	18	31
50-64	92	10.7	92	2	2	8	12	24	35	84
65+	47	16.1	256	4	6	11	21	40	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	5.0	10	2	2	4	6	8	10	16
B. *Operated*	1851	4.8	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1680	6.1	14	2	2	5	8	11	13	20
B. *Operated*	4004	6.4	36	1	2	6	8	12	16	29
1. SINGLE DX	4902	4.9	12	1	2	4	6	9	11	17
2. MULTIPLE DX	5684	6.3	29	1	2	6	8	11	15	27
A. NOT OPERATED	4731	5.4	12	2	2	5	7	9	11	18
B. OPERATED	5855	5.9	30	1	1	5	8	11	15	27
TOTAL 0-19 YRS	1505	5.3	11	1	2	5	7	9	11	18
20-34	6991	5.3	17	1	2	5	7	9	12	19
35-49	1822	6.9	33	1	2	6	9	13	16	28
50-64	175	9.2	68	2	2	8	10	18	26	58
65+	93	13.0	166	2	3	9	16	28	41	99+
GRAND TOTAL	**10586**	**5.7**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	1	1	3	4	5	5	5
20-34	62	3.1	5	<1	1	2	4	6	8	10
35-49	9	4.3	4	1	2	4	5	7	8	8
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	46	3.2	7	<1	1	2	4	6	8	14
20-34	1191	3.9	7	<1	1	3	6	7	8	12
35-49	549	5.4	8	1	1	6	7	9	9	11
50-64	35	6.0	13	1	1	7	8	9	11	16
65+	3	6.3	22	1	1	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	5	1	1	4	5	7	9	9
20-34	78	4.3	17	<1	1	3	6	8	13	20
35-49	38	3.8	8	<1	1	3	6	8	10	11
50-64	2	11.5	181	2	2	11	21	21	21	21
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	52	3.9	13	1	1	2	6	7	9	24
20-34	2096	5.2	10	1	1	6	7	9	10	14
35-49	2262	7.1	12	2	2	7	8	10	12	18
50-64	256	8.3	15	3	6	8	9	11	15	25
65+	21	10.5	45	1	2	10	14	21	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.2	4	<1	1	3	4	6	8	10
B. *Operated*	1824	4.4	8	1	1	4	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	130	4.3	15	<1	1	3	6	8	11	20
B. *Operated*	4687	6.3	12	1	2	7	8	9	11	18
1. SINGLE DX	1906	4.3	8	1	1	4	7	8	9	12
2. MULTIPLE DX	4817	6.2	13	1	2	6	8	9	11	18
A. NOT OPERATED	212	3.9	11	<1	1	3	5	7	9	20
B. OPERATED	6511	5.8	12	1	2	6	8	9	10	16
TOTAL 0-19 YRS	118	3.6	9	1	1	2	5	7	8	17
20-34	3427	4.7	9	1	1	5	7	8	9	14
35-49	2858	6.7	12	1	2	7	8	9	11	18
50-64	295	8.0	16	2	5	8	9	11	15	23
65+	25	9.9	41	1	2	9	12	21	23	26
GRAND TOTAL	**6723**	**5.7**	**12**	**1**	**1**	**6**	**8**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	8.0	39	3	3	6	13	15	15	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.2	1	1	1	2	2	4	5	5
20-34	159	2.1	2	<1	<1	2	2	3	4	8
35-49	148	2.5	3	<1	1	2	3	5	6	8
50-64	68	2.2	4	<1	<1	2	2	4	5	12
65+	26	2.5	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	8	2	2	5	6	10	11	11
20-34	5	4.8	18	<1	<1	3	7	12	12	12
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	10	2.4	6	<1	<1	2	2	6	9	9
20-34	415	3.2	7	<1	1	2	4	7	8	12
35-49	593	3.5	10	<1	1	2	4	8	10	15
50-64	236	3.3	9	1	1	2	3	7	10	13
65+	67	4.1	20	1	1	3	4	8	10	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	27	2	2	5	8	15	15	15
B. *Operated*	413	2.3	2	<1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	19	5.0	10	<1	1	5	7	10	12	12
B. *Operated*	1321	3.4	9	<1	1	2	4	8	9	14
1. SINGLE DX	418	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1340	3.4	9	<1	1	2	4	8	9	14
A. NOT OPERATED	24	5.3	13	1	1	5	7	11	13	15
B. OPERATED	1734	3.1	8	<1	1	2	3	7	9	13
TOTAL 0-19 YRS	31	3.1	6	<1	1	2	4	6	9	11
20-34	582	3.0	6	<1	1	2	3	7	8	12
35-49	744	3.3	9	<1	1	2	3	8	9	15
50-64	307	3.1	8	<1	1	2	3	7	9	13
65+	94	3.7	15	1	2	3	4	8	9	26
GRAND TOTAL	**1758**	**3.2**	**8**	**<1**	**1**	**2**	**3**	**7**	**9**	**13**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.8	6	1	1	3	5	6	8	15
20-34	124	3.4	4	1	1	3	4	6	7	12
35-49	35	3.9	5	1	1	3	6	7	9	10
50-64	11	4.6	12	<1	1	4	5	11	11	11
65+	5	3.6	6	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	117	2.6	3	1	1	2	3	5	7	10
20-34	1028	2.1	2	<1	1	2	3	4	4	7
35-49	459	2.1	2	<1	1	2	2	4	5	8
50-64	132	2.3	2	<1	1	2	3	4	4	10
65+	33	3.5	8	1	1	2	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	8	1	1	4	6	8	10	13
20-34	139	4.1	6	1	1	4	6	7	8	11
35-49	50	5.6	20	1	1	5	7	11	15	23
50-64	30	6.7	15	1	2	6	9	13	13	17
65+	39	11.1	150	3	3	9	11	21	22	78
B. *Operated*										
0-19 YRS	40	3.0	5	1	1	2	4	6	8	10
20-34	349	3.4	10	<1	1	2	4	8	10	15
35-49	270	3.8	13	<1	1	2	5	8	9	18
50-64	92	4.2	20	1	1	2	5	11	16	20
65+	66	7.4	130	1	1	4	7	19	27	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.6	5	1	1	3	5	6	8	12
B. *Operated*	1769	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	316	5.5	32	1	1	5	7	10	13	22
B. *Operated*	817	3.9	23	<1	1	2	5	8	11	23
1. SINGLE DX	2002	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1133	4.4	26	1	1	3	6	8	12	22
A. NOT OPERATED	549	4.7	21	1	1	4	6	8	11	19
B. OPERATED	2586	2.7	9	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	273	3.3	6	1	1	3	5	6	8	12
20-34	1640	2.6	5	<1	1	2	3	5	7	11
35-49	814	3.0	8	<1	1	2	3	6	8	15
50-64	265	3.6	12	1	1	2	4	8	12	17
65+	143	7.4	109	1	2	4	8	15	22	78
GRAND TOTAL	**3135**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	3	6.0	31	<1	<1	5	10	12	12	12
65+	19	4.8	13	<1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	182	6.3	10	2	3	6	7	9	10	19
35-49	451	6.9	6	3	4	7	8	10	11	16
50-64	901	7.7	6	5	5	7	9	11	13	16
65+	799	8.0	14	4	5	8	9	12	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	2.5	10	<1	<1	1	2	8	10	10
35-49	38	2.3	4	<1	1	2	2	5	8	9
50-64	37	3.4	21	<1	1	1	4	7	10	26
65+	131	6.9	67	1	1	5	9	14	19	39
B. *Operated*										
0-19 YRS	6	5.8	20	<1	<1	6	7	12	13	13
20-34	629	6.0	13	<1	<1	6	8	10	12	18
35-49	1686	7.7	11	2	5	7	9	11	13	20
50-64	1843	8.6	13	5	5	8	10	12	15	21
65+	1737	9.8	27	5	6	9	11	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	12	<1	1	4	7	10	12	13
B. *Operated*	2336	7.5	9	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	219	5.2	49	<1	1	3	7	11	17	30
B. *Operated*	5901	8.4	18	3	5	8	10	13	16	24
1. SINGLE DX	2368	7.5	10	4	5	7	9	11	12	16
2. MULTIPLE DX	6120	8.3	20	2	4	8	10	13	16	24
A. NOT OPERATED	251	5.2	44	<1	1	3	7	11	15	29
B. OPERATED	8237	8.2	16	3	5	8	9	12	15	22
TOTAL 0-19 YRS	10	5.3	14	<1	<1	5	7	10	13	13
20-34	827	6.0	12	<1	<1	6	8	10	11	18
35-49	2181	7.4	11	2	4	7	9	11	13	19
50-64	2784	8.2	12	4	5	8	9	12	14	20
65+	2686	9.1	26	4	5	8	10	14	17	28
GRAND TOTAL	**8488**	**8.1**	**17**	**2**	**4**	**8**	**9**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	4	1	1	2	3	6	7	7
20-34	12	2.8	4	1	1	2	4	6	8	8
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	<1	1	2	2	2	4	5
20-34	182	1.7	1	<1	<1	2	2	2	3	6
35-49	332	1.7	1	<1	<1	1	2	2	2	8
50-64	48	1.5		<1	<1	1	2	2	2	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.4	2	<1	<1	2	3	5	5	5
35-49	6	1.8	2	<1	<1	1	3	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	186	2.5	6	<1	<1	2	2	6	7	14
35-49	342	2.6	6	<1	<1	2	3	6	7	11
50-64	56	2.3	4	<1	<1	2	2	5	8	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	3	1	1	2	3	5	7	8
B. *Operated*	578	1.7	1	<1	<1	1	2	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	15	2.5	6	<1	<1	2	3	5	9	10
B. *Operated*	590	2.6	5	<1	<1	2	2	6	7	11
1. SINGLE DX	601	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX	605	2.6	5	<1	<1	2	2	6	7	11
A. NOT OPERATED	38	2.6	4	<1	1	2	3	5	8	10
B. OPERATED	1168	2.1	4	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	31	2.0	2	1	1	2	2	3	5	7
20-34	385	2.1	4	<1	<1	2	2	4	6	11
35-49	684	2.1	4	<1	<1	2	2	4	7	10
50-64	106	2.0	3	<1	<1	2	2	3	6	10
65+										
GRAND TOTAL	**1206**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.2	2	<1	1	2	3	4	5	7
20-34	217	2.0	2	<1	1	2	2	3	5	10
35-49	67	2.0	2	<1	<1	2	2	4	5	8
50-64	9	2.1	2	1	1	2	3	4	5	5
65+										
B. *Operated*										
0-19 YRS	253	1.8	2	<1	<1	2	2	3	3	7
20-34	3679	1.7	2	<1	<1	1	2	2	3	7
35-49	4970	1.8	2	<1	<1	2	2	2	3	8
50-64	712	1.8	1	<1	<1	2	2	2	3	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	6	<1	1	2	4	6	7	14
20-34	221	2.6	4	<1	1	2	3	5	6	8
35-49	172	3.0	16	<1	<1	1	3	8	9	22
50-64	25	2.6	5	<1	1	2	4	5	7	9
65+										
B. *Operated*										
0-19 YRS	174	2.4	4	<1	1	2	3	5	7	10
20-34	3321	2.7	8	<1	<1	2	3	6	8	11
35-49	6319	3.1	8	<1	1	2	3	7	9	13
50-64	951	3.0	9	<1	1	2	3	7	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	2.1	2	<1	1	2	2	4	5	8
B. *Operated*	9614	1.7	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	502	2.8	8	<1	<1	2	3	6	8	15
B. *Operated*	10765	3.0	8	<1	<1	2	3	7	8	13
1. SINGLE DX	10020	1.7	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX	11267	3.0	8	<1	<1	2	3	7	8	13
A. NOT OPERATED	908	2.5	6	<1	1	2	3	5	7	12
B. OPERATED	20379	2.4	6	<1	<1	2	2	6	7	11
TOTAL 0-19 YRS	624	2.2	3	<1	1	2	2	4	6	9
20-34	7438	2.2	5	<1	<1	2	2	4	7	10
35-49	11528	2.5	6	<1	<1	2	2	6	8	12
50-64	1697	2.5	6	<1	<1	2	2	6	8	12
65+										
GRAND TOTAL	**21287**	**2.4**	**6**	**<1**	**<1**	**2**	**2**	**6**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	2.4	3	<1	<1	2	4	5	5	5
50-64	20	2.5	3	<1	<1	2	4	5	6	7
65+	11	3.4	6	<1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	491	1.7	1	<1	<1	2	2	2	3	5
50-64	1905	1.8	1	<1	<1	2	2	2	3	5
65+	428	2.2	2	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	19	3.9	26	<1	<1	1	5	14	17	17
50-64	65	3.4	12	<1	1	2	5	8	9	18
65+	52	6.0	67	1	1	4	7	10	13	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.8	1	<1	<1	1	2	4	4	4
35-49	416	2.5	5	<1	1	2	2	5	7	13
50-64	1815	2.6	7	<1	1	2	2	5	8	14
65+	732	4.0	19	1	2	2	4	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	2829	1.8	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	136	4.5	36	<1	1	3	6	9	13	29
B. *Operated*	2970	2.9	10	<1	1	2	3	6	9	17
1. SINGLE DX	2871	1.8	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX	3106	3.0	11	<1	1	2	3	6	9	17
A. NOT OPERATED	178	4.1	29	<1	<1	3	5	8	10	23
B. OPERATED	5799	2.4	6	<1	1	2	2	4	7	13
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	1.7	1	<1	<1	2	2	3	4	4
35-49	937	2.1	3	<1	<1	2	2	3	5	10
50-64	3805	2.2	4	<1	<1	2	2	3	6	11
65+	1223	3.4	16	1	1	2	3	7	10	22
GRAND TOTAL	**5977**	**2.4**	**7**	**<1**	**1**	**2**	**2**	**4**	**7**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.3	2	<1	<1	2	3	5	5	6
20-34	94	2.6	4	<1	1	2	3	6	7	9
35-49	32	2.7	6	<1	<1	2	3	5	8	13
50-64	9	3.3	8	<1	<1	2	5	8	9	9
65+	9	7.4	50	<1	<1	6	11	19	21	21
B. *Operated*										
0-19 YRS	123	2.5	4	<1	<1	2	3	5	6	10
20-34	1445	2.5	4	<1	<1	2	3	5	6	10
35-49	1460	2.8	7	<1	<1	2	3	6	8	13
50-64	983	2.8	8	<1	1	2	3	6	8	14
65+	259	3.4	36	1	1	2	3	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	3	1	1	3	4	6	7	7
20-34	83	3.4	14	<1	<1	2	4	6	14	19
35-49	71	3.6	8	<1	1	3	5	8	9	13
50-64	57	5.4	55	<1	<1	2	5	15	22	39
65+	83	8.4	54	1	2	7	12	16	23	83
B. *Operated*										
0-19 YRS	124	4.3	13	<1	1	3	6	8	11	21
20-34	1698	3.6	10	<1	1	2	5	8	9	14
35-49	2962	3.8	15	<1	1	2	6	8	10	17
50-64	1863	4.1	24	1	1	2	6	9	12	23
65+	707	7.2	80	1	2	4	9	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.8	7	<1	<1	2	3	6	8	15
B. *Operated*	4270	2.7	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	323	5.0	33	<1	1	3	6	12	16	34
B. *Operated*	7354	4.2	24	<1	1	2	6	9	11	23
1. SINGLE DX	4456	2.7	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX	7677	4.2	24	<1	1	2	6	9	11	23
A. NOT OPERATED	509	4.2	25	<1	1	3	5	9	14	28
B. OPERATED	11624	3.6	18	<1	1	2	4	8	10	20
TOTAL 0-19 YRS	318	3.2	8	<1	1	2	4	7	8	14
20-34	3320	3.1	8	<1	1	2	4	7	8	13
35-49	4525	3.5	13	<1	1	2	5	8	9	16
50-64	2912	3.7	20	<1	1	2	4	8	10	22
65+	1058	6.4	70	1	2	3	8	15	21	50
GRAND TOTAL	**12133**	**3.7**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	1.9	1	1	1	2	2	3	4	6
20-34	309	2.3	3	<1	1	2	3	5	6	8
35-49	49	2.9	4	1	1	2	4	5	7	11
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	4	8.8	37	2	2	8	13	16	16	16
B. *Operated*										
0-19 YRS	124	2.2	2	<1	1	2	3	4	4	8
20-34	1447	2.6	5	<1	<1	2	3	6	7	10
35-49	544	5.3	13	<1	1	5	8	10	11	14
50-64	232	8.7	18	2	4	8	10	14	16	23
65+	121	9.6	23	2	3	9	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.4	3	<1	1	2	3	5	7	10
20-34	282	2.6	5	<1	1	2	3	6	7	10
35-49	70	3.7	30	<1	<1	2	4	7	8	38
50-64	28	6.0	61	<1	<1	4	6	12	20	40
65+	23	6.9	16	2	2	7	9	11	14	18
B. *Operated*										
0-19 YRS	104	3.5	10	1	1	2	5	7	10	17
20-34	2339	3.5	7	<1	1	2	6	7	8	10
35-49	962	5.7	15	1	1	6	8	10	12	17
50-64	334	8.5	25	1	2	8	10	14	17	23
65+	195	11.5	52	2	5	10	14	18	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.2	3	<1	1	2	3	5	5	8
B. *Operated*	2468	4.1	14	<1	1	2	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	516	3.1	13	<1	1	2	4	7	8	15
B. *Operated*	3934	4.9	17	<1	1	4	7	10	12	19
1. SINGLE DX	3080	3.7	12	<1	1	2	6	9	10	16
2. MULTIPLE DX	4450	4.6	17	<1	1	3	7	9	12	18
A. NOT OPERATED	1128	2.6	8	<1	1	2	3	5	7	11
B. OPERATED	6402	4.6	16	<1	1	3	7	9	12	18
TOTAL 0-19 YRS	586	2.4	4	<1	1	2	3	4	6	10
20-34	4377	3.1	6	<1	1	2	5	7	8	10
35-49	1625	5.4	15	<1	1	6	8	10	12	17
50-64	599	8.4	24	1	2	8	10	14	17	23
65+	343	10.5	41	2	3	10	13	17	20	40
GRAND TOTAL	**7530**	**4.3**	**15**	**<1**	**1**	**2**	**6**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	2.4	4	<1	<1	2	3	6	7	9
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	100	5.5	3	2	4	5	6	8	8	11
20-34	1580	5.7	3	3	4	6	7	8	9	11
35-49	217	6.1	5	3	4	6	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	18	3.0	3	<1	1	3	4	5	7	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	104	6.3	8	3	4	6	7	10	11	20
20-34	1122	6.1	4	4	4	6	7	8	9	13
35-49	206	6.9	9	4	5	6	7	9	12	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.5	4	<1	<1	2	3	6	7	9
B. *Operated*	1897	5.7	3	3	4	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	1432	6.2	5	4	4	6	7	8	10	14
1. SINGLE DX	1938	5.7	3	3	4	6	7	8	8	11
2. MULTIPLE DX	1456	6.2	5	3	4	6	7	8	10	14
A. NOT OPERATED	65	2.7	4	<1	<1	2	3	6	7	9
B. OPERATED	3329	5.9	4	3	4	6	7	8	9	13
TOTAL 0-19 YRS	210	5.8	6	2	4	6	6	8	10	15
20-34	2756	5.8	4	3	4	6	7	8	9	12
35-49	428	6.4	7	4	4	6	7	9	10	16
50-64										
65+										
GRAND TOTAL	**3394**	**5.9**	**4**	**3**	**4**	**6**	**7**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.4	1	<1	1	1	1	2	3	7
20-34	199	1.3		<1	1	1	1	2	3	4
35-49	31	1.3		1	1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4170	1.3		<1	<1	1	2	2	2	4
20-34	10675	1.2	1	<1	<1	<1	1	2	2	4
35-49	1320	1.2	1	<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	<1	1	2	3	7
20-34	64	1.4	1	<1	<1	1	1	2	3	9
35-49	18	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	899	1.4	2	<1	<1	<1	1	2	4	7
20-34	3473	1.6	4	<1	<1	<1	1	3	4	9
35-49	922	2.1	3	<1	<1	2	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	16165	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	118	1.4	1	<1	<1	<1	1	2	3	8
B. *Operated*	5294	1.7	3	<1	<1	<1	2	3	4	9
1. SINGLE DX	16503	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	5412	1.7	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	456	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	21459	1.4	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	5213	1.3	1	<1	<1	1	1	2	3	5
20-34	14411	1.3	1	<1	<1	<1	1	2	3	5
35-49	2291	1.6	2	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**21915**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.8	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	4	2.8	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	4	2.8	5	<1	<1	2	4	6	6	6
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
GRAND TOTAL	**4**	**2.8**	**5**	**<1**	**<1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.7	2	<1	<1	1	2	3	4	10
20-34	659	1.6	1	<1	<1	1	2	3	4	6
35-49	88	1.9	6	<1	<1	1	2	3	4	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1612	1.5	1	<1	<1	1	2	2	3	5
20-34	11351	1.4	1	<1	<1	1	2	2	3	5
35-49	1853	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	6	1	1	2	4	7	8	10
20-34	139	2.5	7	<1	1	2	3	5	7	18
35-49	14	2.0	3	<1	<1	1	2	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	191	2.6	5	1	1	2	3	6	7	11
20-34	1359	2.3	4	<1	1	2	2	4	6	11
35-49	397	1.9	3	<1	<1	1	2	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	14816	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	182	2.5	7	<1	1	2	3	5	7	15
B. *Operated*	1947	2.2	4	<1	1	2	2	4	6	10
1. SINGLE DX	15766	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2129	2.2	4	<1	1	2	2	4	6	10
A. NOT OPERATED	1132	1.8	3	<1	<1	1	2	3	4	9
B. OPERATED	16763	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	2035	1.6	1	<1	<1	1	2	3	4	7
20-34	13508	1.5	1	<1	<1	1	2	2	3	6
35-49	2352	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**17895**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.0	4	<1	1	3	4	6	7	8
20-34	285	2.6	3	<1	1	2	3	5	6	9
35-49	29	2.4	3	<1	1	2	3	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	171	2.0	2	1	1	2	3	4	4	8
20-34	1643	1.6	2	<1	<1	1	2	3	4	7
35-49	230	1.7	3	<1	<1	1	2	2	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	7	<1	<1	2	4	6	9	11
20-34	68	3.5	14	1	1	3	4	7	10	23
35-49	6	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.8	3	<1	1	2	4	6	7	7
20-34	340	3.4	17	<1	1	2	4	7	11	19
35-49	73	2.6	9	<1	1	2	2	5	7	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.6	3	<1	1	2	4	5	6	8
B. *Operated*	2044	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.3	11	<1	1	2	4	6	10	20
B. *Operated*	450	3.2	14	<1	1	2	4	7	10	19
1. SINGLE DX	2426	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	544	3.2	14	<1	1	2	4	7	10	19
A. NOT OPERATED	476	2.8	5	<1	1	2	4	5	7	10
B. OPERATED	2494	2.0	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	296	2.4	3	<1	1	2	3	5	6	8
20-34	2336	2.1	5	<1	<1	1	2	4	5	11
35-49	338	2.0	4	<1	<1	2	2	3	5	10
50-64										
65+										
GRAND TOTAL	**2970**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.1	1	<1	1	2	3	4	4	5
20-34	1239	2.2	2	<1	1	2	3	4	5	7
35-49	103	2.3	2	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	21	2.6	5	<1	<1	2	4	6	7	8
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	2	1	1	2	3	4	5	7
20-34	202	2.9	4	1	1	2	4	5	7	9
35-49	23	4.8	8	1	2	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	20	4.4	29	<1	<1	3	6	9	17	24
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1543	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	25	2.6	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	255	3.0	4	1	1	2	4	5	8	10
B. *Operated*	23	4.5	26	<1	1	3	6	9	15	24
1. SINGLE DX	1568	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	278	3.1	6	1	1	2	4	6	8	11
A. NOT OPERATED	1798	2.3	2	1	1	2	3	4	5	8
B. OPERATED	48	3.5	15	<1	<1	2	4	8	9	24
TOTAL 0-19 YRS	236	2.2	2	<1	1	2	3	4	5	7
20-34	1482	2.3	3	<1	1	2	3	4	5	9
35-49	128	2.8	4	1	1	2	4	5	6	10
50-64										
65+										
GRAND TOTAL	**1846**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	65	2.4	3	<1	1	2	3	4	5	9
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	4.1	11	<1	1	3	4	9	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	5	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	13	4.0	9	<1	1	3	4	7	12	13
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	80	2.4	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	15	3.7	8	<1	1	3	4	5	11	13
A. NOT OPERATED	88	2.6	4	<1	1	2	3	5	5	11
B. OPERATED	7	2.4	2	1	1	2	4	5	5	5
TOTAL 0-19 YRS	8	2.4	3	<1	<1	2	4	5	5	5
20-34	81	2.6	4	<1	1	2	3	5	5	12
35-49	6	3.2	2	2	2	3	5	5	5	5
50-64										
65+										
GRAND TOTAL	**95**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**5**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	3.6	5	1	2	3	5	6	7	11
20-34	867	3.8	8	1	1	3	4	7	9	18
35-49	86	4.2	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.0	7	2	2	3	5	9	10	11
20-34	128	3.4	5	<1	1	3	4	6	7	12
35-49	7	4.3	10	<1	<1	5	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	12	1	1	3	4	11	13	14
20-34	215	4.1	10	1	1	3	5	7	10	17
35-49	31	5.3	20	2	2	4	7	8	10	26
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.8	6	1	1	6	7	8	8	8
20-34	41	4.9	16	<1	1	4	6	10	14	20
35-49	7	9.4	92	2	2	6	18	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1148	3.8	8	1	1	3	5	7	8	17
B. *Operated*	159	3.5	5	<1	1	3	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	272	4.2	12	1	1	3	5	8	10	19
B. *Operated*	59	5.4	24	<1	1	4	6	11	18	24
1. SINGLE DX	1307	3.7	7	1	1	3	4	7	8	15
2. MULTIPLE DX	331	4.4	14	1	1	4	5	8	11	22
A. NOT OPERATED	1420	3.9	8	1	1	3	5	7	9	17
B. OPERATED	218	4.0	11	<1	1	3	5	7	10	21
TOTAL 0-19 YRS	256	3.8	6	1	2	3	5	6	8	12
20-34	1251	3.8	9	1	1	3	5	7	9	18
35-49	131	4.7	15	1	2	4	6	8	10	24
50-64										
65+										
GRAND TOTAL	**1638**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.4	4	1	1	3	4	6	7	11
20-34	1023	4.1	8	1	2	3	5	7	9	14
35-49	47	6.1	21	1	2	5	9	12	14	23
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.6	9	1	1	3	4	6	10	19
20-34	311	4.6	15	1	2	4	6	8	13	21
35-49	8	5.1	8	2	2	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.6	36	1	1	3	3	15	18	18
20-34	23	5.4	6	2	3	5	7	9	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	4.1	8	1	2	3	5	7	9	14
B. *Operated*	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	372	4.5	14	1	2	3	5	8	12	20
B. *Operated*	31	5.2	12	1	2	4	7	9	10	18
1. SINGLE DX	1263	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	403	4.5	14	1	2	4	5	8	12	19
A. NOT OPERATED	1631	4.2	9	1	2	3	5	7	9	17
B. OPERATED	35	4.9	11	1	2	4	7	9	10	18
TOTAL 0-19 YRS	252	3.5	6	1	1	3	4	6	8	13
20-34	1358	4.2	9	1	2	4	5	7	9	17
35-49	56	5.9	19	1	2	5	8	11	13	23
50-64										
65+										
GRAND TOTAL	**1666**	**4.2**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1165	1.1	2	<1	<1	<1	1	1	2	3
20-34	4724	1.2	1	<1	<1	<1	1	1	2	5
35-49	284	1.2	1	<1	<1	1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	183	1.0		<1	<1	<1	1	1	1	2
20-34	847	1.1		<1	<1	<1	1	1	2	3
35-49	66	1.7	31	<1	<1	<1	1	1	2	39
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.6	3	<1	<1	1	1	3	6	9
20-34	302	1.8	2	<1	<1	1	2	4	5	8
35-49	23	2.4	7	<1	<1	2	3	4	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.1		<1	<1	<1	<1	1	2	2
20-34	115	2.4	73	<1	<1	1	1	3	5	43
35-49	11	1.8	6	<1	<1	1	1	5	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6173	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	1096	1.1	2	<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	398	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	140	2.3	61	<1	<1	1	1	3	4	25
1. SINGLE DX	7269	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	538	1.9	18	<1	<1	1	2	3	5	10
A. NOT OPERATED	6571	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	1236	1.3	9	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1435	1.1	1	<1	<1	<1	1	1	2	4
20-34	5988	1.2	2	<1	<1	<1	1	1	2	5
35-49	384	1.4	6	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**7807**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	7	<1	1	2	3	5	8	15
20-34	380	3.7	16	1	1	3	4	7	10	19
35-49	34	6.1	82	<1	1	3	5	13	34	40
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	48	4.8	22	<1	1	3	6	10	15	23
35-49	8	4.6	17	1	1	3	5	12	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	19	<1	<1	3	5	11	15	15
20-34	70	5.2	56	<1	1	3	5	10	18	42
35-49	11	3.5	5	2	2	3	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	14	6.4	32	1	1	5	8	14	20	22
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.9	21	1	1	3	4	7	11	26
B. *Operated*	59	4.6	20	<1	1	3	6	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	90	5.0	46	<1	1	3	5	9	15	42
B. *Operated*	18	5.6	29	1	1	4	8	12	18	22
1. SINGLE DX	506	3.9	21	1	1	3	4	8	11	24
2. MULTIPLE DX	108	5.1	43	<1	1	3	5	10	15	42
A. NOT OPERATED	537	4.0	25	1	1	3	4	8	11	31
B. OPERATED	77	4.9	22	<1	1	3	6	10	15	23
TOTAL 0-19 YRS	47	3.1	9	<1	<1	2	4	6	9	15
20-34	512	4.1	23	1	1	3	5	8	11	25
35-49	55	5.3	55	1	1	3	5	12	15	40
50-64										
65+										
GRAND TOTAL	**614**	**4.1**	**25**	**1**	**1**	**3**	**4**	**8**	**12**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.2	11	<1	<1	1	2	4	5	22
20-34	528	2.5	6	<1	<1	2	3	5	6	13
35-49	53	3.4	27	<1	<1	2	3	8	14	32
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.4	4	<1	<1	1	3	5	7	8
20-34	91	3.0	19	<1	<1	2	3	6	8	28
35-49	10	3.4	6	<1	<1	3	5	7	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	7	<1	<1	2	4	7	10	11
20-34	108	3.3	23	<1	1	2	3	6	9	32
35-49	5	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.9	38	<1	<1	2	8	15	17	17
20-34	30	4.1	15	<1	<1	2	6	10	13	15
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.5	8	<1	<1	2	3	5	7	16
B. *Operated*	121	2.9	15	<1	<1	2	3	6	8	24
2. MULTIPLE DX										
A. *Not Operated*	143	3.3	19	<1	1	2	4	6	9	31
B. *Operated*	41	4.2	18	<1	<1	2	5	11	14	17
1. SINGLE DX	791	2.6	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX	184	3.5	18	<1	1	2	4	6	11	27
A. NOT OPERATED	813	2.7	10	<1	<1	2	3	5	7	18
B. OPERATED	162	3.2	16	<1	<1	2	4	7	11	20
TOTAL 0-19 YRS	147	2.6	11	<1	<1	2	3	5	8	17
20-34	757	2.7	10	<1	<1	2	3	5	7	19
35-49	71	3.4	21	<1	<1	2	4	7	11	29
50-64										
65+										
GRAND TOTAL	**975**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	3.5	4	<1	1	3	4	6	7	10
20-34	556	3.5	4	1	1	3	4	6	7	11
35-49	14	4.3	4	1	2	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	<1	1	4	5	7
20-34	156	2.1	5	<1	<1	<1	3	5	6	11
35-49	6	3.0	10	<1	<1	<1	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	5	1	2	4	5	7	8	11
20-34	329	4.1	9	1	1	3	5	7	10	16
35-49	13	3.9	4	1	1	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.3	5	<1	<1	1	3	6	7	8
20-34	62	2.8	7	<1	<1	2	4	6	8	13
35-49	7	4.6	18	<1	<1	3	6	12	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	3.5	4	1	1	3	4	6	7	10
B. *Operated*	228	2.0	4	<1	<1	<1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	468	4.1	8	1	1	3	5	7	9	16
B. *Operated*	94	2.8	7	<1	<1	2	4	6	8	13
1. SINGLE DX	1028	3.2	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	562	3.9	8	<1	1	3	5	7	9	15
A. NOT OPERATED	1268	3.7	6	1	1	3	5	6	8	13
B. OPERATED	322	2.2	5	<1	<1	<1	3	5	7	12
TOTAL 0-19 YRS	447	3.3	5	<1	<1	3	4	6	7	10
20-34	1103	3.4	6	<1	<1	3	4	6	8	14
35-49	40	4.0	7	<1	<1	4	6	7	8	13
50-64										
65+										
GRAND TOTAL	**1590**	**3.4**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.2	13	1	1	3	6	7	10	20
20-34	733	4.3	13	1	1	3	5	9	12	19
35-49	126	4.8	15	1	1	4	6	10	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.9	7	<1	1	3	6	8	9	9
20-34	79	2.9	6	<1	<1	2	4	6	7	12
35-49	17	6.6	85	<1	<1	3	6	16	30	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.7	9	1	1	3	5	7	9	15
20-34	888	4.2	19	1	1	3	5	8	11	23
35-49	102	4.7	12	1	1	4	6	10	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.3	15	<1	1	3	5	8	13	19
20-34	140	5.1	82	<1	<1	3	6	9	14	63
35-49	10	4.1	8	2	2	3	7	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	4.4	13	1	1	3	6	9	12	19
B. *Operated*	110	3.6	20	<1	<1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*	1166	4.2	16	1	1	3	5	8	11	19
B. *Operated*	176	4.9	67	<1	<1	3	6	9	14	52
1. SINGLE DX	1090	4.3	14	<1	1	3	5	9	12	19
2. MULTIPLE DX	1342	4.3	23	1	1	3	5	8	11	21
A. NOT OPERATED	2146	4.3	15	1	1	3	5	8	11	19
B. OPERATED	286	4.4	49	<1	<1	3	5	8	12	34
TOTAL 0-19 YRS	337	4.0	11	1	1	3	5	7	9	16
20-34	1840	4.3	21	<1	1	3	5	8	11	22
35-49	255	4.8	18	1	1	4	6	10	13	20
50-64										
65+										
GRAND TOTAL	**2432**	**4.3**	**19**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	2.8	12	<1	<1	1	3	5	9	18
20-34	1920	2.9	18	<1	<1	2	3	6	8	19
35-49	135	3.8	27	<1	<1	3	4	7	12	26
50-64										
65+										
B. *Operated*										
0-19 YRS	153	2.2	6	<1	<1	<1	3	5	8	13
20-34	1273	2.6	6	<1	<1	2	3	5	6	12
35-49	99	3.1	7	<1	<1	3	4	5	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.3	15	<1	<1	2	4	6	10	25
20-34	884	3.3	15	<1	<1	2	4	7	10	20
35-49	82	5.2	72	<1	1	3	6	10	13	57
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.0	26	<1	<1	3	6	9	10	30
20-34	501	3.7	31	<1	<1	2	4	8	11	31
35-49	177	1.8	8	<1	<1	<1	<1	3	5	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2471	2.9	17	<1	<1	2	3	6	9	19
B. *Operated*	1525	2.6	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1141	3.5	19	<1	<1	2	4	7	10	20
B. *Operated*	729	3.2	26	<1	<1	1	4	7	10	29
1. SINGLE DX	3996	2.8	13	<1	<1	2	3	5	8	17
2. MULTIPLE DX	1870	3.4	22	<1	<1	2	4	7	10	22
A. NOT OPERATED	3612	3.1	18	<1	<1	2	4	6	9	20
B. OPERATED	2254	2.8	12	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	795	2.9	12	<1	<1	2	3	6	9	19
20-34	4578	3.0	15	<1	<1	2	4	6	8	19
35-49	493	3.1	25	<1	<1	2	4	6	10	22
50-64										
65+										
GRAND TOTAL	**5866**	**3.0**	**16**	**<1**	**<1**	**2**	**4**	**6**	**8**	**19**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.6	1	3	3	3	4	5	5	10
20-34	571	3.7	5	2	3	3	4	5	5	14
35-49	67	3.7	2	2	2	4	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.4	6	3	3	4	5	7	9	15
20-34	263	5.5	27	2	3	4	6	8	13	29
35-49	31	7.5	85	3	3	4	7	15	37	40
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.2	15	2	2	3	4	6	11	26
20-34	492	3.9	6	2	3	3	4	5	6	13
35-49	58	4.7	32	2	3	4	4	6	7	42
50-64										
65+										
B. *Operated*										
0-19 YRS	97	6.2	26	3	3	4	7	13	17	28
20-34	948	6.1	33	3	3	5	7	10	14	31
35-49	163	6.3	23	3	3	5	7	9	15	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	3.7	4	2	3	3	4	5	5	13
B. *Operated*	334	5.5	30	2	3	4	6	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	623	4.0	9	2	3	3	4	5	7	16
B. *Operated*	1208	6.1	31	3	3	5	7	10	15	32
1. SINGLE DX	1070	4.2	13	2	3	3	4	6	8	23
2. MULTIPLE DX	1831	5.4	24	2	3	4	6	8	13	29
A. NOT OPERATED	1359	3.8	6	2	3	3	4	5	6	15
B. OPERATED	1542	6.0	31	3	3	4	7	9	15	33
TOTAL 0-19 YRS	308	4.7	14	3	3	3	4	8	13	20
20-34	2274	4.9	20	2	3	4	5	7	10	28
35-49	319	5.6	27	3	3	4	6	8	12	37
50-64										
65+										
GRAND TOTAL	**2901**	**5.0**	**20**	**2**	**3**	**4**	**5**	**8**	**11**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5958	3.2	1	2	2	3	4	4	4	5
20-34	39777	3.2	1	2	2	3	4	4	4	5
35-49	2564	3.2	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	834	3.3	1	2	2	3	4	4	5	6
20-34	5843	3.2	1	2	2	3	4	4	4	5
35-49	356	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	937	3.1	2	2	2	3	4	4	4	6
20-34	7287	3.1	1	2	2	3	4	4	4	6
35-49	460	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.3	1	2	2	3	4	4	5	7
20-34	5813	3.7	1	2	3	4	4	5	5	6
35-49	767	4.0	1	3	3	4	5	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48299	3.2	1	2	2	3	4	4	4	5
B. *Operated*	7033	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	8684	3.1	1	2	2	3	4	4	4	6
B. *Operated*	6802	3.7	1	2	3	4	4	5	5	6
1. SINGLE DX	55332	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX	15486	3.4	1	2	2	3	4	4	5	6
A. NOT OPERATED	56983	3.2	1	2	2	3	4	4	4	5
B. OPERATED	13835	3.5	1	2	3	3	4	5	5	6
TOTAL 0-19 YRS	7951	3.2	1	2	2	3	4	4	4	5
20-34	58720	3.2	1	2	2	3	4	4	5	6
35-49	4147	3.4	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**70818**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	32	3.3	2	1	2	3	4	5	5	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5	8.6	53	2	2	6	11	21	21	21
20-34	150	9.4	76	3	5	6	8	19	32	47
35-49	15	14.0	197	5	5	8	10	38	45	47
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	34	5.2	13	2	2	4	6	11	12	18
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	8.3	68	3	3	6	7	20	31	34
20-34	333	10.3	170	3	4	6	8	19	33	82
35-49	76	14.3	265	4	5	7	12	40	50	70
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.4	2	1	2	3	4	5	6	8
B. *Operated*	170	9.8	86	3	5	6	8	21	34	47
2. MULTIPLE DX										
A. *Not Operated*	36	5.1	13	2	2	4	6	11	12	18
B. *Operated*	423	10.9	185	3	4	7	8	23	40	79
1. SINGLE DX	207	8.6	77	3	3	6	8	18	32	47
2. MULTIPLE DX	459	10.5	174	3	4	6	8	21	38	77
A. NOT OPERATED	73	4.3	8	2	2	4	4	7	11	17
B. OPERATED	593	10.6	157	3	4	7	8	22	37	71
TOTAL 0-19 YRS	23	7.5	54	2	3	6	7	19	26	34
20-34	549	9.3	128	3	3	6	8	18	32	70
35-49	94	14.0	246	4	5	7	11	38	49	70
50-64										
65+										
GRAND TOTAL	**666**	**9.9**	**144**	**3**	**3**	**6**	**8**	**19**	**35**	**70**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	2	3	3	5	6	7
20-34	194	3.1	2	1	1	3	4	4	5	8
35-49	14	2.6	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.3	4	2	3	5	7	8	9	9
20-34	177	5.5	19	2	3	5	6	7	8	36
35-49	9	5.3	2	3	3	6	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	1	1	2	3	4	5	5	6
20-34	160	3.0	1	1	1	3	4	4	5	6
35-49	10	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	73	6.1	24	2	3	5	7	9	13	33
20-34	517	5.6	17	2	3	5	7	8	11	29
35-49	66	6.0	8	2	3	6	7	9	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.0	2	1	1	3	4	4	5	8
B. *Operated*	207	5.5	17	2	3	5	6	7	8	32
2. MULTIPLE DX										
A. *Not Operated*	200	3.0	1	1	1	3	4	4	5	6
B. *Operated*	656	5.7	17	2	3	5	7	8	11	29
1. SINGLE DX	436	4.2	10	1	2	4	5	7	7	9
2. MULTIPLE DX	856	5.1	15	1	2	4	6	8	10	19
A. NOT OPERATED	429	3.0	2	1	1	3	4	4	5	7
B. OPERATED	863	5.6	17	2	3	5	7	8	10	29
TOTAL 0-19 YRS	145	4.9	15	2	2	4	6	8	10	16
20-34	1048	4.7	14	1	2	4	6	7	8	17
35-49	99	5.2	8	1	2	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**1292**	**4.8**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	41	3.1	1	1	1	3	4	4	5	6
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.0	1	1	2	3	4	4	5	6
20-34	337	3.1	1	1	2	3	4	4	5	7
35-49	33	3.1	2	<1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	13	3.0	1	2	2	3	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.5	2	1	2	3	4	6	7	7
20-34	297	3.6	4	1	2	3	4	5	7	10
35-49	36	3.8	2	2	3	4	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.0	1	1	1	3	4	4	5	6
B. *Operated*	414	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	3.2	1	2	2	3	4	5	5	5
B. *Operated*	352	3.6	4	1	2	3	4	5	7	9
1. SINGLE DX	461	3.1	1	1	1	3	4	4	5	7
2. MULTIPLE DX	368	3.6	4	1	2	3	4	5	7	9
A. NOT OPERATED	63	3.0	1	1	1	3	4	4	5	6
B. OPERATED	766	3.3	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	68	3.1	2	1	1	3	4	4	5	7
20-34	688	3.3	3	1	2	3	4	5	5	8
35-49	73	3.5	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**829**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.5	1	2	3	3	4	5	5	5
20-34	147	3.3	1	1	2	3	4	5	5	6
35-49	12	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.8	1	1	1	3	4	4	4	4
20-34	70	3.3	1	1	2	3	4	4	5	6
35-49	5	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	2	1	2	3	4	6	7	7
20-34	81	3.7	3	1	2	3	4	5	6	13
35-49	6	6.5	44	3	3	4	5	18	20	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.5	26	1	2	3	4	7	19	22
20-34	107	4.0	4	2	3	4	5	6	7	13
35-49	9	7.8	50	3	3	4	10	20	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.4	1	2	2	3	4	5	5	6
B. *Operated*	85	3.3	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	106	3.8	6	2	2	3	4	5	7	17
B. *Operated*	130	4.3	10	2	2	4	5	6	7	21
1. SINGLE DX	276	3.3	1	1	2	3	4	5	5	6
2. MULTIPLE DX	236	4.1	8	2	2	4	4	6	7	20
A. NOT OPERATED	297	3.5	3	2	2	3	4	5	5	9
B. OPERATED	215	3.9	7	2	2	3	4	5	6	20
TOTAL 0-19 YRS	75	3.6	6	1	2	3	4	5	5	18
20-34	405	3.6	2	2	2	3	4	5	6	9
35-49	32	5.3	24	3	3	4	5	11	20	21
50-64										
65+										
GRAND TOTAL	**512**	**3.7**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**16**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	1	3	3	4	5	6	6	6
20-34	96	4.0	10	2	3	3	4	5	6	24
35-49	13	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.4	4	3	3	5	7	8	8	8
20-34	69	5.0	6	3	3	4	7	8	9	84
35-49	6	6.8	1	6	6	7	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.4	11	3	3	4	7	11	13	13
20-34	128	4.3	16	1	2	3	5	6	9	29
35-49	7	8.9	168	<1	1	4	6	32	38	38
50-64										
65+										
B. *Operated*										
0-19 YRS	43	6.5	16	3	3	6	7	12	16	20
20-34	576	6.2	31	3	3	5	7	8	11	32
35-49	64	6.3	13	3	3	6	7	9	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.9	9	2	3	4	4	5	6	22
B. *Operated*	80	5.2	6	3	3	4	7	8	9	75
2. MULTIPLE DX										
A. *Not Operated*	145	4.6	23	1	2	4	5	7	10	32
B. *Operated*	683	6.2	28	3	3	5	7	9	12	27
1. SINGLE DX	198	4.4	8	2	3	4	5	7	8	25
2. MULTIPLE DX	828	5.9	28	3	3	5	7	9	11	29
A. NOT OPERATED	263	4.3	16	2	2	4	4	6	8	30
B. OPERATED	763	6.1	26	3	3	5	7	9	11	27
TOTAL 0-19 YRS	67	6.0	13	3	3	5	7	10	14	20
20-34	869	5.6	25	3	3	5	6	8	10	30
35-49	90	6.2	22	3	3	5	7	9	12	32
50-64										
65+										
GRAND TOTAL	**1026**	**5.6**	**24**	**3**	**3**	**5**	**7**	**8**	**11**	**29**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	1	1	2	3	4	4	4	4
20-34	149	3.5	2	2	2	3	4	5	6	8
35-49	12	2.9	1	<1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	158	5.6	4	3	3	6	7	8	9	12
20-34	1270	5.2	3	3	3	5	6	7	7	9
35-49	109	5.4	6	3	3	6	6	7	8	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	1	1	1	3	3	4	5	5
20-34	100	3.3	2	1	2	3	4	5	6	10
35-49	8	4.8	3	3	3	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	182	6.0	7	3	4	6	7	8	9	20
20-34	1865	5.8	9	3	3	6	7	8	9	14
35-49	228	6.0	6	3	3	6	7	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.4	2	2	2	3	4	5	6	8
B. *Operated*	1537	5.3	3	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	118	3.4	2	1	2	3	4	5	6	10
B. *Operated*	2275	5.9	8	3	3	6	7	8	9	14
1. SINGLE DX	1720	5.1	3	3	3	5	6	7	8	9
2. MULTIPLE DX	2393	5.7	8	3	3	6	7	8	9	14
A. NOT OPERATED	301	3.4	2	2	2	3	4	5	6	9
B. OPERATED	3812	5.6	6	3	3	6	7	8	8	12
TOTAL 0-19 YRS	372	5.6	6	2	3	6	7	8	9	14
20-34	3384	5.4	6	3	3	5	6	7	8	12
35-49	357	5.6	6	2	3	6	7	8	8	14
50-64										
65+										
GRAND TOTAL	**4113**	**5.4**	**6**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	1	2	2	4	4	4	5	6
20-34	199	3.3	1	2	2	3	4	4	5	6
35-49	15	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	81	4.7	4	2	3	4	6	7	8	10
20-34	629	4.7	2	3	3	4	6	7	7	9
35-49	66	5.3	4	2	3	5	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	1	2	2	3	4	4	4	4
20-34	191	3.5	2	2	2	3	4	5	6	7
35-49	11	4.2	6	2	2	3	4	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	221	5.0	5	3	3	5	6	8	8	15
20-34	2283	5.5	5	3	3	5	7	8	8	12
35-49	260	6.1	6	3	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	3.3	1	2	2	3	4	4	5	6
B. *Operated*	776	4.7	3	3	3	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	216	3.5	2	2	2	3	4	5	6	9
B. *Operated*	2764	5.5	5	3	3	5	7	8	8	12
1. SINGLE DX	1007	4.4	3	2	3	4	6	7	7	9
2. MULTIPLE DX	2980	5.4	5	3	3	5	7	8	8	12
A. NOT OPERATED	447	3.4	1	2	2	3	4	4	5	7
B. OPERATED	3540	5.3	5	3	3	5	7	8	8	11
TOTAL 0-19 YRS	333	4.8	5	2	3	4	6	7	8	12
20-34	3302	5.1	5	3	3	5	6	7	8	11
35-49	352	5.8	6	3	3	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**3987**	**5.1**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	55	3.8	2	2	3	3	4	5	7	8
35-49	6	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	374	6.0	2	4	5	6	7	8	8	10
20-34	2429	6.0	1	4	5	6	7	7	8	9
35-49	146	6.2	2	4	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	14	2	2	5	8	12	13	13
20-34	34	3.8	3	2	3	3	4	6	8	10
35-49	5	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	638	6.6	3	4	5	6	7	9	10	14
20-34	4340	6.4	3	4	5	6	7	8	9	14
35-49	350	6.9	18	4	5	7	7	9	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.7	2	2	3	4	4	5	6	8
B. *Operated*	2949	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	49	4.1	6	2	2	3	4	8	10	13
B. *Operated*	5328	6.5	4	4	5	6	7	8	9	14
1. SINGLE DX	3013	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX	5377	6.4	4	4	5	6	7	8	9	14
A. NOT OPERATED	113	3.9	3	2	2	3	4	6	8	12
B. OPERATED	8277	6.3	3	4	5	6	7	8	9	13
TOTAL 0-19 YRS	1025	6.4	3	4	5	6	7	8	9	13
20-34	6858	6.2	3	4	5	6	7	8	9	12
35-49	507	6.7	13	4	5	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**8390**	**6.3**	**4**	**4**	**5**	**6**	**7**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.4	1	2	2	3	4	4	5	6
20-34	478	3.5	1	2	3	3	4	4	5	7
35-49	26	3.2	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	98	4.8	3	3	3	5	6	7	8	10
20-34	793	4.6	3	3	3	4	6	7	7	9
35-49	40	5.2	5	2	3	5	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.6	1	2	2	4	4	5	5	6
20-34	421	3.5	2	2	2	3	4	5	5	8
35-49	29	3.4	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	259	4.9	4	2	3	4	6	8	9	11
20-34	2067	4.9	9	3	3	4	6	7	8	12
35-49	180	5.4	7	3	3	5	7	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.4	1	2	2	3	4	4	5	7
B. *Operated*	931	4.7	3	3	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	511	3.5	1	2	2	3	4	5	5	7
B. *Operated*	2506	5.0	8	3	3	4	6	7	8	12
1. SINGLE DX	1500	4.2	2	2	3	4	5	6	7	9
2. MULTIPLE DX	3017	4.7	7	2	3	4	6	7	8	11
A. NOT OPERATED	1080	3.5	1	2	2	3	4	4	5	7
B. OPERATED	3437	4.9	7	3	3	4	6	7	8	11
TOTAL 0-19 YRS	483	4.5	4	2	3	4	5	7	8	11
20-34	3759	4.5	6	2	3	4	6	7	8	11
35-49	275	5.0	6	2	3	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4517**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	1	3	3	4	4	5	5	5
20-34	90	3.5	2	2	2	3	4	5	6	11
35-49	14	3.2	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	24	5.6	4	2	3	6	7	8	9	9
20-34	347	5.1	5	3	3	5	6	7	8	9
35-49	38	5.6	4	2	3	6	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	4	4	4	4	4
20-34	74	4.1	7	1	2	3	4	7	9	17
35-49	11	4.9	3	3	3	5	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	44	5.4	6	2	3	5	6	8	9	16
20-34	765	5.8	12	3	3	6	7	8	9	22
35-49	111	6.0	6	3	3	6	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.5	2	2	2	3	4	5	6	9
B. *Operated*	409	5.1	5	3	3	5	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	91	4.2	7	1	2	3	5	7	9	16
B. *Operated*	920	5.8	11	3	3	6	7	8	10	20
1. SINGLE DX	518	4.8	5	2	3	4	6	7	8	9
2. MULTIPLE DX	1011	5.6	11	2	3	5	7	8	10	20
A. NOT OPERATED	200	3.8	4	2	2	3	4	6	7	12
B. OPERATED	1329	5.6	9	3	3	5	7	8	9	18
TOTAL 0-19 YRS	79	5.2	5	2	3	5	7	7	9	15
20-34	1276	5.3	10	2	3	5	7	8	9	19
35-49	174	5.6	6	2	3	6	7	8	10	13
50-64										
65+										
GRAND TOTAL	**1529**	**5.4**	**9**	**2**	**3**	**5**	**7**	**8**	**9**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	62	3.8	3	2	2	3	4	6	7	9
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	265	6.2	2	4	5	6	7	8	8	9
20-34	5449	6.3	1	4	5	6	7	8	8	9
35-49	424	6.7	2	5	5	7	8	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	37	3.6	2	1	2	3	5	6	6	6
35-49	8	4.1	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	6.4	5	4	5	6	7	8	9	17
20-34	6849	6.5	4	4	5	6	7	8	9	13
35-49	944	7.1	13	5	5	7	8	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.8	3	2	2	3	4	6	7	9
B. *Operated*	6138	6.3	2	4	5	6	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	47	3.8	2	1	2	4	5	6	6	6
B. *Operated*	7999	6.6	6	4	5	6	7	8	9	13
1. SINGLE DX	6206	6.3	2	4	5	6	7	8	8	9
2. MULTIPLE DX	8046	6.5	6	4	5	6	7	8	9	13
A. NOT OPERATED	115	3.8	2	2	2	3	5	6	7	9
B. OPERATED	14137	6.5	4	4	5	6	7	8	8	12
TOTAL 0-19 YRS	475	6.3	3	4	5	6	7	8	8	14
20-34	12397	6.4	3	4	5	6	7	8	8	11
35-49	1380	6.9	10	5	5	7	8	8	9	13
50-64										
65+										
GRAND TOTAL	**14252**	**6.4**	**4**	**4**	**5**	**6**	**7**	**8**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.6	2	2	3	3	4	5	6	11
20-34	1413	3.6	1	2	3	3	4	5	5	7
35-49	100	3.9	4	2	2	4	4	5	6	14
50-64										
65+										
B. *Operated*										
0-19 YRS	110	4.2	3	2	3	4	5	7	7	11
20-34	885	4.1	2	2	3	4	5	6	7	9
35-49	68	4.4	5	2	3	4	5	7	8	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	3.9	2	2	2	4	4	6	7	8
20-34	998	3.8	5	2	3	3	4	5	6	10
35-49	94	4.3	11	2	2	4	4	6	10	22
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.9	5	3	3	4	6	8	9	12
20-34	3034	4.9	6	3	3	4	6	7	8	12
35-49	317	5.4	10	3	3	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1758	3.6	2	2	3	3	4	5	5	9
B. *Operated*	1063	4.1	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1248	3.9	5	2	3	4	4	5	6	12
B. *Operated*	3686	5.0	7	3	3	4	6	7	8	13
1. SINGLE DX	2821	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX	4934	4.7	6	2	3	4	6	7	8	13
A. NOT OPERATED	3006	3.7	3	2	3	3	4	5	6	10
B. OPERATED	4749	4.8	6	3	3	4	6	7	8	12
TOTAL 0-19 YRS	846	4.3	4	2	3	4	5	7	8	11
20-34	6330	4.3	5	2	3	4	5	7	8	11
35-49	579	4.8	9	2	3	4	6	7	8	15
50-64										
65+										
GRAND TOTAL	**7755**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	3.3	1	2	2	3	4	4	4	6
20-34	3124	3.2	1	2	2	3	4	4	4	5
35-49	206	3.4	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.4	1	2	3	3	4	4	5	7
20-34	1231	3.4	1	2	2	3	4	4	5	7
35-49	72	3.7	1	2	3	3	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	3.4	1	2	2	3	4	5	6	7
20-34	1484	3.1	1	2	2	3	4	4	5	6
35-49	112	3.4	2	2	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	210	3.8	4	2	2	3	4	5	7	12
20-34	1977	3.7	2	2	2	3	4	5	6	9
35-49	196	4.1	3	2	3	4	5	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3715	3.2	1	2	2	3	4	4	4	5
B. *Operated*	1459	3.4	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1756	3.2	1	2	2	3	4	4	5	6
B. *Operated*	2383	3.8	2	2	2	3	4	5	6	9
1. SINGLE DX	5174	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	4139	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	5471	3.2	1	2	2	3	4	4	5	6
B. OPERATED	3842	3.6	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	911	3.4	2	2	2	3	4	4	5	8
20-34	7816	3.3	1	2	2	3	4	4	5	7
35-49	586	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**9313**	**3.4**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99tn (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	1	2	2	3	3	4	4	5
20-34	347	3.2	1	2	2	3	4	4	5	6
35-49	31	3.2	1	2	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	642	3.1	1	2	2	3	4	4	4	6
20-34	5948	3.1	1	2	2	3	3	4	4	5
35-49	577	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	1	1	1	3	3	4	5	6
20-34	165	3.0	2	1	1	3	3	5	5	9
35-49	16	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	382	3.3	3	2	2	3	4	4	5	12
20-34	4097	3.3	2	2	2	3	4	5	5	7
35-49	509	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	3.2	1	2	2	3	4	4	5	6
B. *Operated*	7167	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	203	3.0	2	1	1	3	3	4	5	8
B. *Operated*	4988	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	7590	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX	5191	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	626	3.1	1	1	2	3	4	4	5	7
B. OPERATED	12155	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	1091	3.2	2	2	2	3	4	4	5	6
20-34	10557	3.2	1	2	2	3	4	4	5	6
35-49	1133	3.3	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**12781**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.2	1	2	2	3	4	4	6	8
20-34	257	3.0	1	1	2	3	4	4	5	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	625	3.2	1	2	2	3	4	4	4	5
20-34	2824	3.3	1	2	3	3	4	4	5	6
35-49	119	3.4	1	2	3	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	1	2	2	3	5	5	5	5
20-34	78	3.6	3	1	2	3	4	5	7	12
35-49	6	3.7		3	3	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	397	3.5	2	2	2	3	4	5	6	9
20-34	1969	3.6	1	2	3	3	4	5	5	8
35-49	92	3.8	1	2	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.1	1	1	2	3	4	4	5	6
B. *Operated*	3568	3.3	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	99	3.6	2	1	2	3	4	5	6	11
B. *Operated*	2458	3.6	1	2	3	3	4	5	5	8
1. SINGLE DX	3881	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	2557	3.6	2	2	3	3	4	5	5	8
A. NOT OPERATED	412	3.2	2	1	2	3	4	4	5	7
B. OPERATED	6026	3.4	1	2	3	3	4	4	5	7
TOTAL 0-19 YRS	1089	3.4	1	2	2	3	4	4	5	7
20-34	5128	3.4	1	2	3	3	4	4	5	6
35-49	221	3.6	1	2	3	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**6438**	**3.4**	**1**	**2**	**3**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.1	1	2	2	3	3	4	4	7
20-34	184	3.3	2	2	2	3	4	4	5	9
35-49	8	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	230	3.2	1	2	2	3	4	4	4	6
20-34	1096	3.3	1	2	2	3	4	4	5	6
35-49	43	3.6	1	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	1	2	2	3	4	4	5	5
20-34	92	3.1	2	1	1	3	4	5	6	9
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.7	4	2	2	3	4	6	7	13
20-34	1130	3.6	2	2	2	3	4	5	6	10
35-49	73	4.1	2	2	3	4	5	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.2	2	2	2	3	4	4	5	8
B. *Operated*	1369	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	109	3.1	2	1	1	3	4	5	5	8
B. *Operated*	1359	3.6	2	2	2	3	4	5	6	10
1. SINGLE DX	1612	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	1468	3.6	2	2	2	3	4	5	6	9
A. NOT OPERATED	352	3.2	2	1	2	3	4	4	5	8
B. OPERATED	2728	3.5	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	451	3.4	2	2	2	3	4	4	5	8
20-34	2502	3.4	2	2	2	3	4	5	5	8
35-49	127	3.8	2	2	2	4	5	5	6	9
50-64										
65+										
GRAND TOTAL	**3080**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	3.4	2	1	2	3	4	5	6	8
20-34	3683	3.5	3	2	2	3	4	5	6	9
35-49	277	3.6	8	1	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1317	3.9	3	2	3	3	4	6	7	10
20-34	8315	3.9	3	2	3	4	4	6	7	10
35-49	625	4.1	4	2	3	4	5	7	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	513	3.7	8	1	2	3	4	6	8	12
20-34	2712	3.6	7	1	2	3	4	5	7	14
35-49	254	4.1	8	1	2	3	5	7	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1801	5.1	15	2	3	4	6	9	11	18
20-34	12973	5.0	13	2	3	4	6	8	10	19
35-49	1417	5.7	17	2	3	5	7	9	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4700	3.5	3	2	2	3	4	5	6	9
B. *Operated*	10257	3.9	3	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3479	3.7	7	1	2	3	4	5	7	14
B. *Operated*	16191	5.0	13	2	3	4	6	8	10	19
1. SINGLE DX	14957	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	19670	4.8	12	2	3	4	6	8	10	18
A. NOT OPERATED	8179	3.6	5	1	2	3	4	5	6	11
B. OPERATED	26448	4.6	10	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4371	4.3	9	2	2	4	5	7	9	14
20-34	27683	4.3	8	2	3	4	5	7	8	15
35-49	2573	4.9	13	2	3	4	6	8	10	18
50-64										
65+										
GRAND TOTAL	**34627**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	6	3	3	4	5	7	10	14
20-34	116	4.1	4	2	2	4	5	7	8	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	13	5.2	24	<1	1	4	6	13	16	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	17	1	1	4	7	12	14	14
20-34	46	5.5	22	1	2	4	6	10	11	31
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	5.5	21	<1	1	5	7	13	17	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	4	2	2	4	5	7	8	11
B. *Operated*	16	5.7	27	<1	1	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	56	5.4	20	1	2	4	6	10	12	30
B. *Operated*	16	5.5	20	<1	1	5	6	12	16	18
1. SINGLE DX	165	4.4	6	2	2	4	5	7	9	16
2. MULTIPLE DX	72	5.4	20	1	2	4	6	10	13	28
A. NOT OPERATED	205	4.6	9	2	2	4	6	7	10	14
B. OPERATED	32	5.6	23	<1	1	4	6	14	17	18
TOTAL 0-19 YRS	43	5.1	10	2	3	4	5	9	14	16
20-34	190	4.6	11	1	2	4	6	8	10	18
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64										
65+										
GRAND TOTAL	**237**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	1	2	2	3	3	3
20-34	93	2.0	1	<1	1	2	3	4	4	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	46	1.5	1	<1	1	1	2	2	3	4
20-34	368	1.8	2	<1	<1	1	2	3	4	8
35-49	23	1.5	1	<1	1	1	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	37	2.3	1	<1	1	2	3	4	5	6
35-49	4	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	3	4	5
20-34	137	2.9	6	1	1	2	3	6	8	14
35-49	11	3.3	5	<1	1	2	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.9	1	<1	1	2	2	4	4	5
B. *Operated*	437	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	48	2.4	1	<1	1	2	3	4	5	6
B. *Operated*	165	2.8	5	1	1	2	3	6	7	14
1. SINGLE DX	547	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	213	2.7	5	1	1	2	3	5	7	13
A. NOT OPERATED	158	2.0	1	<1	1	2	3	4	4	5
B. OPERATED	602	2.0	3	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	84	1.7	1	<1	1	1	2	3	4	5
20-34	635	2.1	3	<1	<1	2	2	4	5	10
35-49	41	2.1	2	<1	1	2	2	4	5	8
50-64										
65+										
GRAND TOTAL	**760**	**2.0**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	9	2	2	3	5	9	11	11
20-34	84	4.6	14	1	1	4	6	10	11	22
35-49	7	8.6	57	2	2	7	10	21	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.4	10	2	2	3	3	4	4	20
20-34	162	3.2	5	<1	1	3	4	6	7	14
35-49	22	3.8	8	<1	1	3	4	8	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	29	2	2	4	7	14	20	20
20-34	46	5.5	27	1	1	4	7	11	15	30
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.8	12	1	2	3	4	6	13	16
20-34	95	4.0	17	<1	1	3	4	6	11	27
35-49	12	5.3	15	1	2	4	6	11	14	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.8	17	1	1	4	6	10	11	24
B. *Operated*	215	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	57	5.6	27	1	2	4	7	12	15	29
B. *Operated*	123	4.1	16	1	1	3	4	7	11	26
1. SINGLE DX	317	3.8	10	1	1	3	4	7	10	17
2. MULTIPLE DX	180	4.6	20	1	1	3	5	9	13	28
A. NOT OPERATED	159	5.1	21	1	1	4	7	10	13	25
B. OPERATED	338	3.6	10	1	1	3	4	6	9	16
TOTAL 0-19 YRS	68	3.9	13	2	2	3	4	7	11	20
20-34	387	3.9	13	1	1	3	4	7	10	21
35-49	42	5.2	20	1	1	4	7	11	13	24
50-64										
65+										
GRAND TOTAL	**497**	**4.0**	**14**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	4.4	8	2	2	4	5	7	9	16
20-34	746	4.9	9	2	2	4	6	8	10	18
35-49	509	5.8	21	2	2	5	7	10	12	22
50-64	508	6.8	21	2	3	6	8	11	14	25
65+	500	8.5	44	3	3	7	10	15	17	35
B. *Operated*										
0-19 YRS	377	5.5	19	1	1	5	7	10	13	23
20-34	482	5.6	22	1	2	4	7	11	14	27
35-49	279	6.7	30	1	2	5	8	13	17	27
50-64	200	8.9	72	2	2	6	11	18	26	48
65+	151	11.3	134	2	2	7	15	25	36	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	5.2	13	2	2	4	6	10	11	18
20-34	843	7.0	29	2	3	6	9	13	16	26
35-49	896	8.2	52	2	3	7	10	15	17	37
50-64	1540	9.7	50	3	4	8	12	18	24	40
65+	2600	12.6	98	4	4	10	15	23	30	62
B. *Operated*										
0-19 YRS	231	7.4	54	1	2	5	9	15	20	41
20-34	487	10.0	89	2	3	7	12	20	29	65
35-49	509	11.9	127	2	3	9	15	24	33	62
50-64	722	17.3	262	3	4	12	22	41	57	99+
65+	1026	20.3	277	4	6	16	26	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3078	5.8	20	2	2	5	7	10	13	22
B. *Operated*	1489	6.8	44	1	2	5	8	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	6510	9.9	70	3	3	8	12	19	25	45
B. *Operated*	2975	15.4	220	2	3	11	19	35	50	99
1. SINGLE DX	4567	6.1	28	2	2	5	7	11	15	29
2. MULTIPLE DX	9485	11.6	124	3	3	8	14	23	33	70
A. NOT OPERATED	9588	8.6	57	2	3	7	10	16	22	41
B. OPERATED	4464	12.6	178	2	2	8	16	29	42	87
TOTAL 0-19 YRS	2054	5.2	17	1	2	4	6	9	12	22
20-34	2558	6.7	36	2	2	5	8	12	17	32
35-49	2193	8.3	64	2	3	6	10	16	21	42
50-64	2970	11.0	112	3	3	8	13	22	31	65
65+	4277	13.9	150	3	4	10	17	28	39	83
GRAND TOTAL	**14052**	**9.8**	**99**	**2**	**3**	**7**	**12**	**20**	**28**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.4	7	1	2	4	5	8	9	12
20-34	130	4.4	10	2	2	4	5	7	8	19
35-49	89	5.9	30	2	2	4	6	13	17	32
50-64	57	6.5	21	2	2	5	8	13	16	24
65+	59	8.5	38	2	2	7	11	15	23	29
B. *Operated*										
0-19 YRS	181	3.8	11	<1	<1	3	5	9	11	15
20-34	210	4.3	19	<1	1	3	5	9	13	24
35-49	110	4.9	29	<1	1	3	6	11	16	28
50-64	119	6.4	63	<1	<1	4	8	13	23	46
65+	68	9.3	83	1	2	6	13	22	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.1	21	2	2	4	6	8	10	30
20-34	149	5.6	20	2	2	4	7	11	15	17
35-49	115	7.1	56	2	2	5	9	12	17	47
50-64	209	9.7	71	2	3	7	12	18	25	46
65+	302	12.7	137	3	4	9	15	23	32	98
B. *Operated*										
0-19 YRS	135	6.8	35	1	1	5	9	16	18	43
20-34	148	9.5	104	2	2	6	10	21	30	50
35-49	153	9.7	131	1	2	6	13	23	34	99
50-64	252	13.0	144	2	2	9	18	29	38	74
65+	282	15.1	197	3	4	11	20	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	5.2	16	2	2	4	6	9	12	24
B. *Operated*	688	5.1	35	<1	1	3	6	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	1029	8.5	79	2	2	6	10	17	23	61
B. *Operated*	970	11.7	144	2	2	8	15	28	39	99+
1. SINGLE DX	1341	5.2	26	1	1	4	6	10	14	27
2. MULTIPLE DX	1999	10.1	113	2	2	7	12	22	31	74
A. NOT OPERATED	1682	7.2	57	2	2	5	8	14	19	42
B. OPERATED	1658	9.0	109	1	1	5	11	21	31	70
TOTAL 0-19 YRS	888	4.8	17	1	1	4	6	9	11	22
20-34	637	5.8	41	1	2	4	7	11	17	35
35-49	467	7.2	73	1	2	5	8	16	21	48
50-64	637	10.1	100	1	2	7	12	23	30	60
65+	711	13.0	152	2	3	9	16	27	42	99+
GRAND TOTAL	**3340**	**8.1**	**84**	**1**	**2**	**5**	**9**	**17**	**26**	**59**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.5	76	<1	<1	3	4	5	22	42
20-34	25	3.0	6	<1	1	2	4	5	7	12
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1163	3.8	3	2	2	4	5	6	7	10
20-34	2241	3.9	4	2	2	4	5	6	7	11
35-49	273	4.0	4	1	2	4	5	6	8	12
50-64	71	4.2	4	2	2	4	5	6	8	13
65+	7	8.7	48	<1	1	7	14	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	6	<1	<1	1	3	5	9	10
20-34	20	2.4	7	<1	<1	1	2	8	8	8
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	3	12.0	247	1	1	5	24	30	30	30
65+	3	23.7	49	17	17	23	29	31	31	31
B. *Operated*										
0-19 YRS	131	4.4	9	1	2	4	5	7	9	15
20-34	280	4.9	7	2	2	4	6	8	10	14
35-49	90	5.2	10	2	2	4	6	10	12	16
50-64	40	6.8	38	3	3	5	7	13	23	31
65+	8	11.8	134	4	4	5	21	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	34	<1	1	3	4	5	6	42
B. *Operated*	3755	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	52	<1	<1	1	5	10	25	31
B. *Operated*	549	5.0	13	2	2	4	6	8	11	22
1. SINGLE DX	3806	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX	594	5.0	16	1	2	4	6	8	11	27
A. NOT OPERATED	96	4.0	42	<1	<1	2	4	8	15	37
B. OPERATED	4304	4.1	5	2	2	4	5	6	8	12
TOTAL 0-19 YRS	1329	3.9	5	1	2	4	5	6	7	10
20-34	2566	4.0	4	1	2	4	5	6	8	12
35-49	371	4.2	6	1	2	4	5	7	9	13
50-64	115	5.3	23	2	3	4	5	8	13	30
65+	19	12.1	104	1	3	7	19	30	31	31
GRAND TOTAL	**4400**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	5	1.2		<1	<1	<1	1	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	247	1.6	1	<1	<1	1	2	3	3	5
20-34	459	1.6	1	<1	<1	1	2	3	3	6
35-49	397	1.6	2	<1	<1	1	2	3	3	8
50-64	304	1.7	2	<1	<1	1	2	3	4	8
65+	157	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34	4	1.8	2	<1	<1	<1	2	4	4	4
35-49	9	3.3	4	<1	<1	4	5	6	6	6
50-64	7	5.6	4	3	3	6	7	8	8	8
65+	6	8.2	69	1	1	4	16	20	21	21
B. *Operated*										
0-19 YRS	34	2.3	4	<1	<1	2	3	5	7	10
20-34	89	2.8	9	<1	<1	2	3	6	8	18
35-49	119	3.1	14	<1	<1	2	3	6	10	20
50-64	125	4.0	17	<1	<1	2	5	10	14	19
65+	107	4.6	28	<1	<1	2	6	11	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.1	3	<1	<1	1	3	4	6	7
B. *Operated*	1564	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	36	3.8	18	<1	<1	2	5	8	14	21
B. *Operated*	474	3.6	17	<1	<1	2	4	8	12	21
1. SINGLE DX	1583	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	510	3.6	17	<1	<1	2	4	8	12	21
A. NOT OPERATED	55	3.2	13	<1	<1	2	4	6	8	21
B. OPERATED	2038	2.1	6	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	297	1.7	1	<1	<1	1	2	3	4	7
20-34	555	1.8	3	<1	<1	1	2	3	4	10
35-49	530	2.0	5	<1	<1	1	2	3	5	12
50-64	439	2.4	7	<1	<1	2	2	5	8	15
65+	272	3.1	16	<1	<1	2	3	6	11	21
GRAND TOTAL	**2093**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	4.0	16	1	1	3	5	8	10	25
20-34	190	7.2	52	1	2	4	8	19	23	30
35-49	138	7.6	58	1	1	5	10	20	25	30
50-64	150	9.5	85	1	2	6	12	22	27	34
65+	185	10.5	76	1	3	8	14	22	31	99+
B. *Operated*										
0-19 YRS	714	2.5	11	<1	<1	2	2	5	7	17
20-34	937	3.8	28	<1	<1	2	4	8	14	29
35-49	686	4.5	49	<1	<1	2	4	10	16	42
50-64	629	5.8	104	<1	<1	3	5	14	23	59
65+	512	10.7	210	<1	1	5	14	28	42	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	5.4	33	1	1	4	6	11	15	29
20-34	315	9.6	139	1	2	6	11	22	29	71
35-49	385	10.6	126	1	2	7	13	22	29	57
50-64	710	12.2	121	2	3	9	16	25	34	70
65+	1595	15.3	190	3	4	11	19	32	45	94
B. *Operated*										
0-19 YRS	364	5.2	70	1	1	2	5	10	24	45
20-34	688	9.9	200	<1	1	4	13	27	43	99+
35-49	712	11.1	219	1	2	5	14	31	48	99+
50-64	1115	11.8	229	1	2	5	17	33	52	99+
65+	1675	22.0	394	2	2	17	33	59	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	7.0	55	1	1	4	9	18	23	36
B. *Operated*	3478	5.1	76	<1	<1	2	4	12	21	46
2. MULTIPLE DX										
A. *Not Operated*	3379	12.5	157	2	3	9	16	27	38	81
B. *Operated*	4554	14.6	305	1	2	8	21	43	64	99+
1. SINGLE DX	4524	5.5	71	<1	<1	3	5	13	22	44
2. MULTIPLE DX	7933	13.7	243	1	2	8	19	35	53	99+
A. NOT OPERATED	4425	11.2	138	1	2	8	14	24	34	73
B. OPERATED	8032	10.5	228	<1	1	4	14	31	49	99+
TOTAL 0-19 YRS	1835	4.0	29	<1	1	2	4	8	12	27
20-34	2130	6.9	110	<1	1	3	7	18	27	69
35-49	1921	8.4	137	<1	1	4	10	22	32	73
50-64	2604	10.4	168	1	1	5	14	26	38	90
65+	3967	17.3	292	2	2	12	23	44	64	99+
GRAND TOTAL	**12457**	**10.7**	**196**	**<1**	**1**	**5**	**14**	**28**	**43**	**98**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.4	42	2	2	6	10	14	18	33
20-34	52	9.0	149	2	3	5	10	16	28	82
35-49	52	6.9	28	2	2	5	11	13	15	27
50-64	38	9.0	35	2	3	7	12	18	22	26
65+	12	8.5	28	3	3	7	10	17	20	21
B. *Operated*										
0-19 YRS	21	7.2	101	<1	1	3	9	15	30	47
20-34	30	11.1	78	2	2	8	14	27	28	31
35-49	41	9.8	68	2	2	8	12	21	25	42
50-64	16	8.2	20	1	2	9	10	15	16	16
65+	6	15.2	169	7	7	12	15	39	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.6	91	1	3	7	12	25	32	99+
20-34	143	10.7	88	2	3	8	14	19	30	47
35-49	139	11.4	103	3	3	8	14	25	36	49
50-64	171	13.0	100	3	4	10	16	24	31	60
65+	149	12.9	92	3	4	10	16	26	33	44
B. *Operated*										
0-19 YRS	28	19.0	369	2	3	11	29	44	54	85
20-34	79	15.3	143	2	3	13	23	34	45	99+
35-49	62	15.3	201	3	4	13	19	30	46	76
50-64	110	19.3	305	3	4	15	28	57	82	99+
65+	96	20.8	232	4	5	17	26	46	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	8.1	66	2	2	6	10	14	21	32
B. *Operated*	114	9.8	76	2	2	8	13	21	27	44
2. MULTIPLE DX										
A. *Not Operated*	648	11.9	96	3	3	9	15	24	32	53
B. *Operated*	375	18.2	242	3	4	14	25	40	60	99+
1. SINGLE DX	295	8.8	70	2	2	6	11	16	24	42
2. MULTIPLE DX	1023	14.2	159	3	4	11	18	30	43	86
A. NOT OPERATED	829	11.0	92	2	3	8	14	22	30	49
B. OPERATED	489	16.2	216	2	3	13	22	36	56	99+
TOTAL 0-19 YRS	122	10.8	163	1	2	7	12	28	43	89
20-34	304	11.6	116	2	3	9	14	27	33	71
35-49	294	11.2	111	2	3	8	14	23	30	56
50-64	335	14.4	169	3	4	10	18	30	42	99+
65+	263	15.6	157	4	4	13	20	30	43	77
GRAND TOTAL	**1318**	**13.0**	**144**	**2**	**3**	**10**	**16**	**28**	**38**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	7.3	73	2	2	5	9	13	23	85
20-34	50	6.5	18	2	2	5	9	13	14	21
35-49	78	7.0	12	3	3	7	9	11	14	18
50-64	142	9.7	56	2	3	8	13	18	22	37
65+	108	10.2	87	2	3	8	13	21	29	49
B. *Operated*										
0-19 YRS	20	9.4	337	<1	1	3	11	12	49	85
20-34	58	7.5	59	2	2	5	10	14	20	47
35-49	88	8.0	66	2	2	5	10	19	24	40
50-64	261	11.8	120	2	3	9	16	22	28	58
65+	171	16.5	181	3	4	15	23	30	40	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	10.6	137	2	3	7	12	24	88	99+
20-34	59	9.5	66	2	3	7	11	16	20	45
35-49	129	10.1	56	2	3	8	13	19	27	36
50-64	352	11.2	63	2	4	10	15	21	25	37
65+	636	12.3	101	3	4	10	15	24	32	93
B. *Operated*										
0-19 YRS	23	13.7	235	2	2	6	17	39	46	60
20-34	49	8.4	38	2	2	6	12	17	22	27
35-49	107	12.6	153	2	2	9	18	33	62	99+
50-64	402	14.3	175	2	3	11	19	31	45	92
65+	368	19.9	273	3	4	16	25	43	60	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	8.5	58	2	3	7	11	15	21	45
B. *Operated*	598	12.1	140	2	2	9	17	24	31	61
2. MULTIPLE DX										
A. *Not Operated*	1232	11.5	86	3	4	9	15	22	30	73
B. *Operated*	949	16.0	216	2	3	12	21	34	50	99+
1. SINGLE DX	1100	10.4	106	2	3	7	14	22	28	55
2. MULTIPLE DX	2181	13.4	147	2	3	10	17	28	39	89
A. NOT OPERATED	1734	10.6	80	2	3	8	13	21	28	61
B. OPERATED	1547	14.5	190	2	3	11	20	30	45	85
TOTAL 0-19 YRS	223	8.9	131	2	2	6	11	18	35	99+
20-34	216	8.0	47	2	2	6	11	15	19	44
35-49	402	9.7	79	2	3	7	12	21	30	83
50-64	1157	12.2	116	2	3	10	16	24	32	67
65+	1283	14.9	172	3	4	11	19	30	44	84
GRAND TOTAL	**3281**	**12.4**	**135**	**2**	**3**	**9**	**16**	**25**	**34**	**79**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	8.6	146	2	2	3	12	30	30	30
35-49	24	5.9	44	<1	1	4	7	10	23	31
50-64	67	6.1	18	1	2	5	8	12	13	23
65+	215	8.3	39	1	2	7	12	17	21	29
B. *Operated*										
0-19 YRS	12	6.6	127	1	1	3	5	17	38	42
20-34	157	4.8	20	1	1	3	6	9	13	26
35-49	340	5.8	33	1	1	3	8	14	18	24
50-64	1081	10.3	62	1	2	10	15	21	24	33
65+	1370	16.4	92	2	4	16	20	26	32	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	18	8.3	35	1	2	7	10	19	21	21
35-49	76	6.6	15	1	2	6	9	12	14	18
50-64	312	7.4	27	1	2	6	10	14	17	26
65+	1454	11.3	116	2	3	9	14	24	33	91
B. *Operated*										
0-19 YRS	12	11.0	313	1	1	4	12	32	59	64
20-34	120	5.4	38	1	2	4	6	12	17	38
35-49	279	8.1	98	1	2	5	11	17	23	56
50-64	1082	13.0	113	2	2	11	18	26	32	52
65+	2142	20.1	160	3	6	18	25	36	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.6	37	1	2	6	10	16	20	30
B. *Operated*	2960	12.3	88	1	2	12	17	24	27	42
2. MULTIPLE DX										
A. *Not Operated*	1864	10.4	98	2	3	8	13	21	30	81
B. *Operated*	3635	16.6	158	2	3	15	22	31	40	73
1. SINGLE DX	3273	11.9	85	1	2	11	17	23	27	41
2. MULTIPLE DX	5499	14.5	146	2	3	12	19	29	38	74
A. NOT OPERATED	2177	10.0	90	2	3	8	12	20	27	75
B. OPERATED	6595	14.7	131	2	2	14	20	27	35	61
TOTAL 0-19 YRS	30	7.8	178	1	1	3	6	17	42	64
20-34	300	5.3	31	1	1	4	6	11	17	28
35-49	719	6.8	58	1	1	4	9	15	20	33
50-64	2542	11.0	82	2	2	9	16	23	27	41
65+	5181	16.2	140	2	4	15	21	30	39	75
GRAND TOTAL	**8772**	**13.5**	**125**	**2**	**2**	**12**	**18**	**26**	**33**	**63**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	9.0	48	2	2	7	12	21	23	29
20-34	66	5.8	16	2	2	5	7	11	14	21
35-49	59	5.9	24	1	1	4	8	13	16	23
50-64	63	7.9	53	2	2	5	9	16	28	36
65+	84	8.8	55	2	3	6	12	19	24	35
B. *Operated*										
0-19 YRS	67	12.2	134	1	2	10	18	27	32	63
20-34	166	6.9	54	2	2	4	7	17	24	34
35-49	162	5.8	47	1	2	3	7	12	15	46
50-64	197	9.0	96	1	2	6	12	19	26	50
65+	114	15.0	141	2	2	14	20	26	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	11.0	88	1	2	8	16	24	27	44
20-34	83	9.1	71	2	2	7	11	17	29	44
35-49	90	7.0	39	<1	2	5	9	15	20	35
50-64	163	8.7	41	2	3	7	10	17	23	32
65+	409	12.1	134	2	3	9	14	24	36	70
B. *Operated*										
0-19 YRS	55	17.3	158	2	3	15	25	37	41	53
20-34	95	9.0	94	2	2	5	11	22	28	48
35-49	117	12.2	200	2	2	6	15	31	42	71
50-64	226	15.3	290	2	2	10	18	41	59	99+
65+	238	23.2	357	2	4	18	31	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	7.8	43	2	2	6	10	17	22	30
B. *Operated*	706	9.1	95	1	2	5	13	21	26	48
2. MULTIPLE DX										
A. *Not Operated*	810	10.4	98	2	3	8	13	21	29	63
B. *Operated*	731	16.7	286	2	2	12	22	41	57	99
1. SINGLE DX	1096	8.6	77	1	2	5	12	19	24	41
2. MULTIPLE DX	1541	13.4	197	2	3	9	17	30	44	82
A. NOT OPERATED	1200	9.6	81	2	2	7	12	20	26	52
B. OPERATED	1437	12.9	207	2	2	7	17	31	44	78
TOTAL 0-19 YRS	305	11.6	103	2	2	9	16	24	31	44
20-34	410	7.7	62	2	2	5	9	18	24	42
35-49	428	7.8	91	1	2	5	9	16	25	47
50-64	649	11.0	155	2	2	7	14	24	38	75
65+	845	15.3	216	2	3	11	19	35	50	89
GRAND TOTAL	**2637**	**11.4**	**153**	**2**	**2**	**7**	**15**	**25**	**37**	**70**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	2	1	1	2	4	5	5	6
20-34	37	2.7	6	<1	<1	2	3	7	9	10
35-49	17	2.6	14	<1	<1	1	2	5	12	16
50-64	16	3.6	9	1	1	3	5	9	10	10
65+	8	6.3	22	2	2	4	8	14	16	16
B. *Operated*										
0-19 YRS	1055	3.0	3	1	1	2	4	5	6	9
20-34	2030	3.2	4	1	1	2	4	6	7	10
35-49	1121	3.3	5	1	1	3	4	6	7	12
50-64	540	3.8	8	1	1	3	5	7	9	13
65+	120	4.2	13	1	2	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.8	2	<1	<1	1	2	4	5	7
20-34	62	2.6	9	<1	<1	1	3	7	9	15
35-49	50	3.0	11	<1	<1	2	3	9	10	13
50-64	34	3.3	12	<1	1	2	4	9	11	14
65+	28	8.9	42	1	2	7	12	19	21	25
B. *Operated*										
0-19 YRS	508	3.2	4	1	1	3	4	6	7	10
20-34	1211	3.7	8	1	1	3	5	7	9	16
35-49	807	3.7	11	1	1	3	5	7	10	16
50-64	635	4.3	16	1	2	3	5	8	11	23
65+	196	6.0	47	2	2	4	7	13	17	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.0	8	<1	1	2	4	7	9	16
B. *Operated*	4866	3.3	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	215	3.5	17	<1	<1	2	4	9	13	20
B. *Operated*	3357	3.9	13	1	1	3	5	7	9	19
1. SINGLE DX	4974	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3572	3.9	13	1	1	3	5	7	10	19
A. NOT OPERATED	323	3.3	14	<1	<1	2	4	9	10	19
B. OPERATED	8223	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1634	3.0	3	1	1	2	4	5	6	9
20-34	3340	3.3	6	1	1	3	4	6	8	13
35-49	1995	3.5	8	1	1	3	4	7	8	15
50-64	1225	4.0	12	1	1	3	5	7	10	20
65+	352	5.6	36	2	2	4	7	12	16	28
GRAND TOTAL	**8546**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	9	1	1	3	5	8	9	17
20-34	66	4.8	22	1	1	4	6	11	14	23
35-49	56	4.9	13	1	1	4	7	11	12	16
50-64	56	5.9	31	1	1	5	7	12	16	30
65+	51	8.1	55	1	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	1000	3.6	5	1	2	3	5	6	7	11
20-34	1425	3.8	5	1	2	3	5	6	8	12
35-49	472	3.6	6	1	1	3	5	6	8	14
50-64	252	4.4	21	1	1	3	5	9	14	28
65+	109	6.7	56	1	2	4	7	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	5.1	21	<1	1	4	7	12	14	20
20-34	123	5.9	31	<1	1	5	7	12	16	30
35-49	88	5.6	27	<1	1	4	7	11	16	28
50-64	139	6.9	39	1	2	6	9	12	17	36
65+	307	9.7	84	2	2	8	12	18	28	45
B. *Operated*										
0-19 YRS	377	4.4	22	1	2	3	5	8	11	26
20-34	545	5.4	52	1	2	4	6	9	13	30
35-49	289	5.7	48	1	2	3	6	11	19	34
50-64	254	6.5	46	1	2	4	7	15	21	37
65+	188	12.2	169	1	2	7	16	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.1	22	1	1	4	6	10	13	23
B. *Operated*	3258	3.8	8	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	781	7.4	55	1	1	6	9	15	19	35
B. *Operated*	1653	6.2	62	1	2	4	6	13	20	47
1. SINGLE DX	3662	4.0	10	1	2	3	5	7	9	17
2. MULTIPLE DX	2434	6.6	60	1	2	4	8	14	20	41
A. NOT OPERATED	1185	6.6	45	1	1	5	8	13	17	33
B. OPERATED	4911	4.6	27	1	2	3	5	8	12	29
TOTAL 0-19 YRS	1676	4.0	10	1	2	3	5	7	9	17
20-34	2159	4.3	19	1	2	4	5	7	10	21
35-49	905	4.5	23	1	1	3	5	8	12	25
50-64	701	5.8	36	1	1	4	7	12	17	35
65+	655	9.8	104	1	2	7	13	21	31	85
GRAND TOTAL	**6096**	**5.0**	**31**	**1**	**2**	**4**	**6**	**9**	**14**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	7.0	16	3	3	7	10	11	11	11
35-49	4	6.5	14	3	3	6	9	11	11	11
50-64	6	8.8	33	3	3	8	11	18	19	19
65+	3	6.7	6	4	4	7	8	9	9	9
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	2	19.0	338	6	6	19	32	32	32	32
35-49	3	14.0	16	10	10	14	17	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	5	8.6	9	4	4	9	10	12	12	12
35-49	9	6.6	9	2	2	7	8	11	11	11
50-64	12	7.2	39	1	2	5	10	16	22	23
65+	16	13.2	110	3	3	12	17	24	38	44
B. *Operated*										
0-19 YRS										
20-34	4	9.0	39	4	4	7	13	18	18	18
35-49	3	23.7	226	8	8	25	35	38	38	38
50-64	5	12.8	257	2	2	6	18	41	41	41
65+	5	13.6	208	2	2	7	24	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.9	19	2	2	7	9	11	16	19
B. *Operated*	6	20.2	184	6	6	16	32	40	41	41
2. MULTIPLE DX										
A. *Not Operated*	44	9.4	60	2	3	8	12	19	24	44
B. *Operated*	17	14.1	176	2	2	8	21	38	40	41
1. SINGLE DX	24	10.2	89	2	3	8	11	20	35	41
2. MULTIPLE DX	61	10.7	94	2	3	8	13	24	37	44
A. NOT OPERATED	62	8.7	49	2	3	7	11	16	21	42
B. OPERATED	23	15.7	177	2	3	10	24	39	41	41
TOTAL 0-19 YRS	5	12.2	270	2	2	6	18	41	41	41
20-34	14	9.9	56	3	4	8	11	19	29	32
35-49	19	10.4	75	2	3	8	11	22	32	38
50-64	23	8.8	79	1	2	6	11	20	29	41
65+	24	12.5	114	2	3	9	17	26	38	44
GRAND TOTAL	**85**	**10.6**	**92**	**2**	**3**	**8**	**12**	**23**	**36**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	24	6.1	32	1	2	4	9	14	17	23
35-49	99	7.1	37	2	2	6	9	13	17	35
50-64	182	7.1	27	1	2	6	10	13	16	24
65+	201	8.2	45	2	2	7	10	15	21	40
B. *Operated*										
0-19 YRS	4	6.3	21	1	1	6	10	11	11	11
20-34	42	7.4	33	1	2	6	10	15	18	27
35-49	186	8.0	38	2	2	7	11	17	19	26
50-64	254	7.6	34	1	2	6	10	15	18	34
65+	109	11.5	105	2	2	9	14	23	28	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	6	6	6
20-34	30	7.5	18	2	2	7	10	13	16	19
35-49	236	7.9	30	2	3	7	10	14	19	31
50-64	682	8.5	43	2	3	7	11	15	19	37
65+	1667	11.4	85	3	4	9	14	22	29	57
B. *Operated*										
0-19 YRS	4	11.0	45	5	5	9	16	20	20	20
20-34	30	9.3	44	2	3	8	12	16	28	30
35-49	180	12.0	129	2	3	9	15	24	30	71
50-64	402	11.9	112	2	3	10	15	23	29	54
65+	453	18.1	230	3	5	14	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	7.5	36	2	2	6	10	14	18	33
B. *Operated*	595	8.4	50	1	2	7	11	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	2620	10.3	70	2	3	8	13	20	27	52
B. *Operated*	1069	14.5	172	2	3	11	18	29	42	97
1. SINGLE DX	1105	8.0	44	2	2	6	11	16	19	34
2. MULTIPLE DX	3689	11.5	103	2	3	9	14	23	30	61
A. NOT OPERATED	3130	9.8	66	2	3	8	12	19	25	47
B. OPERATED	1664	12.3	137	2	2	9	16	24	35	76
TOTAL 0-19 YRS	17	6.4	22	1	2	5	8	12	17	20
20-34	126	7.6	32	2	2	6	10	14	17	28
35-49	701	8.9	62	2	2	7	11	17	22	37
50-64	1520	9.1	61	2	3	7	11	17	22	39
65+	2430	12.4	118	3	4	9	15	25	34	72
GRAND TOTAL	**4794**	**10.7**	**92**	**2**	**3**	**8**	**13**	**21**	**28**	**57**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	7.6	18	2	2	7	11	13	15	17
20-34	887	8.5	31	2	2	8	11	15	19	28
35-49	1349	9.2	38	2	2	8	12	17	20	29
50-64	738	9.2	30	2	3	8	12	16	20	26
65+	233	10.4	39	2	3	9	14	19	22	30
B. *Operated*										
0-19 YRS	94	7.1	28	1	2	6	9	14	20	25
20-34	2206	8.7	41	2	2	8	11	17	21	31
35-49	2883	9.7	50	2	2	8	13	19	24	34
50-64	1440	10.3	56	2	2	9	14	20	25	35
65+	260	13.8	111	2	3	11	18	27	36	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.4	45	3	3	7	11	20	26	30
20-34	347	9.6	46	2	2	9	13	17	22	35
35-49	745	10.4	40	2	4	9	14	18	22	31
50-64	884	10.8	46	3	4	10	14	19	22	34
65+	803	13.3	93	4	5	11	17	23	29	53
B. *Operated*										
0-19 YRS	20	11.5	57	3	4	9	14	25	28	28
20-34	543	12.1	78	2	3	10	15	24	31	44
35-49	1080	13.2	96	2	3	11	17	26	32	48
50-64	1074	14.5	112	2	4	11	19	28	35	54
65+	492	19.0	165	3	6	16	25	35	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	9.1	34	2	2	8	12	16	20	28
B. *Operated*	6883	9.6	52	2	2	8	12	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	2808	11.3	60	2	4	10	14	20	25	37
B. *Operated*	3209	14.3	113	2	4	12	19	28	35	53
1. SINGLE DX	10124	9.5	46	2	2	8	12	18	22	32
2. MULTIPLE DX	6017	12.9	90	2	4	11	16	25	31	46
A. NOT OPERATED	6049	10.1	47	2	3	9	13	18	22	32
B. OPERATED	10092	11.1	76	2	2	9	14	22	28	42
TOTAL 0-19 YRS	177	8.1	33	2	2	7	10	15	22	28
20-34	3983	9.2	46	2	2	8	12	17	22	33
35-49	6057	10.3	56	2	2	9	13	20	24	36
50-64	4136	11.3	67	2	3	10	15	21	26	40
65+	1788	14.6	117	3	4	12	19	28	34	58
GRAND TOTAL	**16141**	**10.7**	**65**	**2**	**3**	**9**	**14**	**21**	**26**	**40**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.6	29	2	2	8	11	15	19	19
20-34	200	8.0	26	2	3	7	10	14	17	22
35-49	294	8.3	28	2	2	7	11	15	17	26
50-64	229	8.5	26	2	3	7	11	15	18	25
65+	69	10.2	37	2	3	9	13	18	20	30
B. *Operated*										
0-19 YRS	15	8.5	72	<1	2	5	10	24	25	26
20-34	266	7.8	33	1	2	7	10	14	18	24
35-49	636	8.7	41	2	2	8	11	16	22	29
50-64	329	9.1	48	2	2	8	12	17	24	35
65+	55	13.5	92	3	5	10	17	29	35	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	2	2	3	7	7	7	7
20-34	102	9.4	57	1	2	8	11	18	25	39
35-49	313	10.6	59	2	3	9	14	18	26	36
50-64	320	10.0	36	2	4	9	13	18	22	29
65+	287	12.0	101	3	4	9	15	21	27	46
B. *Operated*										
0-19 YRS	5	13.6	163	1	1	11	24	31	31	31
20-34	111	12.0	77	2	3	10	16	23	26	44
35-49	304	11.4	77	2	3	9	15	21	29	55
50-64	252	11.4	88	2	3	9	15	21	30	44
65+	88	19.7	350	3	5	16	24	46	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	803	8.4	28	2	3	8	11	15	18	27
B. *Operated*	1301	8.8	45	2	2	8	11	17	23	35
2. MULTIPLE DX										
A. *Not Operated*	1028	10.6	64	2	3	9	14	19	25	36
B. *Operated*	760	12.5	119	2	3	10	16	23	31	78
1. SINGLE DX	2104	8.7	38	2	2	8	11	16	20	31
2. MULTIPLE DX	1788	11.4	88	2	3	9	15	21	27	52
A. NOT OPERATED	1831	9.7	49	2	3	8	12	18	22	32
B. OPERATED	2061	10.2	75	2	2	8	13	20	25	42
TOTAL 0-19 YRS	37	8.2	62	1	2	5	10	22	25	31
20-34	679	8.8	44	2	2	8	11	17	22	31
35-49	1547	9.5	51	2	2	8	12	18	23	36
50-64	1130	9.8	50	2	3	8	12	18	23	35
65+	499	13.3	144	3	4	10	17	24	31	88
GRAND TOTAL	**3892**	**9.9**	**63**	**2**	**3**	**8**	**13**	**19**	**24**	**38**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.3	20	2	2	5	8	14	16	16
20-34	80	6.8	18	2	2	6	9	12	14	24
35-49	114	8.2	21	3	3	7	11	14	17	24
50-64	56	8.4	18	2	4	7	10	15	16	21
65+	11	8.7	25	2	3	6	13	16	17	17
B. *Operated*										
0-19 YRS	6	3.5	8	2	2	2	4	8	9	9
20-34	86	5.7	26	1	1	3	8	13	16	23
35-49	91	7.2	41	2	2	4	10	17	21	28
50-64	34	6.9	24	2	3	6	9	13	20	21
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	66	1	2	8	11	24	27	27
20-34	88	8.8	33	2	3	7	10	15	20	34
35-49	121	9.5	35	3	4	9	11	15	17	36
50-64	125	10.0	30	4	5	9	11	17	19	31
65+	67	10.1	24	3	4	10	14	16	17	23
B. *Operated*										
0-19 YRS	3	24.3	937	<1	<1	13	47	59	59	59
20-34	43	9.3	45	1	2	10	14	18	22	28
35-49	77	9.7	96	2	2	7	13	18	23	63
50-64	37	10.5	68	2	2	9	15	20	24	42
65+	11	17.6	300	3	3	9	31	43	56	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	7.8	20	2	3	7	10	14	16	22
B. *Operated*	218	6.5	32	1	2	4	9	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	408	9.6	31	3	4	9	11	16	19	30
B. *Operated*	171	10.5	104	2	2	8	14	19	26	59
1. SINGLE DX	487	7.2	25	2	2	6	10	14	17	24
2. MULTIPLE DX	579	9.9	53	2	3	9	12	17	21	40
A. NOT OPERATED	677	8.9	28	3	3	8	11	15	18	27
B. OPERATED	389	8.3	68	2	2	6	11	17	22	39
TOTAL 0-19 YRS	24	9.0	148	1	2	6	9	17	37	59
20-34	297	7.4	30	1	2	7	10	14	18	27
35-49	403	8.7	44	2	2	8	11	16	19	29
50-64	252	9.3	33	3	4	8	11	16	20	28
65+	90	10.8	61	3	4	10	14	17	22	48
GRAND TOTAL	**1066**	**8.6**	**42**	**2**	**2**	**7**	**11**	**16**	**19**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	13	2	2	6	9	12	13	13
20-34	108	7.8	18	3	3	8	10	12	14	24
35-49	148	8.5	28	2	3	7	11	15	19	26
50-64	134	9.1	32	2	3	8	11	18	22	26
65+	91	9.4	27	2	3	9	13	16	19	23
B. *Operated*										
0-19 YRS	12	3.1	5	1	1	2	4	7	8	8
20-34	69	5.2	21	1	1	3	8	12	14	20
35-49	85	6.4	42	1	1	4	9	15	17	32
50-64	67	8.3	157	1	1	5	11	20	25	80
65+	17	6.8	40	1	1	5	12	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	91	8.5	17	2	3	8	11	13	15	21
35-49	149	9.5	34	3	4	8	12	16	20	31
50-64	247	9.7	41	2	4	8	12	17	20	32
65+	371	11.8	56	4	5	10	15	21	25	37
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	38	9.6	81	1	2	7	14	19	20	49
35-49	62	11.4	100	1	2	9	15	28	32	48
50-64	47	12.6	104	2	3	11	16	21	25	67
65+	61	19.3	173	4	6	16	24	39	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	8.6	27	2	3	8	11	15	19	26
B. *Operated*	250	6.4	66	1	1	3	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	860	10.4	45	3	4	9	13	18	23	32
B. *Operated*	211	13.5	131	2	2	11	18	27	37	57
1. SINGLE DX	739	7.9	41	1	2	7	10	15	19	26
2. MULTIPLE DX	1071	11.0	63	2	4	9	14	20	25	45
A. NOT OPERATED	1349	9.8	39	2	4	8	12	17	22	30
B. OPERATED	461	9.7	108	1	1	6	13	20	28	50
TOTAL 0-19 YRS	25	4.5	10	1	1	3	6	8	11	13
20-34	306	7.6	28	2	2	7	10	14	17	21
35-49	444	8.8	45	1	2	7	12	16	20	33
50-64	495	9.6	61	1	2	8	12	18	22	32
65+	540	12.0	71	3	4	10	15	22	26	45
GRAND TOTAL	**1810**	**9.7**	**57**	**2**	**2**	**8**	**13**	**18**	**23**	**36**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	5.4	16	1	1	4	7	10	14	20
20-34	1057	7.3	28	1	2	6	10	14	18	24
35-49	1460	7.9	33	1	2	7	10	14	18	29
50-64	864	8.6	31	2	3	8	11	16	19	26
65+	368	9.0	38	2	2	8	12	17	20	29
B. *Operated*										
0-19 YRS	65	5.0	19	1	2	3	8	10	14	21
20-34	752	6.1	40	1	2	4	8	14	17	27
35-49	924	7.1	47	1	2	4	10	16	21	32
50-64	589	7.9	46	1	2	6	11	17	21	33
65+	236	12.5	93	2	2	11	17	26	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	13	1	1	4	7	10	13	17
20-34	809	8.3	35	2	2	7	11	16	19	31
35-49	1390	9.6	43	2	3	8	13	18	22	32
50-64	1475	9.9	53	2	3	8	13	18	22	40
65+	1443	11.4	66	3	4	10	15	21	26	42
B. *Operated*										
0-19 YRS	32	9.4	100	2	2	5	13	25	27	45
20-34	411	9.4	94	1	2	6	12	21	28	56
35-49	704	11.3	115	2	2	9	15	24	29	57
50-64	751	13.4	132	2	3	10	17	28	34	53
65+	587	17.7	171	2	4	15	24	35	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3880	7.9	31	1	2	7	10	15	18	27
B. *Operated*	2566	7.4	51	1	2	5	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	5215	9.9	52	2	3	8	13	19	23	38
B. *Operated*	2485	13.1	138	2	2	10	17	28	35	63
1. SINGLE DX	6446	7.7	39	1	2	6	10	15	19	30
2. MULTIPLE DX	7700	10.9	82	2	3	9	14	21	28	46
A. NOT OPERATED	9095	9.1	44	2	2	8	12	17	21	33
B. OPERATED	5051	10.2	102	1	2	7	14	22	30	49
TOTAL 0-19 YRS	326	5.7	25	1	2	4	7	11	14	25
20-34	3029	7.6	43	1	2	6	10	15	19	32
35-49	4478	8.8	54	2	2	7	12	17	22	35
50-64	3679	10.0	66	2	2	8	13	19	25	42
65+	2634	12.6	96	2	3	10	16	24	32	52
GRAND TOTAL	**14146**	**9.5**	**65**	**2**	**2**	**8**	**12**	**19**	**24**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	4.4	8	1	2	4	6	8	10	15
20-34	106	5.4	12	1	2	5	7	9	12	18
35-49	114	4.6	9	1	2	4	6	8	11	15
50-64	117	5.3	16	1	2	5	7	10	13	22
65+	76	6.3	27	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	351	2.6	7	<1	<1	2	3	5	5	9
20-34	806	2.8	4	<1	<1	2	3	5	6	12
35-49	1055	2.8	3	<1	<1	2	3	5	6	10
50-64	1134	2.9	6	<1	<1	2	3	5	7	13
65+	343	3.2	9	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.0	12	1	2	4	7	9	12	19
20-34	90	6.1	27	1	1	5	8	11	14	31
35-49	158	6.9	29	1	2	5	8	15	19	27
50-64	243	6.8	26	1	2	6	9	13	18	26
65+	286	9.1	57	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	125	3.5	7	1	1	3	4	6	10	14
20-34	336	4.2	35	1	1	3	5	7	10	22
35-49	509	4.3	14	1	2	3	5	8	11	21
50-64	673	4.8	26	1	2	3	5	9	13	28
65+	312	7.4	83	2	2	4	8	17	26	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	631	5.0	13	1	2	4	6	9	12	17
B. *Operated*	3689	2.9	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	860	7.3	37	1	2	6	9	14	19	28
B. *Operated*	1955	4.9	33	1	2	3	5	9	14	30
1. SINGLE DX	4320	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	2815	5.6	36	1	2	4	7	11	16	29
A. NOT OPERATED	1491	6.4	28	1	2	5	8	12	16	26
B. OPERATED	5644	3.6	16	<1	1	3	4	6	9	19
TOTAL 0-19 YRS	777	3.5	8	<1	1	3	4	7	8	15
20-34	1338	3.6	15	<1	1	3	4	7	9	15
35-49	1836	3.7	10	<1	1	3	4	7	9	19
50-64	2167	4.1	17	<1	1	3	5	8	11	20
65+	1017	6.4	52	1	1	4	8	14	18	37
GRAND TOTAL	**7135**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.6	18	<1	<1	2	5	11	11	11
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	319	3.6	3	2	2	3	4	6	6	9
20-34	735	3.8	6	1	2	3	5	6	7	10
35-49	670	3.9	4	1	2	4	5	6	7	10
50-64	845	4.0	5	1	2	4	5	6	8	11
65+	416	4.4	6	1	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	25	2.1	5	<1	<1	1	2	4	9	9
35-49	31	1.8	3	<1	<1	1	2	4	5	9
50-64	47	2.8	8	<1	<1	2	4	5	7	17
65+	32	3.5	19	<1	<1	1	4	9	15	19
B. *Operated*										
0-19 YRS	206	3.9	2	2	2	4	5	6	7	8
20-34	830	4.1	4	2	2	4	5	6	8	11
35-49	1058	4.3	5	2	2	4	5	7	8	13
50-64	1864	4.7	7	2	2	4	6	8	9	13
65+	1157	5.7	21	2	2	5	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	9	<1	1	2	3	8	10	11
B. *Operated*	2985	4.0	5	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	145	2.5	9	<1	<1	1	3	5	8	17
B. *Operated*	5115	4.7	9	2	2	4	6	8	9	15
1. SINGLE DX	2999	3.9	5	1	2	4	5	6	8	11
2. MULTIPLE DX	5260	4.6	10	2	2	4	5	8	9	15
A. NOT OPERATED	159	2.5	9	<1	<1	1	3	5	9	17
B. OPERATED	8100	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	538	3.7	3	1	2	3	5	6	6	8
20-34	1592	3.9	5	1	2	4	5	6	7	11
35-49	1760	4.1	5	1	2	4	5	6	8	11
50-64	2761	4.5	6	2	2	4	5	7	9	13
65+	1608	5.3	18	2	2	4	6	9	12	21
GRAND TOTAL	**8259**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	6	1.0		<1	<1	<1	1	1	1	1
35-49	13	4.0	6	<1	1	4	6	7	7	7
50-64	6	3.5	6	<1	<1	3	6	7	7	7
65+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS	573	1.9	1	<1	<1	2	2	3	4	5
20-34	1028	1.9	1	<1	<1	2	2	3	4	6
35-49	621	2.2	2	<1	<1	2	3	4	5	7
50-64	438	2.5	3	<1	<1	2	3	4	6	10
65+	149	3.0	6	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.5	3	<1	<1	1	1	2	6	7
20-34	24	1.5	2	<1	<1	1	1	3	4	7
35-49	17	3.1	14	<1	<1	1	4	8	13	15
50-64	17	2.9	6	<1	<1	2	4	7	9	9
65+	20	5.7	25	<1	1	4	8	14	17	17
B. *Operated*										
0-19 YRS	43	2.3	1	<1	1	2	3	4	4	5
20-34	155	2.4	2	<1	1	2	3	4	5	7
35-49	145	2.9	7	<1	1	2	3	5	7	12
50-64	219	3.3	7	<1	1	2	4	7	8	14
65+	100	5.1	27	<1	1	3	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	6	<1	<1	2	5	7	8	9
B. *Operated*	2809	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	92	3.0	12	<1	<1	1	4	8	10	17
B. *Operated*	662	3.2	9	<1	1	2	3	6	8	16
1. SINGLE DX	2844	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	754	3.2	9	<1	1	2	3	6	8	17
A. NOT OPERATED	127	3.0	10	<1	<1	1	4	7	9	17
B. OPERATED	3471	2.3	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	638	1.9	1	<1	<1	2	2	3	4	5
20-34	1213	1.9	1	<1	<1	2	2	3	4	6
35-49	796	2.4	3	<1	<1	2	3	4	6	9
50-64	680	2.8	5	<1	<1	2	3	5	7	11
65+	271	4.0	16	<1	1	3	4	9	11	25
GRAND TOTAL	**3598**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	16.9	126	2	5	15	22	32	40	51
20-34	32	11.9	81	<1	1	9	18	23	25	43
35-49	27	15.1	135	3	4	10	22	35	38	43
50-64	28	15.3	44	5	6	15	21	25	25	26
65+	33	13.2	155	2	2	10	16	25	35	64
B. *Operated*										
0-19 YRS	96	20.3	202	3	5	16	30	42	48	58
20-34	92	14.9	175	2	3	10	21	33	43	65
35-49	83	19.9	382	2	2	15	28	46	61	97
50-64	79	17.1	223	2	2	12	26	41	47	56
65+	75	17.9	166	3	5	15	25	39	53	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	18.9	121	1	4	21	28	32	36	43
20-34	68	14.3	253	<1	<1	9	21	33	42	87
35-49	56	19.6	184	4	5	16	27	38	44	62
50-64	131	20.0	216	2	4	17	28	37	45	71
65+	177	19.3	197	4	6	16	23	42	47	80
B. *Operated*										
0-19 YRS	84	25.3	286	3	5	23	33	51	59	94
20-34	118	24.6	368	3	4	20	38	57	67	99+
35-49	153	25.7	314	3	6	23	38	56	66	99+
50-64	279	26.6	382	5	7	22	39	55	72	99+
65+	320	26.3	386	5	7	22	40	62	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	15.3	116	2	4	14	21	29	36	50
B. *Operated*	425	18.0	231	2	3	14	26	42	48	89
2. MULTIPLE DX										
A. *Not Operated*	485	18.8	202	1	4	16	26	36	44	74
B. *Operated*	954	26.0	361	4	6	22	39	58	75	99+
1. SINGLE DX	652	17.1	193	2	3	14	24	38	46	69
2. MULTIPLE DX	1439	23.6	319	3	5	19	33	51	66	99+
A. NOT OPERATED	712	17.7	177	1	4	15	24	35	43	67
B. OPERATED	1379	23.5	334	3	5	19	34	53	67	99+
TOTAL 0-19 YRS	340	20.3	195	3	5	18	29	40	48	61
20-34	310	18.2	281	<1	2	13	25	43	54	87
35-49	319	22.2	304	2	4	17	33	46	61	99+
50-64	517	22.9	314	3	5	18	31	47	61	94
65+	605	22.5	307	4	6	17	32	52	75	99+
GRAND TOTAL	**2091**	**21.5**	**288**	**3**	**4**	**17**	**30**	**46**	**60**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	6.5	80	1	1	4	8	15	22	78
20-34	115	5.2	40	1	1	4	5	11	14	39
35-49	138	4.7	15	1	1	3	6	9	12	20
50-64	139	5.7	23	1	2	4	7	11	14	23
65+	237	9.9	55	2	3	8	14	19	23	39
B. *Operated*										
0-19 YRS	1018	5.5	42	1	2	4	6	11	15	33
20-34	845	5.0	37	1	2	3	5	9	13	31
35-49	367	6.6	52	1	2	4	8	14	18	27
50-64	287	8.0	54	2	2	6	11	16	22	39
65+	220	14.9	154	2	3	13	21	30	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.9	38	1	1	3	9	16	22	71
20-34	147	4.9	19	<1	1	3	6	11	14	23
35-49	300	5.8	36	1	2	4	7	10	13	32
50-64	559	8.8	58	2	2	7	11	17	24	38
65+	2153	13.7	131	3	4	11	17	25	35	75
B. *Operated*										
0-19 YRS	282	6.0	37	1	2	4	7	13	20	43
20-34	414	7.3	70	2	2	5	8	16	23	42
35-49	281	9.7	154	2	2	5	11	22	34	81
50-64	533	13.2	129	2	3	11	18	29	37	75
65+	867	22.2	280	3	5	18	29	44	63	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	6.9	48	1	2	5	9	15	19	35
B. *Operated*	2737	6.5	59	1	2	4	8	14	20	42
2. MULTIPLE DX										
A. *Not Operated*	3247	11.5	112	2	3	9	15	23	30	68
B. *Operated*	2377	14.2	208	2	2	10	19	32	44	86
1. SINGLE DX	3486	6.6	56	1	2	4	8	14	20	40
2. MULTIPLE DX	5624	12.6	155	2	2	9	16	27	37	76
A. NOT OPERATED	3996	10.6	104	2	2	8	14	22	28	65
B. OPERATED	5114	10.1	143	2	2	5	13	24	34	70
TOTAL 0-19 YRS	1508	5.7	44	1	2	4	7	12	17	39
20-34	1521	5.6	45	1	2	4	6	11	16	34
35-49	1086	6.9	72	1	2	4	8	14	20	51
50-64	1518	9.9	85	2	2	7	13	20	29	54
65+	3477	15.6	180	3	4	12	20	31	43	83
GRAND TOTAL	**9110**	**10.3**	**126**	**2**	**2**	**7**	**13**	**23**	**31**	**68**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	<1	<1	3	3	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	175	4.3	10	1	2	4	5	8	10	18
20-34	180	3.5	9	<1	1	3	4	7	9	17
35-49	83	3.1	6	<1	1	2	3	7	9	12
50-64	97	4.3	15	1	2	3	5	9	12	23
65+	29	4.6	9	1	1	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	4	4
20-34	8	3.3	13	<1	<1	2	4	9	11	11
35-49	9	4.0	34	<1	<1	1	4	14	18	18
50-64	13	11.2	373	1	1	4	7	50	58	60
65+	23	23.4	434	3	4	15	39	67	77	99+
B. *Operated*										
0-19 YRS	209	6.8	62	2	2	5	7	11	18	49
20-34	196	5.3	35	1	2	3	6	11	15	38
35-49	130	4.7	21	2	2	3	6	9	14	26
50-64	133	7.3	77	2	2	4	8	16	27	51
65+	68	11.4	296	2	2	6	9	53	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.4	6	<1	<1	3	4	7	9	10
B. *Operated*	564	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	69	11.1	299	<1	<1	3	12	43	65	93
B. *Operated*	736	6.5	75	2	2	4	7	12	21	56
1. SINGLE DX	577	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	805	6.9	95	1	2	4	7	14	26	66
A. NOT OPERATED	82	9.9	260	<1	<1	3	10	39	62	89
B. OPERATED	1300	5.4	48	1	2	4	6	10	15	44
TOTAL 0-19 YRS	406	5.5	38	1	2	4	6	10	12	40
20-34	385	4.4	23	1	1	3	5	9	13	25
35-49	224	4.1	17	1	1	3	5	8	12	20
50-64	246	6.3	69	1	2	4	7	12	20	51
65+	121	11.9	286	1	2	6	11	47	69	99+
GRAND TOTAL	**1382**	**5.7**	**62**	**1**	**1**	**4**	**6**	**10**	**17**	**54**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	21	5.3	16	1	1	4	7	13	14	14
35-49	37	6.7	19	1	2	6	10	12	14	21
50-64	32	7.7	33	1	2	6	10	18	21	22
65+	21	7.4	16	2	3	6	10	13	15	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	6.8	59	1	1	4	8	15	23	36
35-49	27	6.8	67	1	1	4	7	14	20	42
50-64	15	7.1	39	2	2	5	11	15	21	23
65+	7	12.0	86	2	2	10	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	6.6	17	1	2	6	8	13	16	18
35-49	42	9.2	27	3	4	8	11	14	21	27
50-64	70	9.3	39	2	3	8	12	19	23	24
65+	108	10.3	45	2	3	9	14	19	25	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	7.2	22	2	2	9	10	14	15	15
35-49	29	11.7	81	3	3	9	14	27	32	36
50-64	23	15.2	120	4	6	14	18	28	37	53
65+	30	14.1	126	2	3	12	17	29	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	6.8	22	1	2	6	9	13	16	22
B. *Operated*	75	7.3	60	1	2	4	10	15	22	40
2. MULTIPLE DX										
A. *Not Operated*	239	9.5	39	2	3	8	12	18	23	29
B. *Operated*	92	12.9	102	2	3	10	16	28	32	53
1. SINGLE DX	188	7.0	37	1	2	5	10	14	18	33
2. MULTIPLE DX	331	10.5	58	2	3	9	14	20	25	36
A. NOT OPERATED	352	8.6	35	2	3	7	11	17	21	27
B. OPERATED	167	10.4	90	2	2	8	14	23	30	50
TOTAL 0-19 YRS	4	4.3	15	2	2	3	6	10	10	10
20-34	74	6.4	31	1	2	5	9	14	15	32
35-49	135	8.6	47	1	2	7	11	15	22	37
50-64	140	9.6	56	2	2	8	13	20	23	31
65+	166	10.7	60	2	3	9	14	20	26	36
GRAND TOTAL	**519**	**9.2**	**53**	**2**	**2**	**7**	**12**	**18**	**23**	**36**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.1	4	1	1	3	4	6	7	10
20-34	259	5.4	19	1	1	5	7	9	12	19
35-49	263	5.1	15	1	1	4	7	10	13	20
50-64	175	4.9	13	1	1	4	6	10	12	18
65+	136	6.2	26	1	1	5	8	12	17	27
B. *Operated*										
0-19 YRS	706	5.2	27	1	1	3	6	11	14	29
20-34	812	4.1	20	<1	1	3	5	8	12	22
35-49	510	4.2	18	1	1	3	5	9	12	25
50-64	571	3.4	13	1	1	2	4	6	10	19
65+	330	3.8	19	1	1	3	4	7	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.4	14	<1	1	3	6	9	11	20
20-34	345	6.0	20	1	1	5	8	11	14	20
35-49	404	6.2	26	1	2	5	8	12	15	29
50-64	458	6.6	36	1	2	5	8	14	17	31
65+	555	9.7	65	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	530	5.2	37	1	2	3	5	11	15	32
20-34	676	4.8	45	1	1	3	5	9	16	42
35-49	488	6.2	66	1	2	4	7	12	20	44
50-64	531	6.6	81	2	2	4	8	14	21	87
65+	469	9.3	121	2	2	5	12	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	5.0	17	1	1	4	7	10	12	19
B. *Operated*	2929	4.2	20	1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1894	7.1	41	1	2	6	9	14	19	35
B. *Operated*	2694	6.3	70	1	2	3	7	14	22	47
1. SINGLE DX	3894	4.4	19	1	1	3	5	9	12	22
2. MULTIPLE DX	4588	6.6	58	1	2	4	8	14	20	43
A. NOT OPERATED	2859	6.4	34	1	2	5	8	13	17	31
B. OPERATED	5623	5.2	45	1	1	3	5	11	17	37
TOTAL 0-19 YRS	1500	5.0	28	1	1	3	6	11	14	30
20-34	2092	4.8	28	1	1	3	6	9	13	28
35-49	1665	5.4	34	1	2	4	6	11	15	31
50-64	1735	5.4	42	1	2	3	6	11	16	37
65+	1490	8.0	74	1	2	5	10	18	23	44
GRAND TOTAL	**8482**	**5.6**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.3	73	3	3	4	13	21	21	21
35-49	8	5.8	7	1	2	6	8	9	9	9
50-64	3	10.0	19	5	5	12	13	13	13	13
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.3	14	1	1	5	8	11	12	12
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	17	7.2	26	1	2	6	10	13	18	21
B. *Operated*	4	7.3	14	2	2	8	10	10	10	10
1. SINGLE DX	13	4.8	11	1	2	4	6	10	12	12
2. MULTIPLE DX	21	7.2	23	1	2	7	10	13	17	21
A. NOT OPERATED	26	6.5	22	1	1	5	9	12	15	21
B. OPERATED	8	5.4	11	2	2	4	8	10	10	10
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	7.8	41	2	2	5	11	18	21	21
35-49	14	5.6	6	1	3	5	7	9	10	10
50-64	8	6.9	20	1	1	6	11	13	13	13
65+	2	7.0	50	2	2	7	12	12	12	12
GRAND TOTAL	**34**	**6.3**	**19**	**1**	**2**	**5**	**9**	**12**	**13**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.0	26	<1	<1	1	3	6	16	26
20-34	8	5.0	15	2	2	4	5	12	14	14
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	60	8.2	76	2	2	5	9	17	26	50
20-34	13	8.5	132	1	2	5	9	22	40	44
35-49	15	10.8	106	2	2	10	13	20	36	42
50-64	7	15.0	204	1	1	13	27	37	38	38
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	10.4	415	<1	1	3	8	28	80	99+
20-34	10	5.2	16	2	2	4	7	11	15	15
35-49	4	5.8	20	2	2	5	9	11	11	11
50-64	9	7.9	16	1	2	9	11	12	13	13
65+	9	6.2	39	1	1	4	11	16	19	19
B. *Operated*										
0-19 YRS	109	14.0	195	2	3	8	18	35	54	99+
20-34	14	17.4	447	3	3	10	21	69	92	99+
35-49	12	19.2	296	3	6	15	23	75	95	99+
50-64	10	16.0	203	3	4	15	24	71	98	99+
65+	7	17.6	176	3	4	14	29	37	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.1	23	<1	<1	1	3	6	14	26
B. *Operated*	97	9.1	95	2	2	6	11	19	33	48
2. MULTIPLE DX										
A. *Not Operated*	155	9.6	336	<1	1	4	8	18	79	99
B. *Operated*	152	15.0	222	2	3	10	20	41	68	99+
1. SINGLE DX	165	6.6	74	<1	<1	3	8	15	25	44
2. MULTIPLE DX	307	12.3	286	1	2	7	15	34	70	99+
A. NOT OPERATED	223	7.6	249	<1	<1	3	6	15	41	95
B. OPERATED	249	12.7	180	2	2	8	16	34	52	99+
TOTAL 0-19 YRS	346	10.0	238	<1	1	5	10	25	52	99+
20-34	45	9.9	201	2	2	5	11	23	63	99+
35-49	34	12.4	178	2	2	11	15	29	62	99+
50-64	26	12.9	141	1	2	11	16	37	58	99+
65+	21	9.3	108	1	1	6	12	25	36	38
GRAND TOTAL	**472**	**10.3**	**218**	**<1**	**1**	**5**	**12**	**27**	**52**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.5	3	<1	<1	1	1	2	5	10
20-34	6	6.2	41	2	2	4	5	18	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	554	2.4	3	<1	<1	2	3	4	5	9
20-34	162	2.6	2	<1	1	2	3	4	5	9
35-49	69	2.9	4	<1	1	3	3	4	5	13
50-64	60	3.0	3	<1	1	3	3	5	7	10
65+	68	3.0	4	1	2	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.4	1	<1	<1	1	1	3	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	8	3.1	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	134	3.7	15	<1	1	2	4	8	12	20
20-34	45	3.6	7	<1	1	3	4	6	10	13
35-49	34	3.2	3	<1	1	3	4	5	6	9
50-64	70	3.3	14	1	2	2	4	5	6	27
65+	116	2.7	4	1	1	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	1.7	5	<1	<1	1	1	3	5	14
B. *Operated*	913	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	64	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	399	3.3	10	1	1	2	4	6	9	19
1. SINGLE DX	1041	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	463	3.1	9	<1	1	2	3	5	8	18
A. NOT OPERATED	192	1.7	4	<1	<1	1	1	4	5	11
B. OPERATED	1312	2.8	5	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	857	2.4	5	<1	<1	2	3	4	6	13
20-34	214	2.9	4	<1	1	2	4	5	6	12
35-49	107	3.0	3	<1	1	3	4	4	5	12
50-64	133	3.2	9	1	1	2	3	5	7	14
65+	193	2.8	4	1	1	2	3	4	6	11
GRAND TOTAL	**1504**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.7	11	<1	<1	2	6	9	11	15
20-34	13	5.1	10	<1	2	4	8	10	11	11
35-49	12	3.3	3	1	1	3	4	6	8	8
50-64	11	5.8	15	1	1	7	9	11	13	13
65+	6	5.7	7	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	630	6.0	30	1	2	5	8	11	15	28
20-34	116	5.8	39	2	2	4	8	11	16	41
35-49	69	6.5	43	1	2	3	10	15	20	31
50-64	38	7.2	42	2	2	4	10	16	20	31
65+	22	6.5	26	2	2	4	10	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.7	35	<1	1	4	7	13	19	84
20-34	58	4.6	15	1	1	4	6	9	14	19
35-49	30	9.1	62	2	2	6	11	21	25	27
50-64	29	6.1	24	2	2	4	7	11	17	24
65+	62	10.3	94	2	3	8	11	19	30	52
B. *Operated*										
0-19 YRS	869	9.0	116	2	2	7	11	18	31	71
20-34	143	9.2	133	2	2	5	12	20	26	70
35-49	84	9.0	78	2	2	5	13	18	30	41
50-64	104	12.0	151	2	2	10	16	25	31	91
65+	67	15.7	191	2	2	13	21	31	35	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.1	11	<1	1	3	6	9	11	14
B. *Operated*	875	6.1	33	2	2	4	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	351	6.6	47	1	1	5	8	15	21	50
B. *Operated*	1267	9.7	124	2	2	8	12	20	31	71
1. SINGLE DX	982	5.9	31	1	2	4	8	11	15	28
2. MULTIPLE DX	1618	9.0	109	2	2	6	11	19	29	69
A. NOT OPERATED	458	6.1	39	1	1	4	8	12	19	37
B. OPERATED	2142	8.2	90	2	2	6	11	17	25	58
TOTAL 0-19 YRS	1736	7.4	75	1	2	5	10	15	22	58
20-34	330	7.1	78	1	2	4	9	16	20	48
35-49	195	7.8	61	2	2	4	11	18	24	39
50-64	182	9.7	106	2	2	7	12	19	26	77
65+	157	11.9	134	2	2	9	14	25	34	52
GRAND TOTAL	**2600**	**7.8**	**82**	**1**	**2**	**5**	**10**	**16**	**23**	**55**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	332	4.6	4	2	2	4	6	8	8	9
20-34	6	2.7	3	1	1	2	3	6	6	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	6	<1	<1	1	2	8	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	254	4.8	5	2	2	5	6	8	9	13
20-34	20	3.9	5	1	2	3	5	6	9	12
35-49	4	15.8	493	3	3	5	27	49	49	49
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*	343	4.6	4	2	2	4	6	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.2	6	<1	<1	1	2	8	8	9
B. *Operated*	278	4.9	12	2	2	4	6	8	9	14
1. SINGLE DX	347	4.6	5	2	2	4	6	8	8	9
2. MULTIPLE DX	324	4.5	12	1	1	4	6	8	9	13
A. NOT OPERATED	50	2.1	6	<1	<1	1	2	7	8	9
B. OPERATED	621	4.7	8	2	2	4	6	8	8	12
TOTAL 0-19 YRS	636	4.5	5	1	2	4	6	8	8	10
20-34	26	3.6	5	1	2	3	5	6	7	12
35-49	7	10.3	293	3	3	3	6	40	49	49
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
GRAND TOTAL	**671**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	1	1	2	5	6	7	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	322	4.2	3	2	2	4	5	7	8	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.4	16	1	2	4	7	13	14	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	7.2	25	2	3	6	8	14	20	26
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.1	5	1	1	2	5	6	7	10
B. *Operated*	322	4.2	3	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	23	5.4	16	1	2	4	7	13	14	14
B. *Operated*	72	7.2	25	2	3	6	8	14	20	26
1. SINGLE DX	358	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX	95	6.8	23	2	2	5	8	13	18	25
A. NOT OPERATED	59	4.0	10	1	1	3	5	9	12	14
B. OPERATED	394	4.8	9	2	3	4	5	8	9	19
TOTAL 0-19 YRS	453	4.7	9	2	2	4	5	8	10	18
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**453**	**4.7**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**18**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.7	15	<1	<1	1	3	5	8	25
20-34	9	4.3	10	1	1	3	5	9	10	10
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	7	3.4	6	1	1	3	5	7	8	8
65+	10	3.0	9	<1	<1	2	3	7	11	11
B. *Operated*										
0-19 YRS	320	4.9	33	<1	<1	3	7	11	14	27
20-34	59	4.7	15	1	2	3	7	11	14	16
35-49	37	6.6	61	1	1	3	8	16	26	35
50-64	27	6.8	30	1	1	5	9	14	18	21
65+	24	6.1	57	1	1	2	7	21	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	7.1	216	<1	1	3	7	14	79	99+
20-34	12	5.8	8	2	2	6	8	9	10	10
35-49	16	4.7	9	1	2	4	7	9	10	11
50-64	11	7.8	63	1	2	5	8	21	28	29
65+	62	7.3	29	2	2	6	9	12	20	27
B. *Operated*										
0-19 YRS	225	8.4	99	1	2	5	9	21	32	71
20-34	53	8.5	76	2	2	6	11	14	32	42
35-49	48	9.5	65	1	1	7	14	23	26	32
50-64	42	10.2	75	1	2	9	13	19	31	40
65+	83	15.2	199	1	2	13	22	29	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.8	14	<1	<1	2	3	6	8	22
B. *Operated*	467	5.2	34	<1	1	3	7	11	16	28
2. MULTIPLE DX										
A. *Not Operated*	171	6.9	104	1	1	5	8	12	25	97
B. *Operated*	451	9.9	114	1	2	7	13	24	31	53
1. SINGLE DX	626	4.6	30	<1	<1	2	6	10	15	28
2. MULTIPLE DX	622	9.1	113	1	2	6	11	22	30	86
A. NOT OPERATED	330	4.9	64	<1	<1	3	6	10	14	86
B. OPERATED	918	7.5	79	<1	1	4	9	17	26	48
TOTAL 0-19 YRS	743	5.8	71	<1	<1	3	7	12	21	56
20-34	133	6.3	41	1	2	4	8	12	15	38
35-49	106	7.4	56	1	1	4	10	17	25	33
50-64	87	8.3	57	1	2	6	12	17	22	39
65+	179	10.6	129	1	2	7	15	25	29	51
GRAND TOTAL	**1248**	**6.8**	**76**	**<1**	**1**	**4**	**9**	**15**	**24**	**49**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	741	2.7	2	<1	1	2	3	4	5	7
20-34	71	3.4	3	1	1	3	4	6	7	8
35-49	13	3.5	4	<1	1	3	4	7	9	9
50-64	6	3.0	2	2	2	3	4	5	5	5
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.1		<1	<1	1	1	2	2	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	650	2.8	3	<1	1	2	4	5	6	8
20-34	51	4.7	10	2	2	4	5	8	9	18
35-49	20	6.1	70	1	2	3	5	18	30	31
50-64	5	3.8	2	2	2	4	5	5	5	5
65+	5	8.4	37	3	3	5	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	2	2
B. *Operated*	833	2.8	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	60	1.3	1	<1	<1	1	1	2	3	8
B. *Operated*	731	3.1	6	<1	1	3	4	5	7	11
1. SINGLE DX	850	2.7	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	791	2.9	6	<1	1	2	4	5	6	10
A. NOT OPERATED	77	1.3	1	<1	<1	1	1	2	2	7
B. OPERATED	1564	2.9	4	<1	1	3	4	5	6	8
TOTAL 0-19 YRS	1462	2.7	2	<1	1	2	3	5	5	8
20-34	126	3.9	6	1	2	3	5	6	8	16
35-49	33	5.1	45	1	2	3	4	8	26	31
50-64	12	3.2	2	1	1	3	4	5	5	5
65+	8	7.8	25	3	3	6	11	15	16	16
GRAND TOTAL	**1641**	**2.8**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.6	4	<1	<1	2	3	6	8	9
20-34	19	3.9	10	<1	<1	3	5	10	11	11
35-49	10	3.5		2	2	3	4	6	7	7
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	4	4.8	17	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	564	5.4	26	<1	1	4	8	10	12	18
20-34	257	4.1	13	<1	<1	3	6	8	11	17
35-49	66	5.3	20	1	2	4	6	12	16	22
50-64	33	3.9	8	<1	1	3	5	8	10	12
65+	17	6.5	36	<1	1	5	10	10	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	7	<1	<1	1	4	6	9	11
20-34	35	6.5	58	1	1	5	8	11	12	46
35-49	28	5.8	25	1	1	5	7	9	12	28
50-64	35	5.8	9	2	3	5	8	10	12	14
65+	44	9.8	98	1	2	7	11	21	39	45
B. *Operated*										
0-19 YRS	301	6.8	50	1	1	5	9	15	19	37
20-34	239	5.5	22	1	1	5	7	11	15	24
35-49	115	7.3	30	1	2	6	9	14	21	25
50-64	91	10.2	113	1	2	8	11	20	34	61
65+	85	11.0	69	2	3	9	15	22	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	7	<1	1	3	4	7	10	11
B. *Operated*	937	5.0	22	<1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	196	5.9	45	<1	1	5	7	11	14	44
B. *Operated*	831	7.3	51	1	1	6	9	15	21	34
1. SINGLE DX	995	4.9	21	<1	1	4	7	10	12	18
2. MULTIPLE DX	1027	7.1	50	1	1	5	9	14	20	35
A. NOT OPERATED	254	5.3	37	<1	1	4	7	10	13	42
B. OPERATED	1768	6.1	37	<1	1	5	8	12	16	32
TOTAL 0-19 YRS	941	5.7	33	<1	1	4	8	11	14	27
20-34	550	4.9	20	<1	1	4	7	10	12	22
35-49	219	6.3	26	1	2	5	8	13	18	25
50-64	162	7.8	75	1	2	6	9	14	22	51
65+	150	9.9	74	2	2	7	12	21	28	42
GRAND TOTAL	**2022**	**6.0**	**37**	**<1**	**1**	**5**	**8**	**12**	**16**	**33**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.8	797	<1	<1	1	2	53	86	86
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	293	4.1	5	1	2	4	5	7	9	12
20-34	31	4.6	4	2	2	4	6	7	8	9
35-49	8	5.8	25	1	1	3	9	14	15	15
50-64	7	8.6	82	2	2	5	12	24	27	27
65+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.2	1	<1	<1	1	1	2	3	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	182	5.3	19	2	2	4	6	9	10	30
20-34	50	4.9	6	3	3	4	6	8	9	16
35-49	26	5.9	11	2	3	5	7	12	13	15
50-64	42	6.0	25	2	2	5	8	9	10	33
65+	7	4.7	7	3	3	4	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.8	797	<1	<1	1	2	53	86	86
B. *Operated*	343	4.3	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	34	1.5	2	<1	<1	1	1	3	5	6
B. *Operated*	307	5.4	17	2	2	4	7	9	10	23
1. SINGLE DX	352	4.4	26	1	2	4	5	7	9	14
2. MULTIPLE DX	341	5.0	16	1	1	4	6	9	10	18
A. NOT OPERATED	43	3.4	168	<1	<1	1	1	4	6	86
B. OPERATED	650	4.8	12	2	2	4	6	8	10	15
TOTAL 0-19 YRS	513	4.5	23	1	1	4	5	7	9	13
20-34	82	4.7	5	2	2	4	6	8	9	14
35-49	35	5.7	14	2	2	5	7	12	14	15
50-64	50	6.4	31	2	2	5	8	9	14	33
65+	13	3.7	6	1	1	3	4	7	9	10
GRAND TOTAL	**693**	**4.7**	**21**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	4.4	76	<1	<1	2	4	10	15	98
20-34	41	7.0	23	1	2	6	9	12	14	27
35-49	31	8.8	182	1	3	5	10	15	17	78
50-64	19	8.6	80	1	1	6	12	17	30	39
65+	14	7.1	29	1	1	5	9	16	18	19
B. *Operated*										
0-19 YRS	1354	4.9	25	1	1	3	6	9	13	24
20-34	490	3.9	19	1	1	3	4	9	12	21
35-49	204	5.2	25	1	2	3	7	12	16	23
50-64	127	6.4	34	2	2	4	9	14	17	29
65+	60	12.0	265	1	2	5	14	39	45	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	6.2	153	<1	<1	2	6	13	34	98
20-34	64	7.9	73	1	1	6	9	14	22	46
35-49	56	8.0	31	1	2	7	12	18	21	94
50-64	88	9.2	47	2	3	8	11	16	23	39
65+	90	11.0	43	3	3	11	15	22	24	99+
B. *Operated*										
0-19 YRS	553	8.0	75	1	2	5	10	16	22	44
20-34	226	6.4	59	1	2	3	7	14	21	42
35-49	189	6.5	50	1	1	4	9	13	19	51
50-64	143	11.6	180	2	2	7	14	24	33	71
65+	101	14.5	185	1	2	12	19	34	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	5.7	79	<1	1	3	7	13	16	86
B. *Operated*	2235	5.0	32	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	516	7.9	95	<1	1	5	11	17	24	98
B. *Operated*	1212	8.4	95	1	2	5	11	18	27	51
1. SINGLE DX	2508	5.1	37	1	1	3	6	10	15	29
2. MULTIPLE DX	1728	8.3	95	1	2	5	11	18	26	59
A. NOT OPERATED	789	7.2	91	<1	1	4	9	15	22	93
B. OPERATED	3447	6.2	57	1	1	4	7	13	19	42
TOTAL 0-19 YRS	2293	5.7	55	1	1	3	7	12	17	42
20-34	821	5.1	36	1	1	3	5	11	16	33
35-49	480	6.3	46	1	2	4	8	14	18	45
50-64	377	9.1	99	2	2	6	11	20	25	56
65+	265	12.3	149	1	2	9	16	29	37	97
GRAND TOTAL	**4236**	**6.4**	**63**	**1**	**1**	**4**	**8**	**14**	**19**	**45**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.6	27	1	1	3	5	10	14	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	6.6	35	1	1	5	9	13	15	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	907	11.3	155	1	2	7	14	27	36	67
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	112	22.3	529	1	2	13	34	66	93	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1271	4.6	27	1	1	3	5	10	14	27
B. *Operated*	37	6.6	35	1	1	5	9	13	15	32
2. MULTIPLE DX										
A. *Not Operated*	907	11.3	155	1	2	7	14	27	36	67
B. *Operated*	112	22.3	529	1	2	13	34	66	93	99+
1. SINGLE DX	1308	4.6	27	1	1	3	5	11	14	27
2. MULTIPLE DX	1019	12.5	208	1	2	8	16	31	44	79
A. NOT OPERATED	2178	7.4	91	1	2	4	9	18	26	51
B. OPERATED	149	18.4	452	1	2	11	24	53	73	99+
TOTAL 0-19 YRS	2327	8.1	121	1	2	4	10	19	30	64
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2327**	**8.1**	**121**	**1**	**2**	**4**	**10**	**19**	**30**	**64**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1819	3.2	8	1	1	3	4	6	8	15
20-34	769	4.0	9	1	1	3	5	8	9	15
35-49	381	4.5	14	1	1	4	6	8	10	19
50-64	271	4.7	11	1	1	4	6	8	10	17
65+	224	5.9	20	1	1	5	7	11	16	23
B. *Operated*										
0-19 YRS	12	7.1	30	<1	1	5	10	16	19	19
20-34	7	4.3	7	2	2	4	7	8	8	8
35-49	11	7.5	24	2	2	7	9	15	19	19
50-64	4	7.5	24	2	2	7	11	14	14	14
65+	4	11.0	19	7	7	10	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1707	3.8	18	1	1	3	4	7	9	15
20-34	707	5.8	27	1	1	4	7	11	14	25
35-49	687	7.0	41	1	2	6	9	13	16	38
50-64	875	8.0	55	2	2	6	10	15	23	43
65+	1271	9.8	86	2	3	7	12	19	28	62
B. *Operated*										
0-19 YRS	45	8.8	51	2	2	7	11	18	20	40
20-34	70	9.9	137	<1	1	7	11	25	31	62
35-49	59	13.2	261	2	2	7	16	24	46	87
50-64	82	13.7	154	2	4	10	18	31	58	99+
65+	122	21.4	326	4	6	16	27	47	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3464	3.8	11	1	1	3	5	7	9	16
B. *Operated*	38	7.2	23	2	2	7	9	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	5247	6.6	50	1	2	5	8	13	18	42
B. *Operated*	378	14.8	232	2	3	10	19	32	52	99
1. SINGLE DX	3502	3.9	11	1	1	3	5	7	9	16
2. MULTIPLE DX	5625	7.2	67	1	2	5	8	14	21	48
A. NOT OPERATED	8711	5.5	36	1	1	4	7	11	15	32
B. OPERATED	416	14.1	218	2	2	9	18	30	48	98
TOTAL 0-19 YRS	3583	3.6	14	1	1	3	4	6	9	15
20-34	1553	5.1	24	1	1	4	6	10	13	25
35-49	1138	6.5	46	1	2	5	8	12	16	33
50-64	1232	7.6	56	1	2	6	9	15	23	45
65+	1621	10.1	107	2	3	7	12	20	30	70
GRAND TOTAL	**9127**	**5.9**	**48**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.1	4	1	1	3	4	6	7	10
20-34	105	5.0	14	1	2	4	6	8	12	22
35-49	73	5.8	15	2	2	5	8	10	12	22
50-64	68	6.0	19	1	2	5	8	11	15	24
65+	86	7.2	28	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	11	7.7	128	1	1	4	8	21	39	41
20-34	5	10.4	239	<1	<1	2	17	37	37	37
35-49	19	11.7	47	2	3	11	15	22	27	28
50-64	14	11.6	52	1	2	12	16	21	24	25
65+	6	13.0	51	5	5	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	592	3.8	8	1	1	3	5	7	9	14
20-34	210	6.0	37	1	2	5	7	11	15	38
35-49	150	6.9	47	2	2	5	8	12	15	40
50-64	322	8.1	45	3	3	6	9	14	18	33
65+	638	9.3	73	2	3	7	11	17	24	54
B. *Operated*										
0-19 YRS	25	14.5	263	2	3	8	17	32	55	70
20-34	31	15.3	101	5	6	12	22	30	32	41
35-49	34	13.2	188	2	3	9	16	28	42	67
50-64	90	17.2	109	4	5	15	21	32	38	51
65+	118	21.4	240	6	8	17	31	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	4.4	13	1	1	3	5	8	11	18
B. *Operated*	55	10.9	77	1	2	9	15	23	27	41
2. MULTIPLE DX										
A. *Not Operated*	1912	6.8	47	1	2	5	8	13	18	35
B. *Operated*	298	18.0	189	3	5	15	25	38	49	99+
1. SINGLE DX	799	4.8	20	1	1	4	6	9	13	24
2. MULTIPLE DX	2210	8.3	80	2	2	6	10	17	26	51
A. NOT OPERATED	2656	6.1	39	1	2	4	7	12	16	33
B. OPERATED	353	16.9	178	3	4	14	23	37	46	99+
TOTAL 0-19 YRS	1040	3.8	16	1	1	3	4	7	9	16
20-34	351	6.6	45	1	2	5	7	12	20	37
35-49	276	7.7	61	2	2	6	9	14	19	42
50-64	494	9.5	67	2	3	7	11	18	26	39
65+	848	10.8	110	2	3	8	13	22	34	74
GRAND TOTAL	**3009**	**7.4**	**67**	**1**	**2**	**5**	**9**	**15**	**22**	**46**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.3	7	<1	1	3	4	6	9	14
20-34	277	3.6	9	1	1	3	4	7	9	14
35-49	127	4.1	10	1	1	3	6	8	11	15
50-64	86	4.5	13	1	1	3	5	10	13	16
65+	26	5.1	14	1	1	4	7	9	14	17
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	25	4.8	10	1	2	3	6	10	11	13
35-49	27	5.6	24	1	2	3	7	15	17	18
50-64	23	4.1	9	1	1	3	5	7	11	14
65+	8	9.8	103	2	2	7	14	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.3	4	1	1	3	4	6	8	26
20-34	260	4.7	11	1	2	4	6	9	11	16
35-49	229	5.5	15	1	2	5	7	10	13	18
50-64	182	5.5	15	1	2	5	7	10	13	18
65+	181	6.7	33	2	2	5	8	13	16	38
B. *Operated*										
0-19 YRS	7	3.1	3	1	1	3	5	72	99+	99+
20-34	26	6.3	18	1	2	5	10	13	14	17
35-49	28	9.6	68	2	2	7	13	18	30	36
50-64	27	8.0	36	2	3	8	9	15	19	31
65+	32	11.6	96	2	3	9	14	21	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	3.8	10	1	1	3	5	8	10	15
B. *Operated*	86	5.3	23	1	2	3	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	984	5.2	17	1	2	4	7	10	13	19
B. *Operated*	120	8.7	58	2	2	7	11	17	26	65
1. SINGLE DX	745	4.0	11	1	1	3	5	8	11	16
2. MULTIPLE DX	1104	5.6	22	1	2	4	7	11	14	29
A. NOT OPERATED	1643	4.6	14	1	1	4	6	9	12	17
B. OPERATED	206	7.3	46	2	2	5	10	16	18	42
TOTAL 0-19 YRS	285	3.3	6	1	1	3	4	6	8	15
20-34	588	4.3	11	1	1	3	5	8	10	16
35-49	411	5.4	19	1	1	4	7	10	14	19
50-64	318	5.3	16	1	2	4	7	10	14	18
65+	247	7.3	44	2	2	5	9	14	17	40
GRAND TOTAL	**1849**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	3	<1	1	2	3	6	6	8
20-34	53	3.5	4	1	1	3	5	6	7	8
35-49	87	3.8	6	1	1	3	5	7	7	15
50-64	147	4.1	12	1	1	4	6	7	9	13
65+	205	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-19 YRS	30	1.8	3	<1	<1	1	1	5	6	7
20-34	37	6.1	14	2	2	6	8	9	12	21
35-49	61	5.6	8	1	2	5	7	9	11	13
50-64	101	5.5	6	1	2	5	7	9	10	12
65+	101	5.5	11	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	4	<1	1	2	4	7	7	8
20-34	33	3.3	5	<1	1	3	5	6	8	9
35-49	82	5.1	17	1	2	4	6	8	11	28
50-64	212	5.0	11	1	2	4	6	9	10	17
65+	463	6.4	59	1	2	5	7	13	16	28
B. *Operated*										
0-19 YRS	22	3.5	8	1	1	2	5	8	9	10
20-34	30	7.0	18	2	2	6	9	13	15	18
35-49	46	7.0	29	1	1	6	8	13	16	33
50-64	139	6.4	17	1	2	6	8	12	14	21
65+	247	8.6	62	2	3	6	10	17	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.7	7	1	1	3	5	7	8	12
B. *Operated*	330	5.2	9	1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	823	5.6	39	1	2	4	7	10	14	26
B. *Operated*	484	7.5	43	1	2	6	9	14	19	34
1. SINGLE DX	850	4.3	8	1	1	4	6	8	9	13
2. MULTIPLE DX	1307	6.3	41	1	2	5	7	12	16	28
A. NOT OPERATED	1343	4.9	27	1	1	4	6	8	12	23
B. OPERATED	814	6.6	30	1	2	6	8	12	15	28
TOTAL 0-19 YRS	113	2.6	5	<1	<1	2	4	6	8	9
20-34	153	4.8	12	1	1	4	6	9	12	18
35-49	276	5.1	14	1	2	4	6	9	11	17
50-64	599	5.2	12	1	1	5	7	9	12	17
65+	1016	6.3	47	1	2	5	7	12	16	29
GRAND TOTAL	**2157**	**5.5**	**29**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	19	1	1	3	5	7	11	26
20-34	43	4.1	8	<1	1	4	6	7	9	12
35-49	20	3.3	14	1	1	2	4	5	12	18
50-64	19	2.6	3	<1	1	2	4	5	6	6
65+	13	4.4	10	1	1	5	6	10	10	10
B. *Operated*										
0-19 YRS	182	2.1	3	<1	<1	2	2	3	5	9
20-34	259	3.1	16	<1	<1	2	3	5	8	28
35-49	142	3.2	9	<1	1	2	3	6	10	16
50-64	114	3.1	6	<1	1	2	3	7	9	12
65+	66	3.0	7	<1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.4	11	1	1	4	5	8	9	18
20-34	63	4.2	9	<1	1	3	5	8	10	16
35-49	76	5.3	28	1	2	4	7	10	12	35
50-64	68	7.3	41	1	2	5	9	15	20	35
65+	140	9.2	98	1	2	7	12	17	27	85
B. *Operated*										
0-19 YRS	35	4.4	13	1	1	3	6	8	11	19
20-34	98	7.5	53	1	1	5	11	14	23	37
35-49	90	5.9	31	1	1	4	7	11	14	30
50-64	105	9.5	88	2	2	6	14	22	30	43
65+	117	13.8	235	1	2	8	17	33	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.8	11	1	1	3	5	7	10	19
B. *Operated*	763	2.9	9	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	397	6.7	54	1	1	5	8	14	17	42
B. *Operated*	445	9.1	111	1	2	5	11	22	30	45
1. SINGLE DX	896	3.0	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	842	8.0	85	1	2	5	10	17	26	44
A. NOT OPERATED	530	6.0	45	1	1	4	7	12	16	37
B. OPERATED	1208	5.1	56	<1	1	2	5	12	18	39
TOTAL 0-19 YRS	305	3.0	8	<1	1	2	4	6	8	15
20-34	463	4.3	25	<1	1	3	5	9	12	29
35-49	328	4.4	21	1	1	3	5	9	12	24
50-64	306	6.2	50	1	1	3	8	15	20	35
65+	336	9.4	139	1	2	5	12	22	32	80
GRAND TOTAL	**1738**	**5.4**	**52**	**<1**	**1**	**3**	**6**	**12**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	5	12.4	38	4	4	15	17	19	19	19
50-64	4	9.3	14	6	6	9	12	13	13	13
65+	13	7.4	24	1	2	6	11	14	17	18
B. *Operated*										
0-19 YRS	7	9.3	88	2	2	7	8	26	30	30
20-34	19	4.6	12	1	2	4	6	8	13	16
35-49	20	14.6	220	1	1	11	20	40	49	50
50-64	42	21.1	342	2	4	16	22	45	57	98
65+	88	19.7	287	3	5	15	26	52	76	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	19.7	576	2	2	10	38	47	47	47
50-64	21	11.5	78	2	3	9	17	22	30	38
65+	101	14.3	148	3	4	11	19	28	48	99+
B. *Operated*										
0-19 YRS	8	8.9	70	1	1	6	14	22	24	24
20-34	33	14.2	330	2	2	7	20	32	36	98
35-49	58	22.2	328	2	4	20	34	69	99+	99+
50-64	229	25.5	349	3	6	20	38	53	77	99+
65+	769	27.9	391	6	9	23	40	70	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	8.5	25	2	3	7	12	16	18	19
B. *Operated*	176	17.4	278	2	2	13	23	44	63	99+
2. MULTIPLE DX										
A. *Not Operated*	128	13.7	143	2	3	11	18	27	47	99+
B. *Operated*	1097	26.5	383	4	7	22	39	66	91	99+
1. SINGLE DX	201	16.3	255	2	2	12	21	35	56	99+
2. MULTIPLE DX	1225	25.2	373	4	7	20	36	64	89	99+
A. NOT OPERATED	153	12.8	127	2	3	10	17	26	44	99
B. OPERATED	1273	25.3	378	3	6	20	36	64	89	99+
TOTAL 0-19 YRS	17	8.3	69	1	1	7	8	23	28	30
20-34	56	10.3	218	2	2	6	10	23	33	94
35-49	86	19.7	298	2	2	18	25	49	87	99+
50-64	296	23.7	340	3	5	18	35	50	72	99+
65+	971	25.4	376	5	7	20	36	66	90	99+
GRAND TOTAL	**1426**	**23.9**	**366**	**3**	**6**	**19**	**34**	**61**	**85**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.6	2	1	1	2	4	4	5	6
20-34	515	3.2	4	1	1	3	4	6	7	10
35-49	1648	3.4	4	1	1	3	4	6	7	10
50-64	1318	3.6	4	1	1	3	5	6	8	11
65+	487	4.1	10	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	3.7	7	1	2	3	4	8	9	13
35-49	200	3.1	6	2	2	2	3	6	8	15
50-64	212	3.2	7	2	2	2	3	6	8	16
65+	37	4.1	17	1	2	2	4	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	10	1	1	3	5	7	10	20
20-34	562	4.0	6	1	1	3	5	7	9	12
35-49	2307	4.4	8	1	2	4	6	8	10	15
50-64	3223	4.9	13	1	2	4	6	9	11	18
65+	2217	5.7	18	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	50	5.7	22	2	2	4	9	13	14	20
35-49	325	5.5	26	2	2	4	8	11	15	29
50-64	515	5.7	24	2	2	4	8	13	16	23
65+	165	8.9	69	2	2	7	12	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4023	3.5	5	1	1	3	4	6	8	11
B. *Operated*	476	3.3	8	2	2	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	8375	4.9	13	1	2	4	6	9	11	18
B. *Operated*	1057	6.2	33	2	2	4	8	13	17	27
1. SINGLE DX	4499	3.5	5	1	1	3	4	6	8	11
2. MULTIPLE DX	9432	5.0	15	1	2	4	6	9	12	20
A. NOT OPERATED	12398	4.4	11	1	2	4	5	8	10	16
B. OPERATED	1533	5.3	27	2	2	3	7	12	15	25
TOTAL 0-19 YRS	124	3.4	9	1	1	3	4	6	8	19
20-34	1153	3.7	6	1	1	3	5	7	9	13
35-49	4480	4.0	8	1	2	3	5	7	9	15
50-64	5268	4.6	12	1	2	4	6	8	11	17
65+	2906	5.6	21	2	2	4	7	10	13	24
GRAND TOTAL	**13931**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	399	3.1	14	1	1	2	3	6	8	19
20-34	34	2.4	2	1	1	2	3	4	5	8
35-49	35	3.5	11	<1	1	3	4	6	8	19
50-64	52	3.8	11	<1	1	3	5	8	10	17
65+	59	5.6	13	1	1	5	7	11	14	16
B. *Operated*										
0-19 YRS	18	2.7	3	<1	<1	2	4	5	6	6
20-34	44	3.5	9	1	1	2	4	7	10	14
35-49	65	4.0	11	<1	1	3	5	8	11	17
50-64	133	4.1	12	1	1	3	5	9	12	17
65+	99	4.9	28	1	1	3	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	5.9	64	1	1	3	6	14	21	35
20-34	120	8.0	58	<1	1	6	11	16	19	39
35-49	116	5.1	18	1	1	4	6	11	14	21
50-64	279	7.2	51	1	2	6	9	14	19	35
65+	552	8.7	50	2	2	7	11	17	21	40
B. *Operated*										
0-19 YRS	34	9.7	105	1	2	6	14	25	41	99+
20-34	44	8.9	85	<1	1	6	13	20	30	41
35-49	106	6.2	25	1	2	5	8	12	15	29
50-64	265	7.6	80	1	2	5	9	15	24	59
65+	309	9.7	98	1	2	7	12	21	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	3.4	13	1	1	2	4	7	9	18
B. *Operated*	359	4.2	15	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	1361	7.4	53	1	2	5	10	16	20	37
B. *Operated*	758	8.4	82	1	2	6	11	19	27	60
1. SINGLE DX	938	3.7	14	1	1	2	5	8	11	17
2. MULTIPLE DX	2119	7.8	63	1	2	5	10	16	22	42
A. NOT OPERATED	1940	6.2	44	1	1	4	8	13	18	34
B. OPERATED	1117	7.1	65	1	1	4	9	15	23	44
TOTAL 0-19 YRS	745	4.5	40	1	1	3	5	10	15	32
20-34	242	6.6	52	<1	1	4	9	15	18	38
35-49	322	5.0	19	1	1	4	6	10	14	21
50-64	729	6.6	54	1	1	4	8	13	18	38
65+	1019	8.5	62	1	2	6	11	17	22	42
GRAND TOTAL	**3057**	**6.5**	**52**	**1**	**1**	**4**	**8**	**14**	**19**	**39**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.3	2	1	1	2	3	4	5	7
20-34	514	2.4	2	1	1	2	3	4	5	8
35-49	546	2.3	3	1	1	2	3	4	5	8
50-64	436	2.5	4	1	1	2	3	5	5	9
65+	179	3.9	17	1	1	3	4	8	12	35
B. *Operated*										
0-19 YRS	106	1.8	2	<1	<1	1	2	3	5	8
20-34	87	4.8	12	<1	1	4	7	9	12	16
35-49	109	5.2	12	1	1	5	7	10	13	17
50-64	105	5.9	18	1	2	5	8	11	13	22
65+	124	6.1	18	2	2	5	8	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	67	<1	1	3	5	8	10	95
20-34	240	3.5	7	1	1	3	4	7	9	12
35-49	318	3.4	7	1	1	3	4	6	7	15
50-64	392	4.5	28	1	2	4	5	8	10	18
65+	581	7.5	74	1	2	5	9	14	20	48
B. *Operated*										
0-19 YRS	58	4.0	23	<1	<1	2	5	13	15	22
20-34	94	6.0	31	1	2	4	8	11	18	31
35-49	129	7.4	24	2	2	6	9	15	17	25
50-64	238	8.8	38	2	3	7	11	17	22	33
65+	551	12.2	107	2	3	9	16	24	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1762	2.6	4	1	1	2	3	5	6	10
B. *Operated*	531	4.8	15	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1593	5.2	42	1	1	4	6	10	13	33
B. *Operated*	1070	9.0	77	2	2	8	12	20	27	49
1. SINGLE DX	2293	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2663	7.1	61	1	2	5	9	15	21	43
A. NOT OPERATED	3355	3.8	24	1	1	3	4	7	10	21
B. OPERATED	1601	8.2	62	1	2	6	10	17	23	41
TOTAL 0-19 YRS	313	2.9	20	<1	<1	2	3	5	8	18
20-34	935	3.3	9	1	1	2	4	7	9	15
35-49	1102	3.5	10	1	1	2	4	7	9	17
50-64	1171	4.8	25	1	1	3	6	10	13	25
65+	1435	8.7	83	1	2	6	11	19	25	51
GRAND TOTAL	**4956**	**5.2**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2181	2.5	3	1	1	2	3	5	6	9
20-34	1772	3.1	5	1	1	2	4	6	7	11
35-49	835	3.8	9	1	1	3	5	7	9	15
50-64	585	4.0	7	1	1	3	5	7	9	13
65+	447	4.6	10	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	174	4.4	6	1	2	4	5	8	9	13
20-34	268	4.6	16	<1	1	4	6	10	13	20
35-49	113	5.2	20	1	1	4	8	12	13	23
50-64	55	4.9	15	1	1	4	6	10	14	19
65+	50	6.8	31	1	2	5	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	957	3.3	15	1	1	3	4	6	8	12
20-34	1108	4.1	15	1	1	3	5	8	10	21
35-49	796	5.2	15	1	2	4	7	9	12	21
50-64	1030	5.6	23	1	2	5	7	10	13	20
65+	1469	6.9	26	2	2	6	9	12	16	30
B. *Operated*										
0-19 YRS	114	5.6	20	<1	1	5	7	10	14	24
20-34	264	6.2	31	<1	1	5	8	13	17	28
35-49	182	9.3	75	1	2	7	11	20	27	41
50-64	173	9.7	56	2	3	8	12	19	24	32
65+	225	12.4	100	3	4	10	15	23	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5820	3.2	6	1	1	2	4	6	8	12
B. *Operated*	660	4.9	15	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	5360	5.2	21	1	1	4	7	10	13	23
B. *Operated*	958	8.8	65	1	2	7	11	18	23	43
1. SINGLE DX	6480	3.4	7	1	1	3	4	7	8	13
2. MULTIPLE DX	6318	5.7	29	1	1	4	7	11	15	27
A. NOT OPERATED	11180	4.1	14	1	1	3	5	8	11	18
B. OPERATED	1618	7.2	48	1	1	5	9	15	20	37
TOTAL 0-19 YRS	3426	3.0	8	1	1	2	4	6	7	11
20-34	3412	3.8	12	1	1	3	5	7	10	17
35-49	1926	5.0	20	1	1	4	6	10	13	23
50-64	1843	5.5	23	1	2	4	7	10	13	22
65+	2191	7.0	35	2	2	5	9	13	17	33
GRAND TOTAL	**12798**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.1	6	1	1	2	4	6	9	13
20-34	75	3.6	19	<1	1	2	4	8	9	29
35-49	66	4.0	15	<1	1	3	5	8	11	20
50-64	58	3.0	6	<1	1	2	4	6	8	12
65+	95	5.2	27	1	1	3	6	11	14	29
B. *Operated*										
0-19 YRS	18	5.6	23	1	1	4	8	14	16	16
20-34	30	3.9	11	1	1	2	6	8	12	13
35-49	36	4.2	7	1	2	4	6	8	9	10
50-64	39	5.2	46	1	1	3	5	13	21	33
65+	40	5.9	37	<1	1	4	8	11	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	4.2	30	1	1	3	5	8	12	95
20-34	144	3.8	10	<1	1	3	5	8	10	15
35-49	165	5.5	25	1	1	4	7	10	15	27
50-64	329	7.3	54	1	2	5	9	16	20	38
65+	661	9.1	76	2	2	7	11	18	24	51
B. *Operated*										
0-19 YRS	25	6.6	107	1	2	4	6	10	24	54
20-34	67	9.0	84	2	2	7	11	17	22	58
35-49	82	7.7	35	1	1	6	10	17	22	23
50-64	141	11.2	132	1	2	8	14	23	36	59
65+	229	13.5	138	2	3	11	18	29	32	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	3.7	14	1	1	3	5	8	11	20
B. *Operated*	163	4.9	26	1	1	3	6	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	1555	7.0	57	1	2	5	9	15	21	45
B. *Operated*	544	11.2	118	1	2	8	15	23	30	67
1. SINGLE DX	626	4.1	18	1	1	3	5	8	11	22
2. MULTIPLE DX	2099	8.1	76	1	2	6	10	18	24	51
A. NOT OPERATED	2018	6.3	49	1	1	4	8	13	19	42
B. OPERATED	707	9.7	103	1	2	7	13	21	29	60
TOTAL 0-19 YRS	468	4.0	25	1	1	3	5	7	12	53
20-34	316	4.8	32	1	1	3	6	10	14	27
35-49	349	5.6	25	1	1	4	7	12	16	23
50-64	567	7.7	74	1	1	5	9	17	23	48
65+	1025	9.6	90	2	2	7	12	20	29	67
GRAND TOTAL	**2725**	**7.2**	**65**	**1**	**1**	**5**	**9**	**16**	**22**	**47**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	996	4.1	21	1	1	3	5	8	11	19
20-34	433	3.7	11	<1	1	3	5	7	9	13
35-49	495	4.4	36	1	1	3	5	8	10	27
50-64	640	4.8	46	1	1	3	6	8	10	47
65+	884	5.5	35	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS	99	4.5	36	<1	1	2	5	10	12	36
20-34	188	2.7	4	<1	<1	2	3	5	7	12
35-49	179	3.3	11	<1	1	2	4	6	9	18
50-64	168	3.9	16	<1	1	2	4	9	11	21
65+	118	4.9	32	<1	1	3	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1000	5.7	54	1	1	4	7	12	16	45
20-34	717	5.0	25	1	1	4	6	9	11	24
35-49	925	5.0	15	1	1	4	7	10	12	19
50-64	2247	6.7	40	1	2	5	8	13	17	33
65+	5391	8.7	65	2	3	7	11	17	23	46
B. *Operated*										
0-19 YRS	87	11.2	205	1	1	5	15	41	56	99+
20-34	159	5.8	58	<1	1	3	6	13	21	41
35-49	203	7.5	126	1	1	4	9	17	23	81
50-64	419	10.4	149	1	2	6	12	27	34	78
65+	897	15.6	245	2	3	11	19	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3448	4.6	30	1	1	3	5	8	11	22
B. *Operated*	752	3.7	18	<1	1	2	4	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	10280	7.4	53	1	2	5	9	14	20	40
B. *Operated*	1765	12.4	202	1	2	8	15	29	47	99+
1. SINGLE DX	4200	4.4	28	1	1	3	5	8	11	23
2. MULTIPLE DX	12045	8.1	78	1	2	6	10	16	23	54
A. NOT OPERATED	13728	6.7	49	1	2	5	8	13	18	37
B. OPERATED	2517	9.8	163	1	2	5	12	24	35	92
TOTAL 0-19 YRS	2182	5.1	46	1	1	3	6	10	15	42
20-34	1497	4.4	23	1	1	3	5	8	11	24
35-49	1802	5.0	34	1	1	4	6	10	13	28
50-64	3474	6.7	56	1	2	5	8	13	18	41
65+	7290	9.1	90	2	2	7	11	18	25	59
GRAND TOTAL	**16245**	**7.2**	**68**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.6	6	1	1	2	3	5	7	12
20-34	24	4.6	10	1	1	4	6	10	11	12
35-49	13	4.8	11	<1	1	4	6	9	12	13
50-64	4	4.5	1	3	3	5	5	5	5	5
65+	5	8.4	93	1	1	5	12	25	25	25
B. *Operated*										
0-19 YRS	45	7.3	16	2	3	7	9	11	16	20
20-34	16	12.5	502	3	4	7	9	13	71	96
35-49	6	12.0	53	2	3	10	19	22	22	22
50-64	4	9.0	29	3	3	9	37	99+	99+	99+
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.9	15	1	1	2	5	9	13	19
20-34	61	6.5	23	1	2	5	9	14	16	21
35-49	32	8.9	50	2	4	7	9	21	26	32
50-64	25	9.9	73	2	2	7	13	20	31	34
65+	27	13.6	156	1	2	12	18	26	34	61
B. *Operated*										
0-19 YRS	111	10.5	157	1	2	6	10	28	39	62
20-34	75	15.8	226	2	3	11	22	48	60	99+
35-49	37	14.8	310	2	3	10	15	39	73	99+
50-64	26	24.3	480	5	5	19	39	65	94	99+
65+	22	27.2	485	2	3	23	53	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.9	9	1	1	2	3	6	8	15
B. *Operated*	72	9.0	126	2	3	8	10	15	20	99
2. MULTIPLE DX										
A. *Not Operated*	467	5.4	36	1	1	3	7	13	18	29
B. *Operated*	271	15.3	278	2	2	9	20	45	61	99+
1. SINGLE DX	387	4.1	36	1	1	2	5	9	11	23
2. MULTIPLE DX	738	9.0	147	1	1	5	10	22	37	93
A. NOT OPERATED	782	4.4	27	1	1	3	5	9	15	25
B. OPERATED	343	13.9	252	2	2	8	17	39	60	99+
TOTAL 0-19 YRS	747	4.6	40	1	1	3	5	9	14	34
20-34	176	10.7	170	1	2	7	13	24	44	99
35-49	88	11.0	164	2	2	7	12	27	39	98
50-64	59	15.8	298	2	3	10	20	45	79	99+
65+	55	18.5	324	1	2	15	25	60	68	99+
GRAND TOTAL	**1125**	**7.3**	**114**	**1**	**1**	**4**	**8**	**17**	**27**	**70**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.2	7	1	1	3	4	6	8	14
20-34	39	6.3	46	1	1	4	8	15	21	34
35-49	21	6.8	32	1	1	6	10	13	19	24
50-64	16	5.5	15	1	1	4	8	12	13	13
65+	12	12.8	120	2	3	8	16	34	35	35
B. *Operated*										
0-19 YRS	12	6.8	14	1	2	7	10	12	12	12
20-34	13	7.5	35	<1	<1	8	12	15	17	17
35-49	5	11.4	38	1	1	12	16	16	16	16
50-64										
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	5.0	18	1	1	4	7	11	13	20
20-34	109	7.9	61	1	2	6	10	15	18	47
35-49	52	6.4	23	<1	2	5	8	13	17	21
50-64	54	11.6	105	2	3	8	17	24	31	50
65+	59	15.3	166	1	3	11	23	35	56	99+
B. *Operated*										
0-19 YRS	61	15.4	397	1	2	10	17	68	99+	99+
20-34	87	15.2	231	2	3	10	19	39	57	99+
35-49	53	16.1	253	2	4	12	23	33	89	99+
50-64	24	21.7	405	3	4	16	41	70	99+	99+
65+	23	29.3	613	4	8	20	39	73	85	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.8	28	1	1	3	6	11	14	33
B. *Operated*	31	8.3	32	<1	1	8	12	16	17	21
2. MULTIPLE DX										
A. *Not Operated*	480	7.8	68	1	1	5	10	18	24	48
B. *Operated*	248	17.4	341	2	3	12	24	55	92	99+
1. SINGLE DX	249	5.3	30	1	1	3	7	12	15	33
2. MULTIPLE DX	728	11.1	181	1	2	7	14	26	47	99+
A. NOT OPERATED	698	6.9	57	1	1	4	8	16	22	40
B. OPERATED	279	16.4	314	1	3	11	20	48	80	99+
TOTAL 0-19 YRS	409	6.0	86	1	1	4	7	12	18	95
20-34	248	10.2	130	1	2	7	13	22	34	91
35-49	131	10.6	138	1	2	8	14	24	29	99+
50-64	94	13.1	192	2	3	8	19	34	51	99+
65+	95	18.4	299	2	4	14	25	39	71	99+
GRAND TOTAL	**977**	**9.6**	**149**	**1**	**1**	**6**	**12**	**22**	**36**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	2	3	4	7
20-34	54	2.3	4	<1	<1	2	3	4	7	12
35-49	22	2.3	2	<1	<1	2	3	4	5	6
50-64	7	3.4	22	1	1	2	3	12	14	14
65+	14	4.1	11	<1	<1	3	6	9	11	12
B. *Operated*										
0-19 YRS	935	2.1	3	<1	<1	2	3	4	5	8
20-34	1071	2.8	5	<1	1	2	3	5	7	11
35-49	252	3.3	5	<1	1	3	4	6	7	11
50-64	109	3.5	10	<1	1	3	4	7	9	19
65+	40	4.6	22	1	1	3	5	8	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.1	2	<1	<1	2	3	4	5	7
20-34	177	3.5	11	<1	1	3	5	8	10	17
35-49	78	4.4	22	1	1	3	6	9	12	29
50-64	76	5.4	17	1	1	4	7	10	15	20
65+	145	8.0	59	1	2	5	10	19	25	44
B. *Operated*										
0-19 YRS	841	3.9	14	1	1	3	5	8	10	17
20-34	1279	5.1	47	1	1	3	6	9	13	39
35-49	417	6.4	68	1	2	4	7	13	17	41
50-64	234	7.4	65	1	1	5	9	17	21	49
65+	186	9.9	159	2	2	6	12	20	27	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.5	5	<1	<1	2	3	5	7	13
B. *Operated*	2407	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	591	4.7	28	<1	1	3	6	10	15	31
B. *Operated*	2957	5.4	52	1	1	3	6	11	15	37
1. SINGLE DX	2537	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	3548	5.3	48	1	1	3	6	10	15	35
A. NOT OPERATED	721	4.3	24	<1	1	3	5	9	14	29
B. OPERATED	5364	4.2	32	<1	1	3	5	8	12	25
TOTAL 0-19 YRS	1924	2.9	9	<1	<1	2	3	5	8	15
20-34	2581	4.0	27	1	1	3	4	7	10	24
35-49	769	5.1	43	1	1	3	6	10	13	28
50-64	426	6.0	45	1	1	4	8	13	17	36
65+	385	8.4	105	1	2	5	10	19	23	66
GRAND TOTAL	**6085**	**4.2**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**25**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	5.7	27	1	2	5	7	11	14	22
20-34	290	7.7	54	1	2	6	9	14	20	45
35-49	162	7.8	59	2	2	6	10	14	18	32
50-64	207	9.4	37	2	3	8	12	17	20	33
65+	413	12.3	102	3	4	10	15	22	28	51
B. *Operated*										
0-19 YRS	22	13.7	222	2	2	8	15	39	49	51
20-34	39	11.0	43	3	4	10	13	19	25	35
35-49	14	10.4	19	4	5	11	14	15	17	18
50-64	11	16.2	285	6	6	9	14	46	58	59
65+	12	14.8	110	1	2	15	22	29	33	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	6.5	45	1	2	5	8	12	16	38
20-34	363	7.9	39	1	2	6	11	15	21	33
35-49	210	8.7	41	2	2	7	11	17	22	30
50-64	468	11.8	101	3	4	9	15	21	29	50
65+	2001	14.5	119	4	5	12	18	27	37	97
B. *Operated*										
0-19 YRS	56	18.3	298	3	5	13	25	36	70	99
20-34	115	18.1	235	2	4	12	24	44	55	99+
35-49	73	14.9	146	3	4	11	20	30	45	55
50-64	79	18.4	158	4	6	15	24	39	48	53
65+	203	25.8	375	7	9	20	35	60	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	9.3	69	2	2	7	12	18	22	39
B. *Operated*	98	12.6	113	2	4	10	14	27	35	55
2. MULTIPLE DX										
A. *Not Operated*	3231	12.6	106	2	4	10	16	24	32	71
B. *Operated*	526	20.7	287	4	6	15	28	47	63	99+
1. SINGLE DX	1341	9.5	73	2	3	7	12	18	23	43
2. MULTIPLE DX	3757	13.7	139	3	4	11	17	27	37	88
A. NOT OPERATED	4474	11.6	98	2	3	9	15	23	29	59
B. OPERATED	624	19.4	269	3	5	15	25	44	59	99+
TOTAL 0-19 YRS	438	8.1	96	1	2	5	9	16	25	52
20-34	807	9.4	85	2	2	7	11	20	25	50
35-49	459	9.4	69	2	2	7	12	19	26	46
50-64	765	11.9	98	3	4	9	15	23	30	51
65+	2629	15.1	146	3	5	12	19	29	41	97
GRAND TOTAL	**5098**	**12.6**	**125**	**2**	**3**	**10**	**16**	**25**	**34**	**75**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	29.0	1250	4	4	29	54	54	54	54
20-34	10	7.5	33	1	1	7	10	16	20	20
35-49	6	10.3	40	4	4	8	16	20	20	20
50-64	4	14.3	68	7	7	12	19	26	26	26
65+	6	11.2	29	6	6	9	15	19	20	20
B. *Operated*										
0-19 YRS	5	20.6	582	3	3	14	26	63	63	63
20-34	7	26.0	189	11	12	22	34	48	51	51
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	31.5	1861	1	1	31	62	62	62	62
20-34	10	15.9	388	3	3	9	17	44	70	70
35-49	12	10.2	136	1	1	6	10	31	39	40
50-64	6	11.3	48	5	5	8	18	22	22	22
65+	49	15.7	264	2	4	12	18	32	50	91
B. *Operated*										
0-19 YRS	10	54.3	444	21	27	66	84	99+	99+	99+
20-34	24	26.1	421	1	11	19	46	96	99+	99+
35-49	7	30.4	359	11	12	26	43	61	64	64
50-64	9	52.9	984	16	17	60	95	98	99+	99+
65+	5	13.6	22	9	10	18	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	11.4	107	1	4	9	14	20	29	54
B. *Operated*	15	21.6	298	3	5	16	27	51	60	63
2. MULTIPLE DX										
A. *Not Operated*	79	14.9	266	1	3	10	17	32	56	85
B. *Operated*	55	35.0	643	10	12	30	73	99+	99+	99+
1. SINGLE DX	43	15.0	192	2	4	10	19	30	52	63
2. MULTIPLE DX	134	23.2	515	2	5	16	39	79	99+	99+
A. NOT OPERATED	107	14.0	225	1	3	10	16	28	50	79
B. OPERATED	70	32.1	595	5	11	27	64	99+	99+	99+
TOTAL 0-19 YRS	19	40.4	764	2	4	58	69	99+	99+	99+
20-34	51	20.4	349	1	4	16	27	70	96	99+
35-49	27	15.9	238	1	3	9	25	38	50	64
50-64	20	30.4	878	6	6	18	58	95	97	99+
65+	60	15.1	221	2	5	12	19	41	94	99+
GRAND TOTAL	**177**	**21.2**	**448**	**2**	**4**	**14**	**29**	**70**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	10	<1	1	3	4	7	12	15
20-34	81	3.0	8	1	1	2	3	5	7	19
35-49	105	3.4	5	1	1	3	4	6	7	12
50-64	123	4.2	6	1	2	4	5	7	9	13
65+	132	5.6	25	1	2	5	7	10	11	22
B. *Operated*										
0-19 YRS	5	6.0	33	1	1	6	9	15	15	15
20-34	2	17.0	8	15	15	17	19	19	19	19
35-49	6	4.3	2	2	2	4	5	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.0	14	1	1	3	5	7	10	24
20-34	329	4.9	14	1	2	4	6	9	14	20
35-49	383	5.3	20	1	2	4	7	10	14	23
50-64	581	7.3	38	2	2	6	9	14	18	27
65+	1264	11.2	109	2	3	9	14	23	31	77
B. *Operated*										
0-19 YRS	24	11.6	142	1	2	8	16	26	36	56
20-34	99	11.0	169	2	2	7	11	21	35	74
35-49	108	10.9	66	3	3	9	13	22	27	44
50-64	121	12.9	96	3	4	10	17	25	35	51
65+	186	20.3	233	4	5	17	26	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	4.2	13	1	1	3	5	8	10	15
B. *Operated*	15	7.2	29	1	1	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	2640	8.5	73	2	2	6	10	17	24	51
B. *Operated*	538	14.7	170	3	4	11	19	32	45	80
1. SINGLE DX	475	4.3	14	1	1	3	5	8	10	15
2. MULTIPLE DX	3178	9.5	95	2	2	7	12	20	28	62
A. NOT OPERATED	3100	7.9	66	1	2	6	10	16	22	46
B. OPERATED	553	14.5	167	2	4	10	19	32	45	79
TOTAL 0-19 YRS	131	5.4	45	1	1	3	6	11	17	33
20-34	511	5.8	51	1	1	4	7	11	17	33
35-49	602	6.0	31	1	2	4	7	12	17	29
50-64	826	7.6	48	2	2	6	9	16	19	35
65+	1583	11.8	128	2	3	9	15	25	34	82
GRAND TOTAL	**3653**	**8.9**	**87**	**1**	**2**	**6**	**11**	**19**	**26**	**58**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	7.1	36	2	2	6	8	13	18	36
20-34	64	10.1	55	3	3	8	13	20	22	45
35-49	54	13.7	123	2	4	10	16	33	37	52
50-64	90	11.4	80	2	4	9	15	20	28	53
65+	320	15.4	121	4	5	13	19	29	39	75
B. *Operated*										
0-19 YRS	5	13.8	164	4	4	7	23	34	34	34
20-34	3	43.0	112	31	31	47	50	51	51	51
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	25.3	102	19	19	20	33	37	37	37
65+	6	19.7	91	12	12	15	28	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	8.5	46	2	3	6	11	16	21	33
20-34	157	13.4	117	3	4	10	17	26	39	53
35-49	87	15.7	244	3	4	11	19	28	50	87
50-64	214	15.2	100	4	6	12	19	27	34	49
65+	1397	19.4	199	5	6	16	24	37	53	99+
B. *Operated*										
0-19 YRS	58	21.1	215	3	5	18	30	40	53	61
20-34	113	29.0	497	5	7	24	45	69	94	99+
35-49	44	28.7	451	9	10	21	46	66	81	99+
50-64	70	32.2	356	8	11	30	49	69	98	99+
65+	189	31.8	356	11	12	29	49	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	13.0	105	3	4	11	16	24	34	59
B. *Operated*	18	22.3	202	4	6	19	34	44	49	51
2. MULTIPLE DX										
A. *Not Operated*	1994	17.6	183	4	5	14	22	34	47	92
B. *Operated*	474	29.6	390	7	9	27	45	68	95	99+
1. SINGLE DX	629	13.2	110	3	4	11	17	26	36	59
2. MULTIPLE DX	2468	19.9	245	4	6	16	26	44	60	99+
A. NOT OPERATED	2605	16.5	169	3	5	13	21	32	44	88
B. OPERATED	492	29.3	385	7	9	27	44	67	92	99+
TOTAL 0-19 YRS	285	10.7	107	2	3	7	12	27	32	53
20-34	337	18.2	299	3	4	12	24	47	58	99+
35-49	186	18.2	289	3	4	13	22	43	58	93
50-64	377	17.5	194	4	5	14	22	38	50	97
65+	1912	20.0	218	5	6	16	25	41	59	99+
GRAND TOTAL	**3097**	**18.5**	**225**	**4**	**5**	**15**	**24**	**39**	**55**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.4	20	1	1	2	4	7	14	23
20-34	40	3.6	16	<1	1	2	4	6	12	22
35-49	28	5.9	39	1	2	4	6	15	19	29
50-64	62	4.6	40	<1	1	3	5	9	12	42
65+	248	7.5	70	1	1	5	9	17	25	44
B. *Operated*										
0-19 YRS	597	4.8	30	1	1	3	5	12	18	24
20-34	115	5.2	29	1	1	4	6	9	16	32
35-49	117	5.5	73	1	1	4	6	9	12	57
50-64	172	5.5	31	1	1	4	6	10	16	29
65+	298	7.7	54	1	2	6	10	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.6	44	1	1	4	6	13	23	31
20-34	38	7.9	119	1	1	5	8	17	27	62
35-49	53	6.2	57	1	1	5	7	10	16	49
50-64	157	9.7	106	1	1	6	13	22	32	49
65+	883	12.8	166	2	3	9	16	30	45	99+
B. *Operated*										
0-19 YRS	360	5.9	42	1	1	3	7	14	20	28
20-34	153	10.9	163	1	2	6	12	30	39	79
35-49	134	11.0	149	1	2	6	13	24	34	63
50-64	269	11.0	126	2	3	7	13	27	38	62
65+	815	16.4	257	2	3	11	22	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	5.7	51	1	1	3	6	14	21	43
B. *Operated*	1299	5.6	41	1	1	4	7	13	19	30
2. MULTIPLE DX										
A. *Not Operated*	1203	11.5	150	1	2	7	15	28	40	99+
B. *Operated*	1731	12.5	192	1	2	8	16	32	44	90
1. SINGLE DX	1807	5.7	43	1	1	4	7	13	19	32
2. MULTIPLE DX	2934	12.1	175	1	2	8	15	30	42	95
A. NOT OPERATED	1711	9.8	127	1	1	6	13	23	34	80
B. OPERATED	3030	9.5	139	1	2	5	12	23	35	73
TOTAL 0-19 YRS	1159	5.0	34	1	1	3	5	13	19	26
20-34	346	7.8	105	1	1	4	8	20	31	59
35-49	332	7.9	104	1	1	5	8	16	28	56
50-64	660	8.6	95	1	2	5	10	20	30	48
65+	2244	12.8	185	1	2	8	16	31	45	99+
GRAND TOTAL	**4741**	**9.6**	**134**	**1**	**1**	**5**	**12**	**23**	**35**	**74**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.0	2	<1	1	2	3	4	5	7
20-34	21	3.0	6	<1	1	3	4	6	9	10
35-49	20	3.1	3	1	1	3	4	6	7	7
50-64	30	3.3	8	1	1	2	4	7	8	14
65+	42	5.2	32	1	1	3	6	13	18	25
B. *Operated*										
0-19 YRS	1384	2.0	3	<1	1	1	2	4	5	9
20-34	425	3.7	9	1	1	3	4	7	9	17
35-49	368	3.4	9	1	1	3	4	6	8	14
50-64	548	3.2	7	1	1	3	4	6	8	11
65+	525	4.2	19	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.3	32	<1	1	2	4	6	7	38
20-34	57	4.9	25	1	1	3	6	11	15	27
35-49	42	4.7	25	<1	1	3	5	10	16	26
50-64	74	5.9	39	1	2	4	7	11	15	39
65+	220	11.3	186	1	2	7	13	25	43	99+
B. *Operated*										
0-19 YRS	607	3.7	40	1	1	2	4	7	11	39
20-34	407	7.7	101	1	2	5	9	16	25	56
35-49	285	8.1	143	1	2	5	8	16	27	91
50-64	534	5.6	46	1	2	4	6	11	15	37
65+	833	9.5	123	1	2	6	12	22	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.1	11	<1	1	2	4	6	9	19
B. *Operated*	3250	2.9	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	474	7.8	114	1	1	4	10	16	26	82
B. *Operated*	2666	7.0	93	1	1	4	8	16	25	57
1. SINGLE DX	3453	2.9	9	1	1	2	4	6	8	14
2. MULTIPLE DX	3140	7.1	96	1	1	4	8	16	25	60
A. NOT OPERATED	677	6.4	88	1	1	3	7	13	23	68
B. OPERATED	5916	4.8	50	1	1	3	5	10	15	39
TOTAL 0-19 YRS	2162	2.5	15	<1	1	2	3	5	6	17
20-34	910	5.6	55	1	1	4	6	11	16	47
35-49	715	5.3	68	1	1	3	6	10	16	54
50-64	1186	4.4	28	1	1	3	5	8	11	25
65+	1620	7.9	103	1	1	5	10	18	26	67
GRAND TOTAL	**6593**	**4.9**	**54**	**1**	**1**	**3**	**5**	**10**	**16**	**42**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	6	<1	<1	3	5	7	8	9
20-34	26	3.5	10	<1	1	2	5	8	11	14
35-49	15	3.7	9	<1	<1	3	5	8	10	11
50-64	22	2.9	5	<1	1	2	4	6	8	10
65+	21	4.6	16	<1	1	4	5	10	14	17
B. *Operated*										
0-19 YRS	497	2.0	2	<1	1	2	2	3	5	8
20-34	555	2.4	6	<1	<1	2	3	4	5	8
35-49	235	2.5	3	<1	1	2	3	4	6	8
50-64	145	2.6	3	<1	1	2	3	4	5	8
65+	74	3.2	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.9	54	<1	1	2	4	7	11	46
20-34	54	3.6	9	1	1	2	5	8	11	13
35-49	28	5.1	50	1	1	4	5	7	18	38
50-64	36	5.5	30	1	1	4	7	11	17	28
65+	101	12.1	173	2	3	8	14	25	40	71
B. *Operated*										
0-19 YRS	271	3.3	17	1	1	2	4	6	8	27
20-34	404	4.0	36	1	1	3	4	7	13	27
35-49	203	4.3	26	1	1	3	5	9	12	29
50-64	170	5.1	45	1	1	3	6	12	16	28
65+	150	8.2	89	1	1	4	11	18	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.5	9	<1	1	3	5	8	10	15
B. *Operated*	1506	2.3	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	258	7.4	101	1	1	4	8	19	26	46
B. *Operated*	1198	4.6	40	1	1	3	5	10	15	30
1. SINGLE DX	1622	2.4	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	1456	5.1	52	1	1	3	5	11	17	38
A. NOT OPERATED	374	6.2	76	1	1	4	7	13	22	45
B. OPERATED	2704	3.3	21	<1	1	2	3	6	10	23
TOTAL 0-19 YRS	839	2.6	10	<1	1	2	3	5	6	14
20-34	1039	3.1	18	<1	1	2	3	6	8	17
35-49	481	3.4	16	1	1	2	4	6	9	21
50-64	373	4.0	26	<1	1	3	4	7	13	25
65+	346	8.1	101	1	1	4	10	20	27	49
GRAND TOTAL	**3078**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	22.8	294	2	4	23	40	52	62	99+
20-34	10	5.0	13	1	1	5	6	10	11	11
35-49	10	10.1	168	3	3	6	9	29	46	46
50-64	47	12.3	184	1	2	7	16	32	43	61
65+	181	14.3	161	1	3	11	20	31	41	54
B. *Operated*										
0-19 YRS	83	10.4	107	2	3	8	11	22	32	57
20-34	49	13.6	103	3	6	11	16	26	29	59
35-49	98	15.5	116	6	7	13	18	28	40	86
50-64	497	16.5	99	7	8	15	19	25	34	62
65+	2653	21.9	170	9	11	19	25	38	50	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	14.9	227	1	2	9	23	36	47	59
20-34	11	11.5	265	1	1	6	12	35	55	57
35-49	21	25.2	703	1	1	12	48	65	77	85
50-64	87	19.9	415	2	4	14	25	52	81	99+
65+	651	21.1	338	2	4	16	32	57	94	99+
B. *Operated*										
0-19 YRS	81	23.0	215	7	9	19	30	48	53	72
20-34	111	24.5	225	8	10	20	35	52	59	78
35-49	154	24.2	325	7	8	19	35	59	85	99+
50-64	969	21.4	166	8	10	18	27	39	49	99+
65+	8646	26.9	277	10	12	22	35	56	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	14.5	186	1	2	10	21	34	46	65
B. *Operated*	3380	20.5	163	7	9	18	24	35	47	91
2. MULTIPLE DX										
A. *Not Operated*	799	20.7	352	2	4	15	31	56	82	99+
B. *Operated*	9961	26.3	268	9	12	22	34	54	78	99+
1. SINGLE DX	3661	20.1	168	6	8	17	24	35	47	90
2. MULTIPLE DX	10760	25.8	277	8	11	21	34	54	78	99+
A. NOT OPERATED	1080	19.1	316	2	3	14	28	52	74	99+
B. OPERATED	13341	24.8	248	9	11	21	31	50	71	99+
TOTAL 0-19 YRS	226	17.3	220	2	3	12	25	41	52	67
20-34	181	19.7	221	3	6	15	25	43	55	64
35-49	283	20.7	293	5	7	16	26	50	70	99+
50-64	1600	19.5	165	6	8	16	23	36	47	91
65+	12131	25.3	262	9	11	21	32	52	75	99+
GRAND TOTAL	**14421**	**24.4**	**255**	**8**	**10**	**20**	**31**	**50**	**71**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	22.0	235	2	3	21	30	43	53	63
20-34	26	22.0	473	1	1	15	43	57	59	62
35-49	6	15.7	617	<1	<1	7	9	60	66	66
50-64	25	21.6	429	2	4	11	43	54	82	99+
65+	75	22.2	460	1	2	14	38	60	72	99+
B. *Operated*										
0-19 YRS	298	22.0	335	1	2	17	33	48	56	83
20-34	101	19.7	270	2	4	15	25	41	54	79
35-49	44	15.9	215	1	2	12	23	39	62	99+
50-64	48	20.4	243	3	4	17	24	40	59	74
65+	156	24.4	331	6	7	19	32	58	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	21.8	282	1	2	20	31	47	54	68
20-34	50	25.2	674	1	2	14	45	72	77	88
35-49	16	14.4	317	1	1	8	30	90	99+	99+
50-64	47	26.5	569	3	5	18	48	65	81	99+
65+	226	25.2	519	2	4	18	43	80	99+	99+
B. *Operated*										
0-19 YRS	413	26.1	381	2	4	23	38	56	70	99+
20-34	294	27.6	471	3	7	21	39	76	93	99+
35-49	102	27.4	471	3	5	21	38	64	91	99+
50-64	150	30.7	527	6	10	23	44	89	99+	99+
65+	553	32.6	498	7	11	27	50	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	22.0	305	1	2	20	31	49	56	82
B. *Operated*	647	21.7	312	2	3	17	30	48	60	94
2. MULTIPLE DX										
A. *Not Operated*	548	23.7	444	2	3	19	38	64	83	99+
B. *Operated*	1512	29.3	468	4	7	24	43	75	97	99+
1. SINGLE DX	1055	21.8	309	2	3	18	30	48	59	91
2. MULTIPLE DX	2060	27.8	468	3	5	23	42	71	94	99+
A. NOT OPERATED	956	22.9	385	2	3	19	34	56	72	99+
B. OPERATED	2159	27.0	434	3	5	22	39	66	90	99+
TOTAL 0-19 YRS	1196	23.4	322	2	3	21	34	49	58	86
20-34	471	25.3	457	2	4	19	36	67	85	99+
35-49	168	22.7	421	2	3	18	30	64	89	99+
50-64	270	27.3	488	4	6	21	43	75	96	99+
65+	1010	28.9	490	4	7	24	45	81	99+	99+
GRAND TOTAL	**3115**	**25.8**	**422**	**2**	**4**	**21**	**38**	**62**	**85**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	3.3	9	1	1	3	4	6	8	13
20-34	122	5.2	55	<1	1	3	7	9	13	44
35-49	99	5.8	73	1	1	3	5	13	19	51
50-64	88	7.7	85	1	2	5	8	15	23	55
65+	129	10.5	121	2	2	7	13	25	39	99+
B. *Operated*										
0-19 YRS	685	4.9	40	1	1	3	6	9	13	31
20-34	486	7.5	73	1	2	5	9	14	18	45
35-49	311	8.0	41	2	3	6	10	16	19	40
50-64	248	10.5	106	2	3	8	13	20	26	58
65+	148	14.5	170	2	3	11	18	31	44	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.2	13	1	1	3	5	9	11	15
20-34	145	5.8	41	1	1	4	7	12	18	27
35-49	98	7.7	84	1	1	5	10	14	20	56
50-64	149	12.1	152	1	2	8	17	26	39	67
65+	289	16.3	195	3	4	12	20	38	48	96
B. *Operated*										
0-19 YRS	573	9.3	138	1	2	5	10	21	31	72
20-34	587	14.6	250	2	3	9	18	37	56	99+
35-49	338	14.6	217	2	3	10	19	34	47	99+
50-64	351	16.9	280	3	4	12	21	42	65	99+
65+	405	21.0	335	4	5	16	29	55	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	6.0	64	1	1	4	7	12	18	52
B. *Operated*	1878	7.6	75	1	2	5	9	15	21	46
2. MULTIPLE DX										
A. *Not Operated*	859	10.3	135	1	1	7	12	24	36	69
B. *Operated*	2254	14.7	252	2	3	10	19	36	57	99+
1. SINGLE DX	2557	7.1	73	1	1	5	9	15	21	48
2. MULTIPLE DX	3113	13.5	223	1	2	9	17	33	51	99+
A. NOT OPERATED	1538	8.4	109	1	1	5	10	18	30	62
B. OPERATED	4132	11.5	184	1	2	7	14	27	43	95
TOTAL 0-19 YRS	1677	6.1	72	1	1	4	7	12	19	48
20-34	1340	10.2	161	1	2	6	12	24	37	87
35-49	846	10.3	132	2	2	7	12	24	34	76
50-64	836	13.2	196	2	3	9	16	28	44	86
65+	971	17.2	252	3	4	12	23	42	58	99+
GRAND TOTAL	**5670**	**10.6**	**166**	**1**	**2**	**6**	**13**	**25**	**39**	**86**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.1	7	<1	1	2	4	7	9	12
20-34	143	3.8	9	<1	1	3	5	7	10	14
35-49	99	4.9	15	1	2	4	6	10	13	19
50-64	138	5.2	17	1	1	4	6	11	15	19
65+	155	7.6	69	1	2	5	9	14	21	52
B. *Operated*										
0-19 YRS	670	4.2	9	1	1	4	5	8	9	15
20-34	979	5.3	15	1	2	4	6	10	12	21
35-49	783	6.2	21	1	2	5	8	11	13	25
50-64	778	7.2	28	2	3	6	9	13	16	26
65+	467	9.7	56	2	3	8	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.8	12	1	1	3	5	8	12	19
20-34	177	5.4	33	1	1	4	7	11	16	26
35-49	139	7.4	72	1	2	5	9	15	27	57
50-64	235	8.0	62	1	2	6	10	15	24	36
65+	469	12.1	141	2	3	9	15	24	38	96
B. *Operated*										
0-19 YRS	510	6.6	54	1	2	4	8	13	20	41
20-34	993	8.3	81	1	2	6	9	16	23	51
35-49	669	9.1	84	2	3	6	11	17	23	51
50-64	906	11.4	150	3	3	8	12	22	35	73
65+	841	15.6	194	3	4	12	19	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	5.0	27	1	1	4	6	10	14	22
B. *Operated*	3677	6.2	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	1131	8.8	95	1	2	6	11	19	27	61
B. *Operated*	3919	10.5	128	2	3	7	12	21	34	70
1. SINGLE DX	4340	6.0	26	1	2	5	8	11	15	25
2. MULTIPLE DX	5050	10.1	121	2	2	7	12	21	32	68
A. NOT OPERATED	1794	7.4	74	1	1	5	9	15	22	49
B. OPERATED	7596	8.4	83	2	2	6	10	16	24	55
TOTAL 0-19 YRS	1419	4.9	27	1	1	4	6	9	12	28
20-34	2292	6.5	47	1	2	5	7	12	17	35
35-49	1690	7.3	52	2	2	5	9	14	19	43
50-64	2057	9.0	90	2	3	7	10	16	24	59
65+	1932	12.7	146	2	3	9	16	26	40	90
GRAND TOTAL	**9390**	**8.2**	**81**	**1**	**2**	**6**	**10**	**16**	**23**	**52**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	3	1	1	1	2	5	5	9
20-34	17	3.0	4	<1	1	2	4	6	7	8
35-49	8	2.1	1	<1	<1	2	3	4	4	4
50-64	9	3.4	7	1	1	3	5	8	9	9
65+	14	5.7	22	1	1	5	8	13	14	14
B. *Operated*										
0-19 YRS	35	2.8	4	1	1	2	3	5	8	11
20-34	28	3.3	4	1	1	3	4	6	8	9
35-49	15	3.1	6	<1	1	2	4	5	10	11
50-64	5	5.6	34	2	2	3	7	16	16	16
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.0	5	1	1	2	4	7	7	11
20-34	126	4.6	22	1	1	3	5	8	14	27
35-49	73	5.4	46	1	1	3	6	12	16	39
50-64	90	6.4	28	1	2	5	8	14	18	24
65+	180	12.7	152	2	3	9	16	28	41	99+
B. *Operated*										
0-19 YRS	50	6.6	98	1	1	3	7	17	24	99+
20-34	50	6.8	76	1	1	3	6	18	27	42
35-49	32	13.2	260	<1	1	9	18	30	60	65
50-64	21	12.9	405	1	2	8	13	23	58	96
65+	41	16.2	133	2	3	15	25	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.0	8	1	1	2	4	7	9	14
B. *Operated*	85	3.2	6	1	1	2	4	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	560	7.3	79	1	1	4	9	17	24	52
B. *Operated*	194	10.5	172	1	2	5	14	26	35	98
1. SINGLE DX	167	3.1	7	1	1	2	4	6	9	14
2. MULTIPLE DX	754	8.1	105	1	1	5	10	20	28	70
A. NOT OPERATED	642	6.8	72	1	1	4	8	15	23	46
B. OPERATED	279	8.2	132	1	1	4	10	22	30	86
TOTAL 0-19 YRS	210	3.7	29	1	1	2	4	7	11	39
20-34	221	4.8	31	1	1	3	5	9	17	31
35-49	128	6.9	104	1	1	3	7	16	25	63
50-64	125	7.3	94	1	2	5	9	15	19	44
65+	237	12.8	145	2	2	10	16	29	40	99+
GRAND TOTAL	**921**	**7.2**	**91**	**1**	**1**	**4**	**8**	**17**	**25**	**63**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.6	11	1	1	4	6	10	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	10.3	94	2	2	8	18	21	21	21
50-64	2	10.5	61	5	5	10	16	16	16	16
65+										
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	3	13.0	27	7	7	16	16	16	16	16
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+	2	25.0	50	20	20	25	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	301	1	1	4	11	39	55	63
20-34	4	5.8	13	1	1	6	8	9	9	9
35-49	7	9.7	33	4	4	8	15	18	18	18
50-64	3	11.3	70	6	6	7	17	21	21	21
65+	7	15.4	116	4	5	10	22	33	35	35
B. *Operated*										
0-19 YRS	11	23.9	332	3	4	22	38	49	58	59
20-34	16	21.7	428	3	6	19	46	99+	99+	99+
35-49	3	10.7	92	2	2	15	60	99+	99+	99+
50-64	5	22.0	127	11	11	33	83	99+	99+	99+
65+	5	38.4	468	11	11	33	57	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.2	28	1	1	5	8	14	19	21
B. *Operated*	8	17.1	176	1	2	16	25	38	41	41
2. MULTIPLE DX										
A. *Not Operated*	38	11.5	166	1	1	7	12	31	39	63
B. *Operated*	40	23.6	358	3	5	23	42	99+	99+	99+
1. SINGLE DX	27	9.4	93	1	1	5	15	21	32	41
2. MULTIPLE DX	78	17.7	298	2	3	12	33	63	99+	99+
A. NOT OPERATED	57	9.7	125	1	1	6	11	21	34	61
B. OPERATED	48	22.5	329	2	5	21	41	99+	99+	99+
TOTAL 0-19 YRS	42	13.5	275	1	1	5	14	41	49	63
20-34	24	17.3	329	2	5	13	27	96	99+	99+
35-49	15	9.2	47	1	2	8	17	21	76	99+
50-64	10	16.5	113	5	6	18	33	99+	99+	99+
65+	14	25.0	320	5	9	22	33	56	63	65
GRAND TOTAL	**105**	**15.6**	**257**	**1**	**2**	**10**	**26**	**51**	**99**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	10	1.7	1	<1	<1	1	3	3	3	3
35-49	5	2.0	5	<1	<1	1	2	6	6	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	15	4.1	26	<1	1	2	5	12	17	19
B. *Operated*										
0-19 YRS	98	3.2	5	1	1	3	4	5	6	14
20-34	280	3.3	3	1	1	3	4	5	6	9
35-49	83	2.7	3	<1	1	2	4	5	6	8
50-64	48	2.8	5	<1	1	2	4	6	8	10
65+	62	2.4	10	<1	1	2	3	4	7	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	19	<1	<1	2	5	10	15	15
20-34	23	3.0	10	<1	1	2	3	6	11	15
35-49	7	5.0	8	2	2	6	6	9	10	10
50-64	7	7.9	31	1	1	6	12	15	16	16
65+	40	7.5	43	1	1	5	12	18	24	99+
B. *Operated*										
0-19 YRS	24	4.0	13	<1	1	3	5	6	11	19
20-34	90	4.2	12	<1	1	3	5	9	10	18
35-49	57	4.7	25	1	1	4	5	9	21	94
50-64	48	5.9	36	<1	1	4	6	15	19	23
65+	122	8.1	91	1	1	5	10	21	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.5	12	<1	<1	1	3	6	9	19
B. *Operated*	571	3.0	5	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	5.7	31	1	1	4	8	15	18	73
B. *Operated*	341	5.9	49	1	1	4	6	14	21	41
1. SINGLE DX	610	3.0	5	<1	1	3	4	5	6	10
2. MULTIPLE DX	428	5.9	45	1	1	4	7	14	20	41
A. NOT OPERATED	126	4.7	27	<1	1	3	6	13	17	46
B. OPERATED	912	4.1	23	1	1	3	5	8	12	26
TOTAL 0-19 YRS	139	3.3	7	<1	1	3	4	5	7	19
20-34	403	3.4	6	1	1	3	4	6	8	14
35-49	152	3.5	13	<1	1	3	5	6	9	28
50-64	105	4.5	24	<1	1	3	5	13	15	22
65+	239	6.3	64	1	1	3	8	18	24	42
GRAND TOTAL	**1038**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**8**	**13**	**27**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	4	<1	<1	2	3	6	7	8
20-34	26	3.1	9	<1	1	2	4	7	9	14
35-49	14	2.8	4	<1	1	2	4	6	7	7
50-64	11	2.6	2	<1	<1	2	4	5	6	6
65+	4	5.5	23	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	864	3.3	4	1	1	3	4	6	7	11
20-34	1653	3.5	10	1	1	3	4	6	7	11
35-49	897	3.5	6	1	1	3	4	6	8	12
50-64	492	3.6	5	1	1	3	5	6	8	12
65+	84	5.9	108	1	2	3	6	12	15	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	19	<1	<1	3	4	9	10	22
20-34	50	2.7	6	<1	<1	2	3	7	8	11
35-49	33	3.8	14	<1	<1	3	5	8	10	19
50-64	18	5.1	30	<1	<1	2	7	16	17	17
65+	15	11.9	138	1	2	7	18	30	37	39
B. *Operated*										
0-19 YRS	508	3.4	8	1	1	3	4	6	7	13
20-34	1039	3.9	13	1	1	3	5	7	9	21
35-49	572	3.9	10	1	1	3	5	7	9	19
50-64	556	4.8	48	1	2	3	5	9	13	25
65+	181	7.4	101	2	2	4	9	15	22	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.9	6	<1	<1	2	4	7	8	13
B. *Operated*	3990	3.5	10	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	145	4.4	33	<1	<1	2	5	9	16	30
B. *Operated*	2856	4.2	25	1	1	3	5	8	10	24
1. SINGLE DX	4069	3.5	9	1	1	3	4	6	7	12
2. MULTIPLE DX	3001	4.2	25	1	1	3	5	8	10	24
A. NOT OPERATED	224	3.9	24	<1	<1	2	5	8	12	29
B. OPERATED	6846	3.8	16	1	1	3	5	6	9	17
TOTAL 0-19 YRS	1425	3.4	6	1	1	3	4	6	7	11
20-34	2768	3.6	11	1	1	3	5	6	8	13
35-49	1516	3.6	8	1	1	3	5	7	8	14
50-64	1077	4.2	28	1	2	3	5	7	10	21
65+	284	7.2	105	2	2	4	9	15	21	64
GRAND TOTAL	**7070**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	32	1	1	3	6	13	19	24
20-34	63	7.1	47	1	1	6	9	12	16	44
35-49	47	6.5	16	1	1	6	9	11	13	21
50-64	38	5.0	11	<1	1	4	7	9	10	16
65+	9	5.2	8	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	179	3.3	22	<1	<1	2	3	8	13	28
20-34	192	4.8	72	<1	1	2	4	12	18	51
35-49	86	3.9	9	1	1	3	5	9	10	13
50-64	71	5.2	54	<1	1	3	6	11	23	40
65+	43	9.4	124	1	2	4	13	29	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.8	20	1	1	5	7	11	13	25
20-34	210	7.1	33	2	3	6	9	12	14	31
35-49	160	7.9	23	3	4	7	9	13	16	28
50-64	63	10.2	72	2	3	8	12	20	27	44
65+	69	15.6	272	2	3	9	21	34	44	86
B. *Operated*										
0-19 YRS	127	7.1	83	1	1	3	10	17	23	50
20-34	196	11.2	162	1	1	6	16	26	38	77
35-49	116	9.6	136	1	1	6	12	22	35	81
50-64	97	11.2	256	1	2	6	12	43	73	99+
65+	105	16.7	303	2	2	11	24	43	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	6.1	28	1	1	5	8	10	14	28
B. *Operated*	571	4.6	51	<1	1	2	5	10	16	35
2. MULTIPLE DX										
A. *Not Operated*	552	8.6	71	2	3	7	10	15	22	44
B. *Operated*	641	11.0	186	1	1	6	15	28	43	99
1. SINGLE DX	761	5.0	45	<1	1	3	6	10	15	34
2. MULTIPLE DX	1193	9.9	134	1	2	6	11	22	35	73
A. NOT OPERATED	742	8.0	61	1	2	6	9	14	21	43
B. OPERATED	1212	8.0	132	1	1	4	10	20	33	72
TOTAL 0-19 YRS	389	5.0	45	<1	1	2	6	13	17	33
20-34	661	7.7	90	1	1	5	9	17	23	52
35-49	409	7.4	55	1	1	6	9	14	18	40
50-64	269	8.5	132	1	1	5	10	17	40	94
65+	226	14.5	257	1	2	8	21	36	48	90
GRAND TOTAL	**1954**	**8.0**	**105**	**1**	**1**	**5**	**9**	**17**	**28**	**65**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.9	4	1	1	2	4	6	7	9
20-34	57	3.1	5	1	1	2	5	7	7	9
35-49	37	3.2	7	<1	<1	2	4	8	9	10
50-64	22	4.2	8	<1	1	4	6	8	10	12
65+	24	8.2	69	1	2	5	9	23	27	31
B. *Operated*										
0-19 YRS	220	3.6	8	<1	1	2	5	7	8	14
20-34	326	4.2	8	1	1	4	6	8	9	13
35-49	90	4.5	14	1	1	4	6	9	11	21
50-64	49	6.4	69	1	2	4	8	10	19	48
65+	18	6.3	10	2	3	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	8	1	1	2	5	8	10	11
20-34	53	4.0	15	<1	1	3	5	10	13	18
35-49	37	7.8	100	1	2	5	8	16	36	46
50-64	54	7.1	36	2	2	5	10	15	20	29
65+	85	10.6	53	2	3	8	14	22	29	75
B. *Operated*										
0-19 YRS	280	5.1	17	1	1	5	6	9	11	22
20-34	480	5.0	15	1	1	5	6	9	11	19
35-49	185	5.7	17	1	2	5	7	10	13	22
50-64	77	9.1	40	2	2	8	13	18	21	31
65+	31	13.2	144	3	4	8	16	28	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.9	16	<1	1	3	5	7	9	24
B. *Operated*	703	4.2	13	<1	1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	265	7.2	50	1	1	5	10	16	22	39
B. *Operated*	1053	5.7	24	1	1	5	7	10	14	24
1. SINGLE DX	887	4.1	14	<1	1	3	6	8	9	18
2. MULTIPLE DX	1318	6.0	30	1	1	5	7	12	16	29
A. NOT OPERATED	449	5.8	39	1	1	4	7	13	20	30
B. OPERATED	1756	5.1	20	1	1	4	6	9	12	22
TOTAL 0-19 YRS	580	4.2	12	1	1	3	6	7	10	17
20-34	916	4.5	12	1	1	4	6	8	10	17
35-49	349	5.3	25	1	1	4	7	10	13	26
50-64	202	7.4	45	1	2	5	10	15	19	34
65+	158	10.2	72	2	3	7	13	22	29	50
GRAND TOTAL	**2205**	**5.3**	**24**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.7	11	1	1	4	6	9	13	15
20-34	693	6.7	20	1	2	6	9	12	15	23
35-49	788	7.2	21	2	3	6	9	12	15	26
50-64	369	7.1	15	2	3	6	9	13	15	19
65+	106	8.6	83	2	2	6	11	15	25	58
B. *Operated*										
0-19 YRS	7	6.7	40	1	1	6	9	17	19	19
20-34	89	6.9	36	2	2	5	10	14	17	32
35-49	94	8.1	62	1	2	5	12	15	20	45
50-64	26	7.5	40	1	2	5	10	17	21	26
65+	3	22.7	96	17	17	17	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.4	11	1	2	5	7	10	13	16
20-34	843	7.8	24	2	3	7	9	13	17	28
35-49	1022	8.7	33	3	3	7	11	15	19	29
50-64	750	8.7	34	3	3	7	11	15	19	32
65+	628	10.3	60	3	4	8	13	18	23	39
B. *Operated*										
0-19 YRS	14	9.5	38	3	4	8	12	19	24	25
20-34	124	11.0	72	2	2	9	15	22	27	41
35-49	135	11.0	62	2	3	10	13	20	28	42
50-64	92	11.0	48	2	3	10	14	21	26	31
65+	39	16.9	142	6	8	13	17	34	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2052	7.0	23	2	2	6	9	12	15	24
B. *Operated*	219	7.7	51	1	2	5	11	16	19	38
2. MULTIPLE DX										
A. *Not Operated*	3359	8.7	36	2	3	7	11	15	19	31
B. *Operated*	404	11.5	71	2	3	10	15	21	29	42
1. SINGLE DX	2271	7.0	26	2	2	6	9	13	15	26
2. MULTIPLE DX	3763	9.0	41	2	3	7	11	16	20	33
A. NOT OPERATED	5411	8.0	32	2	3	7	10	14	18	29
B. OPERATED	623	10.2	67	2	2	9	13	19	26	42
TOTAL 0-19 YRS	233	5.4	14	1	2	5	7	10	14	18
20-34	1749	7.5	28	2	2	6	9	14	17	28
35-49	2039	8.2	33	2	3	7	10	15	18	30
50-64	1237	8.4	31	2	3	7	10	15	18	29
65+	776	10.5	70	3	3	8	13	19	26	46
GRAND TOTAL	**6034**	**8.2**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.5	8	1	1	3	5	7	9	14
20-34	452	6.0	18	1	2	5	8	11	14	19
35-49	376	6.4	22	1	2	5	8	12	15	26
50-64	148	6.2	17	1	2	5	8	11	15	21
65+	66	6.7	14	2	3	6	9	12	15	17
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	85	5.5	21	2	2	4	7	12	15	22
35-49	87	7.1	47	1	2	4	10	20	22	28
50-64	23	5.0	14	1	1	3	8	11	12	13
65+	5	10.0	25	4	4	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	5.1	10	1	2	5	7	8	11	15
20-34	1801	6.5	14	2	3	6	7	11	13	22
35-49	1355	7.4	21	2	3	6	9	13	16	25
50-64	758	7.4	18	2	3	7	9	13	15	21
65+	436	9.1	43	2	3	7	12	18	24	30
B. *Operated*										
0-19 YRS	11	4.1	6	1	1	3	6	7	9	9
20-34	129	8.0	49	1	2	6	9	19	22	31
35-49	122	9.1	37	2	2	8	12	19	20	26
50-64	79	10.9	129	2	2	6	15	23	27	65
65+	29	15.6	136	4	4	12	20	33	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	5.9	18	1	1	5	8	11	14	20
B. *Operated*	202	6.2	32	1	2	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	4763	7.0	20	2	3	6	8	12	15	25
B. *Operated*	370	9.4	72	2	2	7	12	20	24	43
1. SINGLE DX	1409	5.9	20	1	1	5	8	11	15	21
2. MULTIPLE DX	5133	7.2	24	2	3	6	8	13	16	26
A. NOT OPERATED	5970	6.8	20	2	2	6	8	12	15	24
B. OPERATED	572	8.3	60	2	2	6	11	19	23	34
TOTAL 0-19 YRS	591	4.6	10	1	1	4	6	8	10	15
20-34	2467	6.4	17	2	2	6	7	11	14	23
35-49	1940	7.3	24	2	3	6	9	13	17	26
50-64	1008	7.4	27	2	2	6	9	13	16	24
65+	536	9.2	47	2	3	7	12	18	23	33
GRAND TOTAL	**6542**	**6.9**	**24**	**2**	**2**	**6**	**8**	**12**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	4	1	1	2	3	5	7	11
20-34	80	3.0	5	<1	1	3	4	6	6	11
35-49	71	3.6	16	<1	1	2	4	7	12	24
50-64	43	4.7	13	<1	1	4	7	11	12	15
65+	51	5.5	17	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	169	3.1	3	1	1	3	4	5	6	9
20-34	442	3.4	5	1	1	3	4	5	6	10
35-49	315	3.9	6	1	2	3	5	6	8	13
50-64	275	4.8	7	2	2	4	6	8	10	15
65+	97	6.3	20	2	2	5	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	8	<1	1	2	4	7	8	16
20-34	106	3.8	9	1	1	3	4	7	10	16
35-49	110	5.0	16	1	1	4	7	10	13	21
50-64	134	5.7	19	1	2	5	8	12	14	24
65+	224	9.1	58	1	2	7	13	19	24	36
B. *Operated*										
0-19 YRS	67	2.9	2	1	1	3	4	5	5	8
20-34	200	4.1	14	1	1	3	5	7	10	23
35-49	149	4.5	9	2	2	4	5	8	11	16
50-64	223	6.3	37	2	2	5	7	11	15	36
65+	128	10.7	127	2	3	7	12	23	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	3.7	11	<1	1	3	5	8	11	16
B. *Operated*	1298	4.0	7	1	2	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	637	6.2	35	1	1	4	8	13	17	26
B. *Operated*	767	5.8	43	1	2	4	6	11	16	39
1. SINGLE DX	1618	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	1404	6.0	39	1	2	4	7	12	16	34
A. NOT OPERATED	957	5.3	28	1	1	4	7	12	15	25
B. OPERATED	2065	4.7	21	1	2	4	5	8	11	23
TOTAL 0-19 YRS	374	3.0	4	1	1	3	4	5	6	11
20-34	828	3.6	8	1	1	3	4	6	8	14
35-49	645	4.2	9	1	1	3	5	7	10	16
50-64	675	5.5	20	1	2	4	7	10	13	20
65+	500	8.6	67	2	2	6	10	17	24	48
GRAND TOTAL	**3022**	**4.9**	**24**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2264	1.7	2	1	1	1	2	3	4	6
20-34	733	2.4	4	<1	1	2	3	5	6	10
35-49	246	2.6	4	1	1	2	3	5	6	11
50-64	142	3.0	5	1	1	2	4	6	8	9
65+	78	3.9	38	1	1	3	4	7	9	42
B. *Operated*										
0-19 YRS	11	5.4	92	1	1	2	4	17	33	34
20-34	7	3.1	8	1	1	2	4	8	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3401	2.4	6	1	1	2	3	5	6	11
20-34	2619	3.7	14	1	1	3	5	8	9	15
35-49	1112	4.8	20	1	1	3	6	10	13	24
50-64	775	5.6	28	1	1	4	7	12	15	25
65+	896	8.6	96	1	2	6	10	18	28	66
B. *Operated*										
0-19 YRS	761	3.9	31	1	1	2	4	8	12	31
20-34	985	4.8	48	1	1	3	6	10	15	42
35-49	329	6.0	51	1	1	4	7	12	17	39
50-64	235	7.4	111	1	1	5	8	14	28	85
65+	301	12.2	177	1	2	8	15	33	45	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3463	2.0	3	1	1	1	2	4	5	9
B. *Operated*	21	4.1	50	1	1	2	3	7	20	34
2. MULTIPLE DX										
A. *Not Operated*	8803	4.0	24	1	1	2	5	8	12	24
B. *Operated*	2611	5.8	70	1	1	3	6	12	21	49
1. SINGLE DX	3484	2.0	4	1	1	1	2	4	5	9
2. MULTIPLE DX	11414	4.4	35	1	1	3	5	9	13	31
A. NOT OPERATED	12266	3.4	19	1	1	2	4	7	10	20
B. OPERATED	2632	5.8	70	1	1	3	6	12	21	49
TOTAL 0-19 YRS	6437	2.3	8	1	1	2	3	4	6	12
20-34	4344	3.7	20	1	1	3	5	8	10	18
35-49	1688	4.7	24	1	1	3	6	10	13	25
50-64	1153	5.6	43	1	1	4	7	11	15	32
65+	1276	9.1	116	1	2	6	11	20	32	72
GRAND TOTAL	**14898**	**3.9**	**29**	**1**	**1**	**2**	**4**	**8**	**12**	**28**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	1.9	4	<1	1	1	2	3	5	11
20-34	224	3.8	28	<1	1	2	4	8	11	25
35-49	76	3.4	10	<1	1	2	5	7	10	16
50-64	54	4.6	18	<1	1	3	6	13	14	16
65+	54	6.8	24	1	1	6	11	15	18	96
B. *Operated*										
0-19 YRS	22	10.0	75	1	1	8	13	21	29	37
20-34	15	11.7	85	3	4	9	16	37	81	99+
35-49	18	11.9	81	2	3	10	16	24	32	37
50-64	28	11.7	69	2	3	9	14	23	31	36
65+	42	12.5	47	4	5	11	17	24	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	974	3.2	33	1	1	2	3	6	11	29
20-34	491	5.0	50	<1	1	3	6	10	18	47
35-49	227	6.3	61	1	1	4	8	13	19	66
50-64	198	7.4	61	1	2	5	10	17	30	69
65+	408	11.8	210	1	2	7	14	27	41	95
B. *Operated*										
0-19 YRS	201	14.6	376	1	1	6	21	58	77	99+
20-34	213	16.7	440	1	1	9	26	58	94	99+
35-49	103	16.4	350	1	2	9	25	59	93	99+
50-64	108	24.1	454	2	2	18	40	64	72	99+
65+	215	23.9	429	2	3	18	39	66	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1050	2.8	13	<1	1	2	3	6	9	17
B. *Operated*	125	11.7	65	2	4	10	16	24	31	53
2. MULTIPLE DX										
A. *Not Operated*	2298	5.8	83	1	1	3	6	13	22	57
B. *Operated*	840	19.0	427	1	1	12	31	61	84	99+
1. SINGLE DX	1175	3.7	26	<1	1	2	4	9	14	25
2. MULTIPLE DX	3138	9.3	209	1	1	4	10	29	48	99+
A. NOT OPERATED	3348	4.8	63	1	1	2	5	11	18	47
B. OPERATED	965	18.0	386	1	1	11	28	58	78	99+
TOTAL 0-19 YRS	1839	4.1	75	<1	1	2	3	8	17	62
20-34	943	7.4	159	<1	1	3	8	20	39	99+
35-49	424	8.5	145	1	1	4	10	23	44	99+
50-64	388	12.0	223	1	2	6	15	36	57	99+
65+	719	15.1	286	1	2	9	19	42	66	99+
GRAND TOTAL	**4313**	**7.8**	**165**	**1**	**1**	**3**	**8**	**22**	**39**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	12	1	1	3	3	8	13	14
20-34	44	3.8	5	1	1	4	5	7	8	9
35-49	23	5.8	14	<1	1	5	8	11	13	14
50-64	7	5.3	25	1	1	4	8	13	14	14
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	26	6.8	15	2	3	6	8	12	16	18
20-34	77	7.4	20	3	3	6	8	13	16	27
35-49	27	7.8	17	3	3	8	10	15	17	17
50-64	7	6.7	5	4	4	6	9	10	10	10
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	16	1	1	3	5	10	14	19
20-34	92	5.8	27	1	2	4	7	13	16	27
35-49	57	6.3	22	1	2	6	8	12	18	22
50-64	38	8.5	115	2	2	6	10	13	24	64
65+	63	10.4	91	2	3	8	12	18	33	56
B. *Operated*										
0-19 YRS	75	12.3	142	3	4	9	14	23	32	74
20-34	183	12.6	145	3	4	9	15	27	36	83
35-49	96	11.6	107	2	4	9	14	21	29	83
50-64	79	12.1	93	3	4	10	15	21	30	58
65+	73	18.9	298	4	6	12	25	40	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.3	10	1	1	4	5	9	12	14
B. *Operated*	139	7.3	17	3	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	312	6.9	51	1	2	5	8	14	19	36
B. *Operated*	506	13.2	156	3	4	10	15	27	39	82
1. SINGLE DX	236	6.1	17	1	2	5	8	12	14	19
2. MULTIPLE DX	818	10.8	125	2	3	8	12	22	32	68
A. NOT OPERATED	409	6.3	43	1	2	4	8	13	16	33
B. OPERATED	645	11.9	132	3	4	9	14	24	33	76
TOTAL 0-19 YRS	184	7.9	80	1	2	5	10	16	21	49
20-34	396	9.1	89	2	2	6	10	19	27	54
35-49	203	9.0	67	2	2	7	11	17	21	60
50-64	131	10.4	95	2	3	8	12	19	24	64
65+	140	14.6	210	3	4	9	15	34	45	93
GRAND TOTAL	**1054**	**9.8**	**104**	**2**	**2**	**7**	**12**	**19**	**29**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.7	8	1	1	3	5	7	10	14
20-34	156	4.2	10	1	1	3	6	9	11	15
35-49	34	4.8	15	1	2	4	6	11	14	17
50-64	19	5.6	16	1	2	5	6	12	16	17
65+	7	9.0	93	2	2	4	13	25	28	28
B. *Operated*										
0-19 YRS	106	7.4	14	2	3	7	9	12	16	19
20-34	105	8.3	24	2	4	7	9	14	17	30
35-49	41	8.0	12	3	4	8	9	13	15	17
50-64	21	8.5	18	3	5	8	9	14	19	20
65+	10	8.0	13	3	3	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	4.7	17	1	1	3	6	10	12	19
20-34	283	4.7	18	1	1	4	6	9	14	23
35-49	95	4.7	11	1	1	4	6	9	11	17
50-64	72	6.3	36	1	2	4	8	14	22	27
65+	74	10.0	103	2	2	7	12	20	30	60
B. *Operated*										
0-19 YRS	281	13.6	174	3	5	9	16	29	43	85
20-34	455	13.9	154	3	6	10	15	28	46	79
35-49	168	16.6	211	4	6	11	20	39	52	74
50-64	121	15.0	145	2	4	12	20	32	42	99+
65+	80	22.2	348	3	6	16	30	54	73	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	4.1	11	1	1	3	5	9	11	16
B. *Operated*	283	7.9	18	2	4	7	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	909	5.3	27	1	1	4	6	11	14	23
B. *Operated*	1105	15.0	185	3	5	10	17	32	48	89
1. SINGLE DX	770	5.5	17	1	1	5	7	10	14	19
2. MULTIPLE DX	2014	10.6	137	1	2	8	12	22	35	73
A. NOT OPERATED	1396	4.9	22	1	1	3	6	10	13	23
B. OPERATED	1388	13.5	159	3	5	9	15	28	43	81
TOTAL 0-19 YRS	1043	7.1	73	1	1	5	8	14	19	49
20-34	999	9.2	99	1	2	7	11	18	27	62
35-49	338	11.0	142	1	2	8	12	22	39	68
50-64	233	11.0	107	2	2	8	14	25	33	90
65+	171	15.5	249	2	3	11	19	35	56	87
GRAND TOTAL	**2784**	**9.2**	**109**	**1**	**2**	**7**	**11**	**19**	**29**	**64**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	14	<1	<1	2	4	6	13	16
20-34	8	3.1	10	<1	<1	2	4	8	10	10
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.8	8	1	1	3	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	151	2.7	5	1	1	2	4	6	7	11
20-34	89	2.8	5	1	1	2	3	6	7	11
35-49	36	3.5	11	1	1	2	5	8	9	17
50-64	20	2.8	4	<1	1	2	4	5	7	8
65+	25	4.9	18	1	1	4	6	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	9	1	1	2	4	6	12	13
20-34	17	2.5	4	1	1	2	4	5	7	8
35-49	9	3.3	6	1	1	3	4	7	9	9
50-64	6	5.2	47	1	1	2	8	17	18	18
65+	5	7.8	19	3	3	8	11	13	13	13
B. *Operated*										
0-19 YRS	194	4.2	22	1	1	3	5	8	11	21
20-34	165	4.0	12	<1	1	3	5	8	10	20
35-49	74	4.8	14	1	1	4	6	11	12	17
50-64	51	6.2	27	1	1	5	7	13	18	28
65+	42	7.8	189	1	1	4	7	13	33	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	10	<1	<1	2	4	6	10	16
B. *Operated*	321	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	65	3.6	12	1	1	3	4	8	12	17
B. *Operated*	526	4.7	33	1	1	3	6	9	13	21
1. SINGLE DX	351	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	591	4.6	30	1	1	3	6	9	13	21
A. NOT OPERATED	95	3.5	12	<1	1	3	4	8	12	17
B. OPERATED	847	4.1	23	1	1	3	5	8	11	19
TOTAL 0-19 YRS	389	3.5	14	1	1	2	4	7	10	16
20-34	279	3.5	10	<1	1	3	5	7	9	18
35-49	121	4.3	13	1	1	3	6	10	12	17
50-64	81	5.2	23	1	1	4	6	12	15	25
65+	72	6.8	118	1	1	4	7	13	17	72
GRAND TOTAL	**942**	**4.0**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.6	10	<1	<1	2	3	4	7	20
20-34	58	2.6	5	<1	<1	2	3	6	7	12
35-49	40	3.1	5	<1	<1	3	4	6	8	10
50-64	11	2.8	3	1	1	3	3	6	7	7
65+	10	3.8	15	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	282	2.4	13	<1	<1	1	3	5	6	11
20-34	175	3.3	12	<1	1	2	4	7	11	15
35-49	56	2.9	9	<1	<1	2	3	5	7	20
50-64	32	2.3	2	<1	<1	2	3	4	5	8
65+	32	2.6	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	2.8	6	<1	1	2	4	5	7	15
20-34	222	3.5	17	<1	1	2	4	7	10	14
35-49	105	4.1	14	<1	1	3	5	8	13	17
50-64	99	4.5	19	1	1	3	6	10	13	22
65+	215	7.7	92	1	1	5	9	17	23	61
B. *Operated*										
0-19 YRS	590	3.1	13	1	1	2	4	6	8	15
20-34	643	4.9	70	1	1	3	5	9	14	42
35-49	311	4.6	34	1	1	3	5	9	13	20
50-64	231	6.9	77	1	1	4	8	15	21	54
65+	407	8.9	149	1	1	5	10	19	33	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.8	8	<1	1	2	3	5	8	16
B. *Operated*	577	2.7	11	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	838	4.6	37	1	1	3	5	10	14	28
B. *Operated*	2182	5.3	69	1	1	3	6	11	17	48
1. SINGLE DX	791	2.8	10	<1	<1	2	3	5	7	14
2. MULTIPLE DX	3020	5.1	60	1	1	3	6	10	16	43
A. NOT OPERATED	1052	4.2	32	<1	1	3	5	8	13	24
B. OPERATED	2759	4.8	58	<1	1	3	5	10	15	42
TOTAL 0-19 YRS	1164	2.8	12	<1	1	2	3	6	7	15
20-34	1098	4.2	47	<1	1	2	5	8	12	33
35-49	512	4.2	25	<1	1	3	5	8	12	18
50-64	373	5.7	56	1	1	3	7	12	18	48
65+	664	8.1	124	1	1	5	10	18	28	85
GRAND TOTAL	**3811**	**4.6**	**51**	**<1**	**1**	**3**	**5**	**10**	**14**	**38**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.6	4	1	1	2	3	5	7	10
20-34	322	2.6	3	<1	1	2	3	5	6	9
35-49	85	2.9	3	<1	1	2	4	6	7	9
50-64	30	3.7	16	1	1	3	4	7	13	20
65+	9	5.9	27	1	1	4	10	14	15	15
B. *Operated*										
0-19 YRS	148	3.3	10	<1	1	2	4	7	9	16
20-34	206	4.8	17	1	1	4	7	9	10	19
35-49	55	5.7	30	1	1	5	8	10	14	34
50-64	29	3.6	9	1	1	3	6	9	10	11
65+	5	3.6	10	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.1	5	1	1	2	4	6	7	11
20-34	227	3.7	28	1	1	3	4	7	9	20
35-49	84	3.9	10	<1	1	3	5	7	9	17
50-64	33	4.2	10	<1	1	4	6	9	11	13
65+	25	8.3	77	1	1	4	12	22	30	35
B. *Operated*										
0-19 YRS	193	5.9	41	1	1	4	8	11	15	32
20-34	367	9.0	104	1	2	6	10	17	31	52
35-49	123	9.0	95	1	2	7	10	16	38	70
50-64	51	11.8	158	1	2	8	17	26	51	99
65+	22	13.1	145	1	2	8	25	31	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	2.8	5	1	1	2	3	5	6	10
B. *Operated*	443	4.3	16	<1	1	3	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	469	3.9	22	1	1	3	5	7	9	21
B. *Operated*	756	8.5	94	1	1	6	10	17	29	56
1. SINGLE DX	1036	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX	1225	6.7	71	1	1	4	8	13	20	50
A. NOT OPERATED	1062	3.3	13	1	1	2	4	6	8	15
B. OPERATED	1199	6.9	69	1	1	5	8	14	20	49
TOTAL 0-19 YRS	588	3.9	20	1	1	2	5	9	11	22
20-34	1122	5.3	51	1	1	3	6	10	14	46
35-49	347	5.7	48	1	1	4	7	11	16	45
50-64	143	6.7	78	1	1	4	8	17	21	70
65+	61	9.3	96	1	1	6	12	26	32	39
GRAND TOTAL	**2261**	**5.2**	**46**	**1**	**1**	**3**	**6**	**10**	**15**	**42**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.2	4	<1	1	3	4	6	7	11
20-34	165	3.1	5	<1	<1	3	4	6	8	12
35-49	83	4.0	12	<1	1	3	5	8	11	19
50-64	31	4.1	8	<1	1	4	5	9	11	12
65+	11	3.8	6	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	727	2.3	5	<1	1	2	3	4	6	12
20-34	952	2.6	5	<1	1	2	3	5	7	14
35-49	440	2.4	5	<1	1	2	3	4	6	10
50-64	231	2.6	13	<1	1	2	3	5	8	17
65+	77	3.0	12	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.4	22	<1	1	3	5	7	12	30
20-34	225	4.2	22	<1	1	3	5	7	11	26
35-49	91	4.5	19	<1	1	3	6	9	12	26
50-64	62	4.9	9	1	2	4	6	10	11	15
65+	50	9.2	134	1	2	7	9	16	23	80
B. *Operated*										
0-19 YRS	713	3.2	18	1	1	2	3	6	9	23
20-34	1008	3.8	26	<1	1	2	4	8	12	29
35-49	435	4.3	41	1	1	2	4	9	13	34
50-64	341	4.2	28	1	1	3	4	9	12	36
65+	185	6.0	53	1	1	4	8	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	3.4	7	<1	1	3	5	6	8	12
B. *Operated*	2427	2.5	6	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	570	4.8	32	1	1	3	6	9	13	27
B. *Operated*	2682	3.9	28	1	1	2	4	8	12	29
1. SINGLE DX	2836	2.6	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	3252	4.1	29	1	1	2	4	8	12	29
A. NOT OPERATED	979	4.2	22	<1	1	3	5	8	11	23
B. OPERATED	5109	3.2	18	<1	1	2	4	6	9	21
TOTAL 0-19 YRS	1701	2.9	12	<1	1	2	3	5	8	16
20-34	2350	3.3	16	<1	1	2	4	7	9	20
35-49	1049	3.5	22	<1	1	2	4	7	10	24
50-64	665	3.7	21	<1	1	2	4	8	11	21
65+	323	5.7	58	1	1	3	7	14	18	32
GRAND TOTAL	**6088**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.0	7	1	1	2	4	5	7	15
20-34	134	3.3	5	1	1	3	5	6	8	11
35-49	40	3.9	6	1	1	3	5	7	8	12
50-64	18	3.2	4	1	1	3	4	5	8	10
65+	13	6.6	19	2	2	6	8	12	17	18
B. *Operated*										
0-19 YRS	433	3.4	12	<1	1	2	4	7	10	16
20-34	310	4.7	25	1	1	3	6	9	15	26
35-49	113	4.6	22	1	1	3	5	9	12	25
50-64	69	6.3	40	1	1	4	7	16	22	29
65+	45	9.6	79	1	1	6	14	25	29	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.4	14	<1	1	3	6	9	12	18
20-34	117	4.6	12	1	1	4	6	9	11	18
35-49	61	6.8	43	1	2	5	8	13	28	92
50-64	48	8.7	30	2	3	7	11	19	20	21
65+	61	14.9	168	3	4	12	17	31	47	59
B. *Operated*										
0-19 YRS	305	6.7	89	1	1	4	7	13	22	61
20-34	301	8.4	120	1	2	5	9	17	27	61
35-49	136	9.8	148	1	1	5	13	21	39	61
50-64	108	12.2	157	1	2	7	20	35	41	99+
65+	93	14.9	166	1	2	12	22	36	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.4	7	1	1	3	[illegible]	6	8	14
B. *Operated*	970	4.5	24	1	1	3	5	9	14	27
2. MULTIPLE DX										
A. *Not Operated*	409	6.9	56	1	1	5	8	14	20	47
B. *Operated*	943	9.1	129	1	1	5	11	22	37	81
1. SINGLE DX	1326	4.2	20	1	1	3	5	8	12	25
2. MULTIPLE DX	1352	8.4	108	1	1	5	10	20	31	67
A. NOT OPERATED	765	5.2	36	1	1	4	6	11	15	32
B. OPERATED	1913	6.8	81	1	1	4	8	16	25	56
TOTAL 0-19 YRS	1011	4.5	37	1	1	3	5	9	12	30
20-34	862	5.8	57	1	1	4	6	12	17	45
35-49	350	6.9	78	1	1	4	8	15	24	54
50-64	243	9.1	96	1	2	5	12	23	33	99+
65+	212	13.3	145	1	2	10	18	31	40	99+
GRAND TOTAL	**2678**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**21**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.5	41	3	3	7	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.2	14	1	1	3	4	10	13	14
20-34	22	5.2	10	1	1	5	7	10	11	12
35-49	9	5.7	27	<1	1	3	8	15	17	17
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	1	1	2	3	6	7	7
20-34	6	2.7	2	<1	<1	2	3	5	5	5
35-49										
50-64	5	6.0	4	4	4	6	7	9	9	9
65+	5	16.2	209	1	1	13	29	35	35	35
B. *Operated*										
0-19 YRS	42	7.4	135	1	1	2	8	17	28	65
20-34	55	11.5	274	<1	1	5	12	28	58	75
35-49	27	14.7	306	1	1	8	19	51	56	59
50-64	11	15.0	407	1	3	7	12	54	60	61
65+	3	46.0	1521	1	1	67	69	70	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	14	1	1	2	3	9	12	12
B. *Operated*	49	4.7	14	1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	25	6.1	65	1	1	3	6	13	29	35
B. *Operated*	138	11.9	292	1	1	5	13	39	60	71
1. SINGLE DX	57	4.4	14	1	1	3	7	10	12	17
2. MULTIPLE DX	163	11.0	261	1	1	5	12	30	57	70
A. NOT OPERATED	33	5.3	54	1	1	3	5	12	25	35
B. OPERATED	187	10.0	229	1	1	4	10	23	54	69
TOTAL 0-19 YRS	70	5.8	88	1	1	2	7	13	17	60
20-34	84	9.1	193	<1	1	5	10	19	42	72
35-49	38	12.2	238	1	1	6	15	35	55	59
50-64	19	10.4	260	<1	1	6	8	35	56	61
65+	9	24.4	770	1	1	13	43	69	70	70
GRAND TOTAL	**220**	**9.3**	**205**	**1**	**1**	**4**	**10**	**20**	**47**	**68**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	31.7	1395	1	2	6	82	93	99+	99+
20-34	22	3.7	8	<1	<1	3	5	9	10	10
35-49	12	5.8	10	2	3	5	7	11	12	12
50-64	5	9.2	82	2	2	3	18	21	21	21
65+	13	7.6	33	1	2	6	10	16	21	22
B. *Operated*										
0-19 YRS	165	3.2	7	1	1	2	3	6	8	15
20-34	259	3.4	9	<1	1	2	4	7	9	15
35-49	110	4.6	40	1	2	3	4	11	12	42
50-64	81	4.2	13	1	2	3	5	8	9	22
65+	27	8.3	67	<1	1	6	12	16	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	21.1	930	<1	1	6	79	99+	99+	99+
20-34	67	8.1	100	1	1	4	10	18	36	47
35-49	44	6.5	30	1	2	5	8	14	16	31
50-64	54	10.7	119	1	2	8	14	26	36	98
65+	80	11.8	178	1	2	8	16	28	52	99+
B. *Operated*										
0-19 YRS	158	4.8	81	1	1	3	4	7	15	35
20-34	316	5.7	79	1	2	3	5	10	19	50
35-49	152	6.3	66	2	2	4	6	14	24	49
50-64	169	9.3	135	2	2	4	12	24	31	48
65+	88	17.5	456	2	2	10	19	48	69	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	15.6	697	1	1	5	11	83	91	99+
B. *Operated*	642	3.9	18	1	1	3	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	290	11.4	260	1	1	6	14	40	86	99+
B. *Operated*	883	7.5	138	1	2	3	7	18	29	57
1. SINGLE DX	726	5.2	110	1	1	3	5	9	14	86
2. MULTIPLE DX	1173	8.5	171	1	2	4	9	22	37	99+
A. NOT OPERATED	374	12.3	360	1	1	6	14	59	87	99+
B. OPERATED	1525	6.0	90	1	2	3	6	12	22	49
TOTAL 0-19 YRS	400	8.1	324	1	1	3	5	27	86	99+
20-34	664	5.0	53	1	1	3	5	9	15	42
35-49	318	5.7	51	1	2	3	6	12	18	39
50-64	309	8.2	104	1	2	4	10	21	28	54
65+	208	13.5	283	1	2	8	15	34	53	97
GRAND TOTAL	**1899**	**7.2**	**150**	**1**	**2**	**3**	**7**	**16**	**30**	**92**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	4.3	4	1	2	4	5	6	9	12
20-34	78	3.8	4	1	1	4	5	6	7	11
35-49	24	4.6	5	1	2	5	6	6	8	13
50-64	6	3.2	3	<1	<1	3	5	5	5	5
65+	5	5.8	21	3	3	4	7	14	14	14
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.0	5	1	1	4	5	7	8	10
20-34	94	3.4	6	<1	1	3	5	6	6	15
35-49	50	4.1	7	<1	1	4	5	7	10	13
50-64	22	4.5	21	1	1	3	6	7	14	23
65+	38	8.0	56	1	2	7	9	16	24	39
B. *Operated*										
0-19 YRS	22	6.7	26	<1	1	5	11	14	17	19
20-34	31	3.9	7	1	1	3	5	7	8	14
35-49	14	4.4	14	1	2	3	6	10	14	15
50-64	5	7.8	128	2	2	3	10	28	28	28
65+	12	5.9	21	2	2	4	8	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.2	5	1	2	4	5	6	8	12
B. *Operated*	7	3.4	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	400	4.3	12	1	1	4	5	8	9	18
B. *Operated*	84	5.2	22	1	1	4	6	12	15	25
1. SINGLE DX	347	4.2	4	1	2	4	5	6	8	12
2. MULTIPLE DX	484	4.4	14	1	1	4	5	8	10	19
A. NOT OPERATED	740	4.3	9	1	1	4	5	7	9	13
B. OPERATED	91	5.1	21	1	1	4	6	12	15	24
TOTAL 0-19 YRS	447	4.3	6	1	1	4	5	7	9	12
20-34	204	3.6	5	1	1	3	5	6	7	12
35-49	89	4.3	7	1	1	4	5	7	10	14
50-64	33	4.7	32	1	1	3	5	7	21	28
65+	58	7.1	44	1	2	5	9	14	18	38
GRAND TOTAL	**831**	**4.3**	**10**	**1**	**1**	**4**	**5**	**7**	**10**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	567	2.3	6	<1	1	2	3	4	6	11
20-34	401	2.8	5	<1	1	2	4	5	8	11
35-49	194	3.6	9	<1	1	3	5	8	10	15
50-64	134	3.7	11	1	1	3	5	7	12	19
65+	221	5.4	21	1	1	4	7	11	16	27
B. *Operated*										
0-19 YRS	100	2.7	5	<1	1	2	3	6	7	11
20-34	83	3.8	9	<1	1	3	5	7	12	14
35-49	50	4.7	23	<1	1	3	6	9	11	28
50-64	46	6.1	51	1	1	4	7	14	19	43
65+	34	8.8	71	2	3	7	10	14	21	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1104	2.6	6	1	1	2	3	5	7	13
20-34	1212	4.3	13	<1	1	3	6	9	11	18
35-49	732	5.4	23	1	1	4	8	11	14	22
50-64	661	6.3	44	1	1	4	8	12	18	28
65+	2037	10.2	116	2	2	7	12	22	33	85
B. *Operated*										
0-19 YRS	158	4.4	30	1	1	2	6	10	13	27
20-34	203	5.3	21	1	1	4	7	11	15	22
35-49	134	8.3	136	1	1	5	10	16	27	88
50-64	120	10.2	77	1	2	8	14	22	27	39
65+	264	17.4	205	2	4	14	26	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1517	3.2	10	<1	1	2	4	7	9	17
B. *Operated*	313	4.5	26	<1	1	3	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	5746	6.4	62	1	1	4	8	14	20	47
B. *Operated*	879	9.9	130	1	1	6	13	25	34	78
1. SINGLE DX	1830	3.4	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	6625	6.9	72	1	1	4	8	15	22	52
A. NOT OPERATED	7263	5.8	53	1	1	4	7	12	18	41
B. OPERATED	1192	8.5	109	1	1	5	11	21	32	69
TOTAL 0-19 YRS	1929	2.7	8	1	1	2	3	6	7	13
20-34	1899	4.0	13	<1	1	3	6	8	11	17
35-49	1110	5.4	36	1	1	4	7	11	14	26
50-64	961	6.4	46	1	1	4	8	14	19	32
65+	2556	10.5	123	2	2	7	13	24	34	93
GRAND TOTAL	**8455**	**6.1**	**62**	**1**	**1**	**4**	**8**	**13**	**20**	**46**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	1	1	2	3	4	6	7
20-34	26	3.7	16	<1	1	2	4	11	14	15
35-49	13	4.0	20	<1	<1	2	5	11	15	16
50-64	4	5.8	17	2	2	5	9	11	11	11
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	29	5.3	51	1	1	2	5	14	25	31
20-34	41	4.7	22	1	1	3	6	10	18	19
35-49	38	4.9	43	<1	<1	2	5	12	24	28
50-64	16	8.1	209	1	1	2	5	31	47	53
65+	7	4.4	54	<1	<1	1	3	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	12	<1	1	3	5	7	10	16
20-34	37	4.4	25	1	1	3	5	6	16	27
35-49	25	6.0	21	2	2	4	8	12	15	20
50-64	15	8.5	78	1	2	4	15	20	28	31
65+	7	9.4	45	5	5	5	12	21	23	23
B. *Operated*										
0-19 YRS	55	8.1	111	1	1	4	9	20	35	50
20-34	87	8.1	137	1	1	4	7	19	36	61
35-49	59	7.0	98	<1	1	4	7	17	30	55
50-64	48	15.8	512	1	1	5	16	49	63	95
65+	8	4.6	21	2	2	3	5	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.3	12	1	1	2	4	7	12	16
B. *Operated*	131	5.3	58	1	1	2	5	13	21	37
2. MULTIPLE DX										
A. *Not Operated*	108	5.5	32	1	1	4	6	12	19	29
B. *Operated*	257	9.2	197	1	1	4	9	24	40	62
1. SINGLE DX	202	4.6	42	1	1	2	5	11	17	32
2. MULTIPLE DX	365	8.1	151	1	1	4	7	20	34	61
A. NOT OPERATED	179	4.6	25	1	1	3	5	11	16	26
B. OPERATED	388	7.9	153	1	1	3	7	20	34	61
TOTAL 0-19 YRS	133	5.6	64	1	1	3	6	13	23	41
20-34	191	6.0	77	1	1	3	6	13	20	53
35-49	135	5.9	61	<1	1	3	7	14	22	37
50-64	83	12.5	361	1	1	4	12	41	55	92
65+	25	5.5	38	<1	1	3	6	15	21	23
GRAND TOTAL	**567**	**6.8**	**115**	**1**	**1**	**3**	**7**	**16**	**29**	**59**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	2	<1	<1	1	1	4	5	5
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	13	1.7	3	<1	<1	1	2	3	6	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	1	3	4	4	4
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	7	2.0	2	<1	<1	1	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	5	5
B. *Operated*	19	1.8	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	13	2.0	2	<1	<1	1	3	4	4	4
1. SINGLE DX	30	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	25	2.1	2	<1	1	1	3	4	5	5
A. NOT OPERATED	23	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	32	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	35	1.7	2	<1	<1	1	2	4	5	7
20-34	11	1.8	1	<1	<1	1	2	4	4	4
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**55**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	1.5	1	<1	<1	1	2	3	3	6
20-34	122	2.1	7	<1	<1	1	2	4	6	16
35-49	111	1.6	3	1	1	1	2	3	3	10
50-64	134	1.6	1	<1	1	1	2	3	4	6
65+	109	2.6	20	<1	1	1	3	4	6	28
B. *Operated*										
0-19 YRS	73	2.2	4	<1	<1	1	3	5	7	9
20-34	38	3.7	13	<1	<1	2	5	10	11	12
35-49	19	2.1	2	<1	<1	1	3	5	5	5
50-64	19	4.7	30	1	1	2	8	11	17	22
65+	21	3.2	7	<1	1	2	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.0	4	<1	<1	1	2	4	6	10
20-34	68	3.3	15	<1	<1	2	4	9	11	19
35-49	76	2.9	9	<1	1	2	4	6	8	16
50-64	127	3.0	9	1	1	2	4	8	10	14
65+	201	4.9	30	1	1	3	6	12	16	26
B. *Operated*										
0-19 YRS	66	2.7	10	<1	<1	2	3	6	8	19
20-34	37	8.1	75	1	1	4	11	22	30	32
35-49	38	6.8	43	1	1	4	11	16	20	27
50-64	70	5.0	41	1	1	2	5	13	19	36
65+	124	8.9	95	1	2	5	12	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	1.7	5	<1	<1	1	2	3	4	9
B. *Operated*	170	2.9	9	<1	<1	2	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	672	3.3	16	<1	1	2	4	8	10	20
B. *Operated*	335	6.6	64	1	1	3	8	16	21	41
1. SINGLE DX	1036	1.9	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1007	4.4	34	<1	1	2	5	11	16	29
A. NOT OPERATED	1538	2.4	10	<1	<1	1	2	5	8	17
B. OPERATED	505	5.3	49	<1	1	3	6	14	19	35
TOTAL 0-19 YRS	729	1.8	3	<1	<1	1	2	3	5	9
20-34	265	3.5	23	<1	<1	2	3	9	12	26
35-49	244	2.9	14	<1	1	1	3	6	11	18
50-64	350	3.0	15	1	1	2	3	7	10	19
65+	455	5.4	50	1	1	3	6	14	19	39
GRAND TOTAL	**2043**	**3.1**	**21**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.7	23	1	1	3	7	13	17	18
20-34	18	6.2	12	1	2	5	8	11	13	13
35-49	6	7.8	63	1	1	5	14	19	20	20
50-64	6	11.8	81	3	3	11	13	27	28	28
65+	6	18.8	146	8	8	14	21	40	42	42
B. *Operated*										
0-19 YRS	46	17.3	206	1	3	12	27	42	46	47
20-34	61	9.9	77	1	2	7	14	23	26	41
35-49	26	11.8	136	2	2	9	11	29	41	49
50-64	23	12.9	272	1	3	9	12	21	48	83
65+	20	17.3	174	2	3	11	29	36	39	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	8.9	56	1	1	7	13	19	28	31
20-34	28	8.6	42	1	1	6	11	19	21	27
35-49	26	8.4	71	1	2	5	10	21	31	33
50-64	24	15.2	284	1	2	9	18	45	60	61
65+	32	20.1	207	3	5	17	25	37	56	62
B. *Operated*										
0-19 YRS	105	17.7	260	2	3	14	23	38	56	75
20-34	123	18.2	280	2	3	12	25	43	59	99+
35-49	84	22.3	362	2	4	17	31	49	81	99+
50-64	73	25.2	486	2	5	22	37	63	89	99+
65+	78	37.0	675	5	6	29	60	78	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	7.8	51	1	2	6	11	15	20	40
B. *Operated*	176	13.3	162	2	2	9	16	35	40	48
2. MULTIPLE DX										
A. *Not Operated*	180	11.6	130	1	2	9	16	25	32	61
B. *Operated*	463	23.1	432	2	3	18	32	59	78	99+
1. SINGLE DX	242	11.8	138	1	2	8	14	28	38	47
2. MULTIPLE DX	643	19.9	374	2	3	14	27	47	68	99+
A. NOT OPERATED	246	10.6	112	1	2	7	14	21	31	60
B. OPERATED	639	20.4	377	2	3	14	28	47	69	99+
TOTAL 0-19 YRS	251	13.8	187	1	2	10	18	32	41	67
20-34	230	13.9	197	2	2	10	18	33	48	93
35-49	142	17.2	291	2	3	11	25	44	53	99+
50-64	126	20.4	416	2	3	13	26	46	79	99+
65+	136	29.3	543	3	5	22	42	70	82	99+
GRAND TOTAL	**885**	**17.7**	**322**	**2**	**3**	**12**	**24**	**43**	**63**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	5.2	22	1	1	4	7	11	14	23
20-34	140	5.7	32	1	1	4	8	12	17	27
35-49	61	5.5	40	1	1	4	7	11	15	39
50-64	41	8.0	45	1	1	7	12	18	20	30
65+	19	9.2	42	1	1	11	14	19	20	20
B. *Operated*										
0-19 YRS	46	7.8	48	1	1	6	10	21	24	28
20-34	34	6.6	36	1	1	4	9	15	18	26
35-49	20	9.9	61	1	2	8	13	21	26	30
50-64	12	13.5	78	1	2	15	19	25	29	30
65+	9	10.6	45	2	3	10	13	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	639	5.9	30	1	1	4	8	13	17	24
20-34	352	5.8	37	1	1	4	8	13	17	29
35-49	213	7.1	48	1	1	5	9	15	21	36
50-64	159	10.0	101	1	2	7	13	22	27	46
65+	107	13.8	256	2	2	8	14	44	52	73
B. *Operated*										
0-19 YRS	138	11.7	133	1	2	9	15	24	36	58
20-34	126	11.3	91	1	2	9	15	21	36	61
35-49	93	15.0	185	2	3	11	19	34	42	71
50-64	63	19.4	360	2	3	14	25	52	68	98
65+	71	27.1	410	4	7	25	41	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	5.7	29	1	1	4	8	13	16	27
B. *Operated*	121	8.6	52	1	2	7	12	21	24	30
2. MULTIPLE DX										
A. *Not Operated*	1470	7.1	64	1	1	5	9	15	20	45
B. *Operated*	491	15.5	229	2	2	11	20	37	53	99+
1. SINGLE DX	686	6.2	35	1	1	4	8	14	18	28
2. MULTIPLE DX	1961	9.2	118	1	1	6	11	20	31	65
A. NOT OPERATED	2035	6.7	55	1	1	4	9	14	19	41
B. OPERATED	612	14.1	202	1	2	10	19	33	45	99+
TOTAL 0-19 YRS	1127	6.5	45	1	1	4	8	15	19	31
20-34	652	6.9	51	1	1	5	9	15	20	40
35-49	387	8.9	93	1	1	6	11	20	28	43
50-64	275	12.0	167	1	2	8	15	26	39	85
65+	206	17.8	325	2	3	11	24	49	72	99+
GRAND TOTAL	**2647**	**8.4**	**98**	**1**	**1**	**5**	**10**	**19**	**26**	**56**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	11	<1	<1	2	3	6	9	17
20-34	24	3.6	10	<1	1	3	5	7	10	15
35-49	13	3.6	13	<1	<1	2	4	8	13	14
50-64	11	10.7	372	2	2	4	8	35	65	68
65+	6	12.2	97	2	2	11	23	24	24	24
B. *Operated*										
0-19 YRS	68	2.5	4	1	1	2	3	4	6	12
20-34	143	3.3	24	<1	1	2	3	5	9	36
35-49	87	3.6	43	<1	1	2	3	4	11	44
50-64	29	3.3	16	<1	<1	2	3	5	7	23
65+	9	2.8	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	3	1	1	2	3	5	6	7
20-34	63	9.2	128	1	1	6	10	21	36	61
35-49	48	7.2	69	1	1	4	9	16	26	40
50-64	39	10.7	103	2	2	8	14	31	34	37
65+	56	16.8	306	2	4	12	20	35	72	99
B. *Operated*										
0-19 YRS	103	2.8	11	1	1	2	3	5	6	22
20-34	178	4.4	40	1	1	2	4	12	23	37
35-49	78	8.0	157	1	1	2	6	27	42	53
50-64	59	6.4	131	1	1	3	6	13	22	78
65+	17	20.6	477	1	1	14	42	62	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.9	72	<1	<1	2	5	11	16	54
B. *Operated*	336	3.2	23	<1	1	2	3	5	8	27
2. MULTIPLE DX										
A. *Not Operated*	241	9.8	154	1	1	6	12	24	35	78
B. *Operated*	435	5.6	94	1	1	2	4	15	25	62
1. SINGLE DX	417	3.5	33	<1	1	2	3	6	10	29
2. MULTIPLE DX	676	7.1	120	1	1	3	7	19	32	63
A. NOT OPERATED	322	8.6	138	1	1	5	10	20	34	71
B. OPERATED	771	4.5	65	1	1	2	3	9	20	51
TOTAL 0-19 YRS	233	2.7	8	1	1	2	3	5	6	17
20-34	408	4.7	50	1	1	2	4	10	19	41
35-49	226	5.9	90	<1	1	2	5	15	26	52
50-64	138	7.3	122	1	1	3	8	15	26	70
65+	88	15.8	311	1	2	9	21	43	62	99+
GRAND TOTAL	**1093**	**5.7**	**90**	**1**	**1**	**2**	**5**	**14**	**25**	**61**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	2.7	11	<1	1	2	3	5	7	10
20-34	198	3.1	9	<1	1	2	4	6	9	17
35-49	83	4.3	11	1	1	3	6	8	12	15
50-64	52	4.5	14	1	1	4	5	8	16	18
65+	31	6.7	53	1	1	4	8	16	21	34
B. *Operated*										
0-19 YRS	38	3.5	15	<1	<1	2	3	9	12	18
20-34	65	5.6	49	<1	1	3	6	12	21	38
35-49	35	6.8	39	1	2	4	9	16	22	25
50-64	22	6.6	54	<1	1	4	9	16	24	29
65+	11	5.4	14	<1	1	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.3	10	1	1	2	4	7	9	15
20-34	378	4.5	23	1	1	3	6	9	11	24
35-49	205	5.0	19	1	1	4	6	10	13	20
50-64	149	6.3	32	1	2	5	8	13	17	26
65+	248	9.8	93	1	2	8	13	19	24	81
B. *Operated*										
0-19 YRS	110	6.3	69	1	1	4	8	13	20	72
20-34	181	10.3	192	1	1	5	11	24	38	89
35-49	75	9.2	81	1	2	6	13	19	28	46
50-64	53	16.0	372	1	1	8	20	51	60	79
65+	60	21.8	480	1	3	16	29	71	80	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	3.4	14	1	1	2	4	7	9	18
B. *Operated*	171	5.5	38	<1	1	3	7	13	20	28
2. MULTIPLE DX										
A. *Not Operated*	1290	5.5	39	1	1	4	7	12	16	30
B. *Operated*	479	11.3	223	1	1	6	14	27	50	88
1. SINGLE DX	782	3.9	20	1	1	2	5	8	12	22
2. MULTIPLE DX	1769	7.1	95	1	1	4	8	15	22	62
A. NOT OPERATED	1901	4.9	32	1	1	3	6	10	14	26
B. OPERATED	650	9.7	181	1	1	5	11	23	35	79
TOTAL 0-19 YRS	705	3.6	21	<1	1	2	4	7	9	21
20-34	822	5.5	66	1	1	3	6	11	19	45
35-49	398	5.8	34	1	1	4	8	13	16	31
50-64	276	7.9	111	1	1	5	8	17	25	60
65+	350	11.4	175	1	2	8	14	22	34	87
GRAND TOTAL	**2551**	**6.1**	**74**	**1**	**1**	**3**	**7**	**13**	**20**	**52**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	2.1	4	<1	1	1	2	4	5	8
20-34	596	2.3	4	<1	1	2	3	4	6	11
35-49	216	2.6	10	<1	1	2	3	5	8	16
50-64	79	2.9	7	<1	<1	2	4	6	9	13
65+	71	7.3	46	1	2	5	9	16	21	37
B. *Operated*										
0-19 YRS										
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	3	9.0	52	3	3	7	14	17	17	17
50-64										
65+	4	6.5	14	3	3	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2048	3.5	29	<1	1	2	4	6	10	29
20-34	2374	4.6	46	<1	1	2	5	10	16	35
35-49	1307	5.8	72	1	1	3	6	13	20	42
50-64	772	8.0	87	1	1	5	10	17	27	45
65+	1069	10.2	89	2	3	8	13	21	28	66
B. *Operated*										
0-19 YRS	17	8.2	61	<1	<1	7	11	20	26	28
20-34	61	14.4	295	1	1	9	18	51	70	99+
35-49	50	16.7	404	2	3	11	19	65	96	99+
50-64	50	18.1	298	4	6	15	21	36	85	99+
65+	99	20.1	277	4	6	15	26	46	66	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2055	2.4	7	<1	1	2	3	5	6	13
B. *Operated*	11	5.8	22	1	2	4	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	7570	5.6	61	1	1	3	6	13	20	39
B. *Operated*	277	17.2	301	1	3	12	22	46	68	99+
1. SINGLE DX	2066	2.4	7	<1	1	2	3	5	6	13
2. MULTIPLE DX	7847	6.1	74	1	1	3	7	14	22	46
A. NOT OPERATED	9625	5.0	52	<1	1	3	5	11	18	37
B. OPERATED	288	16.7	295	1	3	12	21	42	68	99+
TOTAL 0-19 YRS	3158	3.0	21	<1	1	2	3	6	8	27
20-34	3035	4.4	46	<1	1	2	4	9	15	35
35-49	1576	5.7	79	1	1	3	6	13	20	45
50-64	901	8.1	99	1	1	5	10	18	27	51
65+	1243	10.8	109	2	3	8	13	23	31	69
GRAND TOTAL	**9913**	**5.3**	**63**	**<1**	**1**	**3**	**6**	**12**	**19**	**41**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	2.5	11	<1	1	1	3	6	7	12
20-34	230	1.9	5	<1	<1	1	2	3	5	15
35-49	141	2.2	7	<1	1	1	2	5	6	15
50-64	73	1.8	4	1	1	1	2	3	5	13
65+	35	3.1	15	1	1	2	3	7	13	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	533	3.1	15	<1	1	2	4	7	10	20
20-34	357	3.8	42	<1	1	2	4	8	12	31
35-49	214	4.0	40	1	1	2	5	8	12	47
50-64	190	5.3	88	1	1	2	5	11	19	62
65+	171	9.3	246	1	1	4	10	19	32	94
B. *Operated*										
0-19 YRS	5	6.6	36	1	1	6	10	16	16	16
20-34	17	18.5	512	<1	1	9	27	50	74	85
35-49	8	7.5	60	<1	<1	5	10	21	24	24
50-64	12	19.5	409	1	2	14	23	55	64	66
65+	17	13.9	175	1	2	9	19	45	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	2.3	9	<1	1	1	2	5	7	14
B. *Operated*	8	3.6	9	1	1	2	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1465	4.4	65	<1	1	2	5	9	14	42
B. *Operated*	59	14.9	299	1	1	8	21	44	59	98
1. SINGLE DX	1097	2.3	9	<1	1	1	2	5	7	14
2. MULTIPLE DX	1524	4.8	78	<1	1	2	5	10	16	51
A. NOT OPERATED	2554	3.5	42	<1	1	2	4	7	11	31
B. OPERATED	67	13.5	277	1	1	8	18	38	54	97
TOTAL 0-19 YRS	1149	2.8	13	<1	1	1	3	6	8	16
20-34	608	3.5	47	<1	1	2	3	7	11	35
35-49	365	3.4	28	<1	1	2	4	8	10	28
50-64	276	5.0	90	1	1	2	4	10	20	62
65+	223	8.7	210	1	1	4	10	18	33	94
GRAND TOTAL	**2621**	**3.8**	**50**	**<1**	**1**	**2**	**4**	**8**	**12**	**35**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	440	3.2	9	1	1	2	4	7	9	13
20-34	201	3.3	19	<1	1	2	4	6	9	24
35-49	138	2.9	9	1	1	2	4	6	9	16
50-64	109	3.6	13	1	1	3	4	8	10	20
65+	90	4.0	18	1	1	3	4	8	11	22
B. *Operated*										
0-19 YRS	6	8.3	7	5	5	8	11	12	12	12
20-34	14	12.0	193	2	2	5	22	34	42	44
35-49	8	15.0	159	2	3	14	20	35	40	40
50-64	10	9.5	151	<1	1	5	7	31	40	40
65+	11	6.6	37	<1	1	6	9	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	4.2	20	1	1	3	5	8	11	22
20-34	282	4.2	25	1	1	3	5	9	13	20
35-49	285	4.9	26	1	1	4	6	10	13	23
50-64	458	6.3	46	1	1	5	8	13	17	43
65+	895	8.9	66	1	2	7	11	17	24	61
B. *Operated*										
0-19 YRS	10	19.6	805	1	1	9	19	66	93	93
20-34	34	17.3	610	<1	1	7	19	65	97	99+
35-49	39	19.7	500	<1	1	11	29	60	82	99+
50-64	65	15.3	248	2	3	10	22	35	51	98
65+	113	19.3	240	4	6	14	27	42	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	978	3.3	12	1	1	2	4	7	9	20
B. *Operated*	49	10.3	120	1	2	6	12	26	40	44
2. MULTIPLE DX										
A. *Not Operated*	2435	6.4	47	1	1	4	8	13	18	38
B. *Operated*	261	18.1	346	1	3	12	26	47	67	99+
1. SINGLE DX	1027	3.6	19	1	1	2	4	7	10	24
2. MULTIPLE DX	2696	7.5	88	1	1	5	9	16	24	62
A. NOT OPERATED	3413	5.5	39	1	1	4	7	12	16	31
B. OPERATED	310	16.9	318	1	2	11	23	42	62	99+
TOTAL 0-19 YRS	971	3.9	25	1	1	3	5	8	10	20
20-34	531	4.9	75	1	1	2	5	10	17	48
35-49	470	5.7	82	1	1	3	6	11	19	53
50-64	642	6.8	71	1	1	4	8	14	22	52
65+	1109	9.6	92	1	2	7	12	20	28	63
GRAND TOTAL	**3723**	**6.5**	**72**	**1**	**1**	**4**	**8**	**14**	**21**	**52**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.8	31	<1	<1	2	7	13	14	27
20-34	42	2.8	4	<1	<1	2	4	6	7	9
35-49	29	4.4	18	<1	1	2	6	10	13	18
50-64	42	5.2	14	<1	1	4	8	11	12	16
65+	90	8.8	94	1	1	5	13	26	31	40
B. *Operated*										
0-19 YRS	156	5.2	33	<1	1	4	6	10	15	35
20-34	385	4.0	50	<1	<1	2	4	8	13	45
35-49	302	5.5	53	1	1	3	5	14	22	37
50-64	529	9.0	94	1	2	5	12	21	27	48
65+	949	9.3	122	1	2	5	12	22	30	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.1	77	<1	1	3	7	18	23	47
20-34	66	8.8	96	<1	1	5	10	24	33	42
35-49	106	6.8	39	1	1	5	8	18	21	26
50-64	129	7.9	66	1	1	6	10	16	30	41
65+	332	10.6	121	1	2	8	13	22	32	67
B. *Operated*										
0-19 YRS	531	9.0	113	1	2	6	11	20	32	76
20-34	593	7.7	129	<1	1	4	8	18	34	55
35-49	670	9.6	139	1	1	5	12	26	35	59
50-64	1376	12.3	192	2	2	8	16	29	45	87
65+	2444	13.3	198	2	2	9	18	31	44	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.0	51	<1	1	3	7	13	20	35
B. *Operated*	2321	7.6	93	1	1	4	9	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	723	8.8	94	1	1	6	11	20	29	44
B. *Operated*	5614	11.6	178	1	2	7	15	28	41	80
1. SINGLE DX	2557	7.4	90	1	1	4	9	18	26	46
2. MULTIPLE DX	6337	11.3	169	1	2	7	14	27	39	79
A. NOT OPERATED	959	8.1	85	1	1	5	10	19	28	42
B. OPERATED	7935	10.4	157	1	2	6	13	25	37	72
TOTAL 0-19 YRS	810	7.7	93	1	1	5	9	17	28	51
20-34	1086	6.3	98	<1	1	3	6	14	26	51
35-49	1107	8.1	107	1	1	4	9	21	31	47
50-64	2076	11.0	159	1	2	7	14	25	38	73
65+	3815	12.0	173	2	2	8	16	28	38	80
GRAND TOTAL	**8894**	**10.2**	**150**	**1**	**2**	**6**	**13**	**24**	**36**	**69**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.0	2	<1	1	2	2	4	5	9
20-34	170	2.7	3	1	1	2	3	5	6	9
35-49	92	3.3	4	1	1	3	4	6	7	11
50-64	105	4.4	13	1	1	4	5	7	10	24
65+	169	4.4	11	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	112	2.1	3	<1	1	2	3	4	4	10
20-34	164	2.9	6	1	1	2	4	5	7	13
35-49	81	3.5	7	1	1	3	4	7	9	13
50-64	55	5.1	24	1	2	3	6	11	17	25
65+	54	5.8	19	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	14	1	1	2	3	5	7	22
20-34	99	4.1	40	1	1	3	5	7	10	38
35-49	60	5.4	18	1	1	4	7	10	13	23
50-64	120	4.7	12	1	1	4	6	9	11	18
65+	241	5.7	24	1	2	5	7	9	14	20
B. *Operated*										
0-19 YRS	46	3.3	14	<1	1	2	4	8	9	23
20-34	93	5.2	29	1	1	4	6	12	18	27
35-49	67	6.3	21	1	1	5	9	12	15	21
50-64	87	8.4	67	1	2	6	10	17	26	46
65+	129	8.7	49	1	2	7	11	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	3.3	7	1	1	3	4	6	7	13
B. *Operated*	466	3.4	10	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	568	4.9	23	1	1	4	6	9	12	21
B. *Operated*	422	6.9	43	1	1	5	9	15	20	30
1. SINGLE DX	1155	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX	990	5.8	33	1	1	4	7	11	16	27
A. NOT OPERATED	1257	4.0	15	1	1	3	5	8	10	18
B. OPERATED	888	5.1	29	1	1	3	6	11	16	26
TOTAL 0-19 YRS	359	2.3	6	<1	1	2	3	4	6	14
20-34	526	3.5	16	1	1	2	4	6	9	18
35-49	300	4.4	13	1	1	3	6	9	12	18
50-64	367	5.6	29	1	2	4	7	11	15	27
65+	593	6.0	28	1	2	5	7	11	16	25
GRAND TOTAL	**2145**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.8	8	2	3	5	7	11	11	14
20-34	113	7.0	16	2	3	6	9	13	15	20
35-49	94	7.8	37	2	3	7	10	13	19	36
50-64	89	9.0	27	3	3	8	12	15	16	30
65+	83	9.6	37	3	4	8	11	18	21	31
B. *Operated*										
0-19 YRS	60	9.2	165	2	2	7	11	14	20	92
20-34	114	9.6	80	2	3	7	11	20	32	44
35-49	86	8.4	49	2	2	6	10	20	25	33
50-64	70	11.0	114	2	3	7	17	24	29	54
65+	56	13.6	135	3	3	10	18	27	38	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	6.7	20	2	2	6	9	11	14	24
20-34	110	8.2	42	1	3	6	11	15	21	36
35-49	99	8.3	55	2	3	7	10	15	27	99+
50-64	172	9.9	72	3	3	7	12	19	27	46
65+	201	13.4	129	3	4	10	16	25	38	76
B. *Operated*										
0-19 YRS	72	13.9	206	1	2	9	18	33	51	63
20-34	135	13.6	175	2	3	10	18	26	37	69
35-49	116	15.8	253	2	4	11	20	39	55	95
50-64	192	19.5	345	3	4	13	26	45	67	92
65+	232	18.0	242	3	5	13	22	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	7.8	26	2	3	7	10	13	17	30
B. *Operated*	386	10.1	102	2	2	7	12	22	29	50
2. MULTIPLE DX										
A. *Not Operated*	650	10.1	82	2	3	8	12	20	27	53
B. *Operated*	747	16.8	259	2	4	12	21	39	53	92
1. SINGLE DX	853	8.8	62	2	3	7	11	17	23	39
2. MULTIPLE DX	1397	13.7	187	2	3	9	16	30	45	85
A. NOT OPERATED	1117	9.1	60	2	3	7	11	17	23	49
B. OPERATED	1133	14.5	215	2	3	10	18	32	48	85
TOTAL 0-19 YRS	288	8.8	102	2	2	6	10	15	25	53
20-34	472	9.8	89	2	3	7	12	19	26	50
35-49	395	10.4	119	2	3	7	12	22	32	89
50-64	523	13.4	191	2	3	9	15	29	41	80
65+	572	14.7	170	3	4	11	18	31	47	83
GRAND TOTAL	**2250**	**11.9**	**145**	**2**	**3**	**8**	**14**	**25**	**37**	**75**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.8	31	1	1	4	6	7	17	27
20-34	52	4.1	11	<1	1	3	6	9	11	14
35-49	55	6.0	28	1	1	5	7	14	15	27
50-64	60	7.3	38	1	1	6	11	17	20	26
65+	48	6.5	19	1	2	6	9	13	14	18
B. *Operated*										
0-19 YRS	47	5.3	23	<1	1	4	7	10	14	23
20-34	112	6.0	51	<1	1	4	7	11	19	45
35-49	113	6.0	53	1	2	4	7	12	16	47
50-64	133	7.7	62	1	1	5	11	19	22	36
65+	161	8.0	115	<1	1	3	11	19	31	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.7	38	1	1	3	7	11	14	38
20-34	109	4.6	22	1	1	3	6	10	17	24
35-49	130	6.7	34	1	1	5	9	14	19	26
50-64	185	8.8	97	1	2	6	11	17	27	55
65+	286	11.1	127	1	2	8	14	22	31	70
B. *Operated*										
0-19 YRS	74	9.9	148	1	2	5	14	27	31	67
20-34	159	9.9	100	1	2	7	14	23	31	95
35-49	205	11.5	149	1	2	8	15	26	38	72
50-64	333	14.0	210	2	2	9	19	32	50	97
65+	530	15.0	242	1	2	10	20	36	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	5.9	26	1	1	5	7	13	15	26
B. *Operated*	566	6.9	71	<1	1	4	8	16	21	45
2. MULTIPLE DX										
A. *Not Operated*	784	8.3	88	1	1	6	11	17	24	53
B. *Operated*	1301	13.3	200	1	2	9	18	31	46	87
1. SINGLE DX	802	6.6	58	1	1	4	8	15	20	43
2. MULTIPLE DX	2085	11.4	163	1	2	7	15	27	39	79
A. NOT OPERATED	1020	7.8	74	1	1	5	10	16	23	49
B. OPERATED	1867	11.3	169	1	2	7	15	27	40	80
TOTAL 0-19 YRS	216	6.6	77	1	1	3	8	15	24	45
20-34	432	6.8	63	1	1	4	8	17	23	48
35-49	503	8.4	91	1	1	5	11	18	26	55
50-64	711	10.9	147	1	2	7	14	25	37	68
65+	1025	12.4	188	1	2	8	16	30	43	80
GRAND TOTAL	**2887**	**10.1**	**139**	**1**	**1**	**6**	**13**	**23**	**34**	**71**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.1	5	1	1	2	5	6	8	9
20-34	9	4.0	11	1	1	3	5	10	10	10
35-49	12	5.8	25	1	1	4	9	13	16	17
50-64	5	2.4	5	1	1	1	4	6	6	6
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.0	5	1	1	2	4	6	9	10
20-34	17	7.5	27	1	1	7	11	15	16	17
35-49	11	7.4	34	<1	1	8	10	16	21	21
50-64	30	7.4	53	1	1	6	9	16	17	37
65+	31	4.5	17	1	1	3	6	10	12	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.7	9	1	1	1	3	8	9	9
35-49	10	9.7	50	2	2	9	10	22	22	22
50-64	8	22.0	316	4	4	17	32	51	56	56
65+	9	14.7	95	1	2	18	20	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.7	10	1	1	3	5	8	10	16
B. *Operated*	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	142	5.1	26	1	1	3	7	11	15	22
B. *Operated*	35	12.2	150	1	1	9	20	26	35	56
1. SINGLE DX	67	3.6	9	1	1	3	5	8	10	16
2. MULTIPLE DX	177	6.5	57	1	1	4	9	17	21	38
A. NOT OPERATED	205	4.7	21	1	1	3	6	10	13	20
B. OPERATED	39	11.1	145	1	1	6	19	24	33	56
TOTAL 0-19 YRS	89	3.0	5	1	1	2	4	6	8	10
20-34	34	5.4	22	1	1	3	9	12	15	17
35-49	35	7.1	36	1	2	5	10	17	22	22
50-64	43	9.6	129	1	1	6	12	21	37	56
65+	43	6.5	48	1	1	3	9	19	21	28
GRAND TOTAL	**244**	**5.7**	**46**	**1**	**1**	**3**	**8**	**12**	**19**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.9	2	<1	<1	1	2	4	5	5
35-49	6	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.2	1	<1	<1	2	3	4	4	4
20-34	5394	1.9	1	<1	<1	2	2	3	4	5
35-49	2550	2.0	1	<1	<1	2	2	3	4	6
50-64	21	1.4		<1	<1	1	2	2	3	3
65+	3	3.7	6	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	116	1.1		<1	<1	1	1	1	2	3
35-49	38	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	4	4
20-34	3056	2.4	3	<1	<1	2	3	5	6	8
35-49	1921	2.3	3	<1	<1	2	3	4	5	8
50-64	24	1.8	1	<1	<1	2	2	3	3	4
65+	4	1.8	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	1	2	3	5	5
B. *Operated*	7991	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	157	1.2		<1	<1	1	1	2	2	3
B. *Operated*	5014	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	8006	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	5171	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	172	1.2		<1	<1	1	1	2	3	4
B. OPERATED	13005	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	35	2.1	1	<1	<1	2	3	4	4	4
20-34	8575	2.1	2	<1	<1	2	3	4	5	7
35-49	4515	2.1	2	<1	<1	2	3	4	5	7
50-64	45	1.6	1	<1	<1	2	2	2	3	4
65+	7	2.6	4	<1	<1	2	4	6	6	6
GRAND TOTAL	**13177**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	24.0		24	24	24	24	24	24	24
1500-1749	3	20.3	10	18	18	19	23	24	24	24
1750-2499	934	4.0	11	2	2	3	4	6	7	15
2500+	66034	3.5	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	39	4.4	3	2	2	4	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	34	69.8	311	44	57	76	99	99+	99+	99+
1000-1499	148	44.8	317	23	25	44	53	69	89	94
1500-1749	154	26.2	132	10	13	24	33	39	46	69
1750-2499	2719	8.5	53	3	3	6	11	18	23	36
2500+	29204	4.5	7	2	3	4	5	7	8	13
B. *Operated*										
1-999 G	20	77.0	420	47	62	99+	99+	99+	99+	99+
1000-1499	84	59.7	282	38	43	58	77	98	99+	99+
1500-1749	53	39.8	153	21	23	40	49	52	56	81
1750-2499	174	21.0	278	3	5	17	27	43	60	99+
2500+	620	10.3	134	3	3	7	11	20	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66972	3.5	2	2	2	3	4	5	6	8
B. *Operated*	40	4.3	3	2	2	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	32259	5.2	28	2	3	4	6	7	10	29
B. *Operated*	951	19.7	470	3	3	10	30	63	89	99+
1. SINGLE DX	67012	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	33210	5.6	46	2	3	4	6	8	12	43
A. NOT OPERATED	99231	4.1	11	2	2	3	5	6	7	15
B. OPERATED	991	19.1	460	3	3	10	29	60	89	99+
TOTAL 1-999 G	54	72.4	357	48	58	89	99+	99+	99+	99+
1000-1499	233	50.1	355	24	28	49	62	83	94	99+
1500-1749	210	29.5	171	12	15	27	37	48	52	70
1750-2499	3828	8.0	64	2	3	5	10	17	24	41
2500+	95897	3.9	5	2	2	3	4	6	7	10
GRAND TOTAL	**100222**	**4.2**	**18**	**2**	**2**	**3**	**5**	**6**	**7**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	20.0		20	20	20	20	20	20	20
1750-2499	143	5.7	16	3	3	5	7	8	10	22
2500+	675	4.9	4	3	3	4	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	61.8	682	24	24	69	77	84	84	84
1000-1499	41	43.0	301	19	22	43	54	73	79	99+
1500-1749	54	28.5	129	15	16	27	34	39	51	73
1750-2499	485	9.6	45	3	4	7	13	19	22	32
2500+	364	6.2	16	3	4	6	7	8	9	16
B. *Operated*										
1-999 G	1	82.0		82	82	91	99+	99+	99+	99+
1000-1499	27	59.8	234	38	40	63	71	77	87	89
1500-1749	12	37.2	151	24	25	32	43	58	61	62
1750-2499	19	15.8	112	<1	1	16	22	29	36	39
2500+	3	7.3	4	5	5	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	5.0	7	3	3	5	6	7	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	948	11.1	134	3	4	7	12	23	35	69
B. *Operated*	62	39.8	599	4	7	40	63	75	84	99
1. SINGLE DX	819	5.0	7	3	3	5	6	7	8	14
2. MULTIPLE DX	1010	12.8	209	3	4	7	14	30	45	75
A. NOT OPERATED	1767	8.3	84	3	3	6	8	16	23	52
B. OPERATED	62	39.8	599	4	7	40	63	75	84	99
TOTAL 1-999 G	5	65.8	593	24	28	76	84	98	99+	99+
1000-1499	68	49.7	338	20	27	45	65	75	82	98
1500-1749	67	29.9	141	15	16	29	35	45	52	72
1750-2499	647	8.9	44	3	3	7	11	18	22	32
2500+	1042	5.4	9	3	3	5	6	7	9	13
GRAND TOTAL	**1829**	**9.3**	**133**	**3**	**3**	**6**	**8**	**20**	**32**	**69**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	6	6.5	45	3	3	4	6	19	20	20
2500+	163	2.9	1	1	2	3	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	41.5	481	26	26	41	57	57	57	57
1500-1749	1	17.0		17	17	17	17	17	17	17
1750-2499	33	9.1	29	3	3	10	13	16	19	21
2500+	58	5.4	108	2	3	3	5	7	8	76
B. *Operated*										
1-999 G										
1000-1499	2	80.0	200	70	70	80	90	90	90	90
1500-1749	1	43.0		43	43	43	43	43	43	43
1750-2499	1	43.0		43	43	43	43	43	43	43
2500+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.1	3	1	2	3	3	4	6	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	94	7.6	111	2	3	4	8	14	19	71
B. *Operated*	5	50.0	1054	4	4	43	75	90	90	90
1. SINGLE DX	169	3.1	3	1	2	3	3	4	6	8
2. MULTIPLE DX	99	9.7	235	2	3	4	9	18	43	86
A. NOT OPERATED	263	4.7	46	1	2	3	4	8	13	25
B. OPERATED	5	50.0	1054	4	4	43	75	90	90	90
TOTAL 1-999 G										
1000-1499	4	60.8	721	26	26	63	80	90	90	90
1500-1749	2	30.0	338	17	17	30	43	43	43	43
1750-2499	40	9.6	60	3	3	8	13	18	20	43
2500+	222	3.6	30	1	2	3	4	5	6	9
GRAND TOTAL	**268**	**5.5**	**99**	**1**	**2**	**3**	**4**	**9**	**14**	**68**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	9	<1	<1	2	3	7	10	14
20-34	14	3.3	24	<1	<1	2	3	5	17	20
35-49	8	2.9	3	1	1	3	4	5	6	6
50-64	8	2.9	5	1	1	2	4	6	7	7
65+	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
0-19 YRS	673	2.7	4	<1	1	2	3	4	6	9
20-34	1087	2.7	4	<1	1	2	3	5	6	10
35-49	500	2.8	4	<1	1	2	3	5	6	11
50-64	416	3.3	7	<1	1	3	4	6	8	14
65+	264	5.1	39	1	2	3	5	9	15	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	6	<1	<1	1	2	5	9	11
20-34	22	3.0	46	<1	<1	1	2	3	16	33
35-49	8	2.3	3	1	1	2	3	5	5	5
50-64	10	4.7	81	<1	<1	1	3	17	30	30
65+	13	9.2	158	1	1	4	10	28	39	41
B. *Operated*										
0-19 YRS	233	4.2	29	1	1	3	4	8	10	31
20-34	225	4.2	42	1	1	3	4	7	10	36
35-49	136	5.3	48	1	2	3	5	10	17	44
50-64	198	5.3	28	1	2	4	6	11	15	31
65+	188	11.0	131	2	2	7	14	25	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.1	11	<1	<1	2	4	7	8	20
B. *Operated*	2940	3.0	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	71	4.0	60	<1	<1	1	3	6	25	39
B. *Operated*	980	5.8	60	1	2	3	6	12	19	45
1. SINGLE DX	2996	3.0	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	1051	5.7	60	1	1	3	6	12	20	45
A. NOT OPERATED	127	3.6	38	<1	<1	2	3	6	15	35
B. OPERATED	3920	3.7	22	<1	1	3	4	6	9	25
TOTAL 0-19 YRS	947	3.0	11	<1	1	2	3	5	7	17
20-34	1348	3.0	11	<1	1	2	3	5	6	13
35-49	652	3.3	14	<1	1	2	3	5	7	22
50-64	632	3.9	15	<1	1	3	4	7	10	21
65+	468	7.6	87	1	2	4	8	17	25	52
GRAND TOTAL	**4047**	**3.7**	**23**	**<1**	**1**	**3**	**4**	**6**	**9**	**26**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	23	1.0		<1	<1	<1	<1	<1	1	1
65+	14	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	71	1.9	9	<1	<1	1	2	2	3	22
35-49	67	1.4		1	1	1	2	2	3	4
50-64	343	2.1	1	1	2	2	2	2	3	9
65+	343	2.3	2	1	1	2	2	3	4	10
B. *Operated*										
0-19 YRS										
20-34	11	6.0	76	<1	1	2	7	19	29	30
35-49	9	3.6	9	<1	<1	2	5	9	9	9
50-64	39	7.1	48	<1	<1	4	9	18	21	30
65+	34	6.1	47	<1	1	4	7	17	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	<1	2	2	2	2
B. *Operated*	47	1.0		<1	<1	<1	<1	<1	<1	1
2. MULTIPLE DX										
A. *Not Operated*	824	2.1	2	1	1	2	2	2	3	9
B. *Operated*	93	6.2	47	<1	<1	4	8	17	21	32
1. SINGLE DX	52	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX	917	2.5	8	1	1	2	2	3	7	17
A. NOT OPERATED	829	2.1	2	1	1	2	2	2	3	9
B. OPERATED	140	4.5	37	<1	<1	2	5	11	18	31
TOTAL 0-19 YRS										
20-34	82	2.4	20	<1	<1	2	2	3	6	29
35-49	88	1.6	2	<1	<1	1	2	3	4	9
50-64	405	2.5	8	<1	1	2	2	3	7	17
65+	394	2.5	7	<1	1	2	2	4	6	16
GRAND TOTAL	**969**	**2.4**	**8**	**<1**	**1**	**2**	**2**	**3**	**6**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1138	2.9	12	<1	<1	2	3	6	8	19
20-34	1168	3.3	36	<1	<1	2	3	7	11	26
35-49	621	3.0	22	<1	<1	2	3	6	10	26
50-64	952	2.9	18	<1	<1	2	3	6	9	23
65+	809	3.6	37	<1	<1	2	4	7	12	36
B. *Operated*										
0-19 YRS	482	3.2	15	<1	<1	2	3	8	11	18
20-34	1204	3.2	10	<1	<1	2	4	7	9	16
35-49	866	3.6	12	<1	1	2	4	8	11	17
50-64	984	4.4	25	<1	1	2	6	10	13	21
65+	1019	4.6	31	1	1	2	6	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1845	3.1	13	<1	<1	2	4	6	9	19
20-34	1592	3.5	25	<1	<1	2	4	7	10	24
35-49	2263	4.1	37	1	1	2	4	8	13	34
50-64	6044	4.2	41	1	1	2	5	8	14	34
65+	5530	6.3	96	1	1	3	6	15	25	60
B. *Operated*										
0-19 YRS	608	4.8	61	<1	1	2	5	10	20	37
20-34	1296	4.4	45	<1	<1	2	5	9	15	38
35-49	1891	4.4	45	<1	<1	2	5	10	14	37
50-64	3074	5.5	63	1	1	2	6	13	18	45
65+	3330	7.2	99	1	1	3	10	17	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4688	3.1	25	<1	<1	2	3	6	10	26
B. *Operated*	4555	3.9	19	<1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	17274	4.7	55	1	1	2	5	9	16	43
B. *Operated*	10199	5.7	70	<1	1	2	6	13	20	48
1. SINGLE DX	9243	3.5	22	<1	<1	2	4	8	11	22
2. MULTIPLE DX	27473	5.0	61	<1	1	2	5	11	18	45
A. NOT OPERATED	21962	4.4	49	<1	1	2	5	9	15	39
B. OPERATED	14754	5.1	55	<1	1	2	6	12	17	39
TOTAL 0-19 YRS	4073	3.3	21	<1	<1	2	4	7	10	26
20-34	5260	3.6	29	<1	<1	2	4	8	11	30
35-49	5641	4.0	34	<1	<1	2	4	8	13	32
50-64	11054	4.5	44	1	1	2	5	10	15	36
65+	10688	6.2	87	1	1	3	7	14	22	57
GRAND TOTAL	**36716**	**4.7**	**52**	**<1**	**1**	**2**	**5**	**10**	**16**	**39**

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Northeastern Region, 1982

A Companion Volume To Length of Stay by Diagnosis, Northeastern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 **ADMITTING DIAGNOSIS**	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. *Diastolic BP > 110*			
2. *Not controlled by outpatient Rx*			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. *Sepsis or fever > 102^{o}, chills*			
2. *Abscess formation*			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy (complete) (partial) NEC 60.69**
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106517	3.3	16	<1	<1	2	4	6	8	18
20-34	218170	3.7	12	<1	1	3	4	7	9	17
35-49	96197	4.8	25	<1	1	3	6	10	13	24
50-64	88250	6.1	39	1	2	4	8	13	17	30
65+	84965	7.7	71	1	2	5	10	17	23	43
2. MULTIPLE DX										
0-19 YRS	68145	5.5	69	<1	1	3	6	11	18	51
20-34	168239	5.7	44	1	2	4	7	10	15	37
35-49	123421	7.7	70	1	2	6	9	16	22	46
50-64	179378	10.4	112	2	2	8	13	22	31	62
65+	305826	14.2	181	2	3	10	18	31	44	96
TOT. SINGLE DX	594099	4.7	29	<1	1	3	6	10	14	27
" MULTIPLE DX	845009	10.1	126	1	2	7	13	22	32	71
TOTAL 0-19 YRS	174662	4.2	38	<1	1	3	4	8	12	34
20-34	386409	4.6	27	<1	1	3	5	8	12	27
35-49	219618	6.4	52	1	1	4	8	13	18	38
50-64	267628	9.0	92	1	2	6	11	19	27	54
65+	390791	12.8	164	2	2	9	17	28	40	87
GRAND TOTAL	**1439108**	**7.9**	**93**	**1**	**1**	**5**	**9**	**18**	**26**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	11.8	102	1	2	10	15	22	25	56
20-34	127	16.4	168	3	5	13	19	37	44	97
35-49	134	15.7	126	3	6	13	21	27	39	99+
50-64	192	18.1	181	5	8	15	21	32	47	99
65+	181	18.5	164	5	7	15	23	38	46	70
2. MULTIPLE DX										
0-19 YRS	146	16.4	223	2	2	12	23	40	62	99+
20-34	128	25.0	422	5	8	19	30	61	87	99+
35-49	167	23.9	249	7	8	21	32	48	68	99+
50-64	339	27.0	361	8	10	20	37	64	75	99+
65+	376	32.6	392	9	11	29	49	73	99+	99+
TOT. SINGLE DX	730	16.7	158	3	6	13	21	32	43	96
" MULTIPLE DX	1156	26.8	369	6	9	21	37	64	82	99+
TOTAL 0-19 YRS	242	14.6	180	1	2	11	20	33	49	99+
20-34	255	20.7	314	4	7	15	25	43	67	99+
35-49	301	20.3	210	4	7	17	26	41	60	99+
50-64	531	23.8	314	7	9	18	31	55	71	99+
65+	557	28.0	361	8	10	23	40	66	86	99+
GRAND TOTAL	1886	22.9	312	5	7	18	30	53	71	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	10.3	39	3	4	9	12	17	22	36
20-34	54	12.6	48	5	5	12	15	20	29	39
35-49	60	16.8	95	5	7	14	22	34	38	41
50-64	84	17.6	138	4	6	15	25	36	45	99+
65+	85	19.4	184	6	7	16	25	36	56	90
2. MULTIPLE DX										
0-19 YRS	90	23.7	500	3	4	16	39	70	96	99+
20-34	80	23.9	357	6	7	19	33	73	85	99+
35-49	92	28.9	442	9	10	24	41	70	95	99+
50-64	124	30.4	376	8	12	26	46	68	99+	99+
65+	190	32.2	453	8	10	27	46	74	93	99+
TOT. SINGLE DX	338	15.9	122	5	6	13	20	32	40	74
" MULTIPLE DX	576	28.8	438	7	9	24	43	71	95	99+
TOTAL 0-19 YRS	145	18.6	366	3	4	11	26	59	83	99+
20-34	134	19.3	262	5	6	14	25	45	76	99+
35-49	152	24.2	339	6	9	18	34	49	81	99+
50-64	208	25.2	319	7	8	21	35	65	90	99+
65+	275	28.2	404	7	9	22	39	65	81	99+
GRAND TOTAL	914	24.0	359	5	7	18	33	63	80	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	6.2	9	2	3	6	8	10	11	19
20-34	43	8.7	11	4	4	8	11	14	15	17
35-49	19	6.6	17	1	2	6	9	11	16	19
50-64	16	9.6	15	4	5	9	13	16	16	16
65+	8	8.0	11	3	4	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	103	10.1	94	2	3	8	11	19	31	78
20-34	66	15.1	155	5	5	10	17	39	52	99+
35-49	44	12.7	124	5	6	10	12	26	33	70
50-64	24	15.2	198	3	5	11	18	30	49	65
65+	17	29.5	502	4	6	23	48	58	70	77
TOT. SINGLE DX	218	7.1	12	3	3	7	9	11	14	19
" MULTIPLE DX	254	13.6	172	3	4	9	14	33	50	98
TOTAL 0-19 YRS	235	7.9	50	2	3	6	9	13	19	53
20-34	109	12.5	108	4	5	9	14	28	48	99+
35-49	63	10.9	99	3	4	9	12	16	30	65
50-64	40	13.0	130	3	5	10	14	24	35	65
65+	25	22.6	444	3	5	12	39	57	63	77
GRAND TOTAL	472	10.6	109	3	4	8	11	19	34	69

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	9.7	90	3	4	8	11	16	18	63
20-34	7	12.4	104	4	4	9	14	30	34	34
35-49	11	16.4	218	4	5	12	21	36	54	56
50-64	10	17.6	453	4	5	11	17	47	77	77
65+	27	26.6	250	9	11	23	35	46	58	78
2. MULTIPLE DX										
0-19 YRS	69	18.7	336	5	6	11	25	53	89	99+
20-34	27	22.7	351	6	6	14	32	55	63	67
35-49	16	34.9	574	9	10	34	59	97	99+	99+
50-64	44	30.3	372	10	11	26	47	77	99+	99+
65+	79	33.9	439	11	13	33	56	99+	99+	99+
TOT. SINGLE DX	96	16.3	229	4	4	11	19	37	53	78
" MULTIPLE DX	235	27.5	433	6	8	24	44	87	99+	99+
TOTAL 0-19 YRS	110	15.4	262	3	4	10	18	37	78	99+
20-34	34	20.6	314	5	6	13	31	49	61	67
35-49	27	27.3	501	5	6	21	49	82	99+	99+
50-64	54	27.9	404	7	10	22	43	77	99+	99+
65+	106	32.1	398	10	13	28	47	99	99+	99+
GRAND TOTAL	331	24.3	399	5	7	18	38	70	99+	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	8.9	137	2	2	6	9	15	31	68
20-34	36	8.9	29	3	4	7	13	16	17	25
35-49	14	15.5	173	1	3	13	19	30	48	53
50-64	13	13.8	214	4	5	7	16	29	53	59
65+	14	19.4	581	3	5	13	21	34	85	99
2. MULTIPLE DX										
0-19 YRS	318	11.6	210	2	2	7	13	32	48	96
20-34	61	19.7	347	3	4	13	28	62	89	99+
35-49	44	24.0	491	3	5	16	39	75	99+	99+
50-64	41	30.7	520	4	8	26	46	72	83	99+
65+	38	33.1	565	7	9	27	52	80	99	99+
TOT. SINGLE DX	158	10.8	168	2	3	7	13	21	27	73
" MULTIPLE DX	502	16.8	359	2	3	9	23	49	73	99+
TOTAL 0-19 YRS	399	11.0	196	2	2	6	11	28	48	86
20-34	97	15.7	256	3	4	11	18	43	71	99+
35-49	58	21.9	423	3	4	15	35	69	89	99+
50-64	54	26.6	494	4	5	18	42	64	74	99+
65+	52	29.4	596	5	7	22	46	74	99	99+
GRAND TOTAL	**660**	**15.4**	**320**	**2**	**3**	**9**	**18**	**45**	**68**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	13.1	86	4	4	11	20	27	28	28
20-34	116	12.6	78	5	6	10	16	20	23	55
35-49	277	11.9	56	5	6	10	14	20	29	42
50-64	293	13.2	73	6	6	11	16	23	30	47
65+	171	16.7	104	7	8	13	21	31	38	67
2. MULTIPLE DX										
0-19 YRS	21	16.9	189	4	5	12	25	43	77	99+
2C-34	109	15.8	139	5	6	12	20	33	63	99+
35-49	226	17.4	155	6	6	14	23	34	44	84
50-64	398	20.8	306	6	7	15	24	45	72	99+
65+	385	25.0	297	8	10	20	34	52	71	99+
TOT. SINGLE DX	865	13.4	78	5	6	11	16	24	31	46
" MULTIPLE DX	1139	21.0	265	6	8	16	27	44	67	99+
TOTAL 0-19 YRS	29	15.8	160	4	5	12	25	33	62	99+
20-34	225	14.1	110	5	6	11	18	25	35	99+
35-49	503	14.4	108	5	6	11	18	29	35	67
50-64	691	17.6	222	6	7	13	21	35	51	99
65+	556	22.4	253	8	9	17	31	46	61	99+
GRAND TOTAL	**2004**	**17.7**	**199**	**6**	**7**	**13**	**21**	**36**	**49**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	15.9	160	3	4	10	24	35	41	52
20-34	59	18.9	183	3	4	14	31	40	43	48
35-49	72	14.9	188	1	3	12	18	34	46	66
50-64	51	18.2	249	3	4	13	22	44	48	64
65+	23	19.9	219	5	7	15	29	42	53	62
2. MULTIPLE DX										
0-19 YRS	88	26.4	338	5	8	23	36	51	76	99+
20-34	90	22.2	243	4	5	19	32	51	55	99+
35-49	97	23.1	237	4	6	21	35	44	59	99+
50-64	97	24.3	320	2	6	20	36	47	61	78
65+	109	28.3	466	3	6	23	42	64	80	99+
TOT. SINGLE DX	254	17.1	197	2	3	13	24	39	45	62
" MULTIPLE DX	481	25.0	328	4	6	21	36	52	65	99+
TOTAL 0-19 YRS	137	22.7	299	4	5	19	32	46	60	99+
20-34	149	20.9	221	3	5	17	31	44	53	99
35-49	169	19.6	232	3	4	15	31	41	54	94
50-64	148	22.2	302	2	5	16	34	45	59	75
65+	132	26.8	431	3	7	22	40	62	77	99+
GRAND TOTAL	**735**	**22.3**	**296**	**3**	**5**	**17**	**32**	**47**	**59**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	4.9	45	1	1	3	5	15	16	41
20-34	215	3.0	5	<1	1	2	3	6	8	12
35-49	220	3.0	6	<1	1	2	3	5	8	13
50-64	266	4.0	24	1	1	3	4	7	11	21
65+	109	4.6	20	1	2	3	5	10	15	24
2. MULTIPLE DX										
0-19 YRS	22	4.3	24	1	2	2	4	8	16	24
20-34	109	4.2	18	1	1	3	4	9	15	23
35-49	124	6.8	68	1	1	3	8	17	27	41
50-64	173	7.5	96	2	2	4	8	18	21	55
65+	122	9.8	128	1	2	5	13	25	38	99+
TOT. SINGLE DX	855	3.6	16	<1	1	3	4	7	11	19
" MULTIPLE DX	550	7.1	82	1	2	4	8	18	25	51
TOTAL 0-19 YRS	67	4.7	38	1	2	3	5	10	16	38
20-34	324	3.4	10	<1	1	2	4	7	10	16
35-49	344	4.4	32	<1	1	3	4	10	14	30
50-64	439	5.4	56	1	2	3	5	11	19	42
65+	231	7.3	84	1	2	4	9	19	26	72
GRAND TOTAL	**1405**	**5.0**	**45**	**1**	**1**	**3**	**5**	**11**	**17**	**37**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	2.4	1	1	1	2	3	4	4	7
20-34	894	2.4	2	<1	<1	2	3	4	5	9
35-49	1236	2.4	2	<1	<1	2	3	4	5	9
50-64	1439	2.5	3	<1	1	2	3	4	5	10
65+	805	2.6	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	187	2.7	7	1	1	2	3	4	7	17
20-34	472	3.5	24	1	1	2	4	6	9	27
35-49	547	4.1	26	1	1	3	4	9	14	22
50-64	916	4.2	22	1	1	3	4	9	14	25
65+	645	5.7	63	1	2	3	6	13	20	50
TOT. SINGLE DX	4536	2.5	3	<1	1	2	3	4	5	9
" MULTIPLE DX	2767	4.3	33	1	1	3	4	9	14	29
TOTAL 0-19 YRS	349	2.6	5	1	1	2	3	4	5	11
20-34	1366	2.8	11	<1	1	2	3	4	7	15
35-49	1783	2.9	11	<1	1	2	3	5	7	16
50-64	2355	3.1	12	<1	1	2	3	5	8	20
65+	1450	4.0	33	1	1	2	4	8	12	29
GRAND TOTAL	7303	3.2	15	<1	1	2	3	5	8	20

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.3	82	2	2	9	17	20	20	20
20-34	24	8.0	27	2	3	7	8	16	21	25
35-49	25	9.3	24	3	4	8	12	17	20	22
50-64	52	10.8	44	3	4	10	13	18	21	35
65+	55	14.0	56	6	7	12	17	22	29	42
2. MULTIPLE DX										
0-19 YRS	3	9.7	52	5	5	6	15	18	18	18
20-34	26	8.5	37	4	4	7	9	12	21	35
35-49	41	14.6	142	3	5	11	20	27	32	70
50-64	166	19.4	238	5	6	15	24	42	56	99+
65+	412	21.9	239	6	8	18	27	42	59	99+
TOT. SINGLE DX	159	11.2	47	3	4	10	14	21	23	35
" MULTIPLE DX	648	20.2	233	5	7	16	25	41	56	99+
TOTAL 0-19 YRS	6	10.0	54	2	2	7	18	20	20	20
20-34	50	8.3	32	3	4	7	9	14	19	35
35-49	66	12.6	103	3	4	10	16	22	29	64
50-64	218	17.3	205	4	6	13	21	39	52	99+
65+	467	20.9	224	6	8	16	26	41	56	99
GRAND TOTAL	807	18.4	209	4	6	15	22	39	52	99+

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.0	31	2	2	4	12	14	14	14
20-34	17	4.5	20	<1	1	2	5	12	15	17
35-49	23	6.7	66	<1	1	3	12	16	23	34
50-64	33	6.1	29	1	1	4	9	16	18	18
65+	13	5.6	8	1	2	7	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	7	4.9	57	1	1	2	3	18	22	22
20-34	35	6.2	22	1	1	5	8	12	16	22
35-49	27	11.4	120	1	2	8	13	28	40	43
50-64	35	9.9	61	1	1	9	14	24	31	99+
65+	51	12.1	116	1	1	9	18	27	34	51
TOT. SINGLE DX	91	5.9	33	1	1	4	8	14	17	28
" MULTIPLE DX	155	9.8	85	1	1	7	13	23	30	51
TOTAL 0-19 YRS	12	5.8	14	1	1	3	8	16	21	22
20-34	52	5.6	22	1	1	4	7	12	16	22
35-49	50	9.2	99	<1	1	6	13	21	34	43
50-64	68	8.1	49	1	1	7	11	19	25	87
65+	64	10.8	101	1	1	8	14	25	31	49
GRAND TOTAL	246	8.4	70	1	1	6	12	19	25	43

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	5.1	31	3	3	4	5	7	10	35
20-34	590	4.7	5	3	3	4	5	6	8	15
35-49	697	4.7	5	3	3	4	5	6	7	13
50-64	630	5.0	10	3	3	5	5	7	8	15
65+	215	6.2	23	3	3	5	6	9	16	33
2. MULTIPLE DX										
0-19 YRS	34	6.6	9	3	4	6	9	12	13	14
20-34	183	6.1	14	3	3	5	7	12	14	23
35-49	356	6.2	24	3	3	5	6	10	15	29
50-64	460	8.0	64	3	4	5	8	15	24	43
65+	280	9.7	80	3	4	6	11	20	28	43
TOT. SINGLE DX	2239	4.9	10	3	3	4	5	7	8	18
" MULTIPLE DX	1313	7.6	51	3	4	5	8	14	21	40
TOTAL 0-19 YRS	141	5.5	27	3	3	4	6	9	12	22
20-34	773	5.0	8	3	3	4	5	7	10	19
35-49	1053	5.2	12	3	3	4	5	7	10	21
50-64	1090	6.3	35	3	3	5	6	10	15	34
65+	495	8.2	58	3	4	5	8	17	24	40
GRAND TOTAL	**3552**	**5.9**	**26**	**3**	**3**	**5**	**6**	**9**	**14**	**29**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	2.6	5	<1	1	2	3	4	5	9
20-34	121	3.9	9	2	2	3	4	6	7	17
35-49	73	4.5	8	2	2	4	5	7	9	19
50-64	94	4.9	5	2	2	5	6	8	9	11
65+	65	9.3	129	2	3	5	10	19	31	68
2. MULTIPLE DX										
0-19 YRS	16	4.5	9	1	1	4	6	8	11	12
20-34	75	8.5	54	2	3	7	10	17	25	39
35-49	96	7.6	50	1	2	5	9	15	24	74
50-64	152	9.3	80	3	4	6	10	20	31	60
65+	160	14.0	216	3	4	9	17	29	46	92
TOT. SINGLE DX	553	4.3	25	1	1	3	5	7	10	28
" MULTIPLE DX	499	10.2	119	2	3	6	11	23	30	84
TOTAL 0-19 YRS	216	2.7	6	<1	1	2	3	4	6	11
20-34	196	5.7	32	2	2	4	6	11	15	35
35-49	169	6.2	34	2	2	5	7	12	16	43
50-64	246	7.6	56	2	3	5	8	13	22	56
65+	225	12.6	196	3	4	8	14	28	42	89
GRAND TOTAL	**1052**	**7.1**	**78**	**1**	**2**	**5**	**8**	**14**	**25**	**49**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.1	11	2	3	7	10	11	13	13
20-34	58	10.0	20	4	5	9	12	16	20	23
35-49	47	10.4	19	4	4	11	12	15	19	22
50-64	32	12.2	50	2	5	10	15	20	31	32
65+	25	14.8	175	3	4	11	18	41	44	50
2. MULTIPLE DX										
0-19 YRS	8	8.5	40	1	2	7	11	19	21	21
20-34	37	16.9	180	4	6	13	22	31	37	79
35-49	56	15.2	174	3	7	11	17	26	55	99
50-64	87	18.7	216	4	7	15	24	34	49	96
65+	62	20.4	176	3	8	17	26	35	48	66
TOT. SINGLE DX	173	11.0	50	4	4	10	13	18	22	42
" MULTIPLE DX	250	17.7	190	4	7	14	22	33	47	89
TOTAL 0-19 YRS	19	7.7	22	1	3	7	10	14	18	21
20-34	95	12.7	93	4	5	10	14	23	25	61
35-49	103	13.0	108	4	4	11	15	20	27	91
50-64	119	17.0	180	4	7	13	21	33	37	92
65+	87	18.8	181	3	5	16	25	35	48	66
GRAND TOTAL	**423**	**15.0**	**143**	**4**	**5**	**12**	**18**	**30**	**35**	**83**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	1.2		<1	<1	1	1	2	2	2
20-34	69	1.5		<1	<1	1	2	3	3	5
35-49	90	1.7	1	<1	<1	1	2	3	3	7
50-64	165	1.7		<1	<1	2	2	2	3	6
65+	189	2.0	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	44	1.8	1	<1	<1	1	2	3	4	6
20-34	23	2.6	2	<1	1	2	4	5	6	6
35-49	86	3.9	30	<1	<1	2	3	9	16	29
50-64	151	3.4	9	<1	1	2	4	7	10	14
65+	242	5.9	68	<1	1	3	6	16	21	52
TOT. SINGLE DX	777	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	546	4.4	40	<1	1	2	4	11	16	37
TOTAL 0-19 YRS	308	1.3	1	<1	<1	1	2	2	2	4
20-34	92	1.8	1	<1	<1	1	2	3	5	6
35-49	176	2.8	17	<1	<1	2	3	4	9	24
50-64	316	2.5	6	<1	<1	2	3	5	7	13
65+	431	4.2	43	<1	<1	2	3	10	17	44
GRAND TOTAL	**1323**	**2.8**	**19**	**<1**	**<1**	**2**	**2**	**5**	**10**	**21**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	1.9	1	<1	1	2	2	3	4	5
20-34	115	2.3	6	<1	<1	2	3	4	4	16
35-49	274	2.0	1	<1	<1	2	2	3	4	8
50-64	435	2.1	1	<1	1	2	2	3	4	7
65+	516	2.2	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	251	3.8	51	1	1	2	4	7	10	49
20-34	330	3.7	18	<1	1	2	4	8	10	20
35-49	370	3.7	29	1	1	2	3	6	11	24
50-64	749	3.3	8	1	1	3	4	6	8	16
65+	821	4.8	48	1	2	2	4	11	18	47
TOT. SINGLE DX	1536	2.1	2	<1	1	2	2	3	4	7
" MULTIPLE DX	2521	3.9	31	1	1	2	4	8	12	33
TOTAL 0-19 YRS	447	2.9	30	<1	1	2	3	5	7	18
20-34	445	3.3	15	<1	1	2	4	7	9	20
35-49	644	3.0	18	<1	1	2	3	5	7	18
50-64	1184	2.9	6	1	1	2	3	5	7	14
65+	1337	3.8	32	1	1	2	3	8	13	37
GRAND TOTAL	**4057**	**3.2**	**21**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	1.8		<1	<1	2	2	3	4	5
20-34	33	4.8	173	1	2	2	3	4	5	78
35-49	36	2.5	1	<1	1	2	3	4	6	7
50-64	37	2.3		1	1	2	3	3	4	5
65+	92	2.8	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	23	4.3	113	<1	1	2	3	4	22	53
20-34	16	3.7	7	1	2	3	4	9	10	11
35-49	13	3.8	8	1	1	3	4	9	11	11
50-64	41	2.6	1	1	2	2	3	4	5	6
65+	83	4.5	24	1	2	3	5	8	14	29
TOT. SINGLE DX	242	2.8	25	1	1	2	3	4	5	8
" MULTIPLE DX	176	3.9	28	1	2	3	4	6	11	29
TOTAL 0-19 YRS	67	2.7	40	<1	<1	2	2	4	4	45
20-34	49	4.4	118	1	2	2	3	5	9	78
35-49	49	2.9	4	1	1	2	3	5	7	11
50-64	78	2.5	1	1	2	2	3	3	5	6
65+	175	3.6	13	1	2	3	4	6	8	25
GRAND TOTAL	**418**	**3.2**	**27**	**1**	**1**	**2**	**3**	**5**	**7**	**22**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.5		<1	<1	1	2	2	3	5
20-34	22	1.6		<1	<1	1	2	3	3	3
35-49	19	1.4		<1	<1	1	2	2	3	3
50-64	11	1.7		<1	<1	2	2	3	3	3
65+	18	1.8	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	2.2	2	1	1	1	4	5	5	5
20-34	10	2.3	2	<1	<1	2	3	5	6	6
35-49	12	4.4	19	<1	1	2	5	12	15	16
50-64	16	3.3	13	<1	<1	2	3	10	13	14
65+	25	5.9	81	1	1	2	6	15	30	40
TOT. SINGLE DX	95	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	74	4.1	35	<1	1	2	4	7	15	37
TOTAL 0-19 YRS	36	1.7	1	<1	<1	1	2	4	5	5
20-34	32	1.8	1	<1	<1	2	2	3	3	6
35-49	31	2.6	10	<1	<1	2	2	5	10	16
50-64	27	2.7	9	<1	<1	2	2	5	11	14
65+	43	4.2	51	<1	1	2	4	6	19	40
GRAND TOTAL	**169**	**2.7**	**17**	**<1**	**<1**	**2**	**2**	**5**	**6**	**25**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	137	2	2	3	7	29	34	34
20-34	31	3.6	2	2	2	3	5	6	7	7
35-49	21	4.2	3	1	2	4	5	7	8	8
50-64	37	4.6	9	2	2	4	5	9	10	17
65+	95	3.9	2	2	2	4	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	9	4.0	6	1	1	3	5	8	9	9
20-34	15	3.9	3	1	1	4	4	6	8	8
35-49	11	5.6	4	3	3	6	8	9	9	9
50-64	35	5.1	15	1	2	4	6	8	16	19
65+	141	5.9	49	1	2	4	6	10	14	49
TOT. SINGLE DX	191	4.2	9	2	2	4	5	7	7	14
" MULTIPLE DX	211	5.5	36	1	2	4	6	9	13	39
TOTAL 0-19 YRS	16	5.7	62	1	2	3	6	9	26	34
20-34	46	3.7	3	1	2	3	5	6	7	8
35-49	32	4.7	4	2	2	4	6	8	8	9
50-64	72	4.9	12	2	2	4	6	8	12	19
65+	236	5.1	31	1	2	4	6	7	12	36
GRAND TOTAL	**402**	**4.9**	**24**	**1**	**2**	**4**	**6**	**7**	**10**	**27**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.8	3	1	1	2	3	5	6	12
20-34	110	2.0	2	<1	1	2	2	3	4	11
35-49	116	1.9	1	<1	<1	2	2	3	4	7
50-64	97	2.0	2	<1	1	2	2	3	4	11
65+	89	2.2	4	<1	<1	2	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	58	5.4	85	1	1	4	6	10	11	66
20-34	38	4.7	13	1	1	4	6	10	12	17
35-49	30	3.8	11	<1	1	2	6	9	13	13
50-64	63	4.6	20	1	1	2	6	11	13	22
65+	127	4.1	24	<1	1	2	4	10	13	29
TOT. SINGLE DX	480	2.1	3	<1	1	2	2	3	5	10
" MULTIPLE DX	316	4.5	32	1	1	3	5	10	13	25
TOTAL 0-19 YRS	126	4.0	43	1	1	3	4	7	10	28
20-34	148	2.7	7	<1	1	2	3	5	9	14
35-49	146	2.3	4	<1	<1	2	2	4	6	13
50-64	160	3.0	11	1	1	2	3	6	11	18
65+	216	3.3	17	<1	1	2	3	7	11	25
GRAND TOTAL	**796**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**6**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.8	1	2	2	2	3	4	6	7
20-34	23	4.2	9	1	2	3	6	8	11	14
35-49	65	3.4	8	1	2	3	4	6	9	18
50-64	167	3.2	3	1	1	3	4	6	7	11
65+	344	3.3	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	18	3.4	7	<1	1	3	4	6	10	13
20-34	28	5.3	15	2	2	4	6	10	14	19
35-49	39	3.9	14	1	2	3	5	7	8	24
50-64	128	4.3	12	1	2	3	5	9	11	18
65+	328	5.2	44	1	2	3	5	9	17	32
TOT. SINGLE DX	632	3.3	6	1	1	3	4	6	7	14
" MULTIPLE DX	541	4.8	32	1	2	3	5	9	14	29
TOTAL 0-19 YRS	51	3.0	4	1	2	3	3	5	6	13
20-34	51	4.8	13	2	2	4	6	9	14	19
35-49	104	3.6	10	1	2	3	4	6	9	21
50-64	295	3.7	8	1	2	3	4	7	10	16
65+	672	4.2	26	1	2	3	4	7	12	27
GRAND TOTAL	**1173**	**4.0**	**19**	**1**	**2**	**3**	**4**	**7**	**11**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.3	6	1	1	4	6	8	9	11
20-34	22	2.5	2	<1	1	2	3	5	6	7
35-49	34	3.0	4	1	1	2	3	5	8	12
50-64	128	2.9	4	1	1	2	3	6	7	11
65+	219	3.4	9	1	1	2	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	31	6.3	23	2	2	5	7	13	15	23
20-34	32	5.5	15	1	2	5	6	10	14	19
35-49	31	4.3	11	1	1	4	5	10	11	14
50-64	97	5.0	33	1	2	3	5	11	15	37
65+	301	6.0	94	1	2	3	6	11	16	64
TOT. SINGLE DX	432	3.2	7	1	1	2	4	6	8	12
" MULTIPLE DX	492	5.7	68	1	2	3	6	11	15	45
TOTAL 0-19 YRS	60	5.3	16	1	2	4	6	11	13	22
20-34	54	4.3	12	1	1	4	6	9	11	19
35-49	65	3.6	8	1	1	3	4	8	11	14
50-64	225	3.8	18	1	1	3	4	7	11	22
65+	520	4.9	60	1	1	3	5	9	13	44
GRAND TOTAL	**924**	**4.5**	**41**	**1**	**1**	**3**	**5**	**9**	**12**	**31**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.1		1	2	3	4	4	5	5
20-34	10	2.7		2	2	3	3	4	4	4
35-49	367	2.8	1	2	2	3	3	4	5	8
50-64	2543	2.7	1	2	2	3	3	4	4	7
65+	10067	2.9	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	19	4.8	21	1	2	3	4	11	16	20
20-34	22	4.4	22	1	2	3	5	7	16	23
35-49	239	3.7	36	2	2	3	3	5	7	22
50-64	2301	3.7	19	2	2	3	4	5	8	21
65+	11541	4.1	25	2	2	3	4	6	10	29
TOT. SINGLE DX	13003	2.9	2	2	2	3	3	4	5	8
" MULTIPLE DX	14122	4.0	25	2	2	3	4	6	10	28
TOTAL 0-19 YRS	35	4.0	13	1	2	3	4	9	11	20
20-34	32	3.9	16	2	2	3	4	5	11	23
35-49	606	3.2	15	2	2	3	3	4	5	14
50-64	4844	3.2	10	2	2	3	3	4	6	13
65+	21608	3.5	15	2	2	3	4	5	7	19
GRAND TOTAL	**27125**	**3.5**	**14**	**2**	**2**	**3**	**3**	**5**	**7**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.6	2	1	2	2	3	4	4	13
20-34	47	2.5	3	<1	1	2	3	4	5	10
35-49	222	2.2		1	1	2	2	3	3	5
50-64	1036	2.3		1	2	2	2	3	4	6
65+	3153	2.4	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	40	3.2	8	<1	1	3	3	6	14	99+
20-34	34	3.8	19	1	1	3	4	6	7	27
35-49	125	3.6	24	1	2	2	3	5	9	30
50-64	601	3.2	22	1	2	2	3	5	7	20
65+	2575	3.6	21	2	2	2	3	6	9	23
TOT. SINGLE DX	4533	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	3375	3.5	22	2	2	2	3	5	9	23
TOTAL 0-19 YRS	115	2.8	5	1	1	2	3	4	5	44
20-34	81	3.1	10	<1	1	2	3	5	7	22
35-49	347	2.7	10	1	2	2	3	4	5	21
50-64	1637	2.6	9	1	2	2	3	4	5	10
65+	5728	2.9	11	2	2	2	3	4	6	16
GRAND TOTAL	**7908**	**2.9**	**10**	**2**	**2**	**2**	**3**	**4**	**5**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	7	2.4		2	2	2	3	3	3	3
35-49	24	2.1	1	<1	1	2	3	3	4	5
50-64	176	2.2		1	1	2	2	3	4	6
65+	787	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	12.3	795	<1	<1	2	4	59	82	82
50-64	112	3.2	8	2	2	2	3	5	8	18
65+	704	3.7	18	1	2	3	4	6	10	24
TOT. SINGLE DX	997	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	827	3.7	24	1	2	3	3	6	10	24
TOTAL 0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	9	2.6	1	2	2	2	3	4	4	4
35-49	32	4.7	200	<1	1	2	3	4	5	82
50-64	288	2.6	4	1	2	2	3	3	4	12
65+	1491	3.1	10	1	2	2	3	4	6	17
GRAND TOTAL	**1824**	**3.0**	**12**	**1**	**2**	**2**	**3**	**4**	**6**	**16**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	5.2	7	1	2	5	7	9	9	15
20-34	101	4.5	8	1	2	4	6	9	11	14
35-49	134	4.7	4	2	2	4	6	7	8	11
50-64	504	4.8	6	1	2	4	6	8	9	13
65+	387	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	40	5.0	8	1	2	5	7	8	10	15
20-34	88	6.4	50	2	2	4	8	11	15	46
35-49	123	5.9	17	2	2	5	8	11	14	21
50-64	463	5.6	29	2	2	5	7	9	12	28
65+	529	6.0	14	2	2	5	7	10	13	19
TOT. SINGLE DX	1180	4.9	7	1	2	5	6	8	9	13
" MULTIPLE DX	1243	5.8	23	2	2	5	7	10	13	20
TOTAL 0-19 YRS	94	5.1	8	1	2	5	7	8	9	15
20-34	189	5.4	29	2	2	4	7	9	14	18
35-49	257	5.3	11	2	2	5	7	9	11	16
50-64	967	5.2	18	2	2	5	6	8	11	19
65+	916	5.6	11	2	2	5	7	9	12	17
GRAND TOTAL	**2423**	**5.4**	**15**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.0	5	1	1	3	3	5	9	11
20-34	30	3.9	9	1	1	3	5	8	8	15
35-49	33	3.5	5	<1	1	3	4	7	9	11
50-64	78	3.4	5	2	2	2	4	7	8	12
65+	187	3.3	7	1	1	2	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	26	4.3	15	1	1	3	5	10	13	19
20-34	61	5.6	34	1	2	4	7	11	14	39
35-49	65	5.7	42	2	2	4	6	8	14	40
50-64	164	5.5	53	1	2	4	6	10	14	40
65+	274	5.6	84	1	2	3	5	8	15	55
TOT. SINGLE DX	345	3.4	7	1	1	3	4	6	8	15
" MULTIPLE DX	590	5.5	63	1	2	4	6	9	14	45
TOTAL 0-19 YRS	43	3.8	12	1	1	3	4	8	11	19
20-34	91	5.0	26	1	1	4	7	10	14	31
35-49	98	4.9	31	1	2	4	5	8	12	39
50-64	242	4.8	39	1	2	3	5	8	12	37
65+	461	4.7	54	1	2	3	5	7	11	46
GRAND TOTAL	**935**	**4.7**	**43**	**1**	**2**	**3**	**5**	**8**	**11**	**38**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1497	1.7		<1	1	2	2	2	2	3
20-34	264	2.0		1	1	2	2	3	3	4
35-49	126	2.0		1	1	2	2	3	3	4
50-64	47	2.0		<1	1	2	2	3	3	4
65+	36	2.3	1	1	1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	305	1.9	2	<1	1	2	2	2	3	5
20-34	66	2.1	1	1	1	2	2	3	4	9
35-49	45	2.1		1	1	2	2	3	4	4
50-64	49	3.2	17	1	1	2	3	5	8	26
65+	38	4.1	52	2	2	2	3	5	15	44
TOT. SINGLE DX	1970	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	503	2.2	8	1	1	2	2	3	4	14
TOTAL 0-19 YRS	1802	1.7	1	<1	1	2	2	2	2	3
20-34	330	2.0	1	1	1	2	2	3	3	4
35-49	171	2.1		1	1	2	2	3	3	4
50-64	96	2.6	9	1	1	2	2	3	5	22
65+	74	3.2	28	1	2	2	3	4	7	38
GRAND TOTAL	**2473**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	2.4		1	1	2	3	4	4	4
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	5.3	12	1	1	5	8	9	9	9
TOT. SINGLE DX	14	2.8	3	1	1	2	3	5	7	8
" MULTIPLE DX	20	3.4	4	1	1	3	4	6	8	9
TOTAL 0-19 YRS	12	2.6	1	1	1	2	3	4	5	5
20-34	6	4.2	6	2	2	3	6	8	8	8
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	7	3.7	10	1	1	2	6	9	9	9
GRAND TOTAL	**34**	**3.1**	**4**	**1**	**1**	**2**	**4**	**6**	**8**	**9**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	2.7	4	<1	1	2	3	6	7	12
20-34	73	3.0	3	1	1	2	4	6	7	9
35-49	31	4.9	26	<1	1	3	6	10	17	26
50-64	65	3.1	3	1	1	3	4	5	7	11
65+	103	3.9	14	1	1	3	4	7	13	21
2. MULTIPLE DX										
0-19 YRS	81	5.0	23	1	1	3	5	13	16	25
20-34	94	5.1	67	2	2	3	4	7	15	54
35-49	57	6.4	31	1	2	4	8	13	18	26
50-64	91	6.2	45	1	2	4	7	13	26	35
65+	189	7.4	78	1	2	4	9	18	28	80
TOT. SINGLE DX	371	3.4	9	1	1	2	4	6	8	19
" MULTIPLE DX	512	6.3	58	1	2	4	7	15	21	50
TOTAL 0-19 YRS	180	3.8	15	<1	1	2	4	8	12	18
20-34	167	4.2	41	1	2	3	4	7	9	30
35-49	88	5.9	30	1	2	4	7	12	17	26
50-64	156	4.9	30	1	2	3	5	10	14	3'
65+	292	6.2	59	1	2	3	7	16	22	5ı
GRAND TOTAL	**883**	**5.1**	**39**	**1**	**1**	**3**	**5**	**11**	**17**	**35**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	2.0	1	<1	<1	2	2	3	5	7
20-34	179	2.1	4	<1	<1	1	2	4	5	12
35-49	85	2.0	1	<1	<1	2	2	4	4	7
50-64	108	2.8	8	<1	<1	2	3	5	8	18
65+	125	3.8	21	<1	1	2	3	7	13	24
2. MULTIPLE DX										
0-19 YRS	194	3.2	13	<1	<1	2	4	6	8	22
20-34	121	5.3	56	1	1	3	6	13	20	37
35-49	74	5.6	81	<1	1	3	6	12	16	60
50-64	102	6.9	95	<1	1	3	8	16	24	59
65+	203	9.5	107	1	2	6	12	23	35	56
TOT. SINGLE DX	920	2.4	6	<1	<1	2	2	4	6	14
" MULTIPLE DX	694	6.2	73	<1	1	3	7	14	22	53
TOTAL 0-19 YRS	617	2.4	6	<1	<1	2	3	4	6	9
20-34	300	3.4	28	<1	<1	2	3	7	12	24
35-49	159	3.7	42	<1	<1	2	4	8	12	18
50-64	210	4.8	55	<1	<1	2	5	10	16	40
65+	328	7.3	82	<1	1	4	9	18	24	53
GRAND TOTAL	**1614**	**4.0**	**39**	**<1**	**<1**	**2**	**4**	**9**	**14**	**34**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.4		1	2	2	3	3	4	4
20-34	224	2.6		2	2	2	3	4	4	5
35-49	319	2.7		2	2	3	3	4	4	6
50-64	356	2.8		2	2	3	3	4	4	6
65+	181	2.9		2	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	31	2.7		2	2	3	3	4	4	5
20-34	42	2.7		1	2	3	3	4	4	4
35-49	69	3.0	2	2	2	3	3	4	5	12
50-64	103	2.9		2	2	3	3	4	4	7
65+	61	3.3	4	2	2	3	3	5	7	14
TOT. SINGLE DX	1117	2.7	1	2	2	3	3	4	4	6
" MULTIPLE DX	306	2.9	2	2	2	3	3	4	5	9
TOTAL 0-19 YRS	68	2.6	1	2	2	3	3	3	4	5
20-34	266	2.6	1	2	2	3	3	4	4	5
35-49	388	2.8	1	2	2	3	3	4	4	7
50-64	459	2.8	1	2	2	3	3	4	4	6
65+	242	3.0	2	2	2	3	3	4	5	10
GRAND TOTAL	**1423**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	325	2.1		1	1	2	2	3	3	5
20-34	245	2.3		1	1	2	3	3	4	5
35-49	208	2.4		1	1	2	3	3	4	5
50-64	185	2.5		1	2	2	3	3	4	6
65+	63	2.3	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	249	2.3		1	1	2	3	3	3	5
20-34	178	2.5	1	1	2	2	3	3	4	8
35-49	159	2.7	1	1	2	3	3	4	5	8
50-64	212	3.0	4	1	2	3	3	4	6	16
65+	98	3.2	6	1	2	3	3	5	8	15
TOT. SINGLE DX	1026	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	896	2.7	3	1	2	2	3	4	5	11
TOTAL 0-19 YRS	574	2.2	1	1	1	2	2	3	3	5
20-34	423	2.4	1	1	1	2	3	3	4	6
35-49	367	2.5	1	1	2	2	3	4	4	7
50-64	397	2.8	3	1	2	3	3	4	5	14
65+	161	2.9	4	1	1	3	3	4	7	15
GRAND TOTAL	**1922**	**2.5**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3539	1.1		<1	<1	<1	<1	1	1	3
20-34	118	1.6	1	<1	<1	1	2	3	4	10
35-49	87	1.9	2	<1	<1	2	2	3	4	9
50-64	89	1.6		<1	<1	1	2	3	3	5
65+	57	1.9	5	<1	<1	2	2	2	3	15
2. MULTIPLE DX										
0-19 YRS	1860	1.7	9	<1	<1	1	2	2	3	12
20-34	73	1.9	3	<1	<1	1	2	3	6	11
35-49	64	3.9	118	<1	<1	2	2	4	13	76
50-64	75	4.2	36	<1	1	2	3	10	21	30
65+	58	10.5	338	<1	1	3	12	22	55	90
TOT. SINGLE DX	3890	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2130	2.1	24	<1	<1	1	2	2	5	17
TOTAL 0-19 YRS	5399	1.3	3	<1	<1	<1	1	2	2	7
20-34	191	1.8	2	<1	<1	1	2	3	4	10
35-49	151	2.8	52	<1	<1	2	2	4	6	27
50-64	164	2.8	19	<1	<1	2	2	4	9	25
65+	115	6.2	190	<1	<1	2	4	15	22	87
GRAND TOTAL	**6020**	**1.5**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**10**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	3.5	21	1	2	3	3	5	7	21
20-34	102	3.2	2	2	2	3	4	5	6	10
35-49	96	3.3	2	2	2	3	4	5	7	10
50-64	89	3.5	5	2	2	3	4	5	7	16
65+	49	3.6	3	2	2	3	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	225	3.6	7	2	2	3	4	6	8	16
20-34	136	3.5	6	2	2	3	4	5	7	15
35-49	118	3.6	5	1	2	3	4	5	9	13
50-64	176	4.1	15	2	2	3	4	6	7	30
65+	83	6.0	60	2	2	4	5	11	28	84
TOT. SINGLE DX	469	3.4	9	2	2	3	4	5	7	11
" MULTIPLE DX	738	3.9	15	2	2	3	4	6	9	26
TOTAL 0-19 YRS	358	3.6	13	1	2	3	4	6	7	16
20-34	238	3.4	5	2	2	3	4	5	7	11
35-49	214	3.4	4	2	2	3	4	5	8	13
50-64	265	3.9	12	2	2	3	4	6	7	19
65+	132	5.1	41	2	2	3	5	9	15	60
GRAND TOTAL	**1207**	**3.7**	**13**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	1.7	1	<1	<1	1	2	3	4	7
20-34	84	2.9	3	<1	1	3	3	5	6	12
35-49	84	3.2	2	1	2	3	4	5	6	9
50-64	97	3.9	25	1	2	3	4	6	9	31
65+	36	4.0	4	2	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	142	2.4	11	<1	<1	2	3	3	5	23
20-34	74	2.9	3	1	1	3	3	4	7	11
35-49	67	3.5	10	1	2	3	4	5	9	22
50-64	98	4.8	52	1	2	3	4	7	17	47
65+	61	5.6	36	1	2	3	7	13	23	92
TOT. SINGLE DX	467	2.8	8	<1	<1	2	3	5	6	10
" MULTIPLE DX	442	3.7	24	<1	1	3	3	6	11	30
TOTAL 0-19 YRS	308	2.0	6	<1	<1	1	2	3	5	13
20-34	158	2.9	3	1	1	3	3	5	6	12
35-49	151	3.3	6	1	2	3	4	5	7	11
50-64	195	4.4	39	1	2	3	4	6	11	45
65+	97	5.0	25	1	2	3	6	10	15	68
GRAND TOTAL	**909**	**3.2**	**16**	**<1**	**<1**	**3**	**3**	**5**	**8**	**23**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	619	2.6		1	2	3	3	4	4	5
20-34	1107	2.7	1	1	2	3	3	4	4	6
35-49	395	2.5		1	2	2	3	4	4	5
50-64	192	2.6	1	1	2	2	3	4	4	7
65+	30	3.1	1	2	2	3	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	637	2.6	1	1	1	3	3	4	4	6
20-34	1391	2.8	1	1	2	3	3	4	5	6
35-49	655	2.9	1	1	2	3	3	4	5	7
50-64	413	3.2	4	1	2	3	4	5	6	13
65+	109	3.8	7	2	2	3	4	7	10	53
TOT. SINGLE DX	2343	2.6	1	1	2	3	3	4	4	6
" MULTIPLE DX	3205	2.9	2	1	2	3	3	4	5	8
TOTAL 0-19 YRS	1256	2.6	1	1	2	3	3	4	4	5
20-34	2498	2.7	2	1	2	3	3	4	4	6
35-49	1050	2.8	1	1	2	3	3	4	5	7
50-64	605	3.0	3	1	2	3	3	4	6	11
65+	139	3.7	7	2	2	3	4	6	9	29
GRAND TOTAL	**5548**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	998	2.8	1	1	1	2	3	5	5	7
20-34	1695	2.5	1	1	1	2	3	4	5	6
35-49	644	2.5	1	1	1	2	3	4	5	6
50-64	284	2.6	3	1	1	2	3	4	5	8
65+	85	3.3	11	1	2	2	3	5	8	22
2. MULTIPLE DX										
0-19 YRS	1040	2.8	2	1	1	3	3	4	6	9
20-34	1947	2.7	3	1	1	3	3	4	5	8
35-49	879	3.2	14	1	1	3	3	5	6	17
50-64	552	3.3	6	1	1	3	3	5	8	15
65+	192	4.8	35	1	1	3	5	10	14	31
TOT. SINGLE DX	3706	2.6	2	1	1	2	3	4	5	6
" MULTIPLE DX	4610	3.0	7	1	1	3	3	4	6	13
TOTAL 0-19 YRS	2038	2.8	2	1	1	3	3	5	5	8
20-34	3642	2.6	3	1	1	2	3	4	5	7
35-49	1523	2.9	9	1	1	2	3	4	5	12
50-64	836	3.0	6	1	1	3	3	5	7	15
65+	277	4.3	29	1	2	3	4	8	13	26
GRAND TOTAL	**8316**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	2.4	16	<1	<1	2	3	4	6	19
20-34	147	2.1	2	<1	<1	2	2	4	5	7
35-49	182	2.2	2	<1	<1	2	2	4	5	8
50-64	288	2.4	6	<1	<1	2	2	4	5	14
65+	297	3.2	35	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	100	3.6	29	<1	1	3	4	5	9	36
20-34	172	3.0	5	1	1	2	3	5	7	14
35-49	273	3.4	15	<1	1	3	3	5	8	22
50-64	421	3.7	21	1	1	3	4	6	10	32
65+	487	6.7	79	1	2	3	8	15	29	99+
TOT. SINGLE DX	1033	2.5	15	<1	<1	2	3	4	6	14
" MULTIPLE DX	1453	4.5	41	1	1	3	4	9	15	44
TOTAL 0-19 YRS	219	3.0	22	<1	<1	2	3	4	7	30
20-34	319	2.6	4	<1	<1	2	3	5	6	12
35-49	455	2.9	10	<1	1	2	3	5	7	18
50-64	709	3.2	16	<1	1	2	3	5	7	21
65+	784	5.3	66	1	1	3	5	12	20	64
GRAND TOTAL	**2486**	**3.7**	**31**	**<1**	**1**	**2**	**3**	**7**	**11**	**35**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	1.6	1	<1	<1	1	2	3	4	6
20-34	573	2.3	3	<1	<1	2	3	5	6	9
35-49	178	3.4	6	<1	1	3	5	7	8	12
50-64	146	4.5	6	<1	1	4	6	8	9	12
65+	120	5.1	11	1	1	5	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	410	2.9	4	<1	1	2	4	5	7	10
20-34	484	4.2	20	1	1	3	5	8	10	16
35-49	201	5.0	23	1	1	4	6	10	13	21
50-64	240	6.0	14	1	2	5	7	11	14	18
65+	381	9.0	90	2	2	6	11	19	27	64
TOT. SINGLE DX	1715	2.5	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	1716	5.3	36	1	1	4	6	10	14	36
TOTAL 0-19 YRS	1108	2.1	3	<1	<1	1	3	4	5	8
20-34	1057	3.2	12	<1	1	2	4	6	8	13
35-49	379	4.2	16	<1	1	3	6	9	11	19
50-64	386	5.4	12	1	2	5	7	10	12	17
65+	501	8.1	74	2	2	6	9	15	23	61
GRAND TOTAL	**3431**	**3.9**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.0	3	1	2	2	4	5	7	10
20-34	121	3.4	5	1	2	3	4	6	8	15
35-49	115	3.4	6	1	2	3	4	6	8	15
50-64	129	3.1	1	1	2	3	4	5	6	8
65+	46	4.1	8	2	2	3	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	43	4.8	40	2	2	3	5	11	12	41
20-34	126	5.0	37	2	2	3	5	9	16	37
35-49	122	4.7	36	2	2	3	4	7	10	37
50-64	136	4.8	30	2	2	3	5	8	12	33
65+	87	8.3	99	2	2	4	9	21	31	52
TOT. SINGLE DX	445	3.4	5	1	2	3	4	5	7	13
" MULTIPLE DX	514	5.4	47	2	2	3	5	10	17	39
TOTAL 0-19 YRS	77	4.0	25	1	2	3	4	7	11	34
20-34	247	4.2	22	2	2	3	4	6	11	27
35-49	237	4.1	22	1	2	3	4	6	8	23
50-64	265	4.0	17	2	2	3	4	6	8	22
65+	133	6.9	72	2	2	4	6	17	27	42
GRAND TOTAL	**959**	**4.5**	**29**	**2**	**2**	**3**	**4**	**7**	**12**	**30**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.3	6	1	1	2	5	7	8	13
20-34	108	3.7	10	<1	1	3	4	7	11	17
35-49	125	4.2	26	1	1	3	4	8	13	30
50-64	114	4.1	13	1	1	3	5	8	12	19
65+	53	4.9	21	1	1	4	6	10	14	24
2. MULTIPLE DX										
0-19 YRS	69	6.8	59	<1	1	3	10	18	24	36
20-34	127	4.5	17	1	2	3	5	9	12	25
35-49	144	4.6	21	1	2	3	5	9	12	27
50-64	167	6.1	35	1	2	4	7	14	19	31
65+	131	8.7	142	2	2	4	9	18	31	71
TOT. SINGLE DX	451	4.0	16	1	1	3	5	8	12	24
" MULTIPLE DX	638	6.0	55	1	2	3	7	14	20	35
TOTAL 0-19 YRS	120	5.4	40	<1	1	3	6	14	19	30
20-34	235	4.1	15	1	1	3	5	8	12	22
35-49	269	4.4	24	1	2	3	5	9	12	29
50-64	281	5.2	27	1	2	3	6	12	16	28
65+	184	7.6	110	1	2	4	9	15	22	67
GRAND TOTAL	**1089**	**5.2**	**40**	**1**	**1**	**3**	**6**	**11**	**17**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3845	1.6		<1	<1	2	2	2	2	3
20-34	3099	1.7		<1	<1	2	2	2	2	3
35-49	491	1.8	1	<1	<1	2	2	2	3	5
50-64	338	2.2	15	<1	1	2	2	3	3	9
65+	185	2.6	15	1	1	2	2	3	5	39
2. MULTIPLE DX										
0-19 YRS	1171	2.4	21	<1	1	2	2	3	4	21
20-34	1622	3.8	31	<1	1	2	3	11	16	27
35-49	833	3.9	39	1	1	2	3	10	15	41
50-64	1017	4.7	63	1	1	2	3	11	18	54
65+	1044	7.9	133	1	2	3	10	22	38	99+
TOT. SINGLE DX	7958	1.7	2	<1	<1	2	2	2	2	4
" MULTIPLE DX	5687	4.4	58	1	1	2	3	11	17	51
TOTAL 0-19 YRS	5016	1.8	6	<1	<1	2	2	2	2	6
20-34	4721	2.4	12	<1	<1	2	2	3	6	17
35-49	1324	3.2	26	<1	1	2	2	6	12	30
50-64	1355	4.1	53	1	1	2	3	8	16	39
65+	1229	7.1	119	1	2	2	8	20	35	99+
GRAND TOTAL	**13645**	**2.8**	**27**	**<1**	**<1**	**2**	**2**	**3**	**10**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	1.3		<1	<1	1	1	2	2	7
20-34	30	2.0	2	<1	<1	2	2	3	4	9
35-49	15	3.3	5	<1	1	2	5	7	8	8
50-64	11	3.5	1	2	2	3	4	5	7	7
65+	4	4.0	16	1	1	2	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	267	1.8	22	<1	<1	1	2	2	2	41
20-34	86	7.4	92	<1	1	2	13	17	20	86
35-49	16	6.6	27	1	1	6	11	13	16	17
50-64	8	4.5	35	1	1	2	4	15	19	19
65+	7	19.0	318	2	2	20	28	46	50	50
TOT. SINGLE DX	289	1.6	2	<1	<1	1	2	2	4	8
" MULTIPLE DX	384	3.6	53	<1	<1	1	2	12	17	58
TOTAL 0-19 YRS	496	1.6	13	<1	<1	1	2	2	2	8
20-34	116	6.0	74	<1	1	2	9	17	18	75
35-49	31	5.0	19	1	1	3	8	12	13	17
50-64	19	3.9	15	1	2	3	4	6	14	19
65+	11	13.5	253	1	1	4	25	37	49	50
GRAND TOTAL	**673**	**2.8**	**32**	**<1**	**<1**	**1**	**2**	**4**	**13**	**39**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.0	1	<1	<1	2	2	3	4	8
20-34	150	2.2	6	<1	<1	2	2	4	5	10
35-49	181	2.2	4	<1	<1	2	2	4	5	13
50-64	141	2.2	2	<1	<1	2	3	4	5	8
65+	39	3.1	11	<1	<1	2	3	5	11	17
2. MULTIPLE DX										
0-19 YRS	120	2.5	4	1	1	2	3	4	6	12
20-34	166	4.6	75	<1	1	2	3	11	14	56
35-49	128	3.5	11	1	1	2	3	9	12	16
50-64	151	3.5	9	<1	1	2	4	6	10	18
65+	93	8.6	215	2	2	3	7	22	38	78
TOT. SINGLE DX	570	2.2	5	<1	<1	2	2	4	5	13
" MULTIPLE DX	658	4.3	58	1	1	2	4	8	13	38
TOTAL 0-19 YRS	179	2.3	4	<1	1	2	2	4	5	8
20-34	316	3.5	44	<1	<1	2	3	8	11	27
35-49	309	2.7	8	<1	<1	2	3	5	9	15
50-64	292	2.8	6	<1	<1	2	3	5	7	16
65+	132	7.0	161	1	1	3	5	18	34	74
GRAND TOTAL	**1228**	**3.3**	**34**	**<1**	**<1**	**2**	**3**	**6**	**10**	**24**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	3.2	3	1	1	3	4	5	6	9
20-34	244	3.7	4	1	2	3	5	6	7	10
35-49	314	3.8	3	2	2	4	5	6	7	11
50-64	399	4.2	9	2	2	4	5	6	8	17
65+	308	5.1	13	2	2	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	35	3.6	4	<1	2	3	4	7	8	9
20-34	82	4.8	10	2	2	4	6	9	12	15
35-49	127	5.4	20	2	2	4	6	10	12	27
50-64	249	6.3	27	2	2	4	7	12	16	27
65+	312	8.5	87	2	2	6	10	16	24	57
TOT. SINGLE DX	1379	4.2	8	1	2	4	5	6	8	16
" MULTIPLE DX	805	6.7	49	2	2	5	8	13	18	42
TOTAL 0-19 YRS	149	3.3	3	1	1	3	4	6	7	9
20-34	326	4.0	6	1	2	3	5	7	8	14
35-49	441	4.3	9	2	2	4	5	7	9	15
50-64	648	5.0	17	2	2	4	6	9	12	25
65+	620	6.9	54	2	2	5	7	14	18	46
GRAND TOTAL	**2184**	**5.1**	**25**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	4.2	3	1	2	4	5	7	7	9
20-34	7	3.9	4	2	2	3	6	7	7	7
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	162	4.7	4	1	2	5	6	7	8	13
20-34	15	3.9	3	1	1	4	5	6	6	6
35-49	5	13.4	397	3	3	5	17	49	49	49
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	193	4.1	3	1	2	4	5	7	7	9
" MULTIPLE DX	186	4.8	15	1	2	5	6	7	8	14
TOTAL 0-19 YRS	344	4.4	4	1	2	4	6	7	8	10
20-34	22	3.9	3	1	2	4	5	6	7	7
35-49	5	13.4	397	3	3	5	17	49	49	49
50-64	6	3.0	1	2	2	3	4	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**379**	**4.5**	**9**	**1**	**2**	**4**	**6**	**7**	**8**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	527	3.3	11	<1	<1	2	5	7	9	12
20-34	166	3.6	14	<1	<1	2	4	8	10	18
35-49	150	4.4	41	<1	1	2	4	9	15	36
50-64	298	4.6	30	<1	1	3	5	11	15	30
65+	310	5.2	64	1	1	3	6	10	14	38
2. MULTIPLE DX										
0-19 YRS	415	3.4	7	1	1	3	5	7	8	12
20-34	272	4.8	41	1	1	3	5	11	15	33
35-49	198	7.6	88	1	1	4	10	17	26	60
50-64	380	9.6	148	1	1	4	13	25	33	78
65+	516	11.1	146	2	2	7	15	27	37	83
TOT. SINGLE DX	1451	4.1	31	<1	<1	2	5	8	12	28
" MULTIPLE DX	1781	7.6	101	1	1	4	9	18	28	65
TOTAL 0-19 YRS	942	3.4	10	<1	<1	2	5	7	9	12
20-34	438	4.4	31	<1	1	3	5	9	13	27
35-49	348	6.2	71	<1	1	3	7	14	22	53
50-64	678	7.4	103	<1	1	3	9	20	27	71
65+	826	8.9	124	1	2	5	11	21	32	78
GRAND TOTAL	**3232**	**6.1**	**73**	**<1**	**1**	**3**	**7**	**14**	**22**	**51**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5277	1.8	1	1	1	2	2	2	3	4
20-34	3364	2.1		1	1	2	2	3	3	4
35-49	275	2.3		1	1	2	3	3	4	6
50-64	47	2.9	4	1	1	2	3	5	9	11
65+	16	3.8	39	1	1	2	2	9	21	26
2. MULTIPLE DX										
0-19 YRS	820	2.1	1	1	1	2	2	3	4	8
20-34	407	2.8	6	1	2	2	3	4	6	14
35-49	71	2.8	1	1	2	2	3	5	5	8
50-64	21	3.3	4	1	2	3	4	5	8	12
65+	10	8.6	184	1	1	3	8	28	46	46
TOT. SINGLE DX	8979	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1329	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	6097	1.9	1	1	1	2	2	3	3	5
20-34	3771	2.1	1	1	1	2	2	3	3	5
35-49	346	2.4	1	1	2	2	3	4	4	6
50-64	68	3.0	5	1	1	2	3	5	9	12
65+	26	5.7	96	1	1	2	4	11	30	46
GRAND TOTAL	**10308**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6751	1.5		<1	<1	1	2	2	2	3
20-34	211	2.0		1	1	2	2	3	3	4
35-49	8	2.1		2	2	2	2	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	3903	1.6	1	<1	1	2	2	2	3	5
20-34	53	2.1		1	1	2	2	3	4	5
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	6977	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	3961	1.7	2	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	10654	1.6	1	<1	<1	1	2	2	2	4
20-34	264	2.0		1	1	2	2	3	3	4
35-49	10	2.6	2	2	2	2	2	5	7	7
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	6	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**10938**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	733	1.4		<1	<1	1	2	2	2	3
20-34	10	1.9		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1711	1.4		<1	<1	1	2	2	2	3
20-34	12	2.3	1	<1	1	2	3	4	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	744	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1726	1.4	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2444	1.4	1	<1	<1	1	2	2	2	3
20-34	22	2.1	1	<1	1	2	2	3	4	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2470**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	2.8	6	<1	1	2	3	5	6	15
20-34	293	3.1	4	1	1	3	4	5	7	14
35-49	111	3.7	9	1	1	3	4	7	11	15
50-64	134	5.2	85	1	1	3	5	10	15	57
65+	99	6.1	67	1	2	3	8	13	19	50
2. MULTIPLE DX										
0-19 YRS	119	3.2	5	<1	1	2	4	7	9	11
20-34	96	5.3	43	1	1	4	6	10	15	41
35-49	77	9.5	213	1	2	4	8	34	50	94
50-64	178	11.1	174	1	2	6	13	29	41	66
65+	135	10.2	142	2	2	6	15	23	30	91
TOT. SINGLE DX	1075	3.6	23	<1	1	2	4	6	9	19
" MULTIPLE DX	605	8.2	128	1	1	4	10	19	31	65
TOTAL 0-19 YRS	557	2.9	6	<1	1	2	3	5	7	12
20-34	389	3.6	15	1	1	3	4	6	9	17
35-49	188	6.1	101	1	1	3	6	13	19	71
50-64	312	8.6	144	1	2	4	10	19	32	64
65+	234	8.5	114	2	2	4	12	19	28	66
GRAND TOTAL	**1680**	**5.2**	**65**	**1**	**1**	**3**	**5**	**11**	**17**	**49**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	1.7	2	<1	<1	1	2	3	5	8
20-34	28	3.3	3	1	1	3	4	6	7	8
35-49	41	3.0	2	1	1	3	4	5	6	7
50-64	70	3.9	9	1	1	4	5	8	10	17
65+	77	4.1	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	58	3.5	2	<1	1	3	4	6	7	8
20-34	24	6.3	55	1	1	4	8	15	22	35
35-49	31	6.1	13	2	2	6	8	11	13	17
50-64	88	7.4	75	1	1	5	8	18	27	45
65+	189	7.8	87	1	2	5	9	15	23	72
TOT. SINGLE DX	294	3.2	7	<1	1	2	4	7	8	15
" MULTIPLE DX	390	6.8	66	1	1	5	8	14	20	42
TOTAL 0-19 YRS	136	2.4	3	<1	<1	2	3	5	7	8
20-34	52	4.7	29	1	1	3	6	9	14	35
35-49	72	4.3	10	1	1	3	6	8	10	16
50-64	158	5.9	49	1	1	4	6	12	20	36
65+	266	6.7	68	1	2	4	8	14	18	42
GRAND TOTAL	**684**	**5.3**	**44**	**<1**	**1**	**4**	**6**	**11**	**15**	**36**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	2.0	3	<1	<1	2	2	3	3	12
20-34	363	1.8	1	<1	<1	2	2	2	2	6
35-49	559	2.0	2	<1	1	2	2	3	3	11
50-64	839	2.1	3	1	1	2	2	3	4	9
65+	508	2.9	33	1	1	2	2	3	5	27
2. MULTIPLE DX										
0-19 YRS	21	2.7	8	<1	1	2	2	5	10	14
20-34	74	2.4	6	1	1	2	2	4	5	18
35-49	183	3.3	23	<1	1	2	2	7	11	42
50-64	506	5.2	75	1	1	2	4	11	21	50
65+	443	7.8	184	1	2	2	8	21	31	85
TOT. SINGLE DX	2429	2.2	9	<1	1	2	2	3	4	11
" MULTIPLE DX	1227	5.7	105	1	1	2	4	13	23	70
TOTAL 0-19 YRS	181	2.1	4	<1	<1	2	2	3	4	14
20-34	437	1.9	2	<1	<1	2	2	2	3	6
35-49	742	2.3	8	<1	1	2	2	3	6	16
50-64	1345	3.3	33	1	1	2	2	6	10	33
65+	951	5.2	109	1	1	2	3	11	22	70
GRAND TOTAL	**3656**	**3.3**	**44**	**<1**	**1**	**2**	**2**	**5**	**11**	**36**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	11	2.5	3	1	1	2	3	6	6	6
35-49	27	4.0	20	1	1	2	5	12	26	99+
50-64	49	9.1	110	1	1	5	14	20	24	56
65+	32	9.3	88	1	1	8	14	20	24	45
2. MULTIPLE DX										
0-19 YRS	9	19.1	665	2	2	8	50	87	99+	99+
20-34	1	19.0		19	19	19	19	19	19	19
35-49	24	13.3	266	2	2	7	17	32	55	68
50-64	53	15.3	131	2	2	14	22	31	56	99+
65+	75	20.1	375	2	2	15	30	49	65	97
TOT. SINGLE DX	126	7.1	77	1	1	2	12	18	22	66
" MULTIPLE DX	162	17.5	294	2	2	13	25	45	66	99+
TOTAL 0-19 YRS	16	11.7	432	<1	<1	4	12	70	91	99+
20-34	12	3.9	26	1	1	2	4	10	18	19
35-49	51	8.4	155	1	1	4	11	22	48	99
50-64	102	12.3	130	1	2	10	17	28	40	99+
65+	107	16.9	313	1	2	13	23	44	54	93
GRAND TOTAL	**288**	**12.9**	**225**	**1**	**2**	**9**	**18**	**33**	**52**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	64.0		64	64	64	64	64	64	64
35-49	13	17.6	126	3	8	17	19	30	46	50
50-64	73	19.7	155	11	13	17	21	27	34	86
65+	44	21.0	102	10	12	17	28	38	41	50
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	20.8	39	13	14	19	26	31	32	32
50-64	109	29.7	371	12	13	23	37	61	77	99+
65+	120	28.7	326	11	13	24	36	62	93	99+
TOT. SINGLE DX	131	20.3	147	10	12	17	22	32	39	85
" MULTIPLE DX	245	28.5	335	11	13	24	35	60	85	99+
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	32.5	1985	1	1	32	64	64	64	64
35-49	27	19.3	80	9	12	18	21	31	35	50
50-64	182	25.7	308	12	13	19	32	55	76	98
65+	164	26.6	277	11	12	22	33	55	78	99+
GRAND TOTAL	**376**	**25.6**	**284**	**11**	**13**	**20**	**31**	**52**	**73**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	12	14.3	172	2	2	12	25	57	92	99+
65+	3	24.0	523	7	7	32	75	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	6	21.8	250	7	8	36	99+	99+	99+	99+
50-64	19	25.1	433	6	8	26	72	99+	99+	99+
65+	37	34.5	605	8	10	37	86	99+	99+	99+
TOT. SINGLE DX	15	16.2	226	2	2	12	33	90	99+	99+
" MULTIPLE DX	65	30.6	533	7	9	35	86	99+	99+	99+
TOTAL 0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	6	21.8	250	7	8	36	99+	99+	99+	99+
50-64	31	20.9	352	2	4	17	46	99+	99+	99+
65+	40	33.7	593	7	9	37	86	99+	99+	99+
GRAND TOTAL	**80**	**27.9**	**504**	**4**	**7**	**29**	**79**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	5.6	22	1	2	5	7	11	15	27
20-34	21	6.5	30	1	2	5	11	17	51	99+
35-49	44	5.4	29	1	1	4	7	10	18	27
50-64	43	7.6	77	1	1	6	11	14	29	99+
65+	45	11.3	155	1	2	6	18	32	43	99+
2. MULTIPLE DX										
0-19 YRS	76	16.7	360	2	2	9	40	99+	99+	99+
20-34	59	25.1	388	2	4	24	41	83	99+	99+
35-49	65	24.8	493	2	3	20	44	86	99+	99+
50-64	227	29.8	523	2	3	29	51	92	99+	99+
65+	291	38.3	716	2	7	46	81	99+	99+	99+
TOT. SINGLE DX	202	7.3	70	1	2	5	10	17	27	99+
" MULTIPLE DX	718	31.0	618	2	3	32	63	99+	99+	99+
TOTAL 0-19 YRS	125	12.3	257	1	2	7	21	68	99+	99+
20-34	80	20.2	361	2	2	15	34	60	99+	99+
35-49	109	17.0	396	1	2	8	29	59	98	99+
50-64	270	26.2	518	2	2	24	47	84	99+	99+
65+	336	34.7	726	2	3	38	76	99+	99+	99+
GRAND TOTAL	**920**	**25.8**	**594**	**2**	**2**	**22**	**53**	**99+**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.2	14	<1	1	5	7	10	13	15
20-34	137	5.9	35	1	1	4	7	14	20	29
35-49	214	7.5	44	1	1	5	11	17	22	30
50-64	523	8.1	51	1	2	6	12	17	22	31
65+	647	9.4	94	1	2	7	13	21	26	48
2. MULTIPLE DX										
0-19 YRS	22	11.0	191	1	2	6	12	38	46	51
20-34	170	13.3	179	1	2	9	17	34	52	99+
35-49	409	13.2	148	2	2	10	17	28	38	67
50-64	1558	13.5	130	2	3	11	18	27	36	63
65+	2597	17.1	200	2	4	14	22	35	47	86
TOT. SINGLE DX	1539	8.3	68	1	2	6	12	19	23	38
" MULTIPLE DX	4756	15.4	175	2	3	12	20	32	42	82
TOTAL 0-19 YRS	40	8.4	118	1	1	5	9	14	39	51
20-34	307	10.0	129	1	2	6	14	25	35	81
35-49	623	11.3	120	1	2	8	15	24	33	59
50-64	2081	12.1	116	2	2	10	16	25	32	59
65+	3244	15.5	188	2	3	12	21	32	42	84
GRAND TOTAL	**6295**	**13.7**	**158**	**2**	**2**	**11**	**18**	**29**	**38**	**75**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	2	7.0	32	3	3	7	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	55.0		55	55	55	55	55	55	55
65+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	3	5.0	28	1	1	3	9	11	11	11
" MULTIPLE DX	3	25.0	675	10	10	10	44	55	55	55
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	23.0	784	3	3	11	44	55	55	55
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**6**	**15.0**	**401**	**1**	**1**	**10**	**11**	**51**	**55**	**55**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	13.3	93	5	6	10	16	26	39	41
20-34	91	11.6	54	2	5	10	14	19	22	47
35-49	122	11.5	36	2	3	11	16	19	21	30
50-64	254	13.4	94	2	4	11	17	24	29	46
65+	216	12.8	112	1	2	11	17	25	34	67
2. MULTIPLE DX										
0-19 YRS	49	15.8	143	6	6	11	19	34	37	63
20-34	136	16.6	204	3	5	13	18	33	52	71
35-49	220	17.9	152	4	6	15	23	34	41	74
50-64	724	18.5	179	4	6	16	23	33	44	73
65+	925	19.3	164	4	6	17	25	37	46	74
TOT. SINGLE DX	704	12.7	85	2	3	11	16	23	28	45
" MULTIPLE DX	2054	18.6	171	4	6	16	24	35	45	72
TOTAL 0-19 YRS	70	15.1	128	6	6	11	18	34	38	59
20-34	227	14.6	150	3	5	12	17	24	42	65
35-49	342	15.6	120	3	6	13	19	29	38	60
50-64	978	17.2	162	3	6	14	22	31	41	69
65+	1141	18.0	161	3	5	15	24	35	44	72
GRAND TOTAL	**2758**	**17.1**	**156**	**3**	**5**	**14**	**22**	**32**	**42**	**69**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.0	21	6	7	9	15	18	18	18
20-34	10	14.2	57	5	5	13	16	27	29	29
35-49	49	14.8	36	7	8	14	20	23	27	28
50-64	177	16.3	75	8	9	14	19	27	31	52
65+	140	18.3	58	9	10	16	23	29	32	42
2. MULTIPLE DX										
0-19 YRS	5	12.2	21	9	9	10	15	20	20	20
20-34	23	19.1	80	8	9	20	24	40	99+	99+
35-49	93	17.7	70	10	10	15	21	29	35	51
50-64	445	21.0	136	10	10	19	25	34	49	99
65+	418	23.0	182	10	11	20	28	39	51	95
TOT. SINGLE DX	383	16.7	64	8	9	15	20	27	31	43
" MULTIPLE DX	984	21.5	151	10	10	19	26	37	49	98
TOTAL 0-19 YRS	12	11.5	20	6	8	9	15	19	20	20
20-34	33	17.6	77	6	8	16	24	37	85	99+
35-49	142	16.7	60	8	9	15	20	27	31	42
50-64	622	19.7	124	9	10	17	24	32	43	74
65+	558	21.8	155	9	11	19	26	37	46	88
GRAND TOTAL	**1367**	**20.1**	**131**	**9**	**10**	**17**	**24**	**33**	**43**	**81**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	4.8	25	<1	1	3	6	12	16	22
20-34	160	5.8	30	1	1	4	8	14	16	26
35-49	225	7.0	48	1	1	4	10	17	20	34
50-64	456	6.6	44	1	1	4	9	14	18	30
65+	504	8.3	91	1	1	5	11	19	25	42
2. MULTIPLE DX										
0-19 YRS	119	12.3	271	1	1	7	15	28	52	95
20-34	259	11.7	134	1	2	9	16	26	34	51
35-49	497	11.4	117	2	2	8	15	25	33	62
50-64	1369	12.2	123	2	2	10	16	25	34	63
65+	2165	16.0	190	2	3	13	22	34	47	99+
TOT. SINGLE DX	1437	7.1	60	1	1	4	10	16	21	35
" MULTIPLE DX	4409	14.0	164	2	2	11	19	30	41	83
TOTAL 0-19 YRS	211	9.0	177	1	1	4	11	21	31	88
20-34	419	9.5	103	1	1	6	13	20	29	49
35-49	722	10.0	100	1	2	7	13	22	30	52
50-64	1825	10.8	109	1	2	8	14	23	30	58
65+	2669	14.5	181	2	2	11	20	32	43	90
GRAND TOTAL	**5846**	**12.3**	**147**	**1**	**2**	**9**	**17**	**27**	**37**	**73**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	7.6	54	2	2	5	7	23	26	27
20-34	62	6.7	17	2	3	6	8	10	14	27
35-49	15	6.7	29	2	2	5	9	10	20	24
50-64	13	9.9	48	2	4	9	11	21	27	28
65+	19	5.9	17	2	2	5	8	11	15	17
2. MULTIPLE DX										
0-19 YRS	10	28.4	1181	1	2	10	75	79	83	83
20-34	30	15.7	136	3	4	13	20	33	41	46
35-49	29	14.6	215	2	3	10	18	29	36	75
50-64	61	18.3	272	2	3	15	22	49	59	72
65+	83	17.9	201	2	3	15	25	38	51	88
TOT. SINGLE DX	124	7.0	27	2	2	6	9	11	18	28
" MULTIPLE DX	213	17.8	260	3	3	14	22	38	57	78
TOTAL 0-19 YRS	25	15.9	583	2	2	6	12	75	77	83
20-34	92	9.7	73	3	3	7	11	19	30	44
35-49	44	11.9	164	2	3	8	15	27	30	75
50-64	74	16.9	242	2	3	12	21	34	57	70
65+	102	15.7	189	2	3	12	21	37	49	81
GRAND TOTAL	**337**	**13.8**	**200**	**2**	**3**	**9**	**17**	**30**	**47**	**75**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	6.4	20	2	3	5	8	10	15	29
20-34	547	6.9	20	2	3	6	8	13	16	23
35-49	196	7.7	33	3	3	6	9	13	15	40
50-64	127	10.8	65	3	4	9	14	19	24	47
65+	104	13.3	112	4	4	10	15	27	35	54
2. MULTIPLE DX										
0-19 YRS	188	15.6	241	3	4	10	18	40	49	95
20-34	366	12.8	163	3	4	9	15	30	42	84
35-49	354	14.3	146	3	4	10	18	31	44	98
50-64	645	16.1	165	4	5	12	20	33	43	75
65+	861	19.7	227	4	6	16	25	39	54	95
TOT. SINGLE DX	1099	8.1	41	3	3	6	10	15	19	36
" MULTIPLE DX	2414	16.6	197	4	5	12	21	35	47	91
TOTAL 0-19 YRS	313	11.9	174	3	3	7	13	27	43	83
20-34	913	9.3	86	3	3	6	10	17	26	53
35-49	550	12.0	116	3	4	8	14	24	37	65
50-64	772	15.2	153	3	4	12	19	31	42	69
65+	965	19.0	219	4	5	15	25	38	52	94
GRAND TOTAL	**3513**	**13.9**	**164**	**3**	**4**	**10**	**18**	**30**	**41**	**77**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	6.5	47	1	1	6	7	9	12	23
20-34	165	7.4	45	1	2	5	10	15	20	39
35-49	164	7.7	67	1	1	4	11	18	22	44
50-64	214	9.1	81	<1	2	6	12	21	24	46
65+	174	11.1	89	2	2	9	16	22	29	48
2. MULTIPLE DX										
0-19 YRS	68	10.9	97	1	2	7	14	24	32	52
20-34	153	14.0	183	1	2	9	18	30	48	73
35-49	247	13.3	145	2	2	10	17	28	39	52
50-64	636	15.0	160	2	3	12	20	31	41	63
65+	913	18.1	196	3	4	15	24	36	48	83
TOT. SINGLE DX	922	8.3	69	1	2	6	11	19	23	42
" MULTIPLE DX	2017	16.0	179	2	3	12	21	33	44	70
TOTAL 0-19 YRS	273	7.6	64	1	2	7	7	13	20	36
20-34	318	10.6	122	1	2	8	13	24	33	61
35-49	411	11.1	122	1	2	8	15	26	33	48
50-64	850	13.5	147	2	2	10	18	28	37	57
65+	1087	17.0	186	2	4	14	22	33	45	76
GRAND TOTAL	**2939**	**13.6**	**157**	**2**	**2**	**10**	**18**	**29**	**39**	**64**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	10.7	24	6	7	9	11	17	22	30
20-34	46	13.7	110	8	8	11	14	18	21	79
35-49	70	12.9	21	7	8	12	15	19	22	29
50-64	137	16.1	40	10	10	14	18	23	32	38
65+	85	17.5	61	10	10	16	19	28	36	45
2. MULTIPLE DX										
0-19 YRS	312	15.2	129	7	8	11	16	31	44	99+
20-34	86	20.8	277	8	9	14	24	47	61	81
35-49	150	18.8	129	10	11	15	20	32	46	66
50-64	609	21.0	149	10	11	17	25	36	49	81
65+	510	25.9	221	11	13	21	31	47	60	82
TOT. SINGLE DX	511	13.8	49	7	8	12	17	21	28	37
" MULTIPLE DX	1667	21.2	186	9	10	17	26	39	53	82
TOTAL 0-19 YRS	485	13.6	97	7	7	10	14	26	35	81
20-34	132	18.3	230	8	9	13	19	39	55	80
35-49	220	16.9	102	9	10	14	19	27	36	65
50-64	746	20.1	133	10	11	17	23	34	45	77
65+	595	24.7	207	11	12	20	30	44	57	81
GRAND TOTAL	**2178**	**19.5**	**164**	**8**	**9**	**15**	**23**	**36**	**48**	**78**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	12.2	8	10	10	11	14	17	18	18
35-49	230	11.9	11	8	9	11	13	17	19	22
50-64	680	13.4	22	9	9	12	15	19	22	30
65+	239	15.2	42	9	10	13	18	24	30	39
2. MULTIPLE DX										
0-19 YRS	3	24.7	560	11	11	11	42	52	52	52
20-34	39	12.3	16	8	9	11	15	18	22	23
35-49	812	14.3	46	9	9	12	16	22	27	45
50-64	3336	16.1	70	9	10	13	18	26	32	50
65+	1507	20.7	130	10	11	17	25	35	44	79
TOT. SINGLE DX	1160	13.4	25	9	9	12	15	19	23	33
" MULTIPLE DX	5697	17.1	88	9	10	14	20	28	35	57
TOTAL 0-19 YRS	4	21.5	414	11	11	12	32	52	52	52
20-34	49	12.2	15	9	9	11	14	18	20	23
35-49	1042	13.7	40	9	9	12	15	21	26	40
50-64	4016	15.7	63	9	10	13	18	25	30	47
65+	1746	19.9	122	10	10	17	24	34	42	73
GRAND TOTAL	**6857**	**16.4**	**79**	**9**	**10**	**13**	**19**	**27**	**34**	**54**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	346	2.6	4	1	1	2	2	4	8	12
20-34	170	3.7	18	2	2	2	3	8	13	20
35-49	943	3.4	13	2	2	2	3	8	11	20
50-64	1960	3.2	11	2	2	2	3	6	9	17
65+	570	4.1	23	2	2	2	3	10	14	26
2. MULTIPLE DX										
0-19 YRS	683	3.4	43	1	1	2	2	6	10	32
20-34	309	5.2	48	2	2	2	5	13	21	36
35-49	2411	4.7	27	2	2	2	5	11	16	25
50-64	6272	5.2	39	2	2	2	6	13	18	31
65+	2597	7.3	72	2	2	3	10	17	24	42
TOT. SINGLE DX	3989	3.3	13	2	2	2	3	7	11	20
" MULTIPLE DX	12272	5.4	46	2	2	2	6	13	18	33
TOTAL 0-19 YRS	1029	3.1	30	1	1	2	2	6	9	20
20-34	479	4.7	38	2	2	2	4	11	17	33
35-49	3354	4.3	24	2	2	2	4	10	15	24
50-64	8232	4.7	34	2	2	2	5	12	16	29
65+	3167	6.7	66	2	2	3	9	16	23	40
GRAND TOTAL	**16261**	**4.9**	**39**	**2**	**2**	**2**	**5**	**12**	**17**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	7	4	4	6	8	11	11	11
20-34	20	5.7	9	2	2	5	8	11	11	12
35-49	56	9.7	58	2	2	8	12	23	27	28
50-64	249	9.5	50	2	2	7	13	19	23	36
65+	1153	7.8	34	2	2	6	10	15	19	29
2. MULTIPLE DX										
0-19 YRS	31	9.7	86	2	3	6	10	20	33	44
20-34	46	11.5	192	2	3	7	13	23	35	87
35-49	192	15.2	113	3	4	13	20	29	37	52
50-64	1365	13.8	85	3	4	12	18	25	31	45
65+	7118	15.4	140	3	5	12	20	30	39	76
TOT. SINGLE DX	1483	8.1	38	2	2	6	11	16	21	30
" MULTIPLE DX	8752	15.1	132	3	5	12	19	29	38	68
TOTAL 0-19 YRS	36	9.3	76	2	3	6	10	18	31	44
20-34	66	9.7	143	2	3	6	11	16	29	79
35-49	248	14.0	106	2	3	12	19	27	35	46
50-64	1614	13.1	82	3	4	11	17	24	30	44
65+	8271	14.3	133	3	4	11	18	28	38	70
GRAND TOTAL	**10235**	**14.1**	**124**	**3**	**4**	**11**	**18**	**27**	**36**	**64**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	10.3	186	1	2	7	9	15	42	66
20-34	18	8.5	26	2	2	9	12	14	18	20
35-49	72	5.9	31	2	2	3	10	13	16	29
50-64	102	6.6	65	2	2	3	8	15	23	44
65+	34	9.9	96	2	2	7	14	22	26	49
2. MULTIPLE DX										
0-19 YRS	29	12.8	61	5	7	10	14	24	30	38
20-34	40	19.7	245	7	8	14	22	39	56	80
35-49	94	12.5	90	2	3	11	17	23	31	53
50-64	304	15.0	158	2	3	12	20	31	40	64
65+	169	19.9	260	3	5	15	27	40	50	89
TOT. SINGLE DX	246	7.3	68	2	2	3	10	15	21	49
" MULTIPLE DX	636	16.1	183	3	3	13	21	33	44	68
TOTAL 0-19 YRS	49	11.8	111	3	5	9	12	22	30	66
20-34	58	16.2	203	2	3	12	17	32	51	78
35-49	166	9.7	75	2	2	8	13	19	25	41
50-64	406	12.9	149	2	3	9	17	28	37	61
65+	203	18.3	246	3	3	14	25	37	49	88
GRAND TOTAL	**882**	**13.7**	**167**	**2**	**2**	**11**	**17**	**30**	**38**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	3.5	14	<1	<1	2	4	8	11	22
20-34	159	4.6	36	<1	1	2	6	12	16	31
35-49	215	3.9	23	1	1	2	4	10	13	25
50-64	321	4.3	39	1	1	2	4	10	16	35
65+	273	6.2	51	1	1	3	8	15	21	41
2. MULTIPLE DX										
0-19 YRS	206	7.6	94	1	1	5	10	16	25	69
20-34	182	11.1	121	1	1	9	15	23	32	61
35-49	364	11.5	146	1	2	8	15	25	36	59
50-64	943	12.3	138	2	2	9	16	25	33	73
65+	2165	15.7	172	2	3	13	20	32	43	94
TOT. SINGLE DX	1179	4.6	35	<1	1	2	5	11	16	32
" MULTIPLE DX	3860	13.8	160	2	2	11	18	29	40	80
TOTAL 0-19 YRS	417	5.5	58	<1	1	3	7	13	17	41
20-34	341	8.1	92	<1	1	4	11	19	27	44
35-49	579	8.7	114	1	1	5	12	20	28	55
50-64	1264	10.3	125	1	2	7	14	23	31	57
65+	2438	14.6	168	2	2	11	20	31	41	90
GRAND TOTAL	**5039**	**11.7**	**146**	**1**	**2**	**8**	**16**	**26**	**36**	**72**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	2	1	2	3	4	6	7	8
20-34	833	4.2	8	2	2	4	5	6	8	13
35-49	1138	4.6	6	2	2	4	5	7	9	14
50-64	854	5.2	13	2	2	4	6	8	10	21
65+	249	6.6	42	2	3	5	8	13	17	29
2. MULTIPLE DX										
0-19 YRS	6	6.8	40	2	2	4	11	17	18	18
20-34	181	6.8	48	2	3	5	7	13	19	40
35-49	392	6.6	24	2	3	5	8	12	16	27
50-64	565	8.5	60	3	3	6	10	17	25	41
65+	322	12.2	125	3	4	9	16	24	35	54
TOT. SINGLE DX	3105	4.8	12	2	2	4	5	8	10	19
" MULTIPLE DX	1466	8.6	68	3	3	6	10	17	24	44
TOTAL 0-19 YRS	37	4.0	9	1	2	3	4	7	10	18
20-34	1014	4.6	17	2	2	4	5	7	9	21
35-49	1530	5.1	12	2	3	4	6	9	11	18
50-64	1419	6.5	35	2	3	5	7	12	17	32
65+	571	9.8	97	3	3	6	12	20	28	53
GRAND TOTAL	**4571**	**6.0**	**33**	**2**	**3**	**4**	**6**	**11**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	14.0	270	2	2	9	15	23	56	82
20-34	40	9.4	34	1	2	8	15	17	18	24
35-49	128	10.7	45	2	3	10	13	20	23	34
50-64	442	12.2	63	3	4	11	15	19	22	48
65+	480	13.9	80	3	6	12	17	23	29	69
2. MULTIPLE DX										
0-19 YRS	72	16.2	197	4	7	11	18	38	66	99+
20-34	132	15.4	195	2	3	11	22	38	43	64
35-49	361	18.2	205	4	6	14	22	37	51	99
50-64	1749	18.1	160	6	8	15	22	36	49	99+
65+	2487	22.9	247	8	10	18	29	47	64	99+
TOT. SINGLE DX	1120	12.7	75	3	4	11	16	20	26	60
" MULTIPLE DX	4801	20.5	217	6	8	16	25	42	57	99+
TOTAL 0-19 YRS	102	15.5	217	3	5	11	17	36	60	99+
20-34	172	14.0	164	2	3	10	18	31	41	60
35-49	489	16.2	174	3	5	13	20	33	46	95
50-64	2191	17.0	146	5	7	14	20	33	46	99+
65+	2967	21.5	232	7	9	17	27	44	60	99+
GRAND TOTAL	**5921**	**19.0**	**199**	**5**	**7**	**15**	**23**	**39**	**53**	**99+**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	9	12.8	10	8	9	12	14	18	20	20
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	3	12.3	2	11	11	12	13	14	14	14
20-34										
35-49	5	15.6	50	10	10	11	21	26	26	26
50-64	14	22.4	296	10	11	17	24	38	68	76
65+	14	25.4	244	12	13	21	31	43	65	71
TOT. SINGLE DX	13	14.2	27	8	10	13	15	22	27	28
" MULTIPLE DX	36	21.8	225	10	11	18	25	34	62	76
TOTAL 0-19 YRS	4	16.3	63	11	11	13	21	28	28	28
20-34										
35-49	7	14.6	37	10	10	11	18	25	26	26
50-64	23	18.6	202	9	11	13	20	33	49	76
65+	15	24.9	231	12	13	19	30	40	63	71
GRAND TOTAL	**49**	**19.8**	**182**	**10**	**11**	**14**	**22**	**33**	**42**	**76**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.5	8	1	1	4	6	9	10	10
20-34	74	1.9	11	<1	<1	<1	<1	3	7	21
35-49	49	3.2	16	<1	<1	<1	3	9	13	18
50-64	71	3.9	18	<1	<1	1	6	10	14	17
65+	68	6.1	65	<1	<1	2	8	16	19	45
2. MULTIPLE DX										
0-19 YRS	51	8.9	115	1	2	7	10	16	36	53
20-34	536	4.9	41	<1	<1	2	7	12	17	32
35-49	444	8.8	107	<1	<1	6	11	20	33	52
50-64	908	8.6	108	<1	<1	5	11	19	27	56
65+	784	11.6	157	2	2	8	14	25	35	77
TOT. SINGLE DX	270	3.8	30	<1	<1	<1	5	10	15	23
" MULTIPLE DX	2723	8.8	115	<1	<1	5	11	19	28	59
TOTAL 0-19 YRS	59	8.3	103	1	2	5	10	16	28	53
20-34	610	4.5	39	<1	<1	2	6	11	16	29
35-49	493	8.3	102	<1	<1	5	10	19	31	51
50-64	979	8.2	103	<1	<1	5	10	19	26	55
65+	852	11.2	152	1	2	7	14	24	35	73
GRAND TOTAL	**2993**	**8.3**	**109**	**<1**	**<1**	**5**	**10**	**19**	**28**	**57**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	8.2	71	1	2	7	10	15	19	44
20-34	184	7.8	105	1	1	4	9	16	26	66
35-49	332	9.1	68	1	2	7	12	20	27	39
50-64	952	9.7	60	2	3	8	12	18	24	41
65+	1156	11.6	82	2	4	10	14	21	26	49
2. MULTIPLE DX										
0-19 YRS	885	19.4	422	2	3	11	25	57	75	99+
20-34	456	13.5	214	1	2	9	18	34	49	78
35-49	800	14.5	167	2	3	11	19	31	43	77
50-64	3346	15.3	176	2	4	12	19	31	45	94
65+	5499	18.6	223	4	6	15	24	38	54	99+
TOT. SINGLE DX	2868	10.2	76	2	2	8	13	19	25	43
" MULTIPLE DX	10986	17.2	225	2	4	13	22	37	52	99+
TOTAL 0-19 YRS	1129	16.9	368	2	3	10	19	50	69	99+
20-34	640	11.9	190	1	2	7	15	28	43	77
35-49	1132	12.9	145	2	2	10	17	28	38	70
50-64	4298	14.0	156	2	3	11	17	29	40	88
65+	6655	17.4	206	3	5	14	22	36	49	97
GRAND TOTAL	**13854**	**15.7**	**202**	**2**	**4**	**12**	**20**	**33**	**48**	**95**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	437	3.2	18	<1	1	2	3	6	10	20
20-34	639	4.5	23	<1	1	3	5	10	14	23
35-49	409	4.8	27	<1	1	3	6	11	16	25
50-64	427	6.6	47	1	1	4	9	15	21	33
65+	374	7.6	51	1	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	163	7.1	75	1	1	4	8	17	29	40
20-34	347	10.4	112	1	2	7	14	24	30	59
35-49	426	10.3	114	1	2	7	13	22	32	54
50-64	832	11.4	112	2	2	9	16	24	32	62
65+	1078	14.3	168	2	3	11	19	30	40	69
TOT. SINGLE DX	2286	5.2	34	<1	1	3	7	12	17	29
" MULTIPLE DX	2846	12.0	136	2	2	9	16	26	34	62
TOTAL 0-19 YRS	600	4.3	37	<1	1	2	4	9	14	36
20-34	986	6.6	63	<1	1	4	8	16	22	41
35-49	835	7.6	79	1	2	4	10	18	24	48
50-64	1259	9.8	95	1	2	7	13	22	28	50
65+	1452	12.6	147	2	2	9	17	27	35	62
GRAND TOTAL	**5132**	**9.0**	**102**	**1**	**2**	**5**	**12**	**21**	**29**	**50**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.1	21	2	2	5	7	12	18	21
20-34	39	6.7	29	<1	1	5	9	16	19	22
35-49	36	6.8	23	<1	1	6	9	15	17	19
50-64	98	10.0	42	4	4	8	12	18	23	37
65+	88	10.5	81	2	3	9	14	18	25	55
2. MULTIPLE DX										
0-19 YRS	11	10.5	209	<1	1	9	9	28	51	53
20-34	44	9.6	54	2	3	8	11	17	29	34
35-49	81	14.8	206	3	4	11	18	25	51	76
50-64	241	14.8	172	4	5	11	17	31	38	91
65+	258	14.5	142	4	5	11	18	30	43	98
TOT. SINGLE DX	279	9.0	52	2	2	8	11	17	22	34
" MULTIPLE DX	635	14.3	158	3	5	10	17	28	42	86
TOTAL 0-19 YRS	29	7.8	93	2	2	6	9	12	23	53
20-34	83	8.2	45	1	2	7	10	16	22	34
35-49	117	12.3	164	1	2	9	15	24	36	69
50-64	339	13.4	140	4	5	10	16	26	35	77
65+	346	13.5	129	3	4	10	17	27	37	85
GRAND TOTAL	**914**	**12.7**	**131**	**3**	**4**	**9**	**15**	**25**	**35**	**76**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	2	11.0	32	7	7	11	15	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	2	20.0	72	14	14	20	26	26	26	26
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	37.5	1741	8	8	37	67	67	67	67
65+	2	21.5	313	9	9	21	34	34	34	34
TOT. SINGLE DX	9	7.4	18	3	3	7	9	14	15	15
" MULTIPLE DX	7	23.4	476	6	6	14	32	60	67	67
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	17.7	52	13	13	14	23	26	26	26
35-49	5	4.4	2	3	3	4	6	6	6	6
50-64	4	24.3	825	7	7	11	41	67	67	67
65+	3	17.0	217	8	8	9	28	34	34	34
GRAND TOTAL	**16**	**14.4**	**267**	**3**	**3**	**8**	**14**	**33**	**57**	**67**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	79.0		79	79	89	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX										
" MULTIPLE DX	2	47.5	1985	16	16	79	95	99+	99+	99+
TOTAL 0-19 YRS	1	79.0		79	79	89	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**2**	**47.5**	**1985**	**16**	**16**	**79**	**95**	**99+**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	6.9	64	1	1	6	8	12	19	41
20-34	285	9.6	55	2	3	8	11	18	24	41
35-49	210	10.3	97	2	3	8	12	20	28	41
50-64	343	11.0	100	2	2	8	13	22	30	48
65+	483	12.4	118	2	3	10	16	25	35	52
2. MULTIPLE DX										
0-19 YRS	420	12.6	155	1	2	9	16	29	37	68
20-34	629	15.2	168	3	5	11	18	33	46	72
35-49	734	15.1	156	3	4	12	19	31	41	66
50-64	1858	16.0	186	3	4	12	20	34	47	95
65+	5045	18.0	203	4	6	14	22	37	52	99
TOT. SINGLE DX	1649	10.3	94	1	2	8	12	21	28	46
" MULTIPLE DX	8686	16.8	193	3	5	13	21	35	49	94
TOTAL 0-19 YRS	748	10.1	123	1	1	7	11	22	31	61
20-34	914	13.4	140	3	4	9	15	29	40	66
35-49	944	14.1	148	3	4	10	17	29	38	64
50-64	2201	15.2	176	2	4	11	19	32	45	90
65+	5528	17.5	199	4	5	14	22	36	50	96
GRAND TOTAL	**10335**	**15.8**	**183**	**3**	**4**	**12**	**20**	**33**	**46**	**86**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	13.3	167	2	2	8	19	34	44	47
20-34	35	10.9	339	2	2	4	11	31	48	95
35-49	28	17.5	380	3	3	9	25	41	56	91
50-64	33	11.3	272	2	2	7	10	20	51	85
65+	40	14.0	250	2	2	7	21	37	52	65
2. MULTIPLE DX										
0-19 YRS	87	22.7	432	3	3	17	42	74	99+	99+
20-34	93	17.4	252	3	4	12	23	35	58	78
35-49	114	15.6	318	1	2	8	24	45	65	99+
50-64	273	12.4	208	1	1	7	18	35	52	99+
65+	220	22.8	492	1	2	16	33	55	71	92
TOT. SINGLE DX	173	13.3	274	2	2	7	16	32	47	90
" MULTIPLE DX	787	17.5	352	1	2	11	26	46	67	99+
TOTAL 0-19 YRS	124	19.9	370	2	3	14	36	60	99	99+
20-34	128	15.6	282	2	3	10	20	34	52	86
35-49	142	16.0	329	1	2	8	24	45	62	99+
50-64	306	12.3	214	1	1	7	17	34	53	99+
65+	260	21.4	465	2	2	14	31	50	69	91
GRAND TOTAL	**960**	**16.7**	**341**	**1**	**2**	**10**	**25**	**45**	**64**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.7	7	<1	<1	2	3	6	8	16
20-34	69	4.7	17	1	1	3	6	11	12	22
35-49	149	5.5	47	<1	1	3	7	13	19	28
50-64	210	7.0	84	<1	1	4	9	16	26	35
65+	333	7.1	85	1	1	4	9	16	23	55
2. MULTIPLE DX										
0-19 YRS	85	6.6	67	1	1	3	9	16	32	99+
20-34	146	9.0	96	1	2	7	11	21	28	79
35-49	341	8.9	108	1	1	5	12	20	25	53
50-64	854	10.1	131	1	2	7	13	23	32	61
65+	1515	13.5	190	2	2	10	17	30	44	92
TOT. SINGLE DX	891	6.0	65	<1	1	3	7	14	20	36
" MULTIPLE DX	2941	11.6	160	1	2	8	15	26	39	80
TOTAL 0-19 YRS	215	4.2	34	<1	1	2	4	11	16	64
20-34	215	7.6	75	1	1	5	10	16	25	56
35-49	490	7.9	92	1	1	5	10	18	24	52
50-64	1064	9.5	123	1	1	6	12	22	32	60
65+	1848	12.4	177	1	2	8	16	28	42	85
GRAND TOTAL	**3832**	**10.3**	**143**	**1**	**2**	**7**	**13**	**24**	**33**	**72**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	4.3	3	2	3	4	5	7	8	12
20-34	6	11.8	61	4	4	10	11	25	27	27
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	15.5	133	7	7	11	23	32	32	32
65+	6	19.8	119	10	10	14	30	36	37	37
2. MULTIPLE DX										
0-19 YRS	76	7.4	27	2	3	6	8	13	21	27
20-34	8	14.0	41	6	7	13	16	24	27	27
35-49	7	17.4	117	7	7	11	25	33	35	35
50-64	20	16.8	83	6	7	13	22	31	36	38
65+	43	23.6	211	6	10	20	31	46	57	99+
TOT. SINGLE DX	382	4.8	13	2	3	4	5	8	10	23
" MULTIPLE DX	154	13.9	137	3	4	11	19	30	39	76
TOTAL 0-19 YRS	441	4.9	9	2	3	4	6	8	10	20
20-34	14	13.1	47	4	6	11	16	27	27	27
35-49	8	16.5	108	7	7	11	25	32	35	35
50-64	24	16.5	87	6	7	13	22	32	35	38
65+	49	23.1	199	6	10	20	31	45	49	99+
GRAND TOTAL	**536**	**7.5**	**65**	**2**	**3**	**5**	**8**	**16**	**26**	**45**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.3	6	3	3	6	8	9	9	9
20-34	4	15.3	61	8	8	14	21	25	25	25
35-49	4	13.0	96	1	1	14	21	22	22	22
50-64	20	31.2	582	5	7	23	47	79	98	99+
65+	41	22.7	485	4	5	14	32	60	88	99+
2. MULTIPLE DX										
0-19 YRS	30	23.7	457	2	4	20	42	88	99+	99+
20-34	20	22.9	221	6	9	19	39	99+	99+	99+
35-49	27	26.0	435	6	7	19	40	86	99+	99+
50-64	128	27.9	458	4	7	24	48	80	99+	99+
65+	577	29.0	462	6	8	25	52	98	99+	99+
TOT. SINGLE DX	73	23.2	473	3	5	16	31	63	92	99+
" MULTIPLE DX	782	28.4	455	5	8	24	50	93	99+	99+
TOTAL 0-19 YRS	34	21.6	435	2	3	17	41	82	99+	99+
20-34	24	21.6	199	7	9	18	37	91	99+	99+
35-49	31	24.3	406	5	6	19	32	78	99	99+
50-64	148	28.4	472	4	7	23	48	79	99+	99+
65+	618	28.6	466	6	8	24	51	95	99+	99+
GRAND TOTAL	**855**	**27.9**	**458**	**5**	**7**	**23**	**47**	**91**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.9	24	<1	1	5	8	9	11	27
20-34	97	5.8	22	<1	<1	5	8	12	16	21
35-49	211	6.4	40	<1	<1	5	8	13	18	42
50-64	282	6.4	28	<1	<1	6	8	12	16	28
65+	392	8.3	63	<1	1	6	12	17	22	35
2. MULTIPLE DX										
0-19 YRS	45	7.8	41	1	2	6	10	17	21	31
20-34	238	8.0	43	<1	2	7	10	15	19	38
35-49	560	9.7	85	1	2	8	12	18	25	53
50-64	1314	10.9	100	2	3	9	13	20	26	70
65+	3109	14.0	124	3	4	11	17	27	36	70
TOT. SINGLE DX	1010	7.1	45	<1	<1	6	9	14	18	34
" MULTIPLE DX	5266	12.5	114	2	3	10	15	24	33	67
TOTAL 0-19 YRS	73	7.1	35	<1	2	6	9	16	20	30
20-34	335	7.4	38	<1	1	6	9	14	18	31
35-49	771	8.8	76	<1	1	7	11	17	24	51
50-64	1596	10.1	91	1	2	8	12	19	24	62
65+	3501	13.4	121	2	4	11	17	26	35	68
GRAND TOTAL	**6276**	**11.6**	**107**	**1**	**3**	**9**	**14**	**23**	**31**	**63**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	51	12.5	36	5	7	11	15	22	26	31
35-49	122	16.0	82	8	8	14	19	26	34	82
50-64	160	16.2	57	8	9	14	20	26	30	39
65+	187	20.1	103	9	10	17	25	32	40	56
2. MULTIPLE DX										
0-19 YRS	4	31.0	917	11	11	19	51	75	75	75
20-34	57	22.7	233	10	10	18	30	38	49	95
35-49	193	21.3	228	9	10	17	25	37	47	91
50-64	385	22.4	199	9	10	19	26	40	55	83
65+	816	27.5	277	10	12	23	34	52	71	99+
TOT. SINGLE DX	521	17.2	83	8	9	15	21	28	34	56
" MULTIPLE DX	1455	25.1	256	10	11	21	31	47	63	96
TOTAL 0-19 YRS	5	28.2	727	11	11	17	39	75	75	75
20-34	108	17.9	165	7	8	14	21	32	38	75
35-49	315	19.2	178	8	9	16	23	33	43	91
50-64	545	20.6	166	9	10	17	24	37	48	82
65+	1003	26.1	253	10	11	22	32	48	66	99+
GRAND TOTAL	1976	23.0	223	9	10	19	28	43	57	92

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	9	21.3	78	13	13	19	27	36	36	36
50-64	25	22.9	100	12	13	20	30	39	43	48
65+	21	24.3	101	13	14	23	31	39	44	46
2. MULTIPLE DX										
0-19 YRS										
20-34	2	25.0	2	24	24	25	26	26	26	26
35-49	21	28.3	196	11	17	25	35	61	80	99+
50-64	102	28.7	243	12	14	24	37	49	68	99+
65+	136	29.6	314	12	14	24	36	52	86	99+
TOT. SINGLE DX	55	23.2	95	13	13	20	31	37	42	48
" MULTIPLE DX	261	29.1	274	12	14	24	36	52	82	99+
TOTAL 0-19 YRS										
20-34	2	25.0	2	24	24	25	26	26	26	26
35-49	30	26.2	168	13	14	24	35	46	67	99+
50-64	127	27.6	220	12	13	24	36	47	62	99+
65+	157	28.9	289	12	14	24	35	48	84	99+
GRAND TOTAL	316	28.1	247	12	14	24	35	47	72	99+

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	40	12.3	31	6	7	11	15	20	24	31
35-49	46	11.7	13	7	7	11	13	17	19	22
50-64	46	13.0	32	7	8	11	16	19	24	35
65+	21	20.8	87	9	10	21	26	35	39	39
2. MULTIPLE DX										
0-19 YRS	3	10.0	19	5	5	12	13	13	13	13
20-34	29	16.6	127	7	8	14	18	27	41	62
35-49	65	16.1	150	7	8	12	17	28	42	72
50-64	89	20.4	149	9	9	17	25	37	51	86
65+	111	26.8	200	11	14	23	34	46	69	99+
TOT. SINGLE DX	154	13.5	41	7	8	12	16	22	27	39
" MULTIPLE DX	297	21.4	184	8	9	18	26	40	52	91
TOTAL 0-19 YRS	4	11.0	17	5	5	12	13	14	14	14
20-34	69	14.1	75	6	7	12	16	22	30	58
35-49	111	14.3	98	7	8	12	16	23	29	65
50-64	135	17.9	121	8	9	15	21	32	44	71
65+	132	25.8	186	10	12	23	32	44	61	99+
GRAND TOTAL	451	18.7	149	7	9	15	23	35	45	78

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	9.9	168	1	3	8	11	16	20	93
20-34	162	9.5	18	5	6	9	10	14	17	30
35-49	167	9.8	11	6	6	9	11	14	17	24
50-64	151	11.8	37	6	7	10	14	19	22	37
65+	129	15.3	108	6	8	11	18	27	37	56
2. MULTIPLE DX										
0-19 YRS	63	19.8	339	2	5	12	24	53	63	74
20-34	171	13.4	114	7	7	10	14	23	32	77
35-49	276	14.7	84	7	7	11	17	27	33	48
50-64	369	19.6	212	7	8	15	24	39	52	93
65+	661	25.5	271	8	10	21	34	52	68	99+
TOT. SINGLE DX	661	11.3	55	5	6	9	13	18	24	42
" MULTIPLE DX	1540	20.5	231	7	8	16	26	42	58	99+
TOTAL 0-19 YRS	115	15.3	285	2	3	9	17	38	57	82
20-34	333	11.5	71	6	7	9	12	18	27	63
35-49	443	12.8	63	6	7	10	15	22	29	46
50-64	520	17.3	174	7	8	13	20	32	47	85
65+	790	23.8	259	8	9	20	31	48	65	99+
GRAND TOTAL	2201	17.8	196	6	7	13	22	37	50	93

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	5.3	21	<1	1	4	8	10	12	25
20-34	458	6.7	29	<1	1	6	9	14	16	25
35-49	433	5.6	36	<1	1	4	8	12	16	29
50-64	981	3.9	21	<1	1	2	5	10	13	22
65+	1316	4.0	35	<1	1	2	4	9	14	27
2. MULTIPLE DX										
0-19 YRS	161	10.3	172	1	2	7	11	20	29	99
20-34	514	9.6	67	2	3	7	12	19	26	38
35-49	741	9.5	72	1	2	7	12	19	25	40
50-64	1910	9.3	83	1	2	7	13	19	27	48
65+	4217	12.5	141	1	2	10	16	26	37	69
TOT. SINGLE DX	3366	4.6	31	<1	1	2	6	11	14	26
" MULTIPLE DX	7543	11.2	118	1	2	8	14	23	32	63
TOTAL 0-19 YRS	339	7.6	99	<1	1	6	9	15	22	96
20-34	972	8.2	52	1	2	7	10	16	21	36
35-49	1174	8.0	63	1	1	6	11	17	23	38
50-64	2891	7.5	69	1	1	5	10	17	22	43
65+	5533	10.5	129	1	1	8	14	23	33	64
GRAND TOTAL	**10909**	**9.1**	**100**	**1**	**1**	**7**	**12**	**20**	**28**	**55**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	13.2	73	7	7	9	14	30	32	36
20-34	39	14.8	73	6	7	12	18	27	35	39
35-49	51	14.4	63	7	8	12	18	24	29	49
50-64	59	14.5	67	6	7	12	17	27	31	45
65+	94	17.8	93	8	9	15	22	32	35	54
2. MULTIPLE DX										
0-19 YRS	64	17.3	328	5	6	11	20	62	99+	99+
20-34	144	17.2	134	7	8	13	22	33	41	71
35-49	150	22.1	243	8	8	17	28	47	59	88
50-64	284	22.7	190	8	10	19	28	48	64	99+
65+	623	25.6	281	9	10	21	32	50	64	98
TOT. SINGLE DX	269	15.6	79	7	8	13	19	28	33	46
" MULTIPLE DX	1265	23.2	250	8	9	19	29	48	63	99+
TOTAL 0-19 YRS	90	16.1	256	5	7	10	19	51	88	99+
20-34	183	16.7	122	7	8	13	21	31	39	70
35-49	201	20.2	209	7	8	15	24	43	53	80
50-64	343	21.3	179	8	9	17	26	44	58	99+
65+	717	24.6	263	9	10	20	30	48	62	97
GRAND TOTAL	**1534**	**21.8**	**229**	**8**	**9**	**17**	**27**	**45**	**58**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	17.0	163	7	8	11	19	36	44	67
20-34	149	16.1	93	8	8	13	20	27	32	60
35-49	252	14.0	43	8	8	12	16	21	28	35
50-64	728	14.9	60	8	9	13	17	23	28	49
65+	1130	16.7	64	9	10	15	19	25	32	53
2. MULTIPLE DX										
0-19 YRS	71	20.8	301	6	7	15	26	47	67	99
20-34	248	20.3	145	8	9	17	26	39	45	81
35-49	541	17.3	90	8	9	15	20	29	36	66
50-64	2103	19.0	125	9	10	16	22	31	41	70
65+	5392	23.8	206	10	11	20	29	43	57	99+
TOT. SINGLE DX	2302	15.8	66	8	9	14	18	24	30	51
" MULTIPLE DX	8355	22.0	183	9	11	18	26	39	52	95
TOTAL 0-19 YRS	114	19.4	251	7	8	13	23	42	61	98
20-34	397	18.7	130	8	9	15	24	35	43	65
35-49	793	16.2	78	8	9	14	19	27	34	58
50-64	2831	17.9	112	9	10	15	21	29	39	64
65+	6522	22.6	189	10	11	19	27	40	54	97
GRAND TOTAL	**10657**	**20.7**	**165**	**9**	**10**	**17**	**24**	**37**	**49**	**88**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.5	22	5	6	12	12	19	20	20
20-34	7	12.9	15	9	9	12	15	19	20	20
35-49	17	13.0	24	6	7	13	16	19	23	25
50-64	36	14.1	51	8	8	12	15	25	30	40
65+	32	18.5	186	6	7	15	21	39	49	68
2. MULTIPLE DX										
0-19 YRS	19	16.4	124	6	7	14	21	24	42	56
20-34	23	20.3	240	6	7	15	26	52	56	57
35-49	35	21.0	165	7	8	17	28	34	50	61
50-64	146	21.3	188	8	9	18	27	37	50	99+
65+	285	25.9	263	9	11	22	32	51	66	97
TOT. SINGLE DX	103	14.9	88	7	8	12	17	24	33	58
" MULTIPLE DX	508	23.6	235	8	10	20	29	46	58	95
TOTAL 0-19 YRS	30	14.6	91	6	7	12	19	22	25	56
20-34	30	18.6	196	6	7	14	24	41	56	57
35-49	52	18.4	132	7	8	15	25	31	39	61
50-64	182	19.9	169	8	9	16	25	36	45	94
65+	317	25.1	260	8	10	21	31	50	65	94
GRAND TOTAL	**611**	**22.2**	**220**	**8**	**9**	**18**	**27**	**43**	**56**	**89**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	7.3	15	2	3	6	10	13	15	18
20-34	122	10.1	20	5	5	9	12	17	19	26
35-49	133	11.0	25	5	6	10	13	17	19	32
50-64	246	10.3	22	5	6	10	12	15	18	29
65+	308	12.5	95	4	6	11	14	19	27	61
2. MULTIPLE DX										
0-19 YRS	141	11.4	58	4	5	10	14	23	37	99+
20-34	224	14.2	104	5	6	11	17	25	35	73
35-49	228	17.0	187	6	7	12	17	37	50	91
50-64	607	15.1	108	6	7	12	17	28	38	82
65+	1134	18.5	174	7	8	14	22	35	46	88
TOT. SINGLE DX	906	10.8	49	4	5	10	12	17	20	34
" MULTIPLE DX	2334	16.6	149	6	7	13	19	32	42	89
TOTAL 0-19 YRS	238	9.8	45	3	4	9	12	16	26	99+
20-34	346	12.7	78	5	6	10	14	23	30	52
35-49	361	14.8	136	5	7	11	16	29	42	73
50-64	853	13.8	88	6	7	11	15	25	33	65
65+	1442	17.2	163	6	8	13	20	32	42	85
GRAND TOTAL	**3240**	**15.0**	**128**	**5**	**6**	**12**	**17**	**28**	**38**	**79**

602: Ileostomy, colostcmy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	10.8	12	6	7	10	13	16	17	17
20-34	12	13.7	85	<1	2	12	21	27	30	30
35-49	28	15.9	61	5	6	14	21	27	33	33
50-64	51	17.4	114	4	8	14	22	33	42	48
65+	102	25.4	265	9	11	21	29	54	68	90
2. MULTIPLE DX										
0-19 YRS	21	20.4	180	8	10	22	25	78	99+	99+
20-34	48	25.6	345	7	9	21	35	60	74	99+
35-49	90	24.5	272	9	11	20	29	52	70	99+
50-64	309	22.1	154	9	11	19	26	41	60	99+
65+	795	29.6	287	11	13	26	38	59	75	99+
TOT. SINGLE DX	205	20.6	198	6	8	17	26	38	54	81
" MULTIPLE DX	1263	27.1	265	10	12	23	35	56	71	99+
TOTAL 0-19 YRS	33	16.9	139	7	8	13	23	31	93	99+
20-34	60	23.2	315	5	8	18	28	54	69	98
35-49	118	22.5	235	8	10	19	26	48	63	99+
50-64	360	21.4	151	9	10	19	26	40	54	99+
65+	897	29.1	286	11	13	25	37	58	74	99+
GRAND TOTAL	**1468**	**26.2**	**261**	**9**	**11**	**22**	**33**	**53**	**70**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6161	4.8	6	2	3	4	5	8	10	15
20-34	3568	5.0	6	2	3	4	6	8	10	14
35-49	1181	6.2	12	3	3	5	7	10	13	20
50-64	659	7.5	14	3	4	6	9	13	15	22
65+	275	9.6	25	4	5	9	11	16	18	31
2. MULTIPLE DX										
0-19 YRS	1301	7.5	29	3	3	6	9	14	18	29
20-34	1033	7.9	39	3	4	6	9	14	18	31
35-49	491	10.5	50	4	4	9	13	19	24	40
50-64	480	12.4	59	4	5	11	15	21	27	45
65+	451	16.1	132	6	7	13	19	30	39	69
TOT. SINGLE DX	11844	5.3	9	2	3	4	6	9	11	17
" MULTIPLE DX	3756	9.6	60	3	4	7	12	18	23	41
TOTAL 0-19 YRS	7462	5.3	12	2	3	4	6	9	11	19
20-34	4601	5.7	16	3	3	5	6	9	12	19
35-49	1672	7.5	27	3	3	6	9	13	17	28
50-64	1139	9.5	39	4	4	8	12	17	21	34
65+	726	13.6	102	5	6	10	16	25	34	56
GRAND TOTAL	**15600**	**6.3**	**25**	**3**	**3**	**5**	**7**	**11**	**15**	**26**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	4.6	4	2	3	4	5	7	[illegible]	12
20-34	34	5.8	8	3	3	5	7	10	12	16
35-49	11	8.2	42	4	4	6	8	17	25	27
50-64	7	7.7	12	3	3	7	9	13	14	14
65+	4	13.3	61	6	6	13	20	21	21	21
2. MULTIPLE DX										
0-19 YRS	29	7.1	25	3	3	5	8	15	18	20
20-34	33	7.2	16	3	4	6	8	11	13	24
35-49	16	10.8	178	4	4	6	8	26	48	56
50-64	17	14.6	75	5	6	15	21	34	75	99+
65+	8	12.0	32	5	6	11	18	69	99+	99+
TOT. SINGLE DX	118	5.7	14	2	3	5	6	10	12	23
" MULTIPLE DX	103	9.3	61	3	4	7	11	20	25	99+
TOTAL 0-19 YRS	91	5.4	12	2	3	4	6	10	14	19
20-34	67	6.5	13	3	3	6	8	10	13	23
35-49	27	9.7	121	4	4	6	8	24	32	56
50-64	24	12.6	66	4	5	10	17	24	53	99+
65+	12	12.4	38	5	6	11	19	38	88	99+
GRAND TOTAL	**221**	**7.4**	**39**	**3**	**3**	**5**	**8**	**15**	**21**	**68**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	11.1	36	3	4	10	12	19	27	28
20-34	16	12.6	16	7	8	13	16	18	19	20
35-49	16	10.4	15	5	6	10	12	14	19	21
50-64	10	9.3	27	5	5	8	10	18	22	22
65+	4	13.0	16	10	10	11	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	5	9.2	29	4	4	8	12	18	18	18
20-34	5	8.4	15	2	2	9	11	12	12	12
35-49	4	17.0	72	7	7	17	23	27	27	27
50-64	5	10.8	49	5	5	8	16	21	21	21
65+	11	14.8	51	2	6	13	20	24	28	28
TOT. SINGLE DX	68	11.1	25	4	6	10	13	18	21	28
" MULTIPLE DX	30	12.4	48	2	4	11	17	22	27	28
TOTAL 0-19 YRS	27	10.8	35	4	4	10	12	17	27	28
20-34	21	11.6	19	4	7	11	14	18	19	20
35-49	20	11.7	31	5	6	10	14	20	24	27
50-64	15	9.8	32	5	5	8	13	21	22	22
65+	15	14.3	41	4	9	12	19	22	26	28
GRAND TOTAL	**98**	**11.5**	**32**	**4**	**5**	**11**	**14**	**20**	**22**	**28**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.8	26	<1	1	3	6	10	13	30
20-34	193	5.6	19	1	1	4	8	11	14	23
35-49	142	5.4	21	1	1	4	7	11	15	23
50-64	270	4.6	21	1	1	3	6	9	13	26
65+	494	5.7	38	1	2	3	7	13	18	36
2. MULTIPLE DX										
0-19 YRS	76	5.9	30	1	1	4	8	11	15	32
20-34	145	9.1	83	2	2	7	11	18	28	56
35-49	183	8.9	87	1	2	6	11	18	24	51
50-64	489	9.6	94	1	2	7	12	20	30	53
65+	1118	12.3	145	2	3	9	16	25	37	78
TOT. SINGLE DX	1198	5.3	29	1	1	3	7	11	15	27
" MULTIPLE DX	2011	10.9	122	2	2	8	14	23	32	66
TOTAL 0-19 YRS	175	5.3	28	<1	1	4	7	11	14	32
20-34	338	7.1	50	1	2	5	9	14	20	47
35-49	325	7.3	62	1	2	5	9	16	20	35
50-64	759	7.9	74	1	2	5	10	18	24	43
65+	1612	10.3	122	2	2	7	13	22	31	66
GRAND TOTAL	**3209**	**8.8**	**94**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.5	5	<1	1	3	5	7	8	9
20-34	174	4.0	7	1	2	3	5	7	9	15
35-49	131	3.4	4	1	1	3	4	6	8	11
50-64	77	4.8	18	1	2	4	5	8	9	26
65+	37	5.7	23	1	1	5	7	10	14	27
2. MULTIPLE DX										
0-19 YRS	18	7.3	65	1	2	5	10	12	27	37
20-34	87	6.9	60	1	2	4	8	13	22	46
35-49	98	6.8	42	1	2	4	8	15	19	35
50-64	80	7.8	39	2	2	6	10	18	22	29
65+	81	13.7	251	2	3	9	16	28	46	90
TOT. SINGLE DX	458	4.1	10	1	1	3	5	7	9	18
" MULTIPLE DX	364	8.6	101	2	2	5	11	18	26	55
TOTAL 0-19 YRS	57	4.7	27	1	1	3	6	9	11	35
20-34	261	4.9	26	1	2	4	6	9	12	24
35-49	229	4.9	23	1	1	3	5	11	14	26
50-64	157	6.3	31	1	2	4	8	13	20	28
65+	118	11.2	193	2	2	7	12	26	31	81
GRAND TOTAL	**822**	**6.1**	**55**	**1**	**2**	**4**	**7**	**12**	**18**	**36**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	11.7	116	2	3	10	12	16	33	59
20-34	24	17.3	98	3	6	16	22	28	35	50
35-49	57	17.0	67	8	9	14	21	27	35	42
50-64	247	17.4	59	9	10	16	20	25	31	51
65+	380	19.7	89	9	11	18	24	29	36	59
2. MULTIPLE DX										
0-19 YRS	29	17.4	272	3	5	11	19	49	56	65
20-34	39	23.5	193	6	10	22	30	41	64	99+
35-49	103	19.1	90	10	12	16	22	30	41	56
50-64	624	22.1	132	11	12	19	26	36	43	72
65+	1240	25.4	184	11	13	22	31	43	54	88
TOT. SINGLE DX	735	18.3	81	8	10	17	22	28	33	58
" MULTIPLE DX	2035	23.9	169	11	12	20	29	40	51	78
TOTAL 0-19 YRS	56	14.6	202	3	4	10	16	30	55	65
20-34	63	21.1	164	5	7	18	26	40	54	95
35-49	160	18.3	83	9	10	15	22	29	38	48
50-64	871	20.8	116	10	11	18	24	34	41	65
65+	1620	24.0	168	11	12	21	29	40	51	81
GRAND TOTAL	**2770**	**22.4**	**152**	**10**	**11**	**19**	**27**	**37**	**47**	**74**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	5.4	23	<1	1	4	7	10	12	28
20-34	566	5.5	18	<1	1	5	7	10	13	21
35-49	644	5.3	14	<1	1	5	7	10	12	18
50-64	776	5.5	32	<1	1	4	7	11	13	26
65+	791	6.6	41	1	1	5	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	196	6.6	37	1	2	5	8	13	17	32
20-34	920	7.7	67	1	2	6	9	14	18	45
35-49	1510	8.3	51	1	2	7	10	16	20	36
50-64	2674	9.2	61	2	3	7	11	17	23	43
65+	4976	12.0	106	2	3	9	15	23	32	72
TOT. SINGLE DX	2917	5.8	28	<1	1	5	7	11	14	25
" MULTIPLE DX	10276	10.2	85	2	3	8	13	20	27	56
TOTAL 0-19 YRS	336	6.1	32	1	1	5	7	11	16	29
20-34	1486	6.9	50	1	2	5	8	12	16	40
35-49	2154	7.4	42	1	2	6	9	14	18	31
50-64	3450	8.4	58	1	2	7	10	16	21	40
65+	5767	11.2	101	2	3	9	14	22	30	68
GRAND TOTAL	**13193**	**9.2**	**76**	**1**	**2**	**7**	**11**	**18**	**24**	**49**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.1	6	<1	1	3	4	6	7	16
20-34	403	3.7	2	1	2	3	4	6	7	9
35-49	396	4.0	5	2	2	3	5	6	7	14
50-64	237	3.9	3	2	2	3	5	6	7	10
65+	77	4.1	3	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	17	4.0	3	<1	1	4	5	7	7	7
20-34	254	4.3	4	2	2	4	5	6	8	11
35-49	367	4.7	12	2	2	4	5	8	10	22
50-64	311	5.3	20	2	2	4	5	9	12	28
65+	177	6.4	41	2	3	4	7	13	15	58
TOT. SINGLE DX	1170	3.8	4	1	2	3	5	6	7	11
" MULTIPLE DX	1126	5.0	18	2	2	4	5	8	11	23
TOTAL 0-19 YRS	74	3.3	6	<1	1	3	4	6	7	15
20-34	657	3.9	4	1	2	4	5	6	7	11
35-49	763	4.3	9	2	2	4	5	7	9	17
50-64	548	4.7	14	2	2	4	5	8	10	20
65+	254	5.7	31	2	3	4	6	11	15	29
GRAND TOTAL	**2296**	**4.4**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**16**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.1	2	<1	1	3	4	5	6	7
20-34	433	3.1	3	<1	1	3	4	5	6	12
35-49	201	3.3	3	1	2	3	4	5	6	9
50-64	107	4.2	7	1	2	4	5	7	9	17
65+	66	4.9	26	1	2	4	5	9	13	34
2. MULTIPLE DX										
0-19 YRS	37	3.6	6	1	1	3	4	6	8	14
20-34	284	4.6	14	1	2	4	5	7	10	21
35-49	334	5.1	15	2	2	4	5	8	11	27
50-64	310	5.1	13	2	2	4	6	8	10	23
65+	190	9.2	94	2	3	6	10	21	27	72
TOT. SINGLE DX	863	3.4	6	<1	1	3	4	5	7	15
" MULTIPLE DX	1155	5.6	30	2	2	4	6	9	15	30
TOTAL 0-19 YRS	93	3.3	4	<1	1	3	4	6	6	11
20-34	717	3.7	8	1	1	3	4	6	8	15
35-49	535	4.4	11	2	2	4	5	7	10	23
50-64	417	4.9	12	2	2	4	6	8	9	19
65+	256	8.1	80	2	2	5	9	19	26	57
GRAND TOTAL	**2018**	**4.7**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**27**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	4.7	5	2	2	4	7	8	9	9
20-34	530	4.6	3	2	3	4	6	7	8	11
35-49	659	4.8	5	2	3	4	6	7	9	13
50-64	441	4.7	4	2	3	4	5	7	9	11
65+	148	5.8	8	3	3	5	7	9	13	17
2. MULTIPLE DX										
0-19 YRS	49	4.2	4	1	2	4	6	7	7	9
20-34	1275	4.9	8	2	2	4	6	8	9	15
35-49	2019	5.4	15	2	3	5	6	8	11	18
50-64	1890	6.1	18	2	3	5	7	10	14	22
65+	966	8.1	52	3	3	6	9	15	20	37
TOT. SINGLE DX	1800	4.8	5	2	3	4	6	7	9	13
" MULTIPLE DX	6199	5.9	22	2	3	5	7	10	13	23
TOTAL 0-19 YRS	71	4.3	5	1	2	4	6	7	8	9
20-34	1805	4.8	7	2	3	4	6	8	9	13
35-49	2678	5.3	13	2	3	5	6	8	10	18
50-64	2331	5.8	16	2	3	5	6	9	13	22
65+	1114	7.8	48	3	3	6	9	15	19	35
GRAND TOTAL	**7999**	**5.7**	**18**	**2**	**3**	**5**	**6**	**9**	**12**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.4	4	1	1	3	4	6	6	11
20-34	403	3.7	10	1	1	3	4	7	9	12
35-49	289	3.7	5	1	1	3	5	6	9	11
50-64	203	5.1	24	1	2	4	6	9	14	25
65+	125	5.6	28	1	2	4	7	10	13	32
2. MULTIPLE DX										
0-19 YRS	51	5.8	37	1	1	4	7	13	23	27
20-34	242	6.0	88	2	2	4	6	9	14	64
35-49	240	7.2	85	2	2	4	7	15	23	70
50-64	259	8.2	75	2	2	5	9	19	27	44
65+	272	11.4	130	2	3	8	15	27	38	93
TOT. SINGLE DX	1108	4.2	14	1	1	3	5	7	10	17
" MULTIPLE DX	1064	8.2	97	2	2	5	9	18	27	65
TOTAL 0-19 YRS	139	4.3	17	1	1	3	5	8	12	25
20-34	645	4.6	41	1	2	3	5	7	10	32
35-49	529	5.3	45	1	2	4	6	10	14	37
50-64	462	6.9	55	1	2	4	8	15	21	41
65+	397	9.6	106	2	2	5	11	21	33	72
GRAND TOTAL	**2172**	**6.1**	**58**	**1**	**2**	**4**	**6**	**12**	**19**	**44**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	10.7	30	4	4	10	16	18	18	18
50-64	11	14.9	215	1	1	12	21	41	42	42
65+	5	19.6	123	2	2	20	28	30	30	30
2. MULTIPLE DX										
0-19 YRS	4	26.8	268	12	12	24	40	47	47	47
20-34	12	11.0	72	1	2	9	16	23	30	31
35-49	11	20.3	238	3	4	17	35	66	95	99+
50-64	27	24.5	185	7	9	24	34	45	50	51
65+	36	23.1	336	3	5	18	30	52	64	72
TOT. SINGLE DX	23	14.4	141	1	2	12	20	32	41	42
" MULTIPLE DX	90	21.7	251	3	5	17	31	47	53	88
TOTAL 0-19 YRS	5	22.4	296	5	5	15	36	47	47	47
20-34	12	11.0	72	1	2	9	16	23	30	31
35-49	17	16.9	181	3	4	13	27	48	81	99+
50-64	38	21.7	208	2	5	18	33	42	48	51
65+	41	22.7	308	3	4	19	29	50	61	72
GRAND TOTAL	**113**	**20.2**	**236**	**3**	**4**	**16**	**29**	**44**	**52**	**82**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.2	29	1	1	3	7	12	16	27
20-34	301	4.6	40	1	1	2	5	11	15	34
35-49	273	4.9	36	1	1	2	6	13	18	27
50-64	401	6.6	59	1	1	2	10	19	24	35
65+	220	9.3	121	1	1	5	14	21	26	59
2. MULTIPLE DX										
0-19 YRS	89	13.0	203	2	2	9	17	29	43	75
20-34	372	12.1	129	1	2	10	17	25	32	61
35-49	565	12.4	132	1	2	10	16	26	35	53
50-64	1164	13.6	139	2	2	11	18	28	35	62
65+	1281	16.4	165	2	3	14	22	32	42	71
TOT. SINGLE DX	1254	6.2	62	1	1	2	8	16	22	38
" MULTIPLE DX	3471	14.3	151	2	2	11	19	29	37	64
TOTAL 0-19 YRS	148	9.9	148	1	2	6	13	21	30	66
20-34	673	8.7	103	1	1	5	12	21	27	57
35-49	838	10.0	114	1	1	7	14	23	31	50
50-64	1565	11.8	128	1	2	9	17	27	32	58
65+	1501	15.4	166	2	2	13	21	31	41	69
GRAND TOTAL	**4725**	**12.1**	**141**	**1**	**2**	**9**	**17**	**26**	**34**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	8.0	11	4	5	7	9	13	15	20
20-34	3163	7.5	8	5	5	7	8	11	13	18
35-49	3120	7.9	8	5	5	7	9	12	13	18
50-64	3250	8.7	12	5	6	8	10	13	15	21
65+	1929	11.2	31	6	7	9	13	18	21	34
2. MULTIPLE DX										
0-19 YRS	136	11.4	75	5	5	9	14	19	22	44
20-34	1879	10.0	30	5	6	8	12	16	20	30
35-49	2840	10.8	48	5	6	9	12	18	23	40
50-64	4911	12.7	60	6	6	10	15	21	27	46
65+	5969	17.5	127	7	8	15	21	31	40	74
TOT. SINGLE DX	11696	8.6	15	5	5	8	10	13	16	23
" MULTIPLE DX	15735	13.8	89	6	6	11	17	24	32	57
TOTAL 0-19 YRS	370	9.2	37	4	5	8	11	15	19	28
20-34	5042	8.5	18	5	5	7	10	13	16	25
35-49	5960	9.3	30	5	5	8	10	15	18	31
50-64	8161	11.1	45	5	6	9	13	18	23	38
65+	7898	15.9	111	6	7	13	19	28	37	68
GRAND TOTAL	**27431**	**11.6**	**64**	**5**	**6**	**9**	**13**	**20**	**26**	**47**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.1	86	1	1	6	18	25	27	27
20-34	40	9.5	44	1	2	9	14	16	20	32
35-49	69	9.3	39	2	2	8	12	19	20	30
50-64	91	13.8	134	2	2	12	18	27	38	61
65+	190	15.8	152	2	3	14	21	29	35	63
2. MULTIPLE DX										
0-19 YRS	8	16.5	86	7	8	14	20	31	36	36
20-34	46	16.3	224	3	4	13	18	32	61	72
35-49	98	17.1	177	4	5	13	20	38	45	68
50-64	330	19.7	172	3	7	17	25	37	50	99+
65+	859	23.4	193	7	10	21	29	41	54	95
TOT. SINGLE DX	399	13.4	123	2	2	11	18	26	32	59
" MULTIPLE DX	1341	21.7	193	5	8	19	27	40	52	93
TOTAL 0-19 YRS	17	13.1	92	1	2	11	19	26	33	36
20-34	86	13.2	151	2	2	11	16	23	32	69
35-49	167	13.9	135	2	3	10	19	25	39	61
50-64	421	18.5	170	2	5	16	23	35	48	85
65+	1049	22.0	195	3	8	19	28	40	53	90
GRAND TOTAL	**1740**	**19.8**	**189**	**3**	**5**	**17**	**26**	**38**	**49**	**80**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.3	47	<1	1	3	8	15	24	28
20-34	118	6.3	62	<1	1	3	8	16	21	44
35-49	172	7.4	95	1	1	4	9	16	22	62
50-64	187	9.0	117	1	1	5	12	22	34	63
65+	179	9.0	107	1	1	5	11	22	30	51
2. MULTIPLE DX										
0-19 YRS	17	13.1	142	1	2	9	17	36	41	41
20-34	130	15.8	280	1	2	13	20	32	44	85
35-49	300	16.2	274	1	2	11	21	39	55	99+
50-64	461	17.5	298	2	2	13	24	41	63	99+
65+	645	18.8	280	2	3	14	26	40	57	94
TOT. SINGLE DX	673	8.0	98	1	1	4	10	19	28	54
" MULTIPLE DX	1553	17.6	284	2	3	13	24	40	57	98
TOTAL 0-19 YRS	34	9.7	104	<1	2	7	14	23	38	41
20-34	248	11.3	199	1	1	6	15	25	35	83
35-49	472	13.0	227	1	2	8	17	30	46	93
50-64	648	15.1	260	1	2	10	21	35	54	99
65+	824	16.7	259	2	2	12	23	37	52	91
GRAND TOTAL	**2226**	**14.7**	**247**	**1**	**2**	**10**	**20**	**34**	**49**	**91**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	5.1	21	1	1	4	6	10	12	29
20-34	740	6.1	24	1	2	5	8	11	15	25
35-49	732	5.6	18	1	1	5	7	11	14	21
50-64	1019	5.1	24	<1	1	4	7	10	13	25
65+	1526	5.7	47	1	1	4	7	12	17	30
2. MULTIPLE DX										
0-19 YRS	184	7.9	82	1	2	5	9	14	24	57
20-34	921	7.9	56	2	2	6	9	15	22	44
35-49	1436	8.2	48	1	2	7	10	16	20	34
50-64	3075	8.9	68	1	2	7	11	17	24	47
65+	8215	11.2	112	2	3	9	13	22	31	66
TOT. SINGLE DX	4301	5.6	32	1	1	4	7	11	15	26
" MULTIPLE DX	13831	10.1	94	2	3	8	12	20	28	58
TOTAL 0-19 YRS	468	6.2	47	1	1	4	7	12	15	36
20-34	1661	7.1	43	1	2	5	9	13	19	34
35-49	2168	7.3	40	1	2	6	9	14	18	32
50-64	4094	7.9	60	1	1	6	10	16	22	44
65+	9741	10.4	106	1	2	8	13	21	29	62
GRAND TOTAL	**18132**	**9.0**	**83**	**1**	**2**	**7**	**11**	**18**	**25**	**51**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3262	2.1	1	<1	<1	2	3	4	4	6
20-34	3373	3.5	2	2	2	3	4	5	6	8
35-49	3100	3.8	2	2	2	4	5	6	7	9
50-64	5016	4.2	3	2	2	4	5	6	7	11
65+	3758	4.9	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1540	2.4	8	<1	<1	2	3	4	5	12
20-34	1090	4.3	10	2	2	4	5	6	8	14
35-49	1549	5.0	14	2	3	4	6	8	11	19
50-64	3711	5.6	19	2	3	4	6	9	12	21
65+	5243	8.3	59	3	3	6	9	16	21	45
TOT. SINGLE DX	18509	3.8	4	1	2	3	5	6	7	10
" MULTIPLE DX	13133	6.1	37	2	2	5	7	11	16	33
TOTAL 0-19 YRS	4802	2.2	4	<1	<1	2	3	4	4	7
20-34	4463	3.7	4	2	2	3	4	5	6	9
35-49	4649	4.2	7	2	2	4	5	6	8	14
50-64	8727	4.8	11	2	3	4	5	7	9	17
65+	9001	6.9	40	2	3	5	8	12	17	35
GRAND TOTAL	**31642**	**4.7**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1095	1.6		<1	<1	1	2	3	3	5
20-34	236	4.0	1	2	3	4	5	5	6	8
35-49	345	4.6	3	3	3	4	5	7	8	10
50-64	549	4.8	2	3	3	5	6	7	8	10
65+	348	5.6	6	3	3	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	622	2.7	38	<1	<1	1	2	4	7	46
20-34	109	4.5	3	2	3	4	6	7	8	11
35-49	214	5.0	4	2	3	5	6	7	9	14
50-64	508	6.4	27	3	3	5	7	10	14	21
65+	569	8.1	33	3	4	6	9	15	21	32
TOT. SINGLE DX	2573	3.4	5	<1	<1	3	5	6	8	11
" MULTIPLE DX	2022	5.5	34	<1	<1	4	7	10	14	28
TOTAL 0-19 YRS	1717	2.0	15	<1	<1	1	2	3	4	12
20-34	345	4.2	2	2	3	4	5	6	7	9
35-49	559	4.7	4	2	3	4	5	7	8	13
50-64	1057	5.5	15	3	3	5	6	8	10	18
65+	917	7.1	25	3	3	6	8	13	17	28
GRAND TOTAL	4595	4.3	19	<1	<1	4	5	8	10	21

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.6	2	<1	1	2	4	5	5	6
20-34	81	3.4	2	1	2	3	4	5	6	8
35-49	143	4.4	3	2	2	4	5	6	8	10
50-64	176	4.5	4	2	2	4	5	8	8	13
65+	273	7.0	20	3	3	6	9	12	14	25
2. MULTIPLE DX										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	28	4.7	5	2	2	4	6	7	10	12
35-49	60	6.2	17	2	3	5	8	12	15	19
50-64	140	7.3	25	2	3	6	8	14	18	25
65+	480	11.3	114	3	4	8	12	22	31	98
TOT. SINGLE DX	695	5.3	13	2	2	4	6	9	12	20
" MULTIPLE DX	715	9.7	88	3	3	7	11	19	26	76
TOTAL 0-19 YRS	29	2.6	2	<1	1	2	4	5	5	6
20-34	109	3.8	3	1	2	3	5	6	6	11
35-49	203	4.9	8	2	2	4	6	9	10	17
50-64	316	5.7	16	2	2	5	7	10	14	23
65+	753	9.7	84	3	4	7	11	18	26	70
GRAND TOTAL	1410	7.5	56	2	3	5	9	14	20	47

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	507	2.2	1	<1	1	2	3	3	4	6
20-34	259	3.3	2	1	2	3	4	5	7	8
35-49	377	3.8	3	2	2	3	5	6	7	10
50-64	320	4.5	4	2	2	4	6	7	9	12
65+	149	5.8	13	2	3	5	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	92	3.4	14	<1	1	2	4	6	10	24
20-34	111	5.0	11	1	2	4	6	8	11	20
35-49	250	5.9	21	2	2	4	7	11	14	21
50-64	388	7.8	47	2	3	6	9	15	22	34
65+	335	10.8	87	3	4	8	13	22	29	99+
TOT. SINGLE DX	1612	3.6	5	1	1	3	4	6	8	11
" MULTIPLE DX	1176	7.6	53	2	2	6	9	15	21	42
TOTAL 0-19 YRS	599	2.4	4	<1	1	2	3	4	5	10
20-34	370	3.8	6	1	2	3	5	6	8	13
35-49	627	4.6	12	2	2	4	5	8	10	17
50-64	708	6.3	31	2	2	5	7	11	16	31
65+	484	9.2	70	3	3	7	11	18	24	82
GRAND TOTAL	2788	5.3	29	1	2	4	6	10	14	29

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	2.6	3	<1	1	2	3	4	6	11
20-34	441	4.2	5	2	2	4	5	7	8	11
35-49	647	5.3	6	2	2	5	7	9	10	14
50-64	795	6.5	12	3	3	6	8	10	12	20
65+	562	7.5	16	3	4	7	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	28	6.3	26	<1	2	4	10	14	17	19
20-34	246	6.4	17	2	3	6	8	11	15	23
35-49	545	8.3	34	3	3	7	10	16	20	33
50-64	931	9.4	44	3	4	8	11	17	24	43
65+	1035	12.4	90	4	5	10	15	23	31	63
TOT. SINGLE DX	2570	5.8	12	2	2	5	7	10	12	17
" MULTIPLE DX	2785	10.0	61	3	4	8	12	19	25	46
TOTAL 0-19 YRS	153	3.3	9	<1	1	2	3	6	11	17
20-34	687	5.0	11	2	2	4	6	8	10	21
35-49	1192	6.7	22	2	3	5	8	12	16	25
50-64	1726	8.1	32	3	3	7	9	14	19	36
65+	1597	10.7	70	3	4	8	12	20	26	50
GRAND TOTAL	5355	8.0	42	2	3	6	9	15	20	38

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.3	10	1	1	4	6	10	10	10
20-34	38	6.7	16	2	2	6	8	13	15	18
35-49	37	8.3	18	2	3	8	10	14	16	22
50-64	64	8.3	13	3	4	8	11	13	16	18
65+	51	12.0	53	4	4	10	17	21	28	33
2. MULTIPLE DX										
0-19 YRS	13	11.3	93	2	2	8	23	38	86	99+
20-34	29	12.7	56	5	6	10	14	23	26	39
35-49	68	10.5	24	4	6	9	12	18	22	87
50-64	157	14.4	113	6	7	11	16	23	35	69
65+	199	18.8	134	7	8	16	24	35	42	64
TOT. SINGLE DX	201	8.7	29	2	3	8	11	16	19	29
" MULTIPLE DX	466	15.5	115	6	7	12	19	29	39	69
TOTAL 0-19 YRS	24	8.1	66	1	2	6	11	26	48	99+
20-34	67	9.3	42	2	3	8	11	17	22	37
35-49	105	9.7	23	3	4	9	12	17	20	61
50-64	221	12.6	92	4	6	11	14	20	27	64
65+	250	17.4	125	5	7	15	22	32	40	63
GRAND TOTAL	**667**	**13.5**	**99**	**4**	**5**	**11**	**17**	**25**	**34**	**63**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	4.3	17	<1	1	3	5	9	13	22
20-34	310	5.2	18	<1	1	4	7	10	14	22
35-49	237	7.4	52	1	2	5	9	15	21	38
50-64	268	8.8	64	1	2	6	11	19	26	36
65+	237	11.1	103	1	2	8	15	24	34	48
2. MULTIPLE DX										
0-19 YRS	143	9.6	158	1	1	5	11	27	43	99+
20-34	332	10.1	143	1	2	7	12	21	33	64
35-49	472	12.6	138	2	3	9	16	25	35	57
50-64	1084	15.1	158	2	3	12	19	32	40	76
65+	1433	17.6	194	3	4	14	23	36	47	85
TOT. SINGLE DX	1255	7.4	56	1	2	5	9	16	22	38
" MULTIPLE DX	3464	15.1	176	2	3	12	20	32	42	76
TOTAL 0-19 YRS	346	6.5	82	<1	1	4	7	14	25	61
20-34	642	7.7	88	1	2	5	8	16	24	45
35-49	709	10.8	116	2	2	8	14	23	31	56
50-64	1352	13.8	146	2	3	11	18	29	37	70
65+	1670	16.7	187	2	3	13	22	35	45	76
GRAND TOTAL	**4719**	**13.0**	**156**	**2**	**2**	**9**	**17**	**29**	**38**	**69**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	6.4	19	2	3	6	8	10	14	19
20-34	356	7.4	32	2	3	6	8	13	16	34
35-49	143	9.4	42	2	4	8	11	17	23	36
50-64	124	13.7	104	3	5	11	16	30	34	56
65+	133	15.3	116	4	6	12	19	27	32	57
2. MULTIPLE DX										
0-19 YRS	176	10.6	122	3	4	8	11	17	29	88
20-34	481	10.7	105	3	4	7	12	20	31	53
35-49	295	13.5	140	3	5	10	16	26	36	61
50-64	408	20.6	203	6	7	17	26	42	52	82
65+	591	25.0	301	8	9	20	32	49	69	99+
TOT. SINGLE DX	908	9.6	64	2	3	7	11	18	25	45
" MULTIPLE DX	1951	17.5	229	4	5	13	23	37	50	91
TOTAL 0-19 YRS	328	8.7	79	2	3	7	9	15	20	56
20-34	837	9.3	77	2	4	7	10	17	24	48
35-49	438	12.1	112	3	4	9	14	25	33	58
50-64	532	19.0	188	5	7	15	25	38	50	77
65+	724	23.2	281	7	8	19	29	46	63	99+
GRAND TOTAL	**2859**	**15.0**	**190**	**3**	**4**	**10**	**19**	**32**	**45**	**81**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	3.5	7	1	1	2	4	7	10	13
20-34	2137	2.5	5	<1	<1	2	2	5	7	13
35-49	388	2.4	4	<1	1	2	2	5	7	11
50-64	59	3.5	22	<1	1	2	3	8	13	28
65+	25	5.7	35	<1	1	3	8	16	18	23
2. MULTIPLE DX										
0-19 YRS	242	4.1	12	1	1	3	5	9	10	18
20-34	2207	2.8	9	<1	1	2	3	6	8	16
35-49	549	3.1	11	<1	1	2	3	7	9	19
50-64	77	8.1	122	1	1	3	9	23	33	56
65+	68	16.0	237	2	2	12	22	38	50	67
TOT. SINGLE DX	2942	2.6	7	<1	1	2	3	5	7	13
" MULTIPLE DX	3143	3.3	22	<1	1	2	3	7	10	23
TOTAL 0-19 YRS	575	3.7	10	1	1	3	5	8	10	14
20-34	4344	2.6	8	<1	1	2	2	5	7	14
35-49	937	2.8	9	<1	1	2	3	6	8	16
50-64	136	6.1	83	1	1	2	6	16	24	51
65+	93	13.3	203	1	2	9	18	33	45	65
GRAND TOTAL	**6085**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	7.8	17	2	2	8	10	13	15	21
20-34	355	6.6	20	1	2	6	9	12	15	20
35-49	246	9.3	36	2	2	9	12	17	19	32
50-64	208	11.4	78	2	3	9	14	19	26	51
65+	232	14.3	109	3	5	12	17	24	32	60
2. MULTIPLE DX										
0-19 YRS	109	10.1	54	1	2	8	13	22	27	62
20-34	727	8.1	81	1	2	6	9	15	22	50
35-49	483	11.7	98	2	3	9	14	23	31	48
50-64	647	18.0	193	4	6	14	23	36	46	73
65+	939	21.9	218	7	9	18	28	43	61	99+
TOT. SINGLE DX	1113	9.7	62	2	2	8	12	17	22	42
" MULTIPLE DX	2905	15.4	184	2	4	12	20	32	43	85
TOTAL 0-19 YRS	181	9.2	41	2	2	8	11	18	22	36
20-34	1082	7.6	62	1	2	6	9	14	19	40
35-49	729	10.9	79	2	3	9	13	21	28	45
50-64	855	16.4	173	3	5	13	20	32	42	72
65+	1171	20.4	207	6	8	16	26	40	57	99+
GRAND TOTAL	4018	13.9	157	2	3	10	17	29	39	75

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	9.8	13	4	5	10	12	13	17	21
20-34	43	10.1	14	5	7	9	12	15	19	20
35-49	66	12.7	24	8	8	11	15	21	23	29
50-64	163	13.5	20	8	8	13	16	20	22	25
65+	150	14.6	35	8	9	14	18	22	28	41
2. MULTIPLE DX										
0-19 YRS	70	13.6	180	5	6	9	14	25	36	84
20-34	72	16.7	208	6	7	11	23	32	42	99+
35-49	134	16.6	109	8	9	14	19	25	36	64
50-64	386	18.8	137	8	9	16	23	33	45	70
65+	558	21.6	179	9	10	18	25	39	46	82
TOT. SINGLE DX	446	13.2	27	7	8	12	16	20	23	30
" MULTIPLE DX	1220	19.4	166	8	9	16	23	34	44	77
TOTAL 0-19 YRS	94	12.6	140	5	6	9	12	21	32	80
20-34	115	14.2	145	6	7	10	16	29	33	99
35-49	200	15.3	85	8	8	13	18	24	30	60
50-64	549	17.2	109	8	9	14	20	29	37	62
65+	708	20.1	157	9	10	17	23	35	42	79
GRAND TOTAL	1666	17.8	136	8	8	14	21	31	40	74

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	8.2	53	2	2	7	11	17	18	31
20-34	287	9.4	41	2	2	8	12	17	20	34
35-49	288	9.6	33	2	3	9	11	16	19	29
50-64	313	10.1	26	2	4	9	12	16	18	25
65+	168	10.1	51	2	2	10	13	17	21	44
2. MULTIPLE DX										
0-19 YRS	138	13.0	100	2	3	11	16	27	32	68
20-34	332	15.1	141	3	4	12	19	29	38	69
35-49	382	14.7	116	2	4	12	18	27	35	57
50-64	614	15.7	135	2	4	13	20	31	38	64
65+	559	18.8	216	3	5	15	24	40	48	98
TOT. SINGLE DX	1199	9.6	39	2	2	9	12	16	19	33
" MULTIPLE DX	2025	16.1	156	2	4	13	20	32	42	77
TOTAL 0-19 YRS	281	10.6	82	2	2	9	14	21	28	60
20-34	619	12.5	103	2	3	10	15	25	32	58
35-49	670	12.5	87	2	4	10	15	22	29	54
50-64	927	13.8	106	2	4	11	17	26	33	58
65+	727	16.8	191	2	4	13	21	35	45	87
GRAND TOTAL	3224	13.7	122	2	3	11	17	26	35	64

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.3	15	1	2	8	10	12	13	13
20-34	210	9.8	21	3	5	9	12	15	17	27
35-49	257	9.4	16	3	5	9	11	14	16	27
50-64	281	10.5	24	4	6	9	12	16	19	28
65+	107	11.6	26	4	6	10	15	19	21	26
2. MULTIPLE DX										
0-19 YRS	10	9.5	31	<1	1	9	13	17	19	19
20-34	108	12.0	92	4	5	10	14	20	23	56
35-49	170	13.8	84	4	7	12	17	21	23	66
50-64	310	13.8	83	5	7	12	16	23	28	50
65+	278	16.7	148	3	7	13	20	30	47	65
TOT. SINGLE DX	867	10.1	22	4	5	9	12	16	18	27
" MULTIPLE DX	876	14.4	107	4	6	12	17	24	31	64
TOTAL 0-19 YRS	22	8.3	23	1	2	9	11	14	17	19
20-34	318	10.5	47	3	5	9	13	16	20	29
35-49	427	11.1	48	4	5	10	13	18	21	36
50-64	591	12.2	58	5	6	11	14	20	25	43
65+	385	15.3	119	3	7	12	18	26	35	64
GRAND TOTAL	**1743**	**12.3**	**70**	**4**	**6**	**10**	**14**	**20**	**26**	**51**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	9.2	22	5	6	8	10	15	16	30
20-34	21	12.6	81	4	6	10	14	22	33	46
35-49	15	14.4	50	4	5	13	18	26	27	27
50-64	15	15.4	47	5	5	15	18	21	31	34
65+	20	17.3	62	5	8	15	23	29	32	34
2. MULTIPLE DX										
0-19 YRS	112	13.3	98	6	7	10	15	24	29	92
20-34	23	20.6	219	8	9	14	34	51	69	99+
35-49	30	19.6	171	8	10	18	23	46	64	99+
50-64	52	20.8	137	7	9	18	26	31	48	63
65+	75	24.6	219	5	9	21	33	49	61	91
TOT. SINGLE DX	201	11.2	44	5	6	9	13	18	25	39
" MULTIPLE DX	292	18.8	173	7	8	15	24	38	51	99+
TOTAL 0-19 YRS	242	11.1	62	5	6	9	13	17	25	47
20-34	44	16.8	167	6	7	12	21	43	52	99+
35-49	45	17.9	135	5	9	16	23	31	54	99+
50-64	67	19.6	121	7	8	16	25	31	42	62
65+	95	23.1	194	5	9	20	31	43	52	85
GRAND TOTAL	**493**	**15.7**	**134**	**5**	**6**	**12**	**19**	**31**	**42**	**78**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.6	17	1	1	5	8	12	13	20
20-34	233	5.0	11	1	2	4	6	9	11	17
35-49	275	5.2	9	2	2	5	6	9	11	18
50-64	258	5.8	19	2	2	5	7	10	12	21
65+	88	7.3	41	2	2	5	10	14	17	37
2. MULTIPLE DX										
0-19 YRS	43	9.0	56	<1	<1	8	15	18	27	28
20-34	121	7.8	91	1	2	6	9	13	19	49
35-49	164	8.1	66	2	2	6	10	15	22	49
50-64	250	8.9	61	2	3	6	11	18	24	39
65+	181	12.3	117	2	3	10	15	25	33	61
TOT. SINGLE DX	892	5.5	17	2	2	5	7	10	12	20
" MULTIPLE DX	759	9.4	83	2	2	7	11	19	27	48
TOTAL 0-19 YRS	81	7.4	41	<1	1	6	11	16	19	28
20-34	354	6.0	40	1	2	5	7	10	14	27
35-49	439	6.3	33	2	2	5	7	11	15	29
50-64	508	7.3	42	2	2	5	9	14	19	34
65+	269	10.7	98	2	2	8	13	22	30	47
GRAND TOTAL	**1651**	**7.3**	**51**	**2**	**2**	**5**	**9**	**14**	**20**	**38**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	714	2.3	7	<1	<1	1	2	5	7	13
20-34	1163	3.6	11	<1	1	2	5	8	9	17
35-49	1495	3.6	11	<1	1	2	5	8	10	17
50-64	1891	3.7	17	<1	1	2	5	8	11	21
65+	2278	4.6	31	1	1	3	6	10	14	30
2. MULTIPLE DX										
0-19 YRS	685	3.7	22	<1	<1	2	5	8	12	26
20-34	1430	5.8	46	1	1	3	8	12	17	36
35-49	2111	6.9	64	1	1	4	9	16	21	41
50-64	4287	7.4	82	1	1	4	9	16	23	50
65+	8872	11.7	164	1	2	8	15	27	41	99+
TOT. SINGLE DX	7541	3.8	19	<1	1	2	5	8	11	21
" MULTIPLE DX	17385	9.3	124	1	1	6	12	21	31	78
TOTAL 0-19 YRS	1399	3.0	15	<1	<1	2	3	7	10	20
20-34	2593	4.8	32	<1	1	3	6	10	14	30
35-49	3606	5.5	45	<1	1	3	7	12	17	33
50-64	6178	6.3	66	1	1	3	8	14	19	43
65+	11150	10.3	145	1	2	7	13	24	36	92
GRAND TOTAL	**24926**	**7.6**	**98**	**1**	**1**	**4**	**10**	**18**	**26**	**62**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.8	5	1	1	4	6	7	7	7
20-34	73	3.4	6	<1	<1	2	5	8	9	12
35-49	254	3.7	8	1	1	3	5	7	9	16
50-64	1181	4.2	16	1	1	3	5	7	10	26
65+	2235	4.9	16	1	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	14	5.7	81	<1	1	3	5	11	30	36
20-34	75	5.9	40	1	1	3	8	13	16	35
35-49	220	6.0	37	1	1	4	7	13	19	37
50-64	1294	6.6	62	1	2	4	8	13	20	45
65+	4271	9.1	92	2	2	6	11	19	28	55
TOT. SINGLE DX	3754	4.6	16	1	2	4	6	9	11	20
" MULTIPLE DX	5874	8.4	85	2	2	6	10	18	26	53
TOTAL 0-19 YRS	25	4.9	47	<1	1	3	5	8	15	36
20-34	148	4.7	25	<1	1	3	6	10	13	35
35-49	474	4.7	24	1	1	3	6	10	14	25
50-64	2475	5.5	42	1	2	4	6	10	15	37
65+	6506	7.7	70	2	2	5	9	16	23	47
GRAND TOTAL	**9628**	**6.9**	**61**	**1**	**2**	**5**	**8**	**14**	**21**	**44**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	6.4	31	1	2	5	9	12	14	36
20-34	94	5.6	27	1	1	4	8	11	15	28
35-49	146	6.6	35	1	1	5	9	14	18	31
50-64	289	6.8	37	1	1	4	9	15	20	27
65+	431	8.4	61	1	2	5	12	19	24	35
2. MULTIPLE DX										
0-19 YRS	169	12.6	168	3	4	8	15	25	44	85
20-34	133	11.6	186	1	2	7	14	30	43	83
35-49	215	10.6	110	1	2	7	15	24	33	79
50-64	599	12.9	144	2	2	10	18	29	38	62
65+	1555	16.0	230	2	3	12	21	35	52	92
TOT. SINGLE DX	1038	7.3	47	1	2	5	10	16	22	31
" MULTIPLE DX	2671	14.4	199	2	2	10	19	31	47	89
TOTAL 0-19 YRS	247	10.7	134	2	3	7	13	22	36	61
20-34	227	9.1	129	1	1	5	11	24	34	64
35-49	361	9.0	84	1	2	6	12	21	27	50
50-64	888	10.9	118	1	2	8	15	25	31	55
65+	1986	14.3	204	2	2	10	19	31	46	89
GRAND TOTAL	**3709**	**12.4**	**167**	**2**	**2**	**9**	**16**	**28**	**38**	**80**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	1.4	6	<1	<1	1	1	2	2	7
20-34	24	3.1	14	<1	<1	2	2	7	13	16
35-49	15	2.1	2	<1	<1	2	3	4	6	7
50-64	11	2.9	6	<1	<1	3	3	7	8	8
65+	19	2.9	2	<1	1	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	133	1.8	1	<1	<1	1	2	3	4	8
20-34	28	3.1	42	<1	1	2	2	4	8	36
35-49	15	2.7	4	<1	1	2	3	6	8	9
50-64	28	4.6	18	1	1	3	6	12	15	17
65+	31	11.5	310	2	2	5	14	21	53	88
TOT. SINGLE DX	320	1.7	7	<1	<1	1	1	3	4	9
" MULTIPLE DX	235	3.6	59	<1	<1	2	3	7	13	39
TOTAL 0-19 YRS	384	1.5	5	<1	<1	1	1	2	3	8
20-34	52	3.1	29	<1	1	2	2	5	11	36
35-49	30	2.4	4	<1	<1	2	3	5	7	9
50-64	39	4.2	16	<1	1	3	6	9	14	17
65+	50	8.2	209	1	2	4	8	17	22	88
GRAND TOTAL	**555**	**2.5**	**30**	**<1**	**<1**	**1**	**2**	**4**	**8**	**20**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	352	6.2	14	<1	1	6	9	11	12	16
20-34	197	3.7	14	<1	<1	2	5	8	13	18
35-49	90	4.6	12	<1	1	3	7	9	11	18
50-64	85	4.6	15	1	2	3	6	8	10	25
65+	127	4.9	15	2	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	141	7.6	52	<1	<1	6	10	17	21	35
20-34	89	5.4	24	1	1	4	8	12	16	25
35-49	89	7.5	86	1	2	5	9	14	25	56
50-64	135	6.3	51	1	2	4	7	13	20	62
65+	263	10.5	146	2	2	6	11	28	37	77
TOT. SINGLE DX	851	5.1	15	<1	1	4	8	10	12	17
" MULTIPLE DX	717	8.1	91	1	2	5	9	18	29	53
TOTAL 0-19 YRS	493	6.6	26	<1	1	6	9	12	15	24
20-34	286	4.2	18	<1	<1	2	6	10	14	21
35-49	179	6.0	51	<1	1	4	8	11	16	32
50-64	220	5.6	38	1	2	4	6	11	14	45
65+	390	8.7	111	2	2	5	9	19	33	59
GRAND TOTAL	**1568**	**6.5**	**52**	**<1**	**1**	**5**	**8**	**12**	**18**	**39**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	1.7	1	<1	<1	1	2	3	5	7
20-34	136	2.9	8	<1	<1	2	4	6	8	14
35-49	133	2.7	5	<1	<1	2	3	6	8	11
50-64	120	3.5	11	<1	1	2	4	8	12	18
65+	184	3.9	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	296	2.2	11	<1	<1	1	2	4	8	16
20-34	292	4.1	27	<1	<1	2	5	10	15	28
35-49	328	5.2	45	<1	<1	3	7	11	16	41
50-64	568	6.3	61	<1	1	3	8	14	21	38
65+	1215	10.6	148	1	2	7	14	23	37	84
TOT. SINGLE DX	769	2.9	8	<1	<1	2	3	6	9	13
" MULTIPLE DX	2699	7.4	99	<1	1	4	9	17	25	59
TOTAL 0-19 YRS	492	2.0	8	<1	<1	1	2	4	7	13
20-34	428	3.7	22	<1	<1	2	4	8	13	25
35-49	461	4.5	35	<1	<1	2	6	10	14	32
50-64	688	5.8	54	<1	1	3	7	13	18	32
65+	1399	9.8	136	1	2	6	12	21	35	76
GRAND TOTAL	**3468**	**6.4**	**83**	**<1**	**<1**	**3**	**8**	**15**	**22**	**54**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.4	5	<1	<1	2	3	5	6	13
20-34	161	3.9	11	<1	<1	3	4	9	11	16
35-49	120	4.6	17	<1	1	3	6	9	14	22
50-64	117	4.9	20	1	2	3	6	10	12	25
65+	138	5.3	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
0-19 YRS	73	3.8	67	<1	<1	2	3	7	11	56
20-34	93	4.7	51	<1	1	3	5	9	14	46
35-49	97	6.1	33	1	1	4	8	13	17	29
50-64	171	8.1	62	1	2	5	11	18	24	42
65+	366	10.1	104	2	3	7	12	21	28	52
TOT. SINGLE DX	645	4.2	14	<1	1	3	5	9	11	19
" MULTIPLE DX	800	8.0	82	1	2	5	10	18	24	46
TOTAL 0-19 YRS	182	3.0	31	<1	<1	2	3	5	7	18
20-34	254	4.2	26	<1	1	3	5	9	13	19
35-49	217	5.2	25	<1	1	3	6	12	15	26
50-64	288	6.8	48	1	2	4	9	15	19	38
65+	504	8.8	83	2	3	6	10	19	25	46
GRAND TOTAL	**1445**	**6.3**	**55**	**<1**	**1**	**4**	**8**	**14**	**19**	**37**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	36	7.5	12	2	3	7	9	12	15	18
35-49	186	8.3	5	5	6	8	9	12	13	16
50-64	182	9.2	8	6	6	9	10	13	15	19
65+	94	10.8	19	6	7	10	12	16	20	29
2. MULTIPLE DX										
0-19 YRS										
20-34	45	8.9	19	4	5	8	9	14	17	29
35-49	190	10.0	28	5	6	9	11	15	20	29
50-64	234	10.1	11	6	7	9	12	15	17	22
65+	170	14.6	87	7	8	12	16	25	31	51
TOT. SINGLE DX	501	9.0	11	5	6	8	10	13	15	20
" MULTIPLE DX	639	11.2	42	6	7	9	12	17	22	42
TOTAL 0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	81	8.3	16	3	5	8	9	13	16	26
35-49	376	9.2	18	5	6	8	10	13	16	23
50-64	416	9.7	11	6	6	9	11	14	17	21
65+	264	13.3	66	7	7	11	14	21	27	51
GRAND TOTAL	**1140**	**10.2**	**29**	**6**	**6**	**9**	**11**	**15**	**19**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	7.8	11	5	5	7	9	13	16	16
35-49	30	8.3	8	5	5	8	10	12	14	16
50-64	23	8.0	24	3	4	7	9	17	19	23
65+	17	7.8	16	3	5	6	10	14	17	18
2. MULTIPLE DX										
0-19 YRS	5	14.0	16	11	11	13	15	21	21	21
20-34	10	19.6	176	7	7	17	24	42	44	44
35-49	37	9.7	32	4	5	8	10	16	24	31
50-64	27	11.1	62	5	5	9	12	26	30	36
65+	50	12.3	56	4	5	10	16	24	30	33
TOT. SINGLE DX	81	8.0	15	4	5	7	10	13	16	21
" MULTIPLE DX	129	11.9	62	4	5	9	14	23	30	41
TOTAL 0-19 YRS	5	14.0	16	11	11	13	15	21	21	21
20-34	21	13.4	121	5	5	8	17	30	42	44
35-49	67	9.0	22	4	5	8	10	14	18	30
50-64	50	9.7	47	4	5	8	11	17	29	36
65+	67	11.1	50	4	5	9	14	21	28	33
GRAND TOTAL	**210**	**10.4**	**47**	**4**	**5**	**8**	**12**	**19**	**26**	**38**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	13	6.7	16	2	2	7	9	13	15	15
35-49	29	6.0	68	1	2	4	6	10	19	45
50-64	27	5.6	21	<1	1	5	8	9	18	20
65+	11	9.1	55	2	2	9	15	20	24	24
2. MULTIPLE DX										
0-19 YRS	10	6.7	34	<1	<1	5	10	15	18	18
20-34	20	10.0	171	2	2	5	10	20	41	60
35-49	17	12.5	89	2	3	14	18	28	31	32
50-64	48	7.9	67	2	2	6	9	16	31	35
65+	79	10.8	143	1	2	8	13	22	36	65
TOT. SINGLE DX	83	6.3	41	1	2	4	8	13	18	38
" MULTIPLE DX	174	9.8	115	1	2	7	13	20	32	59
TOTAL 0-19 YRS	13	5.8	29	<1	1	4	10	14	17	18
20-34	33	8.7	110	2	2	5	9	17	22	60
35-49	46	8.4	85	1	2	5	11	19	30	45
50-64	75	7.0	52	1	2	5	8	16	27	34
65+	90	10.6	133	1	2	8	13	22	36	63
GRAND TOTAL	**257**	**8.7**	**94**	**1**	**2**	**6**	**10**	**18**	**30**	**55**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	51	2	2	5	12	18	18	18
20-34	11	5.1	16	1	1	3	9	11	12	12
35-49	10	6.7	41	<1	<1	5	10	17	20	20
50-64	6	10.5	80	1	1	8	13	26	27	27
65+	7	10.1	50	1	2	8	16	20	21	21
2. MULTIPLE DX										
0-19 YRS	8	9.4	54	2	2	8	10	21	26	26
20-34	13	11.5	46	4	6	9	12	25	27	27
35-49	19	15.9	137	1	2	15	20	35	36	37
50-64	26	17.0	314	3	4	10	16	50	63	63
65+	35	18.8	250	3	4	15	24	41	48	84
TOT. SINGLE DX	38	7.6	43	<1	1	7	10	18	21	27
" MULTIPLE DX	101	16.1	207	2	4	12	20	35	47	73
TOTAL 0-19 YRS	12	8.8	49	2	2	8	10	20	25	26
20-34	24	8.6	42	1	2	8	10	17	25	27
35-49	29	12.8	122	<1	1	10	18	34	35	37
50-64	32	15.8	274	2	4	10	15	47	62	63
65+	42	17.4	226	3	4	14	21	31	46	84
GRAND TOTAL	**139**	**13.8**	**176**	**1**	**2**	**10**	**16**	**27**	**43**	**66**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	4	4.3	9	<1	<1	4	6	8	8	8
35-49	43	6.4	8	3	4	6	7	10	14	15
50-64	1628	7.1	8	4	5	7	8	10	12	18
65+	3559	8.3	17	4	5	7	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	4	13.3	45	7	7	12	18	22	22	22
20-34	10	7.9	25	4	4	6	9	15	21	21
35-49	115	10.0	37	4	5	8	12	19	23	31
50-64	2691	10.3	54	5	5	8	12	18	24	44
65+	10093	13.8	123	5	6	10	16	26	37	80
TOT. SINGLE DX	5237	7.9	15	4	5	7	9	12	15	23
" MULTIPLE DX	12913	13.0	111	5	6	10	15	25	34	71
TOTAL 0-19 YRS	7	9.6	44	4	4	7	13	21	22	22
20-34	14	6.9	23	1	3	6	9	11	19	21
35-49	158	9.0	32	4	4	7	11	17	21	28
50-64	4319	9.1	40	4	5	7	10	15	20	37
65+	13652	12.4	102	5	5	9	14	23	33	68
GRAND TOTAL	**18150**	**11.6**	**89**	**5**	**5**	**9**	**13**	**21**	**29**	**60**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	9.0	18	3	3	10	12	12	12	12
50-64	262	12.8	21	8	8	12	15	18	21	29
65+	476	13.0	23	8	8	12	15	18	22	32
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	8	15.0	23	9	10	14	17	23	25	25
50-64	412	15.7	70	9	9	14	18	24	31	52
65+	1509	17.2	96	9	10	15	20	28	36	70
TOT. SINGLE DX	745	12.9	23	8	8	12	15	18	22	31
" MULTIPLE DX	1933	16.9	91	9	10	14	19	27	34	66
TOTAL 0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	4	5.8	14	2	2	6	9	9	9	9
35-49	12	13.0	29	4	7	12	16	20	24	25
50-64	674	14.6	54	8	9	13	16	22	27	46
65+	1985	16.2	82	8	9	14	18	26	32	64
GRAND TOTAL	2678	15.8	75	8	9	14	18	25	31	57

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	11	3.4	5	<1	1	3	4	7	10	10
35-49	47	2.6	1	1	1	2	3	4	5	8
50-64	423	3.1	7	1	1	2	3	5	8	15
65+	642	3.8	15	1	1	3	4	7	10	20
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	4.7	16	1	1	3	8	11	11	11
35-49	50	5.1	25	1	1	3	7	12	15	23
50-64	401	6.7	65	1	2	4	8	16	20	44
65+	1181	9.9	112	2	2	6	13	22	29	52
TOT. SINGLE DX	1127	3.5	12	1	1	2	3	6	9	19
" MULTIPLE DX	1639	9.0	101	2	2	5	12	20	28	50
TOTAL 0-19 YRS	5	6.2	37	2	2	4	7	17	17	17
20-34	17	3.8	9	<1	1	3	4	10	11	11
35-49	97	3.8	16	1	1	3	4	8	13	23
50-64	824	4.8	39	1	2	3	5	11	16	29
65+	1823	7.7	87	1	2	4	10	18	25	46
GRAND TOTAL	2766	6.7	72	1	2	3	8	16	23	43

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	3.0	3	<1	1	3	4	5	6	10
20-34	121	3.2	14	1	1	2	3	5	7	24
35-49	91	4.3	25	1	1	3	5	6	9	33
50-64	86	4.1	6	1	2	3	5	7	10	14
65+	57	4.3	12	1	2	3	5	8	13	19
2. MULTIPLE DX										
0-19 YRS	79	3.3	5	<1	1	2	4	6	8	13
20-34	51	5.0	25	1	1	3	6	11	13	32
35-49	72	7.6	89	1	2	5	9	15	23	59
50-64	108	8.0	81	2	2	5	9	20	27	73
65+	118	10.0	123	2	2	6	11	25	35	59
TOT. SINGLE DX	473	3.6	13	1	1	3	4	6	8	19
" MULTIPLE DX	428	7.3	79	1	2	4	8	15	25	55
TOTAL 0-19 YRS	197	3.1	4	<1	1	3	4	6	7	10
20-34	172	3.7	18	1	1	3	4	7	10	29
35-49	163	5.7	56	1	2	4	6	10	18	43
50-64	194	6.2	52	2	2	4	6	13	22	52
65+	175	8.2	95	2	2	5	9	17	30	55
GRAND TOTAL	901	5.4	47	1	1	3	6	10	16	38

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	3.0	3	1	2	3	3	5	7	12
20-34	210	5.1	20	1	2	4	6	9	13	23
35-49	99	4.7	5	2	2	4	6	8	9	12
50-64	92	6.1	50	2	2	4	6	11	16	45
65+	246	6.8	55	2	2	4	8	12	17	42
2. MULTIPLE DX										
0-19 YRS	122	3.8	21	<1	1	3	4	8	9	24
20-34	100	7.7	100	2	2	4	8	17	21	58
35-49	56	8.9	91	2	2	5	10	24	28	46
50-64	188	9.9	100	2	3	6	12	22	29	52
65+	738	13.1	136	2	3	10	18	29	39	61
TOT. SINGLE DX	802	5.3	31	2	2	4	6	10	13	28
" MULTIPLE DX	1204	11.0	123	2	2	7	14	25	33	57
TOTAL 0-19 YRS	277	3.4	12	1	1	3	4	6	8	14
20-34	310	5.9	48	2	2	4	6	12	18	27
35-49	155	6.2	40	2	2	5	7	10	15	42
50-64	280	8.7	87	2	2	5	10	18	26	53
65+	984	11.5	124	2	3	8	15	26	37	58
GRAND TOTAL	2006	8.7	94	2	2	5	10	20	28	50

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	956	2.6	1	<1	1	2	3	4	5	7
20-34	113	2.9	3	1	1	2	4	5	7	9
35-49	11	2.3	1	<1	<1	2	3	4	4	4
50-64										
65+	4	4.5	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	606	2.8	2	<1	1	2	4	5	6	8
20-34	39	4.3	8	1	1	4	5	6	9	18
35-49	12	3.7	3	2	2	3	4	7	8	8
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
TOT. SINGLE DX	1084	2.6	2	<1	1	2	3	4	5	8
" MULTIPLE DX	659	2.9	3	<1	1	3	4	5	6	8
TOTAL 0-19 YRS	1562	2.7	2	<1	1	2	3	5	5	8
20-34	152	3.2	5	1	1	3	4	5	7	10
35-49	23	3.0	3	<1	1	3	4	5	7	8
50-64										
65+	6	5.0	9	1	1	4	8	9	9	9
GRAND TOTAL	**1743**	**2.7**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.4	2	1	1	2	3	4	6	8
20-34	200	2.5	2	<1	1	2	3	4	5	8
35-49	57	2.7	3	1	1	2	3	5	6	11
50-64	23	3.3	4	1	1	3	4	6	8	10
65+	7	5.0	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	90	3.3	14	1	1	2	4	6	8	26
20-34	71	4.4	39	<1	1	3	5	8	10	43
35-49	30	5.2	20	2	2	3	7	11	17	19
50-64	26	10.4	160	2	2	5	12	23	33	62
65+	18	8.1	36	2	2	5	13	17	20	21
TOT. SINGLE DX	481	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	235	5.0	45	1	1	3	5	10	18	30
TOTAL 0-19 YRS	284	2.7	6	1	1	2	3	5	6	9
20-34	271	3.0	12	<1	1	2	3	5	7	12
35-49	87	3.6	10	1	1	3	4	7	11	18
50-64	49	7.0	98	1	2	3	8	17	23	62
65+	25	7.2	30	2	2	6	9	16	19	21
GRAND TOTAL	**716**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**22**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	165	1.1		<1	<1	<1	<1	1	2	3
35-49	137	1.2		<1	<1	<1	1	2	2	3
50-64	18	1.5		<1	<1	1	2	2	3	4
65+	8	9.0	13	2	3	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	4.5	85	<1	<1	2	4	8	11	51
35-49	58	2.4	5	<1	<1	2	3	4	9	11
50-64	23	4.6	12	<1	1	2	8	10	11	11
65+	16	11.6	71	1	2	10	17	26	28	28
TOT. SINGLE DX	330	1.4	2	<1	<1	<1	1	2	3	11
" MULTIPLE DX	127	4.4	40	<1	<1	2	5	10	14	33
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	194	1.6	14	<1	<1	<1	1	2	3	9
35-49	195	1.6	2	<1	<1	<1	2	3	3	10
50-64	41	3.2	10	<1	<1	2	4	9	10	11
65+	24	10.8	52	1	2	10	13	21	27	28
GRAND TOTAL	**457**	**2.2**	**14**	**<1**	**<1**	**<1**	**2**	**4**	**9**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	492	2.4	1	<1	1	2	3	4	5	7
20-34	1055	2.5	1	1	2	2	3	4	5	7
35-49	685	2.7	1	1	2	2	3	4	5	7
50-64	460	3.4	2	2	2	3	4	5	6	8
65+	181	3.7	3	2	2	3	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	284	2.8	26	<1	1	2	3	4	6	12
20-34	382	3.1	6	1	2	3	4	4	5	10
35-49	268	3.8	6	1	2	3	4	6	8	15
50-64	379	4.7	13	2	2	4	5	8	12	21
65+	243	6.6	42	2	3	4	7	15	21	28
TOT. SINGLE DX	2873	2.8	2	1	2	2	3	4	5	8
" MULTIPLE DX	1556	4.1	19	1	2	3	4	7	10	21
TOTAL 0-19 YRS	776	2.5	11	<1	1	2	3	4	5	8
20-34	1437	2.7	3	1	2	2	3	4	5	8
35-49	953	3.0	3	1	2	2	3	5	6	11
50-64	839	4.0	8	2	2	3	5	6	8	15
65+	424	5.4	28	2	2	4	6	10	1[illegible]	25
GRAND TOTAL	**4429**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	1.8	1	<1	<1	2	2	2	3	8
20-34	163	1.9		<1	<1	2	2	3	3	4
35-49	111	1.9		<1	1	2	2	3	3	7
50-64	89	2.2	3	<1	<1	2	2	3	4	13
65+	59	2.3	2	1	1	2	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	88	2.6	6	<1	1	2	3	5	8	14
20-34	56	3.8	25	<1	1	2	3	8	16	28
35-49	100	4.2	22	<1	1	2	5	9	11	30
50-64	155	4.3	20	1	1	3	5	10	13	23
65+	145	6.2	38	2	2	4	8	14	20	30
TOT. SINGLE DX	2038	2.0	5	<1	<1	2	2	3	4	10
" MULTIPLE DX	1123	5.1	45	1	1	3	5	12	17	31
TOTAL 0-19 YRS	1378	2.9	24	<1	<1	2	2	4	11	28
20-34	454	2.3	5	<1	1	2	2	3	5	14
35-49	432	2.9	10	<1	1	2	3	5	9	14
50-64	510	3.5	15	1	1	2	3	7	11	21
65+	387	4.9	48	1	2	2	5	10	16	30
GRAND TOTAL	3161	3.1	21	<1	<1	2	3	6	10	27

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.7	5	<1	<1	2	3	6	8	12
20-34	145	2.8	19	<1	<1	2	2	6	10	17
35-49	120	4.4	7	1	2	4	6	8	9	13
50-64	180	5.5	9	2	2	5	7	9	11	17
65+	79	7.4	100	2	2	6	8	11	20	69
2. MULTIPLE DX										
0-19 YRS	68	3.0	9	<1	<1	2	4	7	11	15
20-34	90	6.7	68	<1	1	5	9	12	17	52
35-49	122	6.8	45	1	2	5	8	12	18	38
50-64	232	7.3	45	2	3	6	8	12	16	40
65+	138	8.5	97	2	2	6	9	20	27	99+
TOT. SINGLE DX	630	4.5	24	<1	1	3	6	8	10	17
" MULTIPLE DX	650	6.9	58	1	2	5	8	12	19	53
TOTAL 0-19 YRS	174	2.8	7	<1	<1	2	4	6	8	14
20-34	235	4.3	42	<1	<1	2	5	10	13	40
35-49	242	5.6	28	1	2	4	7	10	13	24
50-64	412	6.5	30	2	3	5	8	11	13	38
65+	217	8.1	99	2	2	6	8	16	26	90
GRAND TOTAL	1280	5.7	43	<1	1	4	7	10	14	38

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660. Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	5.9	4	3	4	6	7	8	10	14
20-34	1137	6.0	3	3	4	6	7	8	9	12
35-49	185	6.5	4	3	4	6	8	9	10	14
50-64	32	9.3	24	3	5	8	11	14	19	28
65+	12	18.4	70	9	9	16	27	30	30	30
2. MULTIPLE DX										
0-19 YRS	266	6.6	8	4	4	6	7	9	11	19
20-34	1744	6.6	8	3	4	6	7	9	12	18
35-49	383	7.0	12	2	4	6	8	10	13	22
50-64	71	14.3	87	5	6	11	19	29	33	43
65+	77	20.4	228	6	7	16	24	43	54	74
TOT. SINGLE DX	1666	6.2	6	3	4	6	7	8	10	15
" MULTIPLE DX	2541	7.3	25	3	4	6	8	11	15	29
TOTAL 0-19 YRS	566	6.3	6	3	4	6	7	9	10	15
20-34	2881	6.3	7	3	4	6	7	9	10	17
35-49	568	6.9	10	2	4	6	8	10	12	20
50-64	103	12.7	73	4	6	10	15	26	31	42
65+	89	20.1	206	7	7	16	25	40	50	73
GRAND TOTAL	4207	6.9	18	3	4	6	7	9	13	24

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	6.2	4	4	4	6	7	8	9	16
20-34	659	6.5	4	4	4	6	7	9	10	14
35-49	310	7.0	7	4	5	7	8	10	13	17
50-64	70	9.2	26	4	5	8	10	16	21	32
65+	39	11.7	52	5	5	10	14	20	29	40
2. MULTIPLE DX										
0-19 YRS	119	7.2	6	4	4	7	8	10	12	16
20-34	1199	7.3	16	4	5	6	8	10	13	23
35-49	769	8.2	21	5	5	7	9	12	16	29
50-64	117	13.3	109	5	6	10	16	27	32	55
65+	118	17.9	162	7	8	14	22	34	46	96
TOT. SINGLE DX	1196	6.9	9	4	5	6	8	10	12	19
" MULTIPLE DX	2322	8.4	36	4	5	7	9	13	19	34
TOTAL 0-19 YRS	237	6.7	6	4	4	6	7	10	11	16
20-34	1858	7.0	12	4	5	6	8	9	12	19
35-49	1079	7.8	17	4	5	7	8	11	15	26
50-64	187	11.7	82	5	5	8	14	22	29	39
65+	157	16.4	142	6	7	13	20	32	42	91
GRAND TOTAL	**3518**	**7.9**	**27**	**4**	**5**	**7**	**8**	**12**	**16**	**31**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	49	6.3	7	3	4	6	7	9	9	20
35-49	85	7.4	6	4	5	7	8	10	12	18
50-64	63	8.5	10	5	6	8	9	11	14	23
65+	37	11.0	16	6	6	11	13	17	18	21
2. MULTIPLE DX										
0-19 YRS	5	11.0	92	5	5	7	14	28	28	28
20-34	153	7.3	6	5	5	7	8	10	12	19
35-49	304	9.1	32	5	5	8	9	14	17	43
50-64	179	12.4	71	6	6	9	15	22	29	52
65+	163	17.5	104	7	8	14	22	31	35	55
TOT. SINGLE DX	238	8.0	12	4	5	7	9	12	16	21
" MULTIPLE DX	804	11.2	64	5	6	8	12	21	27	46
TOTAL 0-19 YRS	9	8.4	56	4	4	6	8	20	28	28
20-34	202	7.1	7	4	5	6	8	10	12	19
35-49	389	8.7	28	5	5	8	9	13	16	37
50-64	242	11.4	58	6	6	9	12	21	26	39
65+	200	16.3	95	7	8	14	20	29	33	53
GRAND TOTAL	**1042**	**10.5**	**54**	**5**	**5**	**8**	**11**	**18**	**25**	**44**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.5	5	1	1	3	4	7	9	12
20-34	200	3.7	6	<1	1	3	6	7	8	13
35-49	56	4.1	9	1	1	3	6	8	9	13
50-64	8	3.8	5	1	1	3	6	7	7	7
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	53	5.4	20	1	2	4	7	12	15	24
20-34	543	4.8	12	1	2	5	6	8	9	16
35-49	144	5.3	21	1	2	5	7	9	13	28
50-64	7	6.3	65	2	2	2	9	21	23	23
65+	3	19.7	200	11	11	12	30	36	36	36
TOT. SINGLE DX	310	3.8	7	1	1	3	6	7	8	13
" MULTIPLE DX	750	5.0	16	1	2	5	6	8	11	23
TOTAL 0-19 YRS	97	4.5	15	1	1	3	5	9	12	20
20-34	743	4.5	11	1	1	4	6	8	9	15
35-49	200	5.0	19	1	2	4	6	8	12	27
50-64	15	4.9	33	1	2	2	6	11	20	23
65+	5	14.0	164	3	3	11	18	36	36	36
GRAND TOTAL	**1060**	**4.7**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	7	<1	<1	1	2	8	8	8
20-34	2852	1.5		<1	<1	1	2	2	3	4
35-49	1340	1.5		<1	<1	1	2	2	3	4
50-64	4	1.5		<1	<1	1	2	2	2	2
55+										
2. MULTIPLE DX										
0-19 YRS	5	2.6	3	<1	<1	2	4	5	5	5
20-34	1950	1.7	1	<1	<1	1	2	3	4	6
35-49	1299	1.7	1	<1	<1	2	2	3	4	6
50-64	9	1.6		<1	<1	2	2	2	2	2
65+										
TOT. SINGLE DX	4208	1.5	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	3263	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	17	2.5	6	<1	<1	1	3	7	8	8
20-34	4802	1.6	1	<1	<1	1	2	2	3	5
35-49	2639	1.6	1	<1	<1	1	2	2	3	6
50-64	13	1.5		<1	<1	2	2	2	2	2
65+										
GRAND TOTAL	**7471**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.9	7	<1	2	3	4	7	11	12
20-34	2427	2.6	1	<1	1	2	3	4	5	7
35-49	1124	2.7	2	<1	1	2	3	4	5	7
50-64	5	1.8		<1	<1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	25	3.9	3	1	2	4	4	8	8	9
20-34	4965	3.8	3	1	2	4	4	5	6	9
35-49	1561	3.8	6	1	2	4	5	6	7	12
50-64	6	3.5	3	2	2	3	4	7	7	7
65+										
TOT. SINGLE DX	3568	2.6	2	<1	1	2	3	4	5	7
" MULTIPLE DX	6557	3.8	4	1	2	4	4	5	6	10
TOTAL 0-19 YRS	37	3.9	5	1	2	4	4	7	9	12
20-34	7392	3.4	3	1	1	3	4	5	6	8
35-49	2685	3.3	5	1	1	3	4	5	6	10
50-64	11	2.7	3	<1	1	2	3	5	7	7
65+										
GRAND TOTAL	10125	3.4	4	1	1	3	4	5	6	9

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.5	3	3	3	5	6	8	9	12
20-34	1757	5.5	3	2	3	6	7	8	9	11
35-49	308	5.3	7	1	1	6	7	8	8	12
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	12.0	72	6	6	12	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	113	6.6	12	3	4	6	7	9	12	22
20-34	1698	5.7	5	2	2	6	7	8	9	13
35-49	331	6.1	16	1	2	6	7	9	11	23
50-64	12	12.0	97	1	2	9	20	26	31	32
65+	4	19.5	160	7	7	18	30	34	34	34
TOT. SINGLE DX	2165	5.5	4	2	3	6	7	8	9	11
" MULTIPLE DX	2158	5.9	9	2	2	6	7	8	9	17
TOTAL 0-19 YRS	207	6.1	9	3	3	6	7	9	11	20
20-34	3455	5.6	5	2	3	6	7	8	9	12
35-49	639	5.7	12	1	2	6	7	8	9	18
50-64	16	9.9	86	1	2	6	14	24	30	32
65+	6	17.0	126	6	6	14	26	33	34	34
GRAND TOTAL	4323	5.7	7	2	2	6	7	8	9	14

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.3	2	<1	<1	2	2	4	6	8
20-34	782	2.4	1	1	1	2	3	4	4	6
35-49	369	2.4	1	1	1	2	3	4	4	5
50-64	111	2.6	1	1	1	2	3	4	4	8
65+	33	3.3	5	1	1	3	4	5	8	14
2. MULTIPLE DX										
0-19 YRS	9	2.0		<1	<1	2	2	3	3	3
20-34	500	2.8	3	1	1	2	3	4	5	9
35-49	326	3.0	13	1	1	2	3	4	8	16
50-64	130	3.4	12	1	1	3	3	6	11	20
65+	55	6.6	52	<1	2	3	10	17	21	35
TOT. SINGLE DX	1314	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	1020	3.1	11	1	1	2	3	5	8	18
TOTAL 0-19 YRS	28	2.2	2	<1	<1	2	2	3	4	8
20-34	1282	2.5	2	1	1	2	3	4	4	8
35-49	695	2.7	7	1	1	2	3	4	5	11
50-64	241	3.0	8	1	1	2	3	4	7	15
65+	88	5.4	37	1	1	3	6	14	19	32
GRAND TOTAL	2334	2.7	6	1	1	2	3	4	5	12

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.6		<1	<1	1	2	3	3	4
20-34	584	2.0	3	<1	<1	2	2	3	4	8
35-49	906	2.0	1	<1	1	2	2	3	4	8
50-64	595	2.1	1	<1	1	2	2	3	4	8
65+	193	4.3	56	1	1	2	4	8	12	29
2. MULTIPLE DX										
0-19 YRS	35	3.1	27	<1	1	2	2	4	10	31
20-34	811	2.4	6	<1	1	2	2	4	7	16
35-49	1903	2.5	7	<1	1	2	2	4	6	14
50-64	1062	3.6	28	1	1	2	3	8	12	25
65+	462	7.0	103	2	2	4	8	15	24	62
TOT. SINGLE DX	2308	2.2	7	<1	1	2	2	3	5	10
" MULTIPLE DX	4273	3.2	25	1	1	2	3	6	10	24
TOTAL 0-19 YRS	65	2.4	16	<1	<1	2	2	3	6	28
20-34	1395	2.3	5	<1	1	2	2	3	5	13
35-49	2809	2.3	6	<1	1	2	2	3	5	12
50-64	1657	3.0	19	1	1	2	2	5	9	20
65+	655	6.2	91	1	2	3	7	12	22	58
GRAND TOTAL	6581	2.9	19	<1	1	2	2	5	8	20

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.3	3	2	2	3	4	5	7	9
20-34	653	3.2	2	1	2	3	4	5	6	9
35-49	79	3.0	2	1	1	3	4	4	5	10
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	189	5.1	43	1	2	3	5	10	17	56
35-49	27	4.5	23	1	2	3	4	7	14	26
50-64	6	3.2	2	2	2	3	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	753	3.2	3	1	2	3	4	5	6	9
" MULTIPLE DX	226	5.0	39	1	2	3	5	10	15	42
TOTAL 0-19 YRS	21	3.6	4	2	2	3	4	7	9	9
20-34	842	3.6	13	1	2	3	4	6	7	20
35-49	106	3.4	8	1	2	3	4	5	6	18
50-64	8	2.6	3	1	1	2	3	5	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**979**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**7**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	317	6.0	8	1	2	6	8	9	9	13
35-49	207	5.7	9	1	2	6	8	9	10	15
50-64	53	2.9	8	1	1	2	3	5	8	20
65+	27	3.5	10	1	1	2	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	14	5.4	7	2	2	6	7	8	11	12
20-34	467	6.3	10	1	2	6	8	9	11	16
35-49	368	5.8	24	<1	1	6	8	9	12	28
50-64	135	4.9	76	1	1	2	5	13	19	86
65+	72	9.4	143	1	2	4	13	19	34	68
TOT. SINGLE DX	608	5.5	10	1	2	6	7	9	9	14
" MULTIPLE DX	1056	6.2	34	1	1	6	8	10	14	31
TOTAL 0-19 YRS	18	5.1	8	1	2	5	7	8	10	12
20-34	784	6.2	10	1	2	6	8	9	10	14
35-49	575	5.8	19	<1	1	6	8	9	11	23
50-64	188	4.3	58	1	1	2	3	10	19	63
65+	99	7.8	114	1	2	3	10	17	28	62
GRAND TOTAL	**1664**	**5.9**	**25**	**1**	**1**	**6**	**8**	**9**	**12**	**26**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.4	7	6	6	6	8	12	12	12
20-34	667	7.4	3	5	6	7	8	10	11	15
35-49	2366	7.6	4	5	6	7	8	10	11	17
50-64	877	8.4	7	6	6	8	9	11	13	20
65+	362	10.3	20	6	7	9	11	16	20	28
2. MULTIPLE DX										
0-19 YRS	16	11.8	41	6	6	9	15	23	26	27
20-34	2585	8.0	11	5	6	7	9	11	13	21
35-49	10239	8.4	12	6	6	8	9	11	14	22
50-64	3377	9.9	36	6	6	8	10	15	20	33
65+	1298	14.2	103	7	7	11	16	25	34	69
TOT. SINGLE DX	4277	8.0	7	5	6	7	9	10	12	19
" MULTIPLE DX	17515	9.1	26	6	6	8	9	13	17	30
TOTAL 0-19 YRS	21	10.8	36	6	6	8	12	21	25	27
20-34	3252	7.9	10	5	6	7	8	10	13	19
35-49	12605	8.3	11	6	6	8	9	11	13	21
50-64	4254	9.6	31	6	6	8	10	14	19	31
65+	1660	13.4	88	6	7	10	15	23	30	58
GRAND TOTAL	**21792**	**8.9**	**23**	**6**	**6**	**8**	**9**	**12**	**16**	**28**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	192	6.5	6	4	4	6	7	9	10	18
35-49	350	6.9	5	4	4	6	8	9	11	17
50-64	382	8.2	5	5	6	8	9	11	13	18
65+	345	8.4	5	6	6	8	9	11	13	15
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	563	6.8	7	4	5	6	7	9	11	14
35-49	1561	7.5	7	5	5	7	8	10	12	18
50-64	1019	8.8	13	5	6	8	10	12	15	23
65+	887	10.4	29	6	6	9	11	16	20	32
TOT. SINGLE DX	1269	7.6	6	5	5	7	9	11	12	17
" MULTIPLE DX	4031	8.4	15	5	5	7	9	12	15	23
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	755	6.7	8	4	5	6	7	9	11	14
35-49	1911	7.4	7	4	5	7	8	10	12	18
50-64	1401	8.6	11	5	6	8	9	12	14	20
65+	1232	9.8	23	6	6	8	11	15	18	30
GRAND TOTAL	**5300**	**8.2**	**13**	**5**	**5**	**7**	**9**	**12**	**14**	**22**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	15	12.3	26	7	8	10	16	20	23	24
35-49	23	13.5	24	7	9	12	16	19	23	29
50-64	19	13.3	46	6	7	11	19	24	27	29
65+	9	24.8	159	13	13	23	27	45	55	55
2. MULTIPLE DX										
0-19 YRS										
20-34	16	14.4	104	5	8	12	15	23	41	49
35-49	24	17.3	179	7	7	13	20	33	52	63
50-64	38	20.1	233	7	8	16	26	36	47	88
65+	18	21.7	73	9	11	20	25	35	38	39
TOT. SINGLE DX	67	14.7	62	7	8	13	18	24	29	51
" MULTIPLE DX	96	18.7	170	7	8	15	23	34	45	76
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	31	13.4	66	7	8	11	16	21	24	49
35-49	47	15.4	105	7	8	12	18	24	33	63
50-64	57	17.8	179	7	8	14	23	31	39	85
65+	27	22.7	99	11	12	20	27	36	41	55
GRAND TOTAL	**163**	**17.1**	**129**	**7**	**8**	**13**	**20**	**29**	**38**	**62**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	613	1.1		<1	<1	<1	1	1	2	3
20-34	2276	1.2		<1	<1	<1	1	2	2	4
35-49	288	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	2.3	4	<1	<1	1	3	6	7	9
20-34	442	2.9	18	<1	<1	2	3	6	8	19
35-49	202	2.3	3	<1	<1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	3177	1.1		<1	<1	<1	1	2	2	4
" MULTIPLE DX	690	2.7	13	<1	<1	2	3	5	7	17
TOTAL 0-19 YRS	659	1.2	1	<1	<1	<1	1	2	2	5
20-34	2718	1.4	4	<1	<1	<1	1	2	3	7
35-49	490	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**3867**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2071	1.7	1	<1	<1	1	2	3	4	7
20-34	17484	1.6	1	<1	<1	1	2	3	3	6
35-49	8777	1.7	1	<1	<1	1	2	2	3	7
50-64	3320	1.9	2	<1	<1	2	2	2	3	8
65+	708	3.0	9	1	1	2	3	5	9	17
2. MULTIPLE DX										
0-19 YRS	655	2.9	6	1	1	2	3	6	8	13
20-34	8099	2.6	8	<1	<1	2	3	5	7	14
35-49	9896	2.5	8	<1	<1	2	2	4	7	14
50-64	4161	2.9	17	<1	1	2	2	5	9	22
65+	1402	6.0	75	1	2	3	7	14	21	48
TOT. SINGLE DX	32360	1.7	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	24213	2.8	15	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	2726	2.0	3	<1	1	2	2	4	6	9
20-34	25583	1.9	4	<1	<1	1	2	3	5	9
35-49	18673	2.1	5	<1	<1	2	2	3	5	12
50-64	7481	2.4	11	<1	<1	2	2	3	7	17
65+	2110	5.0	56	1	1	2	5	11	18	38
GRAND TOTAL	**56573**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**3**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1950	1.1		<1	<1	<1	1	1	2	2
20-34	6691	1.1		<1	<1	<1	1	1	2	3
35-49	903	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	766	1.4	3	<1	<1	<1	<1	1	3	8
20-34	2956	1.6	5	<1	<1	<1	1	3	4	11
35-49	690	2.1	4	<1	<1	1	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	9544	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	4412	1.6	5	<1	<1	<1	1	3	4	10
TOTAL 0-19 YRS	2716	1.2	1	<1	<1	<1	1	1	2	5
20-34	9647	1.2	2	<1	<1	<1	1	2	2	6
35-49	1593	1.6	2	<1	<1	<1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**13956**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	1.4		<1	<1	1	1	2	3	5
20-34	2209	1.4	1	<1	<1	1	1	2	3	5
35-49	361	1.3		<1	<1	1	2	2	2	4
50-64	17	1.5		<1	<1	1	2	2	3	3
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	44	2.6	3	<1	1	2	3	6	7	7
20-34	282	2.7	10	<1	1	2	3	5	7	19
35-49	91	2.3	3	<1	<1	2	3	4	5	12
50-64	11	10.7	128	1	1	6	19	28	34	35
65+	14	11.7	104	2	2	9	17	29	33	34
TOT. SINGLE DX	2948	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	442	3.1	18	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	400	1.5	1	<1	<1	1	2	3	4	7
20-34	2491	1.5	2	<1	<1	1	2	2	3	7
35-49	452	1.5	1	<1	<1	1	2	2	3	5
50-64	28	5.1	69	<1	<1	2	3	18	25	35
65+	19	9.4	91	2	2	5	15	25	32	34
GRAND TOTAL	**3390**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	3	1	1	2	4	6	6	6
20-34	24	4.2	6	<1	<1	4	6	7	9	10
35-49	5	5.0	10	1	1	7	7	8	8	8
50-64	10	9.9	21	6	6	8	13	17	20	20
65+	10	9.0	8	5	5	9	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	5	4.2	3	<1	<1	5	5	6	6	6
20-34	52	5.8	2	2	4	6	7	8	8	10
35-49	14	5.4	7	1	2	6	7	8	10	10
50-64	13	8.0	10	2	5	8	9	11	15	16
65+	21	11.8	158	5	5	9	12	15	38	65
TOT. SINGLE DX	54	6.1	16	<1	1	6	8	12	13	20
" MULTIPLE DX	105	7.2	40	2	4	6	8	10	13	38
TOTAL 0-19 YRS	10	3.5	4	<1	<1	3	5	6	6	6
20-34	76	5.3	5	1	2	6	7	7	9	10
35-49	19	5.3	7	1	1	6	7	8	9	10
50-64	23	8.8	16	4	6	8	10	15	17	20
65+	31	10.9	110	5	5	9	12	14	16	65
GRAND TOTAL	**159**	**6.8**	**32**	**1**	**2**	**6**	**8**	**10**	**13**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.5	6	<1	1	3	5	6	7	12
20-34	223	3.7	7	<1	<1	3	6	7	8	11
35-49	58	3.3	4	<1	1	3	4	7	8	10
50-64	46	4.5	9	2	2	4	5	6	8	22
65+	26	6.3	102	2	3	4	4	6	21	55
2. MULTIPLE DX										
0-19 YRS	20	4.6	4	1	2	5	6	7	8	9
20-34	242	4.3	18	<1	1	3	6	8	9	20
35-49	93	4.2	12	<1	1	3	6	8	11	19
50-64	67	4.4	6	2	2	4	5	9	11	11
65+	56	5.7	19	3	3	4	5	13	16	22
TOT. SINGLE DX	380	3.9	14	<1	1	3	6	7	8	13
" MULTIPLE DX	478	4.5	15	1	1	4	6	8	11	19
TOTAL 0-19 YRS	47	4.0	6	1	1	4	6	7	8	12
20-34	465	4.1	13	<1	1	3	6	7	8	17
35-49	151	3.9	10	<1	1	3	6	8	9	18
50-64	113	4.5	7	2	2	4	5	7	10	15
65+	82	5.9	45	3	3	4	5	12	16	44
GRAND TOTAL	**858**	**4.2**	**15**	**<1**	**1**	**4**	**6**	**7**	**9**	**18**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	71	6.1	4	3	4	6	7	9	10	14
35-49	201	6.9	6	4	4	7	8	10	11	16
50-64	430	7.4	5	4	5	7	8	10	12	15
65+	317	7.8	24	4	4	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	3	7.7	1	7	7	7	9	9	9	9
20-34	128	8.0	17	4	4	7	10	13	16	24
35-49	567	8.2	11	4	5	8	9	12	14	21
50-64	725	8.8	15	4	5	8	10	13	17	24
65+	574	9.9	25	5	6	8	11	16	20	31
TOT. SINGLE DX	1021	7.3	12	4	4	7	8	10	12	16
" MULTIPLE DX	1997	8.9	18	4	5	8	10	14	17	25
TOTAL 0-19 YRS	5	6.0	7	2	2	7	8	9	9	9
20-34	199	7.3	14	3	4	7	8	11	14	24
35-49	768	7.8	11	4	5	7	9	12	14	20
50-64	1155	8.2	12	4	5	7	9	12	14	22
65+	891	9.1	26	4	5	8	10	14	18	29
GRAND TOTAL	**3018**	**8.3**	**16**	**4**	**5**	**8**	**9**	**13**	**15**	**24**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	3.1	10	<1	1	2	4	8	10	15
20-34	98	4.6	12	1	1	4	6	9	10	20
35-49	60	5.7	16	<1	1	5	7	11	12	22
50-64	43	6.0	21	1	2	6	7	10	15	26
65+	16	6.7	14	2	2	6	9	12	15	16
2. MULTIPLE DX										
0-19 YRS	26	3.7	39	<1	1	2	4	6	16	32
20-34	59	5.4	27	<1	1	4	7	10	12	31
35-49	50	6.2	19	1	2	5	8	11	14	23
50-64	51	10.3	40	3	3	9	15	19	23	30
65+	59	11.2	91	2	4	7	14	25	35	45
TOT. SINGLE DX	260	5.0	16	1	1	4	7	9	12	21
" MULTIPLE DX	245	7.8	52	1	2	6	10	17	23	35
TOTAL 0-19 YRS	69	3.3	21	1	1	2	4	7	12	29
20-34	157	4.9	18	1	1	4	6	9	11	24
35-49	110	6.0	18	1	2	5	8	11	12	23
50-64	94	8.3	36	2	2	7	10	17	21	28
65+	75	10.2	78	2	3	7	12	22	33	44
GRAND TOTAL	**505**	**6.3**	**35**	**1**	**1**	**5**	**8**	**12**	**17**	**32**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	2.4	6	<1	<1	2	2	5	8	13
20-34	464	3.3	14	<1	<1	2	3	7	10	20
35-49	130	3.7	22	<1	<1	2	3	8	12	26
50-64	97	3.8	19	<1	<1	2	5	8	10	27
65+	138	5.9	40	1	2	5	7	9	14	43
2. MULTIPLE DX										
0-19 YRS	91	4.1	13	<1	1	3	5	10	11	18
20-34	299	4.0	16	<1	1	2	5	9	12	19
35-49	156	6.4	61	1	1	3	7	17	23	43
50-64	164	7.6	76	1	2	5	9	16	24	51
65+	294	10.6	97	2	2	7	13	24	32	57
TOT. SINGLE DX	952	3.7	20	<1	<1	2	4	8	10	20
" MULTIPLE DX	1004	6.9	63	1	1	4	8	16	23	46
TOTAL 0-19 YRS	214	3.2	10	<1	<1	2	4	8	10	17
20-34	763	3.6	15	<1	1	2	4	8	11	20
35-49	286	5.1	45	<1	1	2	5	12	20	33
50-64	261	6.2	59	<1	1	4	7	13	20	39
65+	432	9.1	84	2	2	6	11	19	29	56
GRAND TOTAL	**1956**	**5.3**	**45**	**<1**	**1**	**3**	**7**	**12**	**18**	**36**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.4	3	<1	<1	2	3	5	7	10
20-34	1257	2.0	1	<1	<1	2	3	3	4	7
35-49	567	2.2	3	<1	1	2	2	4	4	8
50-64	206	2.7	7	<1	1	2	3	4	6	18
65+	118	4.4	82	<1	1	2	4	7	12	58
2. MULTIPLE DX										
0-19 YRS	70	4.0	10	1	1	4	5	8	10	18
20-34	372	3.5	12	<1	1	3	4	6	9	19
35-49	239	4.8	68	<1	1	2	4	10	17	47
50-64	174	5.9	70	1	1	3	6	14	19	63
65+	169	9.6	122	1	2	5	11	25	33	54
TOT. SINGLE DX	2371	2.3	7	<1	<1	2	3	4	5	9
" MULTIPLE DX	1024	5.2	58	<1	1	3	5	11	18	44
TOTAL 0-19 YRS	293	2.8	5	<1	1	2	4	6	7	11
20-34	1629	2.4	5	<1	<1	2	3	4	5	11
35-49	806	3.0	24	<1	1	2	3	4	7	22
50-64	380	4.1	39	<1	1	2	4	9	14	42
65+	287	7.5	112	1	1	3	8	18	31	53
GRAND TOTAL	**3395**	**3.2**	**24**	**<1**	**1**	**2**	**3**	**5**	**9**	**25**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	12	3.1	7	<1	1	2	3	7	10	11
35-49	23	5.2	19	<1	1	4	7	11	14	18
50-64	29	7.0	34	1	2	6	10	16	17	26
65+	31	13.8	84	3	4	11	20	27	34	34
2. MULTIPLE DX										
0-19 YRS										
20-34	8	9.6	63	1	2	7	14	22	25	25
35-49	11	11.2	73	3	3	10	18	24	27	27
50-64	28	20.4	307	2	4	18	25	53	59	66
65+	67	19.2	245	3	3	17	28	37	51	98
TOT. SINGLE DX	100	8.0	58	1	2	5	11	19	25	34
" MULTIPLE DX	114	18.1	239	2	3	16	25	36	55	93
TOTAL 0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	20	5.7	38	<1	1	3	7	14	20	25
35-49	34	7.1	44	1	2	4	11	18	21	27
50-64	57	13.6	211	1	2	8	19	31	53	65
65+	98	17.5	199	3	3	16	25	34	47	95
GRAND TOTAL	**214**	**13.4**	**179**	**2**	**2**	**9**	**19**	**29**	**37**	**74**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.7	1	<1	<1	1	2	3	3	7
20-34	67	3.2	4	<1	1	3	4	6	9	11
35-49	25	3.6	8	<1	<1	3	5	7	9	14
50-64	9	4.3	7	<1	1	4	6	8	10	10
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	27	3.2	28	<1	1	2	3	5	9	29
20-34	32	4.5	6	2	2	4	6	8	9	11
35-49	12	4.3	6	1	2	4	6	8	9	9
50-64	12	8.0	358	<1	<1	3	4	24	62	68
65+	8	14.6	408	2	2	8	14	49	63	63
TOT. SINGLE DX	135	3.1	6	<1	1	3	4	6	9	13
" MULTIPLE DX	91	5.4	97	1	1	3	5	8	13	66
TOTAL 0-19 YRS	59	2.4	14	<1	1	1	3	4	6	27
20-34	99	3.6	6	1	1	3	4	7	9	11
35-49	37	3.9	8	<1	1	3	5	8	9	14
50-64	21	6.4	204	<1	<1	3	5	8	36	68
65+	10	13.6	325	2	3	8	13	39	63	63
GRAND TOTAL	**226**	**4.0**	**44**	**<1**	**1**	**3**	**4**	**7**	**10**	**37**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8	3	<1	<1	<1	2	5	5	5
20-34	27	1.7	1	<1	<1	<1	2	4	5	6
35-49	7	4.7	22	<1	<1	3	5	13	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7	5.1	16	<1	<1	3	8	11	12	12
20-34	12	8.1	41	1	1	8	13	17	20	20
35-49	6	2.0		2	2	2	2	2	2	2
50-64	4	2.5	1	2	2	2	3	4	4	4
65+	7	18.0	354	2	4	12	18	51	59	59
TOT. SINGLE DX	41	2.2	6	<1	<1	<1	3	5	6	15
" MULTIPLE DX	36	7.8	108	1	1	4	11	16	20	59
TOTAL 0-19 YRS	12	3.8	13	<1	<1	2	5	10	12	12
20-34	39	3.6	22	<1	<1	1	4	11	15	20
35-49	13	3.5	13	<1	1	2	3	7	13	15
50-64	5	2.6	1	2	2	2	3	4	4	4
65+	8	16.0	336	2	2	11	16	47	59	59
GRAND TOTAL	**77**	**4.8**	**61**	**<1**	**<1**	**2**	**5**	**12**	**16**	**48**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1018	3.4		2	3	3	4	4	5	6
20-34	6534	3.5	1	2	3	3	4	4	5	6
35-49	425	3.7	2	2	3	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	972	3.7	2	2	3	3	4	5	6	9
20-34	7238	3.9	4	2	3	4	4	5	6	9
35-49	591	4.1	2	3	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	7977	3.5	1	2	3	3	4	4	5	6
" MULTIPLE DX	8801	3.9	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	1990	3.5	2	2	3	3	4	5	5	7
20-34	13772	3.7	3	2	3	4	4	5	6	8
35-49	1016	4.0	3	2	3	4	4	5	6	11
50-64										
65+										
GRAND TOTAL	**16778**	**3.7**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.2		2	2	3	4	4	5	5
20-34	325	3.3	2	2	2	3	4	4	5	7
35-49	27	3.1		1	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	3.8	12	1	2	3	4	4	13	23
20-34	600	3.5	3	1	2	3	4	5	6	11
35-49	69	3.7	4	1	2	4	4	5	6	14
50-64										
65+										
TOT. SINGLE DX	379	3.3	2	2	2	3	4	4	5	6
" MULTIPLE DX	724	3.6	4	1	2	3	4	5	6	14
TOTAL 0-19 YRS	82	3.6	9	1	2	3	4	4	7	20
20-34	925	3.5	3	1	2	3	4	5	6	9
35-49	96	3.5	4	1	2	3	4	5	6	14
50-64										
65+										
GRAND TOTAL	**1103**	**3.5**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	3.6		2	3	3	4	5	5	7
20-34	1196	3.6		2	3	3	4	5	5	7
35-49	86	3.9	2	2	3	4	4	5	6	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	191	4.0	6	2	2	4	4	5	7	20
20-34	1713	3.9	2	2	3	4	4	5	6	9
35-49	131	4.1	3	3	3	4	5	5	7	11
50-64										
65+										
TOT. SINGLE DX	1454	3.6	1	2	3	3	4	5	5	7
" MULTIPLE DX	2035	3.9	3	2	3	4	4	5	6	9
TOTAL 0-19 YRS	363	3.8	4	2	3	4	4	5	6	11
20-34	2909	3.8	2	2	3	4	4	5	6	8
35-49	217	4.0	3	2	3	4	5	5	6	11
50-64										
65+										
GRAND TOTAL	**3489**	**3.8**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7333	3.2		2	2	3	4	4	5	6
20-34	47723	3.2	1	2	2	3	4	4	5	6
35-49	3016	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2537	3.5	5	2	2	3	4	5	6	11
20-34	20809	3.5	3	2	2	3	4	5	5	9
35-49	1744	3.8	5	2	2	4	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	58072	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	25090	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	9870	3.3	2	2	2	3	4	4	5	8
20-34	68532	3.3	2	2	2	3	4	4	5	7
35-49	4760	3.5	3	2	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	**83162**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1041	6.2	2	4	5	6	7	8	9	11
20-34	10656	6.3	3	4	5	6	7	8	8	11
35-49	836	6.8	8	5	5	7	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1950	7.0	9	4	5	6	8	9	12	18
20-34	20508	6.8	11	4	5	6	7	8	10	20
35-49	2589	7.5	25	5	5	7	8	9	11	28
50-64										
65+										
TOT. SINGLE DX	12533	6.3	4	4	5	6	7	8	8	11
" MULTIPLE DX	25047	6.9	13	4	5	6	7	9	11	20
TOTAL 0-19 YRS	2991	6.7	7	4	5	6	7	9	11	17
20-34	31164	6.7	9	4	5	6	7	8	9	17
35-49	3425	7.3	22	5	5	7	8	9	11	25
50-64										
65+										
GRAND TOTAL	**37580**	**6.7**	**10**	**4**	**5**	**6**	**7**	**8**	**10**	**18**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	6.1	2	4	4	6	7	7	9	14
20-34	478	6.0	3	4	4	6	7	7	8	12
35-49	32	7.4	32	4	4	6	8	10	11	37
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	75	7.0	4	4	5	6	8	10	12	13
20-34	687	7.2	16	4	5	7	8	10	12	26
35-49	97	8.0	31	5	5	7	8	10	14	43
50-64										
65+										
TOT. SINGLE DX	566	6.1	5	4	4	6	7	8	8	14
" MULTIPLE DX	859	7.3	17	4	5	7	8	10	12	27
TOTAL 0-19 YRS	131	6.6	4	4	5	6	7	9	11	13
20-34	1165	6.7	12	4	5	6	7	9	10	21
35-49	129	7.9	32	5	5	7	8	10	13	39
50-64										
65+										
GRAND TOTAL	**1425**	**6.8**	**13**	**4**	**5**	**6**	**7**	**9**	**11**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.1	1	4	4	5	6	7	7	7
20-34	47	5.7	3	3	4	6	7	8	9	12
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.6	1	4	4	5	6	8	8	8
20-34	42	5.9	7	3	3	5	7	9	12	15
35-49	10	8.7	54	4	4	6	9	19	29	29
50-64										
65+										
TOT. SINGLE DX	59	5.6	3	3	4	5	6	8	9	12
" MULTIPLE DX	59	6.4	15	3	3	5	7	10	13	28
TOTAL 0-19 YRS	16	5.3	1	4	4	5	6	7	8	8
20-34	89	5.8	5	3	3	6	7	8	11	15
35-49	13	7.8	44	4	4	5	8	14	26	29
50-64										
65+										
GRAND TOTAL	118	6.0	9	3	4	5	7	8	11	19

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1486	1.7		1	1	2	2	2	3	4
20-34	1758	1.8		1	1	2	2	3	3	5
35-49	149	1.8		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	95	2.2	2	1	1	2	3	4	5	9
20-34	146	2.9	7	1	1	2	3	6	9	15
35-49	32	2.8	2	1	1	3	4	5	5	6
50-64										
65+										
TOT. SINGLE DX	3393	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	273	2.6	5	1	1	2	3	5	8	13
TOTAL 0-19 YRS	1581	1.8	1	1	1	2	2	3	3	4
20-34	1904	1.9	1	1	1	2	2	3	4	6
35-49	181	2.0	1	1	1	2	2	4	5	5
50-64										
65+										
GRAND TOTAL	3666	1.8	1	1	1	2	2	3	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.4	11	<1	1	4	6	9	11	15
20-34	121	3.3	10	<1	<1	2	4	7	11	15
35-49	20	5.2	67	<1	<1	3	5	10	24	38
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	6.7	40	<1	1	5	7	18	19	20
20-34	396	1.8	6	<1	<1	<1	<1	3	7	15
35-49	539	1.2	3	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	175	3.7	17	<1	<1	3	5	8	11	19
" MULTIPLE DX	950	1.5	6	<1	<1	<1	<1	<1	4	14
TOTAL 0-19 YRS	49	5.1	21	<1	1	4	6	11	17	20
20-34	517	2.2	8	<1	<1	<1	2	5	8	15
35-49	559	1.3	6	<1	<1	<1	<1	<1	<1	10
50-64										
65+										
GRAND TOTAL	1125	1.9	8	<1	<1	<1	<1	4	6	15

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	908	2.6	2	<1	<1	3	3	4	5	7
20-34	5440	2.7	2	<1	<1	3	3	4	4	7
35-49	377	2.9	3	<1	<1	3	4	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	415	3.2	5	<1	<1	3	4	5	6	10
20-34	2899	3.4	7	<1	1	3	4	5	6	12
35-49	232	3.7	5	1	2	3	4	6	8	13
50-64										
65+										
TOT. SINGLE DX	6725	2.7	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	3546	3.4	7	<1	1	3	4	5	6	12
TOTAL 0-19 YRS	1323	2.8	3	<1	<1	3	3	4	5	8
20-34	8339	3.0	4	<1	<1	3	4	4	5	9
35-49	609	3.2	4	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	10271	3.0	4	<1	<1	3	4	4	5	9

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1384	3.1		2	2	3	4	4	4	5
20-34	9257	3.1		2	2	3	4	4	4	5
35-49	751	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1099	3.6	4	2	2	3	4	5	6	13
20-34	7931	3.5	2	2	2	3	4	5	5	8
35-49	783	3.7	3	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	11392	3.1	1	2	2	3	4	4	4	5
" MULTIPLE DX	9813	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	2483	3.3	2	2	2	3	4	4	5	8
20-34	17188	3.3	2	2	2	3	4	4	5	7
35-49	1534	3.4	2	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	21205	3.3	2	2	2	3	4	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.1	4	1	1	2	4	6	8	9
20-34	35	4.6	10	<1	2	4	6	10	12	13
35-49	46	5.5	35	1	2	3	8	10	15	36
50-64	38	5.6	33	1	1	3	8	13	21	22
65+	32	6.2	39	2	2	3	7	15	21	28
2. MULTIPLE DX										
0-19 YRS	41	7.1	107	2	2	4	5	16	32	53
20-34	57	4.8	50	2	2	4	4	6	16	49
35-49	47	6.1	87	1	2	2	4	19	28	48
50-64	72	9.9	222	2	2	3	14	24	43	99
65+	60	12.4	192	2	2	7	20	41	56	99+
TOT. SINGLE DX	189	5.0	26	1	1	3	6	10	15	26
" MULTIPLE DX	277	8.3	147	2	2	3	9	23	42	98
TOTAL 0-19 YRS	79	5.2	61	1	2	3	4	8	17	50
20-34	92	4.7	35	1	2	4	4	9	13	38
35-49	93	5.8	61	1	2	3	7	12	20	43
50-64	110	8.4	161	1	2	3	12	23	37	96
65+	92	10.3	147	2	2	5	15	28	43	99+
GRAND TOTAL	466	7.0	100	1	2	3	7	18	26	62

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	4.6	5	2	3	4	5	7	8	15
20-34	259	4.0	2	2	2	4	5	6	6	8
35-49	93	3.5	2	1	2	3	4	5	6	8
50-64	49	4.9	27	2	2	3	5	7	15	35
65+	9	6.3	49	2	2	3	7	19	21	21
2. MULTIPLE DX										
0-19 YRS	170	6.0	28	2	3	4	6	13	17	31
20-34	257	4.3	4	2	2	4	5	6	7	15
35-49	79	4.7	25	2	2	4	5	8	10	36
50-64	51	6.5	32	2	2	5	7	17	22	24
65+	13	9.7	129	<1	2	4	15	27	35	37
TOT. SINGLE DX	603	4.2	6	2	2	4	5	6	7	15
" MULTIPLE DX	570	5.2	21	2	2	4	5	9	14	25
TOTAL 0-19 YRS	363	5.3	16	2	3	4	5	9	13	19
20-34	516	4.1	4	2	2	4	5	6	7	14
35-49	172	4.1	13	2	2	3	5	6	8	17
50-64	100	5.7	30	2	2	4	5	13	18	29
65+	22	8.3	96	1	2	3	12	24	30	37
GRAND TOTAL	1173	4.7	14	2	2	4	5	7	11	21

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.9	1	1	1	3	4	5	5	9
20-34	226	3.4	5	1	1	3	4	6	8	12
35-49	50	3.9	5	1	1	3	5	7	8	11
50-64	14	4.4	8	1	2	3	7	9	9	9
65+	5	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	244	4.6	48	1	1	3	5	8	11	25
20-34	373	5.5	48	1	2	4	7	10	14	28
35-49	97	7.9	89	1	2	5	8	14	20	56
50-64	51	10.0	62	2	2	8	12	19	27	45
65+	22	9.6	119	1	2	6	11	22	40	44
TOT. SINGLE DX	464	3.3	4	1	1	3	4	6	7	11
" MULTIPLE DX	787	5.9	59	1	2	4	7	11	16	44
TOTAL 0-19 YRS	413	3.9	30	1	1	3	4	6	9	23
20-34	599	4.7	33	1	2	3	5	9	12	27
35-49	147	6.5	64	1	2	5	7	12	16	51
50-64	65	8.8	56	2	2	8	11	18	23	42
65+	27	8.4	103	1	2	5	7	16	38	44
GRAND TOTAL	1251	5.0	40	1	2	3	5	9	13	28

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	3.9	8	2	2	3	5	6	9	19
20-34	279	3.8	9	1	1	3	5	7	10	17
35-49	88	4.4	5	2	2	4	6	7	9	12
50-64	45	4.1	12	1	1	4	5	7	9	21
65+	11	6.0	23	2	2	4	8	13	18	19
2. MULTIPLE DX										
0-19 YRS	195	7.5	88	2	2	5	8	14	18	81
20-34	443	7.6	102	2	2	5	8	14	23	66
35-49	171	8.6	102	2	2	6	11	17	21	58
50-64	94	11.3	157	2	2	7	14	26	32	68
65+	44	11.6	96	2	3	8	16	23	35	45
TOT. SINGLE DX	499	4.0	9	1	2	3	5	7	9	18
" MULTIPLE DX	947	8.3	106	2	2	5	9	17	24	66
TOTAL 0-19 YRS	271	6.5	69	2	2	5	7	13	17	72
20-34	722	6.1	70	1	2	4	7	11	16	53
35-49	259	7.2	73	2	2	5	8	14	20	51
50-64	139	9.0	121	1	2	5	10	21	28	63
65+	55	10.5	87	2	3	6	14	21	33	45
GRAND TOTAL	**1446**	**6.8**	**77**	**1**	**2**	**4**	**8**	**14**	**19**	**53**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.8	16	1	2	5	8	12	14	16
20-34	14	4.6	9	1	2	4	6	11	11	11
35-49	20	4.8	38	1	2	3	4	11	20	28
50-64	16	3.8	9	<1	1	3	4	9	10	11
65+	8	2.8	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	25	10.0	156	1	2	6	11	18	33	64
20-34	21	4.6	22	1	1	3	4	11	18	18
35-49	19	4.9	9	2	2	5	6	9	12	14
50-64	13	12.9	283	2	2	6	15	45	53	55
65+	17	8.2	46	1	2	7	13	22	69	99+
TOT. SINGLE DX	83	4.7	18	1	1	3	6	10	12	24
" MULTIPLE DX	95	7.9	99	2	2	5	9	18	23	83
TOTAL 0-19 YRS	50	7.9	89	1	2	5	10	14	18	64
20-34	35	4.6	17	1	2	4	5	11	16	18
35-49	39	4.8	23	2	2	3	5	9	14	28
50-64	29	7.9	148	1	2	3	8	16	44	55
65+	25	6.5	39	1	1	4	11	21	38	99+
GRAND TOTAL	**178**	**6.4**	**64**	**1**	**2**	**4**	**8**	**14**	**18**	**61**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	7.3	89	1	2	5	8	14	21	54
20-34	351	5.0	20	1	1	4	6	10	12	26
35-49	212	5.3	49	1	2	4	6	10	12	33
50-64	267	7.1	37	2	2	6	9	13	17	34
65+	103	8.7	48	2	3	7	10	16	20	43
2. MULTIPLE DX										
0-19 YRS	284	8.9	86	2	2	6	10	19	30	50
20-34	281	7.0	106	2	2	4	6	14	23	66
35-49	257	8.5	135	2	2	5	9	18	31	67
50-64	321	10.4	144	2	3	6	11	23	38	66
65+	206	18.6	394	2	3	12	25	57	75	99+
TOT. SINGLE DX	1333	6.4	52	1	2	5	8	12	17	38
" MULTIPLE DX	1349	10.3	174	2	2	6	11	24	39	79
TOTAL 0-19 YRS	684	8.0	88	2	2	5	9	16	24	53
20-34	632	5.9	59	1	2	4	6	10	16	39
35-49	469	7.1	99	2	2	4	8	12	23	49
50-64	588	8.9	98	2	2	6	10	17	28	61
65+	309	15.3	301	2	3	9	18	38	64	99+
GRAND TOTAL	**2682**	**8.4**	**117**	**2**	**2**	**5**	**9**	**17**	**29**	**66**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	3.9	2	2	2	4	5	6	7	9
20-34	526	3.9	4	2	2	4	5	6	7	9
35-49	467	4.1	3	2	2	4	5	6	7	11
50-64	568	4.4	5	2	2	4	5	7	8	13
65+	229	4.9	7	2	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	208	4.2	2	2	2	4	5	6	7	9
20-34	654	4.3	4	2	2	4	5	6	8	12
35-49	845	4.6	9	2	2	4	5	7	8	17
50-64	1510	5.1	13	2	3	4	6	8	10	20
65+	891	6.4	37	2	3	5	7	11	15	41
TOT. SINGLE DX	2036	4.2	5	2	2	4	5	6	8	11
" MULTIPLE DX	4108	5.1	17	2	2	4	6	8	10	21
TOTAL 0-19 YRS	454	4.0	3	2	2	4	5	6	7	9
20-34	1180	4.1	5	2	2	4	5	6	7	10
35-49	1312	4.4	7	2	2	4	5	7	8	14
50-64	2078	4.9	12	2	2	4	6	8	9	17
65+	1120	6.1	32	2	3	5	7	10	14	36
GRAND TOTAL	**6144**	**4.8**	**13**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1259	4.5	34	1	2	3	5	8	11	34
20-34	1387	4.8	44	1	2	3	5	8	13	40
35-49	942	5.2	42	1	2	3	5	10	14	44
50-64	772	5.6	45	1	2	3	6	11	16	37
65+	389	7.9	80	2	2	4	10	17	26	49
2. MULTIPLE DX										
0-19 YRS	479	9.5	201	1	2	4	9	30	43	72
20-34	957	9.0	192	1	2	4	8	25	42	86
35-49	808	8.5	132	1	2	4	9	20	36	65
50-64	1163	11.0	190	2	2	5	13	29	41	85
65+	1056	16.7	272	2	3	11	23	43	59	99+
TOT. SINGLE DX	4749	5.2	45	1	2	3	5	10	14	39
" MULTIPLE DX	4463	11.3	210	2	2	5	14	31	46	93
TOTAL 0-19 YRS	1738	5.9	85	1	2	3	5	10	22	53
20-34	2344	6.5	109	1	2	3	6	13	25	68
35-49	1750	6.7	87	1	2	4	7	14	25	56
50-64	1935	8.8	139	1	2	4	10	22	33	66
65+	1445	14.3	236	2	2	9	20	36	53	99+
GRAND TOTAL	9212	8.1	135	1	2	4	8	20	34	70

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	7.1	50	2	2	5	8	14	18	38
20-34	302	5.8	52	2	2	4	6	10	14	34
35-49	104	6.8	45	1	2	5	8	14	16	44
50-64	106	12.5	171	2	2	9	16	21	30	75
65+	221	18.6	222	3	5	15	23	38	52	98
2. MULTIPLE DX										
0-19 YRS	191	11.4	167	2	3	7	12	25	43	65
20-34	169	9.4	104	1	2	6	11	22	34	55
35-49	94	14.5	343	1	2	6	17	37	56	88
50-64	184	17.6	274	2	3	13	22	41	61	99+
65+	548	25.0	298	6	8	21	35	60	99+	99+
TOT. SINGLE DX	1141	9.4	118	2	2	6	11	20	27	65
" MULTIPLE DX	1186	18.6	290	2	3	14	26	48	67	99+
TOTAL 0-19 YRS	599	8.4	91	2	2	5	10	17	25	57
20-34	471	7.1	74	1	2	4	8	14	22	53
35-49	198	10.4	201	1	2	5	11	25	43	77
50-64	290	15.7	243	2	3	11	19	35	55	99
65+	769	23.2	285	5	7	19	31	54	84	99+
GRAND TOTAL	2327	14.1	227	2	3	9	19	36	53	99+

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	785	3.1	14	<1	1	2	3	5	7	21
20-34	1234	2.9	5	<1	1	2	3	5	6	11
35-49	586	3.4	30	<1	1	2	3	5	7	21
50-64	521	4.2	23	<1	1	3	4	7	13	26
65+	373	7.1	82	1	2	4	8	17	27	52
2. MULTIPLE DX										
0-19 YRS	361	4.8	47	1	1	3	5	9	13	46
20-34	403	6.2	100	1	2	3	6	15	26	99+
35-49	244	5.6	57	1	2	3	5	11	19	47
50-64	358	8.2	109	1	2	4	10	19	31	96
65+	508	16.6	298	2	3	11	22	40	61	97
TOT. SINGLE DX	3499	3.6	24	<1	1	2	4	6	9	27
" MULTIPLE DX	1874	9.0	162	1	2	4	10	23	39	90
TOTAL 0-19 YRS	1146	3.6	25	<1	1	2	4	6	9	30
20-34	1637	3.7	31	<1	1	2	4	6	9	37
35-49	830	4.0	39	<1	1	3	4	7	11	33
50-64	879	5.8	62	1	1	3	6	13	21	56
65+	881	12.6	229	2	2	6	16	31	47	90
GRAND TOTAL	5373	5.5	79	<1	1	3	5	12	21	58

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	27.7	366	4	5	26	39	54	64	86
20-34	13	18.7	266	3	5	11	25	48	50	51
35-49	18	13.6	47	6	7	10	18	25	27	27
50-64	55	16.4	163	6	7	12	18	32	47	64
65+	216	21.0	175	8	10	18	24	37	60	71
2. MULTIPLE DX										
0-19 YRS	76	31.2	297	9	10	31	41	56	71	96
20-34	56	33.3	604	6	10	28	51	83	98	99+
35-49	31	25.1	428	7	8	18	35	62	89	99+
50-64	124	20.9	250	7	9	15	25	44	63	99+
65+	735	24.4	255	9	11	20	31	55	78	99+
TOT. SINGLE DX	372	21.2	219	6	8	17	25	42	58	71
" MULTIPLE DX	1022	25.0	290	9	10	20	33	56	78	99+
TOTAL 0-19 YRS	146	29.5	332	5	8	29	40	54	65	89
20-34	69	30.6	569	6	8	24	49	75	97	99+
35-49	49	20.9	316	7	7	16	27	55	66	99+
50-64	179	19.5	227	7	8	14	23	43	56	98
65+	951	23.6	239	9	11	19	29	51	73	99+
GRAND TOTAL	1394	24.0	273	8	10	19	31	52	72	99+

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	12.3	98	4	4	10	16	21	30	53
20-34	110	17.1	144	4	6	15	21	29	39	70
35-49	98	16.1	129	5	7	13	19	26	41	67
50-64	325	17.1	100	7	9	15	20	26	36	60
65+	1536	22.5	177	9	11	19	27	39	52	99+
2. MULTIPLE DX										
0-19 YRS	168	23.6	290	6	8	18	29	50	61	77
20-34	248	24.6	262	8	11	20	31	51	77	99+
35-49	184	23.8	257	7	8	20	30	50	62	99+
50-64	715	23.0	230	8	9	19	30	43	61	99+
65+	5176	28.6	318	10	13	24	38	64	91	99+
TOT. SINGLE DX	2188	20.6	167	7	9	17	25	36	48	99
" MULTIPLE DX	6491	27.5	308	9	12	23	36	60	87	99+
TOTAL 0-19 YRS	287	19.0	241	4	5	14	24	36	54	77
20-34	358	22.3	238	7	9	18	28	47	65	99+
35-49	282	21.1	226	6	8	17	26	44	54	96
50-64	1040	21.2	197	7	9	17	25	40	54	99+
65+	6712	27.2	293	10	12	22	35	58	85	99+
GRAND TOTAL	**8679**	**25.8**	**282**	**9**	**11**	**21**	**33**	**54**	**78**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	17.6	312	1	2	11	27	44	54	76
20-34	18	23.4	483	4	4	11	40	61	65	67
35-49	17	14.6	120	4	5	11	21	38	76	99+
50-64	15	17.2	405	2	3	11	20	26	70	85
65+	60	22.5	504	3	5	15	25	68	84	99
2. MULTIPLE DX										
0-19 YRS	152	19.0	269	1	2	16	28	45	56	99
20-34	55	32.6	487	6	11	23	51	68	79	99
35-49	28	33.7	685	2	4	27	60	71	94	99+
50-64	42	22.4	290	3	5	18	30	55	67	99+
65+	198	26.8	438	4	7	20	39	69	88	99+
TOT. SINGLE DX	311	18.7	354	1	2	12	26	47	61	90
" MULTIPLE DX	475	25.0	413	2	4	20	37	61	79	99+
TOTAL 0-19 YRS	353	18.2	294	1	2	13	28	45	55	82
20-34	73	30.4	496	4	7	22	49	64	77	97
35-49	45	26.5	552	3	4	18	47	69	95	99+
50-64	57	21.0	319	3	4	16	27	51	69	99
65+	258	25.8	455	4	6	19	37	69	87	99+
GRAND TOTAL	**786**	**22.5**	**399**	**2**	**3**	**17**	**32**	**57**	**71**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	5.1	35	<1	1	3	6	13	20	25
20-34	255	4.0	17	<1	1	3	5	9	13	21
35-49	179	4.2	21	1	1	3	5	9	12	28
50-64	218	4.9	53	1	1	3	5	10	15	38
65+	150	6.3	65	1	1	4	7	13	28	39
2. MULTIPLE DX										
0-19 YRS	145	10.1	167	1	1	4	14	24	41	60
20-34	177	9.5	171	1	1	5	11	23	40	85
35-49	101	12.3	226	1	2	7	14	37	44	90
50-64	205	9.1	149	1	2	5	11	24	39	88
65+	228	14.1	292	1	2	7	18	39	51	87
TOT. SINGLE DX	1038	4.8	37	1	1	3	5	10	16	30
" MULTIPLE DX	856	11.1	207	1	2	5	13	28	46	81
TOTAL 0-19 YRS	381	7.0	91	1	1	3	8	19	24	48
20-34	432	6.3	88	1	1	3	7	14	21	56
35-49	280	7.1	110	1	1	4	7	14	32	71
50-64	423	7.0	104	1	2	3	8	15	25	78
65+	378	11.0	216	1	2	5	13	29	44	73
GRAND TOTAL	**1894**	**7.6**	**124**	**1**	**1**	**4**	**8**	**18**	**29**	**60**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1019	4.3	23	1	1	3	5	8	11	18
20-34	1401	5.2	26	1	2	4	6	10	13	23
35-49	881	6.1	30	1	2	5	7	11	15	24
50-64	811	7.2	28	2	3	6	9	13	17	25
65+	516	9.5	52	2	3	8	12	18	23	38
2. MULTIPLE DX										
0-19 YRS	720	7.4	80	1	2	4	8	15	26	53
20-34	1268	10.2	162	2	2	6	11	24	38	80
35-49	829	10.9	174	2	2	7	12	25	38	90
50-64	991	11.7	165	3	3	8	13	24	36	81
65+	1024	16.6	219	3	4	12	21	36	52	99+
TOT. SINGLE DX	4628	6.0	32	1	2	5	7	11	15	26
" MULTIPLE DX	4832	11.6	173	2	3	7	13	27	40	90
TOTAL 0-19 YRS	1739	5.6	50	1	2	4	6	11	15	42
20-34	2669	7.6	97	1	2	5	8	15	25	61
35-49	1710	8.4	106	2	2	6	9	16	26	69
50-64	1802	9.7	109	2	3	7	11	18	27	66
65+	1540	14.2	175	3	4	10	18	30	43	96
GRAND TOTAL	**9460**	**8.9**	**112**	**2**	**2**	**6**	**10**	**18**	**28**	**68**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2545	2.8	12	1	1	2	3	5	8	19
20-34	824	4.0	17	<1	1	3	5	8	11	20
35-49	654	4.8	23	1	1	3	6	10	13	25
50-64	705	4.9	37	1	1	3	6	10	15	28
65+	749	6.1	50	1	1	4	8	14	19	44
2. MULTIPLE DX										
0-19 YRS	1364	5.5	81	1	1	3	5	12	21	55
20-34	888	8.9	138	1	1	5	10	20	31	67
35-49	577	8.3	102	1	1	5	10	18	26	62
50-64	863	9.6	142	1	2	6	11	23	35	82
65+	1602	13.4	221	1	2	8	17	33	50	99+
TOT. SINGLE DX	5477	3.9	24	1	1	2	5	8	12	24
" MULTIPLE DX	5294	9.4	154	1	1	5	11	23	35	78
TOTAL 0-19 YRS	3909	3.7	38	1	1	2	4	7	12	32
20-34	1712	6.5	86	1	1	4	7	13	21	51
35-49	1231	6.4	64	1	1	4	8	13	19	43
50-64	1568	7.5	101	1	1	4	8	17	27	58
65+	2351	11.1	178	1	2	7	14	27	42	94
GRAND TOTAL	**10771**	**6.6**	**96**	**1**	**1**	**3**	**7**	**15**	**25**	**59**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	4.4	32	<1	<1	2	6	11	15	28
20-34	205	2.9	10	<1	1	2	4	7	10	19
35-49	92	3.1	29	<1	<1	2	3	6	10	36
50-64	122	4.5	38	<1	1	2	5	11	15	36
65+	127	6.5	118	1	1	2	6	15	31	63
2. MULTIPLE DX										
0-19 YRS	131	7.6	143	1	1	4	9	16	31	64
20-34	165	9.5	177	<1	1	4	12	23	38	77
35-49	107	8.5	98	1	1	5	11	19	28	80
50-64	126	10.9	184	1	1	6	14	29	46	79
65+	275	14.3	249	1	1	9	20	38	49	99
TOT. SINGLE DX	791	4.2	42	<1	1	2	4	10	15	34
" MULTIPLE DX	804	10.9	193	1	1	6	14	29	44	81
TOTAL 0-19 YRS	376	5.5	73	<1	1	2	6	13	19	43
20-34	370	5.9	96	<1	1	3	6	16	23	68
35-49	199	6.0	74	<1	1	3	7	15	23	55
50-64	248	7.8	123	1	1	4	9	18	33	67
65+	402	11.8	221	1	1	6	17	34	45	87
GRAND TOTAL	**1595**	**7.6**	**130**	**<1**	**1**	**3**	**9**	**20**	**32**	**69**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	5.4	48	1	1	3	5	12	18	38
20-34	176	3.6	3	1	1	3	4	6	7	11
35-49	68	4.5	8	1	1	4	6	7	9	16
50-64	44	7.9	91	1	2	5	9	13	24	59
65+	34	9.6	50	3	3	7	12	21	24	29
2. MULTIPLE DX										
0-19 YRS	78	6.5	44	1	1	4	8	14	19	35
20-34	109	7.7	56	2	2	5	9	16	21	41
35-49	61	8.8	186	1	2	5	10	17	48	99
50-64	66	9.5	137	2	3	6	12	20	42	99+
65+	80	22.8	362	3	4	18	31	61	81	99+
TOT. SINGLE DX	450	5.1	32	1	2	4	5	10	15	30
" MULTIPLE DX	394	11.0	185	1	2	6	14	28	48	99+
TOTAL 0-19 YRS	206	5.8	47	1	1	4	6	13	18	37
20-34	285	5.2	28	1	2	4	5	10	15	30
35-49	129	6.5	97	1	2	4	7	12	16	90
50-64	110	8.9	119	2	2	6	11	18	34	99+
65+	114	16.9	305	3	4	15	27	51	70	99+
GRAND TOTAL	**844**	**7.9**	**112**	**1**	**2**	**4**	**8**	**18**	**29**	**83**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	4.1	25	1	1	3	4	7	12	23
20-34	636	4.1	24	1	1	3	4	7	10	27
35-49	290	4.1	17	1	2	3	5	7	10	29
50-64	188	6.2	87	1	1	3	6	14	22	72
65+	110	15.2	317	2	2	9	17	42	57	80
2. MULTIPLE DX										
0-19 YRS	367	5.8	52	1	2	3	5	12	21	38
20-34	397	5.7	73	1	2	3	6	11	16	50
35-49	228	8.2	143	2	2	4	7	19	33	65
50-64	236	12.0	232	2	2	6	16	34	49	94
65+	234	23.5	385	2	3	20	39	63	99+	99+
TOT. SINGLE DX	1908	5.0	53	1	2	3	5	9	16	42
" MULTIPLE DX	1462	10.0	194	1	2	4	11	30	46	99+
TOTAL 0-19 YRS	1051	4.7	35	1	2	3	5	8	15	34
20-34	1033	4.8	44	1	2	3	5	8	13	37
35-49	518	5.9	77	1	2	3	6	11	20	48
50-64	424	9.5	176	1	2	4	10	25	41	87
65+	344	20.9	377	2	3	15	35	57	82	99+
GRAND TOTAL	**3370**	**7.1**	**120**	**1**	**2**	**3**	**6**	**17**	**33**	**73**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	9.0	29	3	4	7	10	18	23	26
20-34	1631	10.3	40	4	5	9	12	18	23	33
35-49	2322	11.3	46	4	5	9	13	20	25	35
50-64	1157	12.0	47	5	6	10	15	20	25	35
65+	265	16.7	135	6	7	13	21	32	42	82
2. MULTIPLE DX										
0-19 YRS	23	19.0	241	4	5	11	28	38	53	64
20-34	415	15.1	105	5	6	12	19	27	35	65
35-49	907	15.2	111	5	6	12	19	28	35	61
50-64	1010	16.3	134	6	7	13	21	30	37	63
65+	500	23.2	238	7	9	19	29	41	57	83
TOT. SINGLE DX	5443	11.4	51	4	5	9	13	20	25	36
" MULTIPLE DX	2855	17.0	151	6	7	13	21	32	40	71
TOTAL 0-19 YRS	91	11.5	100	3	4	8	12	24	32	57
20-34	2046	11.3	57	4	5	9	13	20	26	39
35-49	3229	12.4	68	5	5	10	15	22	28	43
50-64	2167	14.0	93	5	6	11	17	25	32	52
65+	765	21.0	212	6	8	17	27	40	51	83
GRAND TOTAL	**8298**	**13.3**	**92**	**5**	**6**	**10**	**16**	**25**	**31**	**53**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	727	3.3	3	1	1	3	4	6	6	10
20-34	1860	3.5	4	1	1	3	5	6	7	10
35-49	1161	3.6	6	1	1	3	5	6	8	12
50-64	697	3.9	6	1	1	3	5	7	8	13
65+	138	4.4	13	2	2	3	5	10	14	17
2. MULTIPLE DX										
0-19 YRS	465	3.3	5	1	1	3	4	6	7	13
20-34	1224	3.9	9	1	1	3	5	7	9	17
35-49	849	3.9	10	1	1	3	5	7	9	16
50-64	887	4.6	23	1	2	3	5	9	12	25
65+	326	6.0	53	1	2	4	7	13	17	29
TOT. SINGLE DX	4583	3.6	6	1	1	3	5	6	7	12
" MULTIPLE DX	3751	4.2	17	1	1	3	5	7	10	21
TOTAL 0-19 YRS	1192	3.3	4	1	1	3	4	6	6	10
20-34	3084	3.7	6	1	1	3	5	6	8	12
35-49	2010	3.7	8	1	1	3	5	6	8	15
50-64	1584	4.2	16	1	2	3	5	8	11	20
65+	464	5.5	42	1	2	3	6	13	16	27
GRAND TOTAL	**8334**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1423	2.5	4	<1	1	2	3	4	5	10
20-34	2099	2.6	3	<1	1	2	3	5	6	11
35-49	1301	2.9	6	<1	1	2	3	5	7	12
50-64	814	3.4	15	1	1	2	3	6	9	22
65+	278	4.6	34	1	1	3	5	8	17	36
2. MULTIPLE DX										
0-19 YRS	629	3.4	28	1	1	2	3	5	8	28
20-34	1230	3.4	25	1	1	2	4	6	8	23
35-49	825	4.4	41	1	1	3	4	8	13	31
50-64	780	6.1	84	1	2	3	6	13	22	62
65+	396	10.2	151	2	2	5	13	25	38	66
TOT. SINGLE DX	5915	2.8	8	<1	1	2	3	5	6	14
" MULTIPLE DX	3860	4.9	58	1	1	3	4	9	16	46
TOTAL 0-19 YRS	2052	2.8	12	1	1	2	3	5	6	15
20-34	3329	2.9	12	<1	1	2	3	5	7	16
35-49	2126	3.5	21	1	1	2	4	6	9	22
50-64	1594	4.7	51	1	1	3	4	9	15	43
65+	674	7.8	111	1	2	4	8	19	31	59
GRAND TOTAL	**9775**	**3.6**	**29**	**1**	**1**	**2**	**4**	**6**	**10**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	13.0	77	6	7	10	13	24	31	55
20-34	123	13.4	52	6	7	12	15	22	29	41
35-49	147	13.0	40	6	7	12	15	22	25	38
50-64	79	12.9	81	5	5	10	15	25	35	47
65+	10	18.4	220	7	7	15	19	41	58	58
2. MULTIPLE DX										
0-19 YRS	119	17.9	148	7	9	14	20	34	45	62
20-34	113	19.2	150	7	9	17	23	39	58	99+
35-49	118	17.8	201	6	7	14	20	30	53	80
50-64	95	19.9	212	6	8	15	24	44	51	88
65+	35	26.3	252	9	12	20	46	59	88	99+
TOT. SINGLE DX	559	13.2	65	5	7	11	15	22	30	47
" MULTIPLE DX	480	19.2	185	6	8	15	23	42	54	99+
TOTAL 0-19 YRS	319	14.8	109	6	7	11	15	28	37	60
20-34	236	16.2	108	6	8	13	19	30	40	99+
35-49	265	15.2	118	6	7	12	17	24	33	65
50-64	174	16.7	164	5	6	12	21	36	46	72
65+	45	24.5	251	8	10	19	33	57	70	99+
GRAND TOTAL	**1039**	**16.0**	**130**	**6**	**7**	**12**	**19**	**29**	**43**	**71**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	4.7	9	1	2	4	6	9	10	16
20-34	228	4.6	15	1	2	4	6	9	13	22
35-49	168	5.2	13	1	2	4	7	10	13	18
50-64	276	4.5	12	1	2	4	5	8	10	20
65+	133	7.3	106	1	2	4	6	20	29	55
2. MULTIPLE DX										
0-19 YRS	108	6.6	37	2	2	5	8	10	16	42
20-34	163	7.4	64	2	2	5	8	17	26	93
35-49	167	6.8	68	1	2	5	8	12	17	47
50-64	245	7.4	65	2	2	5	9	15	20	54
65+	177	10.7	205	2	2	5	12	29	51	99+
TOT. SINGLE DX	934	5.1	27	1	2	4	6	9	13	28
" MULTIPLE DX	860	7.9	93	2	2	5	8	16	28	76
TOTAL 0-19 YRS	237	5.6	23	1	2	5	7	9	11	23
20-34	391	5.8	37	1	2	4	7	12	17	46
35-49	335	6.0	42	1	2	5	7	11	14	35
50-64	521	5.9	39	1	2	4	7	11	16	35
65+	310	9.2	165	2	2	5	9	25	41	90
GRAND TOTAL	**1794**	**6.4**	**60**	**1**	**2**	**4**	**7**	**12**	**19**	**52**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	29.5	405	12	12	27	46	52	52	52
20-34	27	17.4	91	7	9	14	19	30	35	54
35-49	92	15.4	28	9	10	14	18	22	25	35
50-64	489	17.1	55	9	10	15	20	25	30	46
65+	862	19.4	77	10	11	17	23	28	35	55
2. MULTIPLE DX										
0-19 YRS	8	23.1	128	13	13	19	31	41	42	42
20-34	34	21.3	146	8	11	17	25	39	53	55
35-49	105	20.5	129	9	10	16	27	36	51	99+
50-64	606	20.3	124	9	11	17	24	36	46	97
65+	1563	24.1	190	11	12	20	28	43	58	99+
TOT. SINGLE DX	1474	18.4	70	9	11	16	22	27	33	53
" MULTIPLE DX	2316	22.9	172	10	12	19	27	40	55	99+
TOTAL 0-19 YRS	12	25.3	202	12	13	19	40	45	51	52
20-34	61	19.5	124	8	10	16	23	32	50	55
35-49	197	18.1	89	9	10	15	21	32	37	86
50-64	1095	18.9	97	9	11	16	22	31	39	63
65+	2425	22.4	155	11	12	19	26	38	52	99+
GRAND TOTAL	**3790**	**21.1**	**138**	**10**	**11**	**18**	**24**	**36**	**47**	**93**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	9.4	47	2	3	7	11	22	23	24
20-34	17	13.1	67	2	4	11	17	26	30	31
35-49	27	17.9	91	8	8	17	21	26	32	57
50-64	162	17.2	60	7	10	16	21	27	32	45
65+	859	21.4	151	10	11	18	25	34	46	86
2. MULTIPLE DX										
0-19 YRS	16	18.4	130	5	6	16	24	32	45	50
20-34	23	16.5	114	2	6	14	21	41	61	99+
35-49	32	22.7	296	6	7	17	32	53	74	99+
50-64	291	23.5	191	9	11	19	29	46	59	99+
65+	2766	26.9	264	10	13	23	34	53	77	99+
TOT. SINGLE DX	1087	20.3	139	8	10	18	24	32	44	84
" MULTIPLE DX	3128	26.5	258	10	12	22	34	52	76	99+
TOTAL 0-19 YRS	38	13.2	100	3	3	10	18	25	30	50
20-34	40	15.1	96	2	5	13	20	31	42	99+
35-49	59	20.5	205	7	8	17	23	42	61	98
50-64	453	21.2	153	9	10	18	25	39	51	99+
65+	3625	25.6	243	10	12	21	32	50	71	99+
GRAND TOTAL	**4215**	**24.9**	**234**	**9**	**12**	**21**	**31**	**48**	**68**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	5.0	5	2	2	5	6	8	9	13
20-34	488	5.6	27	2	2	5	7	9	11	16
35-49	165	6.7	41	1	2	5	8	13	20	32
50-64	304	15.2	84	2	4	15	19	24	31	51
65+	549	19.9	121	7	10	18	23	30	40	65
2. MULTIPLE DX										
0-19 YRS	312	6.3	23	2	3	5	7	10	14	27
20-34	498	7.0	36	2	3	6	8	12	16	30
35-49	189	9.2	112	2	3	6	11	18	25	99
50-64	391	18.3	143	3	5	17	23	32	45	70
65+	907	22.9	165	10	12	19	26	40	55	99+
TOT. SINGLE DX	1894	11.3	103	2	3	7	16	23	28	51
" MULTIPLE DX	2297	15.3	163	3	4	13	20	30	43	84
TOTAL 0-19 YRS	700	5.6	14	2	3	5	6	9	11	21
20-34	986	6.3	33	2	3	5	7	10	13	25
35-49	354	8.0	80	2	2	6	9	16	24	69
50-64	695	17.0	120	3	4	16	21	30	40	60
65+	1456	21.8	151	9	12	19	25	37	50	92
GRAND TOTAL	**4191**	**13.5**	**140**	**2**	**3**	**10**	**19**	**26**	**36**	**66**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	3.7	3	1	2	4	5	5	6	9
20-34	1115	3.8	4	1	2	4	5	6	7	11
35-49	446	3.8	6	1	2	3	5	6	7	13
50-64	420	4.7	11	2	2	4	5	8	11	20
65+	198	6.9	41	2	2	5	9	14	20	35
2. MULTIPLE DX										
0-19 YRS	140	4.3	10	1	2	4	5	7	10	19
20-34	378	4.3	19	1	2	3	5	8	9	18
35-49	281	4.8	16	1	2	4	6	9	12	21
50-64	464	5.8	40	1	2	4	6	10	16	37
65+	280	8.6	67	2	2	6	11	19	26	40
TOT. SINGLE DX	2695	4.1	9	1	2	4	5	6	9	17
" MULTIPLE DX	1543	5.6	35	1	2	4	6	11	16	31
TOTAL 0-19 YRS	656	3.8	5	1	2	4	5	6	7	14
20-34	1493	3.9	8	1	2	4	5	6	8	12
35-49	727	4.2	11	1	2	4	5	7	9	19
50-64	884	5.3	27	2	2	4	6	9	13	25
65+	478	7.9	57	2	2	5	9	17	24	39
GRAND TOTAL	**4238**	**4.7**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	4.2	28	<1	<1	3	5	9	13	23
20-34	329	3.6	16	<1	<1	2	4	7	11	23
35-49	329	3.0	9	<1	<1	2	3	5	8	17
50-64	436	2.5	8	<1	<1	2	2	4	6	17
65+	142	2.9	10	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	227	7.1	89	1	2	4	7	15	23	68
20-34	219	7.4	74	1	1	5	9	17	23	44
35-49	173	7.4	86	1	1	4	8	18	27	43
50-64	265	8.8	191	1	1	4	10	20	34	94
65+	146	12.1	178	1	2	8	18	34	93	99+
TOT. SINGLE DX	1564	3.2	15	<1	<1	2	3	6	10	21
" MULTIPLE DX	1030	8.4	127	1	2	5	10	20	31	99
TOTAL 0-19 YRS	555	5.4	56	<1	1	3	6	12	18	40
20-34	548	5.1	43	<1	1	3	6	11	17	27
35-49	502	4.5	40	<1	1	3	4	9	16	32
50-64	701	4.9	87	<1	<1	2	4	11	18	55
65+	288	7.6	117	<1	1	3	10	26	35	99+
GRAND TOTAL	**2594**	**5.3**	**66**	**<1**	**<1**	**3**	**5**	**12**	**19**	**49**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	715	2.2	3	<1	<1	2	2	3	5	11
20-34	1171	2.3	9	<1	<1	2	2	4	5	17
35-49	767	2.8	15	<1	<1	2	3	5	7	21
50-64	601	3.1	19	<1	<1	2	3	5	9	19
65+	219	4.2	20	<1	<1	3	5	8	12	24
2. MULTIPLE DX										
0-19 YRS	95	5.5	56	<1	1	2	6	13	21	42
20-34	238	5.3	51	<1	1	3	5	13	20	42
35-49	294	7.1	87	<1	1	3	9	17	25	44
50-64	429	8.7	141	<1	1	4	11	20	31	65
65+	310	13.0	223	1	2	8	18	34	57	99+
TOT. SINGLE DX	3473	2.6	12	<1	<1	2	3	4	7	17
" MULTIPLE DX	1366	8.5	134	1	1	4	10	21	32	72
TOTAL 0-19 YRS	810	2.6	11	<1	<1	2	3	4	7	17
20-34	1409	2.8	18	<1	<1	2	3	4	8	26
35-49	1061	4.0	39	<1	<1	2	3	8	15	35
50-64	1030	5.4	78	<1	1	3	5	13	20	48
65+	529	9.3	158	<1	1	4	12	26	39	99+
GRAND TOTAL	**4839**	**4.3**	**54**	**<1**	**<1**	**2**	**4**	**9**	**17**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.8		<1	1	2	2	3	4	4
20-34	76	1.8		<1	<1	2	2	3	4	6
35-49	144	2.2	1	<1	<1	2	3	3	4	7
50-64	398	2.5	3	<1	1	2	3	4	5	12
65+	255	2.5	2	1	1	2	3	4	4	10
2. MULTIPLE DX										
0-19 YRS	19	2.6	1	<1	1	2	4	4	5	5
20-34	50	5.0	35	1	1	2	6	11	15	33
35-49	64	3.8	10	1	1	3	5	7	13	15
50-64	196	3.4	11	1	2	2	3	6	10	20
65+	174	4.1	20	1	2	3	4	8	14	26
TOT. SINGLE DX	902	2.4	3	<1	1	2	3	4	5	11
" MULTIPLE DX	503	3.8	17	1	2	2	4	7	12	23
TOTAL 0-19 YRS	48	2.1	1	<1	1	2	3	4	4	5
20-34	126	3.0	17	<1	<1	2	3	6	10	25
35-49	208	2.7	5	<1	1	2	3	5	7	14
50-64	594	2.8	6	<1	1	2	3	5	6	15
65+	429	3.2	10	1	1	2	3	5	8	21
GRAND TOTAL	**1405**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	375	2.2	2	<1	1	2	3	4	5	8
20-34	541	2.3	2	<1	1	2	3	4	5	8
35-49	238	2.4	4	<1	1	2	3	4	5	12
50-64	132	2.6	9	<1	1	2	3	4	6	16
65+	52	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	306	2.8	14	1	1	2	3	5	6	29
20-34	492	3.2	28	1	1	2	3	6	8	17
35-49	221	3.1	15	1	1	2	3	5	8	30
50-64	160	3.1	6	1	1	2	3	5	9	12
65+	70	4.3	23	1	1	3	4	7	11	34
TOT. SINGLE DX	1338	2.3	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1249	3.2	20	1	1	2	3	5	8	18
TOTAL 0-19 YRS	681	2.5	8	1	1	2	3	4	5	12
20-34	1033	2.7	15	<1	1	2	3	5	6	11
35-49	459	2.7	10	<1	1	2	3	5	6	15
50-64	292	2.9	8	1	1	2	3	5	7	12
65+	122	3.4	15	1	1	3	4	5	7	22
GRAND TOTAL	**2587**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.4	3	<1	1	2	3	5	6	11
20-34	345	3.2	6	<1	1	3	4	6	8	13
35-49	321	3.5	7	<1	1	3	4	6	7	10
50-64	357	4.3	31	1	2	3	5	7	9	15
65+	143	4.5	18	<1	1	4	5	8	11	25
2. MULTIPLE DX										
0-19 YRS	116	4.0	18	1	1	3	4	10	13	55
20-34	243	4.6	30	<1	1	3	6	8	12	30
35-49	249	5.4	29	1	2	4	6	9	16	30
50-64	305	6.6	55	1	2	4	8	13	20	53
65+	183	8.5	108	2	2	5	9	18	31	57
TOT. SINGLE DX	1360	3.6	15	<1	1	3	4	6	8	15
" MULTIPLE DX	1096	5.9	51	1	1	4	6	11	18	44
TOTAL 0-19 YRS	310	3.0	10	<1	1	2	4	6	9	17
20-34	588	3.8	16	<1	1	3	4	7	9	23
35-49	570	4.3	18	<1	1	3	5	7	9	25
50-64	662	5.4	44	1	2	4	6	9	13	36
65+	326	6.8	73	1	2	4	7	14	22	51
GRAND TOTAL	**2456**	**4.6**	**32**	**<1**	**1**	**3**	**5**	**8**	**12**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	452	3.9	7	1	2	3	5	7	8	15
20-34	453	4.3	13	1	1	4	5	8	9	19
35-49	269	3.9	7	<1	1	3	5	7	9	17
50-64	194	5.1	26	<1	2	4	6	9	12	32
65+	63	6.7	21	<1	2	5	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	370	5.2	36	1	2	4	6	9	11	31
20-34	237	6.5	66	1	2	4	7	12	23	67
35-49	162	6.6	67	2	2	4	7	12	23	63
50-64	142	8.3	113	2	2	5	9	17	28	99+
65+	100	15.7	324	2	2	9	17	38	57	91
TOT. SINGLE DX	1431	4.3	13	1	2	3	5	8	10	20
" MULTIPLE DX	1011	7.2	96	1	2	4	8	14	24	64
TOTAL 0-19 YRS	822	4.5	21	1	2	4	5	8	10	21
20-34	690	5.0	33	1	1	4	6	9	13	34
35-49	431	4.9	32	1	2	4	5	9	12	30
50-64	336	6.5	66	1	2	4	7	12	18	61
65+	163	12.2	226	2	2	7	14	27	49	81
GRAND TOTAL	**2442**	**5.5**	**49**	**1**	**2**	**4**	**6**	**10**	**14**	**45**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.6	6	1	1	2	3	5	8	14
20-34	81	3.9	52	<1	<1	2	3	6	14	46
35-49	73	2.1	1	<1	1	2	2	4	6	6
50-64	71	4.1	37	<1	<1	2	4	11	17	36
65+	40	3.6	11	<1	<1	2	5	8	12	15
2. MULTIPLE DX										
0-19 YRS	54	4.6	44	1	1	2	4	9	21	35
20-34	77	5.7	64	1	1	3	6	15	21	88
35-49	72	7.3	151	1	1	3	6	23	32	96
50-64	101	9.3	193	1	1	4	9	27	46	94
65+	69	12.3	305	1	1	7	15	43	67	99+
TOT. SINGLE DX	312	3.3	25	<1	1	2	3	6	11	28
" MULTIPLE DX	373	8.0	163	1	1	3	9	21	40	99+
TOTAL 0-19 YRS	101	3.7	28	1	1	2	4	7	11	32
20-34	158	4.8	59	<1	1	2	4	11	19	56
35-49	145	4.7	83	1	1	2	4	9	23	84
50-64	172	7.1	135	<1	1	3	6	19	38	80
65+	109	9.1	214	1	1	4	11	22	57	99+
GRAND TOTAL	**685**	**5.9**	**106**	**1**	**1**	**2**	**5**	**15**	**25**	**86**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.6	22	<1	<1	7	10	13	13	13
20-34	5	7.4	52	1	1	6	11	19	19	19
35-49	7	8.9	193	1	1	3	7	33	40	40
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	2.5	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	7	9.6	168	1	1	7	9	32	38	38
20-34	9	21.1	326	5	5	12	38	48	52	52
35-49	7	9.0	56	1	1	7	15	20	21	21
50-64	14	27.2	537	2	3	16	50	57	65	67
65+	12	32.2	661	3	6	31	68	99+	99+	99+
TOT. SINGLE DX	24	6.8	71	<1	1	5	8	14	25	40
" MULTIPLE DX	49	22.2	461	1	2	15	40	60	88	99+
TOTAL 0-19 YRS	14	8.1	90	<1	1	7	9	15	33	38
20-34	14	16.2	264	1	2	9	19	44	50	52
35-49	14	8.9	115	1	1	5	10	23	36	40
50-64	15	25.9	523	2	3	15	49	56	64	67
65+	16	24.8	662	1	1	26	47	97	99+	99+
GRAND TOTAL	**73**	**17.1**	**383**	**1**	**1**	**8**	**29**	**50**	**68**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.1	3	1	2	2	4	7	7	7
20-34	18	4.9	31	1	2	3	4	9	19	26
35-49	23	7.9	74	<1	1	5	9	18	29	39
50-64	43	11.8	168	1	1	7	16	24	40	59
65+	69	13.6	190	2	3	9	20	29	54	95
2. MULTIPLE DX										
0-19 YRS	20	20.9	528	2	3	9	31	63	66	68
20-34	58	16.4	152	2	2	15	22	34	39	49
35-49	165	22.0	357	3	4	16	29	52	67	99
50-64	448	23.8	300	4	6	20	32	53	68	99+
65+	713	25.8	402	4	6	20	35	57	77	99+
TOT. SINGLE DX	168	10.5	147	1	2	6	13	24	36	73
" MULTIPLE DX	1404	24.2	359	4	5	19	33	55	71	99+
TOTAL 0-19 YRS	35	13.3	376	2	2	5	11	54	63	68
20-34	76	13.7	147	2	2	9	20	32	37	48
35-49	188	20.3	344	2	3	15	26	49	63	97
50-64	491	22.7	300	3	5	19	31	51	65	99+
65+	782	24.7	395	4	5	19	34	56	77	99+
GRAND TOTAL	**1572**	**22.8**	**355**	**3**	**4**	**18**	**32**	**53**	**70**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	7	32.7	812	9	11	23	31	82	95	95
50-64	16	27.7	236	12	15	22	44	62	88	99+
65+	35	26.9	266	9	11	25	36	58	94	99+
2. MULTIPLE DX										
0-19 YRS	4	43.8	767	16	16	39	63	81	81	81
20-34	30	32.3	616	9	10	22	41	73	90	98
35-49	59	32.5	376	11	14	31	50	70	96	99+
50-64	281	39.1	436	13	16	39	60	99+	99+	99+
65+	919	38.6	512	11	14	36	63	96	99+	99+
TOT. SINGLE DX	61	26.9	311	9	10	23	35	60	96	99+
" MULTIPLE DX	1293	38.3	494	11	14	36	61	96	99+	99+
TOTAL 0-19 YRS	5	37.0	803	10	10	32	55	81	81	81
20-34	32	30.9	608	8	10	21	40	72	89	98
35-49	66	32.5	411	10	13	30	48	70	95	99+
50-64	297	38.5	431	13	16	39	58	99+	99+	99+
65+	954	38.2	508	11	14	35	62	95	99+	99+
GRAND TOTAL	**1354**	**37.8**	**491**	**11**	**14**	**35**	**60**	**95**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.4	11	5	5	8	10	14	14	14
20-34	1	31.0		31	31	31	31	31	31	31
35-49	5	25.4	193	13	13	21	31	49	49	49
50-64	9	22.0	182	5	8	22	28	42	51	51
65+	49	21.7	181	8	9	20	25	48	73	99+
2. MULTIPLE DX										
0-19 YRS	6	23.8	506	8	8	17	25	63	67	67
20-34	14	30.1	338	8	9	36	46	97	99+	99+
35-49	18	32.7	398	7	11	34	57	81	99+	99+
50-64	173	35.0	406	11	14	33	52	95	99+	99+
65+	928	30.8	455	8	10	26	47	87	99+	99+
TOT. SINGLE DX	69	21.2	177	7	8	19	25	47	59	99+
" MULTIPLE DX	1139	31.4	447	8	11	28	49	89	99+	99+
TOTAL 0-19 YRS	11	16.8	323	5	6	8	21	42	65	67
20-34	15	30.2	314	8	10	36	46	94	99+	99+
35-49	23	31.1	352	9	12	33	54	63	99+	99+
50-64	182	34.4	402	10	13	32	50	92	99+	99+
65+	977	30.4	445	8	10	25	47	86	99+	99+
GRAND TOTAL	**1208**	**30.9**	**437**	**8**	**11**	**27**	**47**	**86**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	9.7	17	4	4	10	14	14	14	14
20-34	4	11.8	117	6	6	7	17	28	28	28
35-49	4	29.3	559	11	11	21	45	63	63	63
50-64	18	23.0	209	5	10	19	39	49	77	99+
65+	9	37.7	272	18	18	37	48	63	65	65
2. MULTIPLE DX										
0-19 YRS	6	14.2	93	5	5	10	23	28	29	29
20-34	12	29.8	376	5	9	36	62	99+	99+	99+
35-49	53	30.7	275	8	14	29	45	99+	99+	99+
50-64	158	32.6	385	9	11	31	51	75	99+	99+
65+	262	34.8	428	11	12	32	53	82	99+	99+
TOT. SINGLE DX	42	23.5	286	5	6	18	36	52	64	99+
" MULTIPLE DX	491	33.3	397	9	12	31	51	82	99+	99+
TOTAL 0-19 YRS	13	11.8	53	4	5	10	14	24	28	29
20-34	16	25.3	365	5	6	27	52	99+	99+	99+
35-49	57	30.6	286	9	14	29	45	99+	99+	99+
50-64	176	31.6	374	9	11	29	49	73	99+	99+
65+	271	34.9	423	11	12	32	53	81	99+	99+
GRAND TOTAL	**533**	**32.5**	**395**	**9**	**12**	**31**	**49**	**79**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.8	52	<1	<1	4	5	6	23	32
20-34	17	5.6	13	1	2	5	8	11	13	14
35-49	4	5.0	14	<1	<1	4	7	10	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	11.6	291	2	2	5	10	39	56	56
20-34	13	10.6	35	2	3	10	15	18	22	23
35-49	8	5.3	10	1	1	5	7	10	11	11
50-64	5	9.4	93	2	2	6	13	26	26	26
65+	5	27.6	1429	2	2	11	40	94	94	94
TOT. SINGLE DX	42	4.9	28	<1	1	4	5	9	12	32
" MULTIPLE DX	40	11.7	271	2	2	8	11	22	41	94
TOTAL 0-19 YRS	26	7.1	137	<1	1	4	5	13	37	56
20-34	30	7.8	28	2	2	8	10	15	17	23
35-49	12	5.2	10	<1	1	5	7	10	11	11
50-64	7	7.3	75	1	1	4	8	23	26	26
65+	7	20.1	1115	1	1	9	19	80	94	94
GRAND TOTAL	**82**	**8.2**	**156**	**1**	**1**	**5**	**9**	**15**	**24**	**82**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.7	3	<1	1	2	4	4	6	10
20-34	51	2.9	6	<1	<1	2	4	6	8	15
35-49	39	3.1	8	<1	1	2	4	6	9	15
50-64	46	5.6	46	<1	1	3	6	18	21	33
65+	39	12.8	198	1	2	8	15	29	39	72
2. MULTIPLE DX										
0-19 YRS	18	5.8	51	<1	1	3	6	20	24	24
20-34	33	8.8	158	<1	1	4	15	30	90	99+
35-49	34	11.8	236	1	1	9	13	27	38	83
50-64	85	13.9	222	1	2	9	19	38	57	99+
65+	125	18.8	264	2	4	15	22	39	51	84
TOT. SINGLE DX	199	5.5	67	<1	1	3	6	13	22	39
" MULTIPLE DX	295	14.7	239	1	2	10	20	35	55	99+
TOTAL 0-19 YRS	42	4.0	26	<1	1	2	4	9	18	24
20-34	84	5.3	74	<1	<1	2	6	17	29	99+
35-49	73	7.2	132	1	1	3	9	15	26	73
50-64	131	11.0	176	1	1	6	16	29	44	99+
65+	164	17.4	254	2	3	13	22	35	49	80
GRAND TOTAL	**494**	**11.0**	**190**	**1**	**1**	**6**	**16**	**28**	**41**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	7.2	23	4	4	4	10	15	15	15
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	14.0	288	2	2	14	26	26	26	26
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	4	22.0	226	6	6	21	34	40	40	40
65+	2	33.0		33	33	33	33	33	33	33
TOT. SINGLE DX	13	5.8	17	2	2	4	9	11	14	15
" MULTIPLE DX	11	18.9	182	2	3	14	32	36	40	40
TOTAL 0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	6	7.3	91	2	2	3	9	24	26	26
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	9	13.8	158	4	4	9	18	35	40	40
65+	4	21.3	184	9	9	21	33	33	33	33
GRAND TOTAL	**24**	**11.8**	**132**	**2**	**2**	**9**	**14**	**33**	**35**	**40**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	2.1	1	<1	1	2	2	3	4	5
20-34	2320	2.1	1	<1	<1	2	2	3	4	7
35-49	3412	2.4	2	<1	1	2	3	4	5	10
50-64	1963	2.9	5	1	1	2	3	5	8	12
65+	1017	4.0	13	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	93	2.8	3	<1	1	2	3	4	8	11
20-34	720	3.1	8	1	1	2	3	5	8	19
35-49	1619	3.8	20	<1	1	2	4	7	11	25
50-64	1510	5.6	50	1	2	3	6	12	17	35
65+	1498	9.5	125	2	2	6	12	20	30	74
TOT. SINGLE DX	9354	2.6	4	<1	1	2	3	4	6	11
" MULTIPLE DX	5440	5.8	62	1	2	3	6	13	19	42
TOTAL 0-19 YRS	735	2.2	2	<1	1	2	2	3	4	7
20-34	3040	2.3	3	<1	1	2	2	3	4	11
35-49	5031	2.9	9	<1	1	2	3	4	7	16
50-64	3473	4.1	26	1	2	2	4	8	12	26
65+	2515	7.3	87	2	2	4	9	16	23	54
GRAND TOTAL	**14794**	**3.8**	**28**	**<1**	**1**	**2**	**3**	**7**	**12**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	2.7	1	1	2	2	3	4	5	8
20-34	59	3.4	14	<1	<1	2	4	6	8	26
35-49	71	4.7	13	1	2	4	6	8	12	23
50-64	98	5.3	16	1	2	4	7	10	15	21
65+	183	7.6	24	2	3	7	10	13	16	27
2. MULTIPLE DX										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	24	8.4	112	2	2	6	8	15	27	54
35-49	52	6.9	21	3	3	5	8	15	20	98
50-64	114	9.4	91	2	2	6	12	17	30	56
65+	321	13.6	136	3	4	10	16	27	39	68
TOT. SINGLE DX	460	5.6	21	1	2	4	7	11	14	25
" MULTIPLE DX	515	11.7	119	2	3	8	15	24	34	64
TOTAL 0-19 YRS	53	2.9	3	1	2	2	3	4	5	12
20-34	83	4.9	47	<1	1	3	6	8	15	45
35-49	123	5.6	18	2	2	4	7	11	16	44
50-64	212	7.5	61	2	2	5	8	15	20	47
65+	504	11.4	104	3	3	9	13	22	30	58
GRAND TOTAL	**975**	**8.8**	**82**	**2**	**2**	**6**	**10**	**18**	**26**	**53**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	107	7.7	6	5	5	7	9	11	13	14
35-49	570	8.3	10	4	5	8	10	12	14	19
50-64	1053	8.6	15	4	5	8	10	12	15	24
65+	968	9.0	11	5	5	8	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	70	10.6	178	3	5	9	11	14	16	93
35-49	619	9.6	27	5	5	9	11	14	18	32
50-64	1257	10.6	33	5	6	9	12	16	21	39
65+	1775	12.5	61	6	6	10	14	21	27	47
TOT. SINGLE DX	2701	8.6	13	4	5	8	10	13	15	21
" MULTIPLE DX	3723	11.3	50	5	6	10	13	18	24	41
TOTAL 0-19 YRS	5	4.8	2	3	3	5	6	7	7	7
20-34	177	8.9	76	4	5	8	10	12	13	55
35-49	1189	9.0	20	5	5	8	10	13	16	24
50-64	2310	9.7	26	5	6	9	11	15	18	31
65+	2743	11.2	47	5	6	9	13	18	24	39
GRAND TOTAL	**6424**	**10.2**	**36**	**5**	**6**	**9**	**11**	**16**	**20**	**35**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	3.4	9	1	1	3	4	5	6	13
20-34	795	3.0	4	<1	1	3	4	5	6	10
35-49	485	3.2	3	1	1	3	4	5	6	10
50-64	263	3.8	6	1	2	3	5	6	8	14
65+	54	5.0	24	1	2	4	5	8	14	27
2. MULTIPLE DX										
0-19 YRS	124	3.9	5	1	2	3	5	6	8	14
20-34	358	3.6	5	1	1	3	5	6	7	13
35-49	579	4.0	6	1	2	3	5	7	9	13
50-64	393	4.9	17	2	2	4	5	8	14	22
65+	117	8.5	114	2	3	5	9	18	35	99+
TOT. SINGLE DX	1924	3.3	6	1	1	3	4	5	6	12
" MULTIPLE DX	1571	4.5	18	1	2	3	5	8	10	22
TOTAL 0-19 YRS	451	3.5	9	1	2	3	4	5	7	14
20-34	1153	3.2	5	1	1	3	4	5	6	11
35-49	1064	3.6	5	1	2	3	4	6	8	13
50-64	656	4.5	13	1	2	4	5	8	11	20
65+	171	7.4	89	2	2	5	8	15	27	94
GRAND TOTAL	**3495**	**3.8**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1148	3.8	3	2	2	4	5	6	7	10
20-34	2191	3.9	4	2	2	4	5	6	7	11
35-49	276	3.9	4	1	2	4	5	6	8	12
50-64	75	4.0	4	1	2	4	5	6	8	13
65+	11	7.5	33	<1	2	6	9	18	20	20
2. MULTIPLE DX										
0-19 YRS	133	4.8	17	1	2	4	5	8	11	30
20-34	282	5.0	8	2	2	4	6	8	10	16
35-49	94	5.9	38	2	2	4	6	11	14	40
50-64	46	7.2	36	3	3	5	8	13	23	31
65+	15	10.8	58	4	4	8	14	24	28	30
TOT. SINGLE DX	3701	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	570	5.4	20	2	2	4	6	9	12	27
TOTAL 0-19 YRS	1281	3.9	5	2	2	4	5	6	7	11
20-34	2473	4.1	5	2	2	4	5	6	8	12
35-49	370	4.4	14	1	2	4	5	7	9	15
50-64	121	5.2	[illegible]	[illegible]	2	4	5	10	13	27
65+	26	9.4	49	2	3	7	13	20	25	30
GRAND TOTAL	**4271**	**4.1**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1391	2.2	7	<1	<1	2	2	4	6	14
20-34	1812	2.5	11	<1	<1	2	3	5	6	15
35-49	1650	2.7	12	<1	<1	2	3	5	8	20
50-64	1594	3.1	19	<1	<1	2	3	5	10	23
65+	1062	4.2	47	<1	<1	2	4	9	14	41
2. MULTIPLE DX										
0-19 YRS	415	4.5	60	<1	1	2	5	9	15	35
20-34	815	6.8	96	<1	1	3	7	16	26	50
35-49	1074	7.1	79	<1	1	4	9	17	24	57
50-64	1827	8.8	116	<1	1	5	11	20	29	54
65+	2497	12.8	184	1	2	9	17	30	44	99+
TOT. SINGLE DX	7509	2.9	18	<1	<1	2	3	5	9	21
" MULTIPLE DX	6628	9.5	138	<1	1	5	12	23	33	78
TOTAL 0-19 YRS	1806	2.8	20	<1	<1	2	3	5	9	21
20-34	2627	3.9	41	<1	<1	2	4	8	14	33
35-49	2724	4.4	44	<1	<1	2	4	10	16	33
50-64	3421	6.1	79	<1	<1	3	7	15	23	48
65+	3559	10.2	159	<1	1	6	14	25	38	97
GRAND TOTAL	**14137**	**6.0**	**85**	**<1**	**<1**	**3**	**6**	**15**	**23**	**53**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1465	4.1	21	<1	1	3	5	8	12	23
20-34	1544	5.1	37	<1	1	3	6	10	15	32
35-49	946	6.0	53	<1	1	4	7	12	18	40
50-64	896	7.5	87	1	1	5	9	16	22	48
65+	794	10.1	150	1	2	6	13	23	37	64
2. MULTIPLE DX										
0-19 YRS	2233	5.6	67	1	1	3	6	12	20	42
20-34	3063	7.2	91	1	1	4	8	16	25	63
35-49	1984	10.4	160	1	1	6	13	24	35	75
50-64	2462	14.2	230	1	2	9	19	35	49	99+
65+	3991	18.7	319	2	3	14	26	52	81	99+
TOT. SINGLE DX	5645	6.1	64	<1	1	4	7	13	20	42
" MULTIPLE DX	13733	12.0	215	1	1	7	16	32	49	99+
TOTAL 0-19 YRS	3698	5.0	50	<1	1	3	6	10	16	38
20-34	4607	6.5	75	1	1	4	7	15	22	51
35-49	2930	9.0	131	1	1	5	11	21	31	64
50-64	3358	12.4	201	1	2	8	16	30	45	93
65+	4785	17.2	301	2	2	12	24	48	75	99+
GRAND TOTAL	**19378**	**10.3**	**178**	**1**	**1**	**6**	**13**	**27**	**42**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	8.1	105	1	1	4	9	25	34	46
20-34	211	9.3	78	1	2	6	13	22	27	42
35-49	146	9.4	101	1	1	6	12	23	31	48
50-64	142	12.8	186	<1	1	10	18	27	37	83
65+	187	20.8	254	1	4	18	29	40	52	89
2. MULTIPLE DX										
0-19 YRS	192	14.8	199	1	2	11	19	35	42	71
20-34	279	17.6	230	2	3	14	24	39	54	99+
35-49	252	19.6	284	2	3	15	29	45	56	99+
50-64	332	24.7	445	2	4	19	35	60	81	99+
65+	701	30.5	413	6	8	27	44	69	86	99+
TOT. SINGLE DX	826	12.3	168	1	1	8	18	30	38	61
" MULTIPLE DX	1756	24.1	383	2	4	19	34	57	75	99+
TOTAL 0-19 YRS	332	12.0	171	1	1	7	16	29	41	60
20-34	490	14.0	182	1	2	10	20	31	43	96
35-49	398	15.8	241	1	2	11	23	39	49	95
50-64	474	21.1	397	1	2	17	29	51	67	99+
65+	888	28.4	396	4	8	25	40	64	80	99+
GRAND TOTAL	**2582**	**20.3**	**344**	**1**	**2**	**16**	**29**	**48**	**67**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	4.5	71	<1	1	2	4	8	14	51
20-34	124	4.5	36	<1	1	2	5	9	19	37
35-49	68	4.3	40	<1	1	3	4	9	12	39
50-64	47	9.2	288	<1	1	3	7	28	43	83
65+	21	11.5	152	1	1	5	21	36	64	99+
2. MULTIPLE DX										
0-19 YRS	48	7.9	90	1	2	4	9	23	30	42
20-34	95	11.3	222	1	1	6	15	27	44	94
35-49	76	12.8	230	1	1	6	19	41	58	99+
50-64	81	15.3	433	1	2	7	22	67	89	99+
65+	98	21.4	476	1	2	17	41	97	99+	99+
TOT. SINGLE DX	358	5.5	90	<1	1	2	4	12	25	54
" MULTIPLE DX	398	14.5	331	1	2	7	21	51	87	99+
TOTAL 0-19 YRS	146	5.6	80	<1	1	3	4	13	26	47
20-34	219	7.5	128	1	1	3	8	20	28	80
35-49	144	8.8	158	1	1	4	10	31	44	99+
50-64	128	13.1	386	1	1	5	16	53	83	99+
65+	119	19.7	432	1	2	17	37	92	99+	99+
GRAND TOTAL	**756**	**10.2**	**237**	**1**	**1**	**4**	**12**	**35**	**60**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	2.5	4	<1	<1	2	3	4	7	11
20-34	316	2.6	4	<1	<1	2	3	5	6	10
35-49	271	3.4	19	<1	1	2	4	6	7	21
50-64	270	2.9	4	<1	1	3	4	5	6	10
65+	116	3.8	20	1	1	3	4	6	12	25
2. MULTIPLE DX										
0-19 YRS	249	4.1	59	<1	1	2	4	7	10	50
20-34	305	4.8	33	1	1	3	5	11	16	26
35-49	285	5.4	40	1	2	4	6	9	16	34
50-64	515	7.0	90	1	2	4	8	17	23	87
65+	532	16.6	285	2	3	12	23	51	94	99+
TOT. SINGLE DX	1385	2.9	9	<1	<1	2	3	5	7	15
" MULTIPLE DX	1886	8.7	149	1	2	4	10	23	37	99+
TOTAL 0-19 YRS	661	3.1	26	<1	<1	2	3	6	8	27
20-34	621	3.7	20	<1	1	2	4	7	11	22
35-49	556	4.4	31	1	1	3	5	8	12	30
50-64	785	5.6	65	1	1	3	5	14	19	70
65+	648	14.3	262	1	2	10	20	40	83	99+
GRAND TOTAL	**3271**	**6.3**	**98**	**<1**	**1**	**3**	**6**	**16**	**26**	**98**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.6	3	<1	1	2	3	5	7	7
20-34	15	4.7	11	2	2	4	6	8	13	15
35-49	16	5.1	23	2	2	3	5	13	16	18
50-64	15	7.5	123	1	1	2	9	26	36	40
65+	12	5.7	23	1	1	4	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	7	5.0	28	<1	<1	3	6	14	16	16
20-34	16	7.3	30	1	2	6	9	12	20	24
35-49	14	13.1	287	2	2	9	15	31	59	67
50-64	32	14.9	369	2	3	8	17	32	66	88
65+	48	17.9	393	3	4	11	20	38	69	93
TOT. SINGLE DX	72	5.1	38	1	1	3	5	12	15	37
" MULTIPLE DX	117	14.3	313	2	3	9	16	29	61	90
TOTAL 0-19 YRS	21	3.4	12	<1	<1	2	4	7	11	16
20-34	31	6.0	22	2	2	5	8	11	15	24
35-49	30	8.8	158	2	2	4	12	17	27	67
50-64	47	12.6	298	1	2	6	14	26	53	88
65+	60	15.4	342	2	3	10	17	32	56	92
GRAND TOTAL	**189**	**10.8**	**228**	**1**	**2**	**6**	**12**	**24**	**40**	**88**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	4.4	18	1	2	3	6	9	13	22
20-34	1997	5.2	25	1	2	3	7	12	15	25
35-49	2456	5.8	32	1	2	3	8	14	18	26
50-64	1442	6.0	36	1	1	4	8	14	19	30
65+	341	7.3	55	1	2	5	10	17	22	38
2. MULTIPLE DX										
0-19 YRS	94	7.1	46	1	2	5	9	15	21	33
20-34	927	8.1	60	2	2	6	11	18	23	37
35-49	1464	8.6	72	2	2	6	11	18	25	42
50-64	1509	10.1	105	2	2	7	13	22	30	54
65+	903	13.9	175	2	3	10	18	31	42	84
TOT. SINGLE DX	6414	5.7	32	1	2	3	7	13	17	27
" MULTIPLE DX	4897	9.9	103	2	2	7	13	21	29	56
TOTAL 0-19 YRS	272	5.3	29	1	2	3	7	12	18	27
20-34	2924	6.1	39	1	2	4	8	14	18	29
35-49	3920	6.8	49	1	2	4	9	15	20	33
50-64	2951	8.1	76	1	2	5	11	18	25	43
65+	1244	12.1	151	2	2	8	17	27	38	79
GRAND TOTAL	**11311**	**7.5**	**67**	**1**	**2**	**4**	**10**	**17**	**23**	**40**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	7.5	177	1	2	3	8	14	24	86
20-34	175	6.3	38	2	2	4	8	13	16	32
35-49	242	5.9	42	2	2	3	7	12	18	37
50-64	433	5.5	27	2	2	4	7	11	15	27
65+	324	6.0	45	2	2	3	8	13	16	30
2. MULTIPLE DX										
0-19 YRS	39	9.2	208	2	2	4	9	29	61	99+
20-34	161	9.8	130	2	2	7	11	23	31	93
35-49	336	10.2	128	2	2	7	13	21	31	72
50-64	1053	9.5	92	2	2	7	12	20	26	61
65+	1355	10.8	105	2	2	8	14	22	30	60
TOT. SINGLE DX	1220	5.9	42	2	2	4	7	12	16	33
" MULTIPLE DX	2944	10.2	107	2	2	7	13	21	30	63
TOTAL 0-19 YRS	85	8.3	190	2	2	4	8	18	38	95
20-34	336	8.0	85	2	2	5	9	17	25	48
35-49	578	8.4	97	2	2	5	10	18	26	60
50-64	1486	8.3	77	2	2	5	11	18	24	51
65+	1679	9.9	98	2	2	7	13	20	28	57
GRAND TOTAL	**4164**	**8.9**	**92**	**2**	**2**	**6**	**11**	**19**	**26**	**57**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	2.7		2	2	3	3	4	4	4
35-49	139	3.3	5	2	2	2	3	6	9	14
50-64	262	3.3	7	2	2	2	3	5	7	15
65+	52	4.0	13	2	2	2	4	8	14	18
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	28	4.6	18	1	2	3	4	10	14	20
35-49	276	3.9	10	2	2	3	4	8	10	17
50-64	824	4.3	19	2	2	3	4	9	13	21
65+	291	6.1	36	2	2	3	7	14	19	25
TOT. SINGLE DX	474	3.3	7	2	2	2	3	6	8	15
" MULTIPLE DX	1421	4.6	22	2	2	3	5	10	14	23
TOTAL 0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	48	3.8	12	2	2	3	3	9	11	20
35-49	415	3.7	9	2	2	3	4	7	9	16
50-64	1086	4.0	17	2	2	3	4	8	12	20
65+	343	5.7	33	2	2	3	7	14	18	24
GRAND TOTAL	**1895**	**4.3**	**19**	**2**	**2**	**3**	**4**	**9**	**13**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	5.2	28	1	1	3	6	12	17	26
20-34	497	6.3	33	1	2	4	9	14	16	30
35-49	707	6.3	34	1	2	4	9	13	16	30
50-64	1014	5.7	25	1	2	4	8	13	16	23
65+	870	6.4	40	1	2	4	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	124	7.6	58	1	2	5	10	16	22	43
20-34	471	9.0	75	1	2	7	11	18	24	57
35-49	1001	10.0	85	2	2	8	13	20	27	50
50-64	2794	9.2	72	2	2	7	12	19	24	44
65+	4018	11.7	123	2	2	9	15	24	33	74
TOT. SINGLE DX	3206	6.1	33	1	2	4	9	13	16	29
" MULTIPLE DX	8408	10.5	100	2	2	8	14	22	28	57
TOTAL 0-19 YRS	242	6.4	45	1	2	4	8	14	19	33
20-34	968	7.6	56	1	2	6	10	15	21	38
35-49	1708	8.4	68	1	2	6	11	17	23	41
50-64	3808	8.3	62	2	2	6	11	17	22	38
65+	4888	10.7	113	2	2	8	14	23	30	68
GRAND TOTAL	**11614**	**9.2**	**85**	**2**	**2**	**7**	**12**	**19**	**26**	**49**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7367	4.4	22	1	1	3	5	8	11	24
20-34	11283	5.1	27	1	1	4	6	10	14	28
35-49	8153	6.1	33	1	1	5	8	12	16	28
50-64	7785	7.3	44	1	2	6	9	14	18	33
65+	7338	9.4	71	2	3	7	12	18	24	48
2. MULTIPLE DX										
0-19 YRS	8434	5.8	51	1	1	4	7	11	17	43
20-34	13365	7.1	50	1	2	5	9	14	20	39
35-49	16351	8.5	59	2	2	7	10	16	22	41
50-64	32027	10.1	74	2	3	8	13	19	25	48
65+	68189	13.3	130	3	4	10	16	26	36	80
TOT. SINGLE DX	41926	6.3	42	1	2	5	8	13	17	32
" MULTIPLE DX	138366	10.9	103	2	3	8	14	22	30	63
TOTAL 0-19 YRS	15801	5.1	39	1	1	4	6	10	14	33
20-34	24648	6.2	41	1	2	4	7	12	17	33
35-49	24504	7.7	52	1	2	6	10	15	20	38
50-64	39812	9.6	70	2	3	7	12	18	24	46
65+	75527	12.9	126	3	4	10	16	25	35	77
GRAND TOTAL	**180292**	**9.9**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**57**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2699	6.1	61	1	1	4	6	13	23	43
20-34	2047	7.9	51	1	2	6	10	14	19	41
35-49	2106	8.4	45	2	3	7	10	15	20	35
50-64	1804	8.7	46	2	3	7	11	16	20	38
65+	1580	11.2	106	2	3	9	13	21	29	63
2. MULTIPLE DX										
0-19 YRS	2783	8.2	105	1	2	5	9	18	28	64
20-34	3909	8.6	68	2	3	6	10	16	22	49
35-49	3628	9.5	60	2	4	7	11	17	23	44
50-64	4853	11.2	98	3	4	9	13	21	28	60
65+	10019	15.1	170	3	5	11	18	31	46	99+
TOT. SINGLE DX	10236	8.2	63	1	2	6	10	16	22	43
" MULTIPLE DX	25192	11.8	126	2	3	8	14	24	35	78
TOTAL 0-19 YRS	5482	7.2	85	1	2	4	7	16	26	54
20-34	5956	8.4	63	2	3	6	10	15	21	47
35-49	5734	9.1	55	2	3	7	11	17	22	41
50-64	6657	10.5	86	2	3	8	13	19	26	54
65+	11599	14.5	164	3	4	11	18	30	44	99+
GRAND TOTAL	**35428**	**10.7**	**110**	**2**	**3**	**8**	**13**	**21**	**31**	**68**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5563	4.0	18	1	1	3	5	7	9	19
20-34	2646	5.2	44	1	1	3	6	10	16	37
35-49	2198	6.5	45	1	1	4	8	14	17	37
50-64	2445	7.6	45	1	2	6	10	15	20	33
65+	2525	8.8	66	2	2	7	11	17	22	44
2. MULTIPLE DX										
0-19 YRS	6057	5.6	59	1	1	4	6	10	16	49
20-34	4096	7.0	71	1	1	5	8	15	21	44
35-49	5169	8.1	64	1	2	6	10	16	22	42
50-64	11984	9.4	67	2	3	7	12	18	23	43
65+	26251	12.0	114	3	4	9	15	23	32	71
TOT. SINGLE DX	15377	5.9	42	1	1	4	7	13	17	33
" MULTIPLE DX	53557	9.9	95	2	2	7	12	20	27	59
TOTAL 0-19 YRS	11620	4.8	40	1	1	3	5	8	12	34
20-34	6742	6.3	61	1	1	4	7	13	20	41
35-49	7367	7.6	59	1	2	5	9	15	21	40
50-64	14429	9.1	64	2	3	7	12	17	23	42
65+	28776	11.7	111	3	3	9	14	22	31	68
GRAND TOTAL	**68934**	**9.1**	**86**	**1**	**2**	**6**	**11**	**18**	**25**	**53**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number — Title

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin